

Natural System Error Messages 6151-6200

NAT6151: Natural program error: Infinite recursion.

| | |
|-------|--|
| Text | Natural program error: Infinite recursion. |
| Expl. | The typical program in which this error occurs is a dialog containing the statement CLOSE DIALOG *DIALOG-ID for the CLOSE event. |
| Actn. | Check for recursive calls. |

NAT6152: Error while unlocking the object.

| | |
|-------|---|
| Text | Error while unlocking the object. |
| Expl. | Either your network software contains an error or Natural detected an internal error while unlocking a locked object. |
| Actn. | Check your environment. |

NAT6153: Error during lock of object.

| | |
|-------|---|
| Text | Error during lock of object. |
| Expl. | Either your networking software has an error or Natural detected an internal error while locking an object. |
| Actn. | Check your environment. |

NAT6154: Error closing file.

| | |
|-------|---|
| Text | Error closing file. |
| Expl. | Natural tried to close a file it has opened, but an error was returned by the operating system. |
| Actn. | Check your environment. If you cannot find the cause of the problem, contact Software AG support. |

NAT6155: Attempt to modify a read-only system file.

| | |
|-------|--|
| Text | Attempt to modify a read-only system file. |
| Expl. | Natural tried to open a file in the system file emulation for writing, but this system file was declared as read-only in the global config file. |
| Actn. | Either do not attempt to modify the system file or remove the read only flag from NATCONV.CFG |

NAT6156: Internal error in the system file emulation.

| | |
|-------|---|
| Text | Internal error in the system file emulation. |
| Expl. | Natural encountered an internal error in the system file emulation. |
| Actn. | Contact Software AG support. |

NAT6157: Dialog called from non-gui environment.

| | |
|-------|---|
| Text | Dialog called from non-gui environment. |
| Expl. | A gui environment is created when a dialog is started at level 1. Dialogs may then be called. A non-gui environment is active when: - a PROGRAM is started at level 1 or - Natural executes as server. It is not possible to call a dialog in a non-gui environment. |
| Actn. | Check your program and remove the calls to dialogs or start the program via a dialog. |

NAT6158: Failed to send object descriptor to repository.

| | |
|-------|---|
| Text | Failed to send object descriptor to repository. |
| Expl. | During a Natural / repository synchronize operation, Natural was not able to send a Natural object description to the repository. |
| Actn. | Check your environment |

NAT6159: Repository error: failed to delete library.

| | |
|-------|---|
| Text | Repository error: failed to delete library. |
| Expl. | The Natural repository was called by the Natural system file driver to delete a whole library and returned an error code. |
| Actn. | Check your environment. |

NAT6160: Repository error: failed to rename library.

| | |
|-------|---|
| Text | Repository error: failed to rename library. |
| Expl. | The Natural repository was called by the Natural system file driver to rename a library and returned an error code. |
| Actn. | Check your environment. |

NAT6161: Repository error: failed to save object.

| | |
|-------|---|
| Text | Repository error: failed to save object. |
| Expl. | The Natural repository was called by the Natural system file driver to save an object and returned an error code. |
| Actn. | Check your environment. |

NAT6162: Repository error: failed to lock object

| | |
|-------|---|
| Text | Repository error: failed to lock object. |
| Expl. | The Natural repository was called by the Natural system file driver to lock an object and returned an error code. |
| Actn. | Check your environment. |

NAT6163: Repository error: failed to unlock object.

| | |
|-------|---|
| Text | Repository error: failed to unlock object. |
| Expl. | The Natural repository was called by the Natural system file driver to unlock an object and returned an error code. |
| Actn. | Check your environment. |

NAT6164: Object saved successfully. Repository information may be faulty.

| | |
|-------|--|
| Text | Object saved successfully. Repository information may be faulty. |
| Expl. | The Natural object was saved and/or cataloged successfully, but the object information stored in the Natural repository may be incorrect as a repository operation failed. |
| Actn. | Retry the operation. If the error reoccurs, contact your system administrator or Software AG support. |

NAT6200: Cannot insert global or application-independent variables.

| | |
|-------|--|
| Text | Cannot insert global or application-independent variables. |
| Expl. | <p>This error can have two causes:</p> <ul style="list-style-type: none">a) out of memoryb) table overflow <p>Either the operating system is not configured correctly or there is not enough space on the disc for the system swapfile.</p> <p>All descriptions of application-independent variables are collected in a table of limited size. The table can overflow if an extremely large number of application-independent variables is created. The same situation applies to context variables.</p> <p>Check the configuration settings of the operating system and correct them if necessary. Then check the available disk space for your system swapfile.</p> <p>Check the number of application-independent and context variables.</p> |
| Actn. | Check the number of application-independent and context variables. Contact your system administrator. |