

Natural System Error Messages 6751-6800

NAT6751: Page size lower than 512 bytes.

Text	Page size lower than 512 bytes.
Expl.	The page size of the database is lower than the minimum limit.
Actn.	If error occurs using the Database Services, contact Software AG support, else check the parameter PAGE-SIZE of the program ADACREA.

NAT6752: Due to an internal error an area could not be created.

Text	Due to an internal error an area could not be created.
Expl.	Internal error when creating an area.
Actn.	Contact Software AG support.

NAT6753: Due to an internal error a file could not be created.

Text	Due to an internal error a file could not be created.
Expl.	Internal error when storing a FDT.
Actn.	Contact Software AG support.

NAT6754: Due to an internal error a file description could not be fetched.

Text	Due to an internal error a file description could not be fetched.
Expl.	Internal error when reading a FDT.
Actn.	Contact Software AG support.

NAT6755: Due to an internal error a field could not be inserted.

Text	Due to an internal error a field could not be inserted.
Expl.	Internal error when storing a FDT.
Actn.	Contact Software AG support.

NAT6756: Due to an internal error an area description couldn't be fetched.

Text	Due to an internal error an area description couldn't be fetched.
Expl.	Internal error when reading an area description.
Actn.	Contact Software AG support.

NAT6757: Due to an internal error a descriptor could not be inserted.

Text	Due to an internal error a descriptor could not be inserted.
Expl.	Internal error when storing a FDT.
Actn.	Contact Software AG support.

NAT6758: Due to an internal error a field description couldn't be fetched.

Text	Due to an internal error a field description couldn't be fetched.
Expl.	Internal error when reading a FDT.
Actn.	Contact Software AG support.

NAT6759: Due to an internal error a descriptor could not be fetched.

Text	Due to an internal error a descriptor could not be fetched.
Expl.	Internal error when reading a FDT.
Actn.	Contact Software AG support.

NAT6760: Due to internal error part of a descriptor couldn't be inserted.

Text	Due to internal error part of a descriptor couldn't be inserted.
Expl.	Internal error when storing a FDT.
Actn.	Contact Software AG support.

NAT6761: Due to an internal error a field description couldn't be changed.

Text	Due to an internal error a field description couldn't be changed.
Expl.	Internal error when changing a FDT.
Actn.	Contact Software AG support.

NAT6782: Invalid handle used. Internal error of backup/restore.

Text	Invalid handle used. Internal error of backup/restore.
Expl.	An invalid handle was used. Internal error of backup/restore.
Actn.	Contact Software AG support.

NAT6783: The file for the backup is in read-only mode.

Text	The file for the backup is in read-only mode.
Expl.	The file should be written to a read-only medium or the file is write-protected.
Actn.	Check the backup medium and the directory for backup and correct error.

NAT6784: The file for the restore is in read-only mode.

Text	The file for the restore is in read-only mode.
Expl.	The file should be written to a read only medium or the file is write-protected.
Actn.	Check the restore medium and the directory for restore and correct error.

NAT6785: Internal error of backup/restore.

Text	Internal error of backup/restore.
Expl.	Internal error.
Actn.	Contact Software AG support.

NAT6786: No R-lock could be set on file for backup / restore.

Text	No R-lock could be set on file for backup / restore.
Expl.	Due to an update conflict no R-lock could be set for backup / restore.
Actn.	Check that no other application uses the database for update.

NAT6787: No X-lock could be set on file for backup / restore.

Text	No X-lock could be set on file for backup / restore.
Expl.	Due to an update conflict no X-lock could be set for backup / restore.
Actn.	Check that no other application uses the database.

NAT6788: It is not possible to lock all files for backup / restore.

Text	It is not possible to lock all files for backup / restore.
Expl.	Due to an update conflict not locks could be set for backup / restore.
Actn.	Check that no other application uses the database.

NAT6800: The device specified is not valid.

Text	The device specified is not valid.
Expl.	If the device is a floppy disc, it must be either A or B. If it is a hard disc, it must be either C or another alphabetic character that has been defined for the hard disc or for part of the hard disc.
Actn.	Enter a valid character.