

# THSEP - Dynamic Thousands Separator

This Natural profile parameter is used to enable or disable the use of dynamic thousands separators in edit masks at compilation time. At runtime the dynamic thousands separators are replaced by the value (thousands separator character) of the profile and session parameter THSEPCH.

<b>Possible settings</b>	ON	Dynamic thousands separators are used. Every dynamic thousands separator that is not part of a string literal is replaced at runtime with the thousands separator character defined with THSEPCH.	
	OFF	Dynamic thousands separators are not used, that is, thousands separators in the edit mask are treated as literal and displayed unchanged at runtime. This is the compatibility setting.	
<b>Default setting</b>	OFF		
<b>Dynamic specification</b>	yes		
<b>Specification within session</b>	yes	Applicable Statements:	OPTIONS
		Applicable Command:	THSEP option of COMPOPT

## Notes:

1. In the Natural source, the dynamic thousands separator is either a comma (,) or a period (.), depending on the current setting of the profile and session parameter DC (decimal character). If a comma is specified, then the dynamic thousands separator is a period, otherwise it is a comma.
2. Fields in Unicode format should not be redefined as alphanumeric (A) or numeric (N) fields.

See also:

- Profile parameter THSEPCH in the *Parameter Reference*.
- *Customizing Separator Character Displays* in the *Programming Guide*.