

Natural System Error Messages 5901-5950

NAT5901: Cannot allocate internal reader.

Text	ESY5901 Cannot allocate internal reader.
Expl.	Dynamic allocation of internal reader failed.
Actn.	Contact the systems programmer.

NAT5902: Dynamic allocation failed.

Text	ESY5902 Dynamic allocation failed.
Actn.	Contact the systems programmer.

NAT5903: Dynamic allocation failed for temporary data set.

Text	ESY5903 Dynamic allocation failed for temporary data set.
Expl.	Dynamic allocation for a temporary dataset failed.
Actn.	Contact the systems programmer.

NAT5904: Edit not allowed (SCLM protection).

Text	ESY5904 Edit not allowed (SCLM protection).
Expl.	The selected PDS member has been protected by SCLM. Only browsing if this member is allowed, all update actions are denied.
Actn.	Use SCLM dialog to free member.

NAT5906: DESERV :1: error, R15=:2:, R0=:3:.

Text	ESY5906 DESERV :1: error, R15=:2:, R0=:3:.
Expl.	A DESERV macro was issued and an unexpected error occurred. The function and values for R15 and R0 are shown.
Actn.	Check the R15 and R0 values and if necessary contact Software AG technical support.

NAT5907: DSPSERV :1: error, R15=:2:, R0=:3:.

Text	ESY5907 DSPSERV :1: error, R15=:2:, R0=:3:.
Expl.	A DSPSERV macro was issued and an unexpected error occurred. The function and values for R15 and R0 are shown.
Actn.	Check the R15 and R0 values and if necessary contact Software AG technical support.

NAT5908: ALESERV :1: failure, R15=:2:, R0=:3:.

Text	ALESERV :1: error, R15=:2:, R0=:3:.
Expl.	An ALESERV macro was issued and an unexpected error occurred. The function and values for R15 and R0 are shown.
Actn.	Check the R15 and R0 values and if necessary contact Software AG technical support.

NAT5909: Syntax error in JCL command.

Text	ESY5909 Syntax error in JCL command.
Expl.	A syntax error was detected.
Actn.	Check JCL and correct error.

NAT5912: EPS5912 Destination definition time window overlap.**NAT5913: EPS5913 User already belongs to a group.****NAT5914: EPS5914 Owner Id is not defined.****NAT5915: EPS5915 Printer Id is not defined.****NAT5917: EPS5917 Record already exists.****NAT5918: EPS5918 Owner Id is not defined.****NAT5920: EPS5920 Report status must be A, H, P or L.****NAT5921: ENTIRE SYSTEM SERVER node table not linked.**

Text	ESY5921 Entire System Server node table not linked.
Expl.	Entire System Server node table not linked.
Actn.	Contact your systems programmer.

NAT5922: ENTIRE SYSTEM SERVER node :1: not active.

Text	ESY5922 Entire System Server node :1: not active.
Actn.	Contact operator or systems programmer.

NAT5923: Error :1: calling ENTIRE SYSTEM SERVER.**NAT5924: Binary descriptors not supported for Incore Database.**

NAT5925: MU field in PE group not supported for Incore Database.

NAT5926: Too many concurrent index searches for one file (max. 2).

NAT5931: EPS5931 No suitable destination definition.

NAT5932: EPS5932 Report already open.

NAT5933: EPS5933 Report number must be specified.

NAT5934: EPS5934 Error in control data.

NAT5935: EPS5935 Invalid printer Id.

NAT5936: EPS5936 Report was not opened.

NAT5937: EPS5937 You must specify both group and user Id.

NAT5938: EPS5938 You must specify a printer Id.

NAT5939: EPS5939 Report has too many lines.

NAT5940: EPS5940 Printer command table is full.

NAT5941: EPS5941 Report does not exist.

NAT5942: EPS5942 Report is not available.

NAT5943: EPS5943 Line number is not in reports line range.

NAT5944: EPS5944 Please specify a report number.

NAT5945: EPS5945 Report is printing, priority was not changed.

NAT5946: EPS5946 Report control record is missing.

NAT5947: EPS5947 Printer is not active.

NAT5948: EPS5948 Source must be O or R.

NAT5949: EPS5949 Invalid function.

NAT5950: EPS5950 Invalid copylist name.