# Release Information for Natural Version 6.3.6

This chapter covers the following topics:

- Changes and Enhancements
- Natural Remote Procedure Call
- Natural Security
- Notice of Future Changes

# **Changes and Enhancements**

#### **Utilities**

#### **Object Handler**

The Object Handler now provides the commands NATUNLD, NATLOAD and SYSTRANS, which are used to migrate the old utilities NATUNLD, NATLOAD and SYSTRANS to the Object Handler. For details, see *Migration from NATUNLD/NATLOAD and SYSTRANS to the Object Handler* in the *Object Handler* section of the *Utilities* documentation.

The Object Handler now provides the UNDELI command to process delete instructions with the unload function. For details, see *Basic Command Syntax* in the *Object Handler* section of the *Utilities* documentation.

#### Natural Web I/O Interface Client

Support is now provided for automatic style sheet selection for different screen models. See *Modifying the Font Size* in the *Natural Web I/O Interface* documentation.

On IIS, you can now determine whether the PF key numbers are shown next to the PF keys. This is done with the showfkeynumbers attribute of the screen element in *sessions.xml*. See *Overview of Configuration File Elements* in the *Natural Web I/O Interface* documentation. (This feature is already available for J2EE.)

## **Natural Remote Procedure Call**

Natural Remote Procedure Call (RPC) is available as a separate subcomponent of Natural. It has its own version number. This measure takes into account that Natural RPC is a cross-platform component and makes it possible to provide new Natural RPC versions independent of new Natural versions for the various platforms supported.

With Natural Version 6.3.6, an enhanced Natural Remote Procedure Call Version 6.3.3 is delivered that replaces the existing Natural RPC Version 6.3.2.

As of Version 6.3 of Natural Remote Procedure Call (RPC), the following changes, enhancements and new features are provided.

#### **Trace Enhancement**

In case of a conversion error, which is reported with Natural error number NAT6974 and reason codes 2 and 3, the position of the erroneous data in the buffer is indicated. This will help you to identify which application data is causing the conversion error.

For further information, see *Using the Server Trace Facility* in the *Natural Remote Procedure Call (RPC)* documentation.

# **Natural Security**

The following enhancements are provided with Natural Security Version 6.3.6.

### **Logon Records Enhanced**

The information stored in the logon records has been expanded: now it also includes the user type and system-file information (FUSER, FNAT, FDIC). With this Natural Security version, this information can only be retrieved via the application programming interface NSCXR; see the example program PGMXR006 in the library SYSSEC.

# **Notice of Future Changes**

The following changes are planned for future versions of Natural.

## **Change in Return Code Handling**

With a future version of Natural, the return code handling of batch Natural processing will be changed:

- A TERMINATE *nnn* statement will cause *nnn* to be always set as the return code of a Natural run.
- The return code set by a TERMINATE statement will override the return code 61 which is set due to a runtime error. Currently, return code 61 overrides the return code set by a TERMINATE statement.
- Error message NAT9987 will appear in the file identified by Natural parameter CMPRINT if a
  Natural run was stopped by a TERMINATE statement. Currently, the message NAT9978 is displayed
  if either a runtime error occurred or the session was terminated by executing a TERMINATE
  statement.

Review your batch procedures and check whether there are dependencies related to the above mentioned changes.

#### Natural Web I/O Interface Client on IIS

With a future version of Natural, it will no longer be possible to use the Natural Web I/O Interface client with Microsoft Internet Information Services (IIS). IIS will no longer be supported.