

OLE Container Control

This chapter covers the following topics:

- Description
 - Attributes for OLE Container Control
 - Events
-

Description

An OLE container control enables you to integrate OLE objects in a Natural dialog.

Attributes for OLE Container Control

Attribute Name	Query	Set/Modify	In Attr. Window
ACCELERATOR	X	X/X	X
BACKGROUND-COLOUR-NAME	X	X/X	X
BACKGROUND-COLOUR-VALUE	X	X/X	X
CLIENT-DATA	X	X/X	
CLIENT-HANDLE	X	X/X	
CLIENT-KEY	X	X/X	
CLIENT-VALUE	X	X/X	
DIL-TEXT	X	X/X	X
EMBEDDED-OBJECT	X	X/X	X
ENABLED	X	X/X	X
FIRST-CHILD	X	-/-	
FOLLOWS	X	X/X	
HELP-ID	X	X/X	X
ICONIZED	X	X/-	
INPLACE-ACTIVE	X	-/-	
LAST-CHILD	X	-/-	
MODIFIABLE	X	X/X	X
OBJECT-SIZE	X	-/-	
OWNER	X	X/-	
PARENT	X	X/-	
PREDECESSOR	X	-/-	

Attribute Name	Query	Set/Modify	In Attr. Window
RECTANGLE-H	X	X/X	X
RECTANGLE-W	X	X/X	X
RECTANGLE-X	X	X/X	X
RECTANGLE-Y	X	X/X	X
SERVER-OBJECT	X	X/X	X
SERVER-PROGID	X	X/X	X
STYLE	X	X/-	X
SUCCESSOR	X	-/-	
SUPPRESS-ACTIVATE-EVENT	X	X/X	
SUPPRESS-CHANGE-EVENT	X	-/-	
SUPPRESS-CLICK-EVENT	X	X/X	
SUPPRESS-CLOSE-EVENT	X	X/X	
SUPPRESS-DBL-CLICK-EVENT	X	X/X	
TOOLTIP	X	X/X	
TYPE	X	X/-	
VISIBLE	X	X/X	X
ZOOM-FACTOR	X	X/X	X

Events

Activate Event, Change Event, Click Event, Close Event, Double-Click Event (all events may be suppressed).