

# List View Control Attributes Subwindow

## ▶ Accessible Using

- Select the "Attributes..." button in the list view control attributes window.
- 

## Entries

### Note:

For context-sensitive help on attribute entries, select the entry so it has the focus, and press F1.

Entry in Attributes Window	Represents
<b>Font</b>	Output field where the font currently selected is displayed.
...	Dialog box for selecting fonts.
<b>DIL text</b>	DIL-TEXT attribute value.
...	Dialog box for determining sources of DIL-TEXT attribute values.
<b>Accelerator</b>	Accelerator attribute value.
...	Dialog box for determining sources of Accelerator attribute values.
<b>Context Menu</b>	CONTEXT-MENU attribute value. Specifies the context menu (if any) associated with the control.
<b>Wallpaper</b>	WALLPAPER attribute value. Specifies the wallpaper (if any) displayed within the control.
<b>Image List</b>	IMAGE-LIST attribute value. Specifies the image list (if any) used to provide the images used by the control's items.
<b>Background:</b>	
<b>Selection box</b>	BACKGROUND-COLOUR-NAME attribute value.
...	Invokes dialog box for editing BACKGROUND-COLOUR-VALUE attribute value.
<b>Foreground:</b>	
<b>Selection box</b>	FOREGROUND-COLOUR-NAME attribute value.
...	Invokes dialog box for editing FOREGROUND-COLOUR-VALUE attribute value.
<b>Help ID</b>	HELP-ID attribute value. You must use the help topic's .h file to map the numerical ID that you enter here to the corresponding help topic ID (created by a markup in the .hlp file).
<b>View Mode</b>	VIEW-MODE attribute value. Specifies the control's display mode.

<b>Entry in Attributes Window</b>	<b>Represents</b>
<b>Drag Mode</b>	DRAG-MODE attribute value. Indicates whether the control can act as the source in a drag-drop operation and, if so, which types of drag-drop operation it supports.
<b>Drop Mode</b>	DROP-MODE attribute value. Indicates whether the control can act as the target in a drag-drop operation and, if so, which types of drag-drop operation it supports.
<b>Spacing:</b>	
<b>X</b>	SPACING-X attribute value. Specifies the width of the logical (in pixels) grid used in the icon view modes.
<b>Y</b>	SPACING-Y attribute value. Specifies the height of the logical (in pixels) grid used in the icon view modes.
<b>W</b>	SPACING attribute value. Specifies the width of the columns in list view mode.
<b>Style:</b>	
<b>3-D border</b>	STYLE attribute value. Control has sunken appearance.  <b>Note:</b> The control does not have a sunken appearance if Windows XP styles are active.
<b>Align vertically</b>	STYLE attribute value. Items are arranged vertically in icon view modes.
<b>Auto-arrange</b>	STYLE attribute value. Items are maintained arranged on logical grid.
<b>Snap to grid</b>	STYLE attribute value. (Re-)positioned items are snapped to their nearest logical grid position.
<b>No scroll</b>	STYLE attribute value. Scroll bars not displayed in icon view modes.
<b>No header</b>	STYLE attribute value. Column header not displayed in report view mode.
<b>No sort header</b>	STYLE attribute value. Column headers are not click-sensitive.
<b>Check boxes</b>	STYLE attribute value. Displays check boxes next to the items.
<b>Full row select</b>	STYLE attribute value. Selection emphasis extends across full row in report view mode.
<b>Grid lines</b>	STYLE attribute value. Show grid lines in report view mode.
<b>Header drag</b>	STYLE attribute value. Allows re-ordering of columns by dragging their headers.
<b>Label tip</b>	STYLE attribute value. Show tooltip with label text when mouse cursor hovers over partially hidden labels.
<b>Wrap icon labels</b>	STYLE attribute value. Allows item labels to wrap across multiple lines.
<b>Underline hot</b>	STYLE attribute value. Underlines item under mouse cursor and enables single click item activation.
<b>Underline cold</b>	STYLE attribute value. Underlines all items and enables single click item activation.

<b>Entry in Attributes Window</b>	<b>Represents</b>
<b>No hide selection</b>	STYLE attribute value. Keeps selection visible even when control no longer has the focus.
<b>Border select</b>	STYLE attribute value. Emphasizes the large icons of selected items via use of thick border.
<b>Hot-track select</b>	STYLE attribute value. Automatically selects an item when the mouse cursor hovers over it for a short time..
<b>Marquee select</b>	STYLE attribute value. Allows selection of multiple controls in multiple-selection list view controls via "rubber banding" (drag rectangle).
<b>Size to parent</b>	STYLE attribute value. Control size automatically maintained to fill the client area of its parent.
<b>State:</b>	
<b>Visible</b>	VISIBLE attribute value. Control will be shown.
<b>Enabled</b>	ENABLED attribute value. Control can accept user input.
<b>Modifiable</b>	MODIFIABLE attribute value. Item labels may be edited.
<b>RTL</b>	RTL attribute value. If this entry is checked, the dialog element direction is right-to-left.
<b>Multiple selection</b>	MULTI-SELECTION attribute value. Multiple items may be selected.
<b>Sorted</b>	SORTED attribute value. Items are initially sorted in alphabetic sequence.
<b>Descending</b>	DESCENDING attribute value. Items are initially sorted in descending alphabetic sequence.
<b>Tooltips</b>	HAS-TOOLTIP attribute value. If not set, display of the tool tip text (if any) for the items will be suppressed.
<b>Rectangle:</b>	The following four attributes decide the input field control's x and y axis position, its height and its width on the screen.  <b>X</b> - RECTANGLE-X attribute value. <b>Y</b> - RECTANGLE-Y attribute value. <b>W</b> - RECTANGLE-W attribute value. <b>H</b> - RECTANGLE-H attribute value.
<b>OK</b>	Save settings and exit the window.
<b>Cancel</b>	Exit the window without saving the settings.
<b>Help</b>	Provides online help on the attributes window.