

Status Bar Control Attributes Subwindow

▶ Accessible Using

- Select the "Attributes..." button in the status bar control attributes window
-

Entries

Note:

For context-sensitive help on attribute entries, select the entry so it has the focus, and press F1.

Entry in Attrib. Subwindow	Represents
Control ID	CLIENT-KEY attribute value (used in this context for associating a user-defined ID).
Context Menu	CONTEXT-MENU attribute value. Specifies the context menu (if any) associated with the control.
Location	LOCATION attribute value. Determines the side of the dialog on which the status bar control is initially positioned.
Internal Metrics:	
Minimum height	ITEM-H attribute value. Specifies the <i>minimum</i> height of the status bar panes (in pixels). This is particularly useful for status bar controls which display icons. By default, the minimum height of a status bar control depends on the font used to draw the text.
Margin-X	MARGIN-X attribute value. Specifies the margin (in pixels) to the left and right of the status bar panes.
Margin-Y	MARGIN-Y attribute value. Specifies the margin (in pixels) above and below the status bar panes.
Borders:	
Top	STYLE attribute value. Species whether a border should be displayed at the top of the control.
Bottom	STYLE attribute value. Species whether a border should be displayed at the bottom of the control.
3-D	STYLE attribute value. If set, the status bar control borders (if any) are drawn with a 3-D appearance.
Style:	
Gripper	STYLE attribute value. Determines whether a sizing gripper is displayed within the status bar control.
State:	
Visible	VISIBLE attribute value.

Entry in Attrib. Subwindow	Represents
Enabled	ENABLED attribute value.
Tooltips	HAS-TOOLTIP attribute value. If not set, display of the tool tip text (if any) for the status bar panes will be suppressed.
OK	Save settings and exit the window.
Cancel	Exit the window without saving the settings.
Help	Provides online help on the attributes window.