

INatAutoObjects

This chapter covers the following topics:

- Purpose
 - Properties
 - Methods
-

Purpose

Used to navigate to the collections of development objects and other related collections.

Properties

The following properties are available:

- Parent
- Studio
- Programs
- Dialogs
- DataAreas
- ObjectTrees
- ObjectLists
- GenericTexts
- GenericDocuments
- SelectedObjects
- RefreshObject

Parent

Used to navigate to the parent interface of this interface.

Natural Data Format	Variant Type	Remark
HANDLE OF OBJECT	VT_DISPATCH (INatAutoStudio)	Get only

Studio

Used to navigate to the root interface.

Natural Data Format	Variant Type	Remark
HANDLE OF OBJECT	VT_DISPATCH (INatAutoStudio)	Get only

Programs

Used to navigate to the INatAutoPrograms interface.

Natural Data Format	Variant Type	Remark
HANDLE OF OBJECT	VT_DISPATCH (INatAutoPrograms)	Get only

Dialogs

Used to navigate to the INatAutoDialogs interface.

Natural Data Format	Variant Type	Remark
HANDLE OF OBJECT	VT_DISPATCH (INatAutoDialogs)	Get only

DataAreas

Used to navigate to the INatAutoDataAreas interface.

Natural Data Format	Variant Type	Remark
HANDLE OF OBJECT	VT_DISPATCH (INatAutoDataAreas)	Get only

ObjectTrees

Used to navigate to the INatAutoObjectTrees interface.

Natural Data Format	Variant Type	Remark
HANDLE OF OBJECT	VT_DISPATCH (INatAutoObjectTrees)	Get only

ObjectLists

Used to navigate to the INatAutoObjectLists interface.

Natural Data Format	Variant Type	Remark
HANDLE OF OBJECT	VT_DISPATCH (INatAutoObjectLists)	Get only

GenericTexts

Used to navigate to the `INatAutoGenericTexts` interface.

Natural Data Format	Variant Type	Remark
HANDLE OF OBJECT	VT_DISPATCH (INatAutoGenericTexts)	Get only

GenericDocuments

Used to navigate to the `INatAutoGenericDocuments` interface.

Natural Data Format	Variant Type	Remark
HANDLE OF OBJECT	VT_DISPATCH (INatAutoGenericDocuments)	Get only

SelectedObjects

Used to navigate to the `INatAutoSelectedObjects` interface.

Natural Data Format	Variant Type	Remark
HANDLE OF OBJECT	VT_DISPATCH (INatAutoSelectedObjects)	Get only

RefreshObject

Used to navigate to the `INatAutoRefreshObject` interface.

Natural Data Format	Variant Type	Remark
HANDLE OF OBJECT	VT_DISPATCH (INatAutoRefreshObject)	Get only

Methods

The following method is available:

- `ActiveObject`

ActiveObject

Returns the currently active document window.

Parameters

Name	Natural Data Format	Variant Type	Remark
Return value	HANDLE OF OBJECT	VT_DISPATCH	
Class	A	VT_BSTR	By reference

Return value

A handle to the currently active document window. This can be a handle to one of the following:

- INatAutoProgram
- INatAutoDialog
- INatAutoDataArea
- INatAutoGenericText
- INatAutoGenericDocument
- INatAutoObjectTree
- INatAutoObjectList

Class

A string that identifies the class of the document window. The string contains one of the following:

- INatAutoProgram
- INatAutoDialog
- INatAutoDataArea
- INatAutoGenericText
- INatAutoGenericDocument
- INatAutoObjectTree
- INatAutoObjectList