

SYSEXV Utility

The utility SYSEXV provides example programs to illustrate new features of current Natural versions. All programs are available as source objects and display a detailed functionality description when they are executed. Example programs for non-current Natural versions are also available.

This chapter covers the following topics:

- Executing Example Programs of Current Versions
 - Executing Example Programs of Non-current Versions
 - Terminating the SYSEXV Utility
-

Executing Example Programs of Current Versions

▶ To execute an example program of a current version

1. Enter the following system command:

```
SYSEXV
```

Or:

Log on to the SYSEXV library:

```
LOGON SYSEXV
```

and continue by entering

```
VERSION
```

As a result, a menu is displayed from which you can choose a Natural version.

2. Choose a version from the menu.

As a result, a commented menu is displayed from which you can choose an example program relevant to the selected version.

3. Choose a program.

As a result, the program is executed.

Executing Example Programs of Non-current Versions

▶ To execute an example program of a non-current version

1. Log on to the SYSEXV library:

```
LOGON SYSEXV
```

2. List the text object A-README.

Note:

Do not modify the text object A-README.

A-README lists and comments example programs for non-current versions.

3. Choose a program and execute it.

Terminating the SYSEXV Utility

▶ To terminate the SYSEXV utility

- In the SYSEXV utility menu, choose **OK**.