

# **Natural Engineer**

## **Utilities for Windows**

Version 8.3

October 2015

## **Manual Order Number: NEE83-080WIN**

Copyright © 1997-2015, Generation Systems Ltd., East Grinstead, UK.

This document applies to Natural Engineer version 8.3 and to all subsequent releases.

Specifications contained herein are subject to change, and these changes will be reported in subsequent revisions or editions.

Readers' comments are welcomed. Comments may be addressed to the Documentation Department at the address on the back cover. Internet users may send comments to the following e-mail address:

document@gensystems.com

## **Acknowledgements**

The name Software AG and all Software AG product names are either trademarks or registered trademarks of Software AG and/or Software AG USA Inc. and/or its subsidiaries and/or its affiliates and/or their licensors. Other company and product names mentioned herein may be trademarks of their respective owners.

Detailed information on trademarks and patents owned by Software AG and/or its subsidiaries is located at <http://softwareag.com/licenses>.

This software may include portions of third-party products. For third-party copyright notices, license terms, additional rights or restrictions, please refer to "License Texts, Copyright Notices and Disclaimers of Third Party Products". For certain specific third-party license restrictions, please refer to section E of the Legal Notices available under "License Terms and Conditions for Use of Software AG Products / Copyright and Trademark Notices of Software AG Products". These documents are part of the product documentation, located at <http://softwareag.com/licenses> and/or in the root installation directory of the licensed product(s).

Use of this software is subject to adherence to Software AG's licensing conditions and terms. These terms are part of the product documentation, located at <http://softwareag.com/licenses> and/or in the root installation directory of the licensed product(s).

# TABLE OF CONTENTS

<b>ABOUT THIS MANUAL .....</b>	<b>1</b>
Purpose of this manual .....	1
Target Audience .....	1
Typographical Conventions used in this manual .....	2
How this manual is organized .....	3
Terminology .....	4
Related Literature .....	7
<b>TASK SCHEDULER .....</b>	<b>9</b>
Chapter Overview .....	9
Task Scheduler Overview .....	10
Task Scheduler Configuration .....	12
Task Scheduler Summary Window .....	15
Task Scheduler Details Window .....	19
<b>COMPARE .....</b>	<b>23</b>
Chapter Overview .....	23
Compare Overview .....	24
Compare Selection Window .....	27
Compare Results Window .....	38
<b>MODE CONVERSION .....</b>	<b>59</b>
Chapter Overview .....	59
Mode Conversion Overview .....	60
Mode Conversion Techniques .....	62
Mode Conversion GDA Processing .....	81
Mode Conversion Object Processing .....	94
<b>CHANGE MANAGEMENT TRACKING (CMT) .....</b>	<b>105</b>
Chapter Overview .....	105
Change Management Tracking Overview .....	106
CMT Object Viewer Window .....	107
CMT Reports Window .....	112
CMT Examples .....	116

## Natural Engineer Utilities

<b>KEYWORD CATALOGUE .....</b>	<b>123</b>
Chapter Overview.....	123
Keyword Catalogue Window .....	124
 <b>ARCHITECTURAL GOVERNANCE .....</b>	 <b>131</b>
Chapter Overview.....	131
Architectural Governance Overview.....	132
Global Coding Standards Overview .....	135
Global Coding Standards Screen .....	136
Application Coding Standards Overview .....	140
Coding Standards Impact Execution Overview .....	141
Coding Standards Impact Element Maintenance .....	142
 <b>ARIS INTERFACE .....</b>	 <b>153</b>
Chapter Overview.....	153
ARIS Interface Pre-Requisites.....	154
ARIS Interface Window.....	157
Import to ARIS Overview .....	161
 <b>INDEX.....</b>	 <b>169</b>

# ABOUT THIS MANUAL

## Purpose of this manual

---

This manual contains the Utilities for Natural Engineer.

It describes the various utility options available within Natural Engineer, which include:

- Automating the execution of Natural Engineer processes using the Task Scheduler option.
- Examine differences between Natural, Cobol or JCL objects between two or three libraries, differences between object save/stow date and time stamps between two or three Natural libraries, and examine differences between up to three PC files, using the Compare option.
- Convert Natural Reporting mode objects into Natural Structured mode objects using the Mode Conversion option.
- Review maintenance changes within objects using the Change Management Tracking option.
- View the Keywords that have been entered into Natural Engineer using the Keyword Catalogue.
- Apply Global and Application specific Coding Standards to Natural Objects.
- Export Natural Engineer data to ARIS.

## Target Audience

---

The target audience for this manual is intended to be any User of Natural Engineer at any level of experience.

## Typographical Conventions used in this manual

---

The following conventions are used throughout this manual:

<b>UPPERCASE TIMES</b>	Commands, statements, names of programs and utilities referred to in text paragraphs appear in normal (Times) uppercase.
<b>UPPERCASE BOLD COURIER</b>	In illustrations or examples of commands, items in uppercase bold courier must be typed in as they appear.
< >	Items in angled brackets are placeholders for user-supplied information. For example, if asked to enter <file number>, you must type the number of the required file.
<u>Underlined</u>	Underlined parts of text are hyperlinks to other parts within the online source manual. This manual was written in MS-Word 97 using the "hyperlink" feature.

The following symbols are used for instructions:

⇒	Marks the beginning of an instruction set.
o	Indicates that the instruction set consists of a single step.
1.	Indicates the first of a number of steps.

## How this manual is organized

---

This manual is organized to reflect all the Utilities options of Natural Engineer in the following chapters:

Chapter	Contents
1	Describes the Task Scheduler option, which provides the facility to automate the execution of the various Environment, Analysis and Modification options. This provides the facility to execute long-running batch tasks in an unattended mode to minimize the impact on machine and human resources.
2	Describes the Compare option, which provides the facility to review differences between objects across two or three Natural, Cobol or JCL libraries, differences between object save/stow date and time stamps across two or three Natural libraries, differences between up to three PC files. The results are presented on a single screen utilizing customizable color code markings to distinguish between the differences. For Natural object compares, changes can be applied to the Base object from Compare 1 and/or Compare 2 libraries and then saved to create a new Base version.
3	Describes the Mode Conversion option, which provides the facility to convert Natural Reporting mode objects into Natural Structured mode objects.
4	Describes the Change Management Tracking (CMT) option, which provides the facility to review audit trail records of changes applied to individual objects within Natural Engineer.
5	Describes the Keyword Catalogue option, which provides the facility to identify related items within the Natural Engineer Repository by defining keywords..
6	Describes the Architectural Governance option which provides the facility to apply global or application specific coding standards to Natural Objects.
7	Describes the Natural Engineer ARIS Interface

*Note: This is an add-on to Natural Engineer and requires a separate license key.*

## Natural Engineer Utilities

# Terminology

---

This section offers some of the terms that are specific to the Natural Engineer product.

*Note: Familiarity is assumed with the general terminology of Natural, Adabas, Microsoft and Mainframe operating systems.*

### Analysis

The Analysis process of Natural Engineer searches application data within the Natural Engineer Repository, according to specified Search Criteria and generates reports on the search results.

### Application

An Application is a library or group of related libraries, which define a complete Application. In Natural Engineer, the Application can have a one-to-one relationship with a single library of the same name, or a library of a different name, as well as related steplib. The Application refers to all the source code from these libraries, which Natural Engineer loads into the Repository.

### Browser

An Internet Browser such as Microsoft Internet Explorer or Netscape.

### Category

Categories in Natural Engineer specify whether and how a Modification is applied to the Natural code. Valid categories are: Automatic change, Manual change, Reject the default Modification, No change to the data item, and the data item is in Generated Code.

A category is further broken down according to type of change (for example: Keyword, Literal, Data Item, Database Access, Definition).

### Cobol

Abbreviation of Common Business Orientated Language. A programming language.

### Cobol Link

A Cobol Link is the link between the individual Cobol modules and the executable Cobol program referenced in the JCL object.

### Consistency

An option in the Analysis process that causes Natural Engineer to trace an Impact through the code, using left and right argument resolution to identify further code impacted by the code found.

### Database Access Definition

A collective term used to identify DDMs, SQL Tables or Predict User Views.



## About this Manual

### Data Item

A collective term used for any data fields within a programming object. These can be user-defined variables, DDM fields or System Variables. It is inter-changeable with the term 'variable'.

### Environment

The Environment process is the means by which Natural Engineer generates a structured view of the application code in the Natural Engineer Repository. This provides application analysis reports and inventory information on the application and is used as the basis for Impact Analysis.

### Exception

An Exception is an Item identified as impacted that does not require a Modification. Where there are a few similar Exception Items, they can be treated as Exceptions, and rejected in the Modification review process. Where there are many similar (therefore not Exceptions), consideration should be given to changing the Search Criteria so they are not identified as impacted in the first place.

### Generated Code

This is code which has been generated by a Natural code generator, such as Construct, and which is not normally modified directly in the Natural editor.

### Impact

An Impact is an instance of a Natural code Item; e.g., data item or statement (a "hit" scored by the Analysis process) that matches the defined Search Criteria used in the Analysis process.

### Iteration

An Iteration is one examination cycle of a field identified according to the specified Search Criteria. For example, one Iteration is reading the field right to left. Multiple Iterations are performed when the option of 'Consistency' or Multi Search is requested for Analysis, and Natural Engineer performs as many Iterations as necessary to exhaust all possibilities of expressing and tracing the field, and can be limited by a setting in the NATENG.INI file.

### JCL

Job Control Language.

### JCL object

A JCL object is a collection of Job Control statements in the order which they are to be executed in a mainframe batch environment. Commonly referred to as JCL.

### Library

A single library of source code, which exists in the Natural system file.

### Modification

A Modification is a change suggested or made to an object or data item resulting in the required compliance of that object or data item. Modifications in Natural Engineer are classified according to Category and Type.

## **Natural Engineer Utilities**

### **Refactoring**

Improving a computer program by reorganizing its internal structure without altering its external behavior.

### **Soft Link**

A Soft Link is where a link between two objects has been defined using an alphanumeric variable rather than a literal constant.

### **TLM**

Text Logic Members are used to contain the code required to support inclusion of common code into the application. An example of this is the code to include into an application before updating a database.

### **Type**

The Type of Modification available, for example: Data Item, Keyword and Literal.

### **Variable**

A collective term used for any data fields within a programming object. These can be user-defined variables, DDM fields or System Variables. It is inter-changeable with the term 'data item'.

## Related Literature

---

The complete set of Natural Engineer manuals consists of:

**1 Natural Engineer Concepts and Facilities (NEE83-006ALL)**

The Concepts and Facilities manual describes the many application systems problems and solutions offered by Natural Engineer, providing some guidelines and usage that can be applied to Natural applications.

**2 Natural Engineer Release Notes (NEE83-008ALL)**

The Release Notes describe all the information relating to the new features, upgrades to existing functions and documentation updates that have been applied to Natural Engineer.

**3 Natural Engineer Installation Guide for Windows (NEE83-010WIN)  
Natural Engineer Installation Guide for Mainframes (NEE83-010MFR)  
Natural Engineer Installation Guide for Unix (NEE83-010UNIX)**

The Installation Guide provides information on how to install Natural Engineer on PC, Unix and mainframe platforms.

**4 Natural Engineer Administration Guide (NEE83-040WIN)  
Natural Engineer Administration Guide (NEE83-040MFR)**

The Administration Guide provides information on all the various control settings available to control the usage of the different functions within Natural Engineer.

**5 Natural Engineer Application Management (NEE83-020WIN)  
Natural Engineer Application Management (NEE83-020MFR)**

The Application Management manual describes all the functions required to add Natural applications into the Repository.

**6 Natural Engineer Application Documentation (NEE83-022WIN)  
Natural Engineer Application Documentation (NEE83-022MFR)**

The Application Documentation manual describes all the available functions to document a Natural application within the Repository. These functions will help enhance / supplement any existing systems documentation such as BSD / CSD / Specifications etc.

**7 Natural Engineer Application Analysis and Modification (NEE83-023WIN)  
Natural Engineer Application Analysis and Modification (NEE83-023MFR)**

The Application Analysis and Modification manual describes all the available functions to carry out analysis of Natural applications; including basic keyword searches. The modification process is described and detailed to show how it can be applied to modify single selected objects within a Natural application, or the entire Natural application in one single execution.

## **Natural Engineer Utilities**

- 8    Natural Engineer Application Restructuring (NEE83-024WIN)  
     Natural Engineer Application Restructuring (NEE83-024MFR)**

The Application Restructuring manual describes the analysis and modification functionality required to carryout some of the more sophisticated functions such as Object Builder.

- 9    Natural Engineer Utilities (NEE83-080WIN)  
     Natural Engineer Utilities (NEE83-080MFR)**

The Utilities manual describes all the available utilities found within Natural Engineer and, when and how they should be used.

- 10   Natural Engineer Reporting (NEE83-025ALL)**

The Reporting manual describes each of the reports available in detail, providing report layouts, how to trigger the report and when the report data becomes available. The various report-producing mediums within Natural Engineer are also described.

- 11   Natural Engineer Batch Processing [Mainframes] (NEE83-026MFR)**

The Batch Processing manual describes the various batch jobs (JCL) and their functionality.

- 12   Natural Engineer Messages and Codes (NEE83-060ALL)**

The Messages and Codes manual describes the various messages and codes produced by Natural Engineer.

- 13   Natural Engineer Advanced Services (NEE83-017WIN)**

The Advanced Services manual describes various advanced options such as the Refactoring of Natural application source code with Natural Engineer, conversion of applications for Natural for Ajax and Business Rule processing.

# TASK SCHEDULER

## Chapter Overview

---

This chapter describes the Task Scheduler option available from the Utilities menu. The Task Scheduler option is used to manage and execute automatically Natural Engineer Environment, Impact and Modification tasks. These tasks will execute in unattended batch mode.

The topics covered in this chapter are:

1. [Task Scheduler overview](#)
2. [Task Scheduler Configuration](#)
3. [Task Scheduler Summary window](#)
4. [Task Details window](#)

## Task Scheduler Overview

---

The Task Scheduler option allows you to specify tasks to be executed at a specified date and time. These tasks may be scheduled to run with a frequency of once, daily, weekly or monthly and may also have dependencies on other defined tasks to allow a series of tasks to run in a controlled sequence.

Once the task or tasks have been specified, they are ready for execution and will be triggered by the Windows Scheduled Tasks process. This must be invoked in order for the tasks to be released for execution (if their individual specifications have been attained).

Each task execution will have a history log entry available showing the execution events for that task. Any tasks that have experienced problems during execution will be highlighted with a status of 'Error' in the Task Scheduler Summary screen.

### Using the Task Scheduler

The Task Scheduler allows long executing tasks for individual applications to be scheduled to run overnight or at weekends, in order that the normal working day is less disrupted waiting on these tasks to complete.

For example: If an extract and load of a very large application is required, where the extract and load processes are likely to take several hours each to complete, then a task can be scheduled to start executing at the end of the normal working day (i.e., overnight). The task can then be reviewed the next working day.

### Using the Frequency Task option

A frequency can be set for any tasks that are to be repeated many times. This means a task need only be specified the once, but with the appropriate frequency set, it will execute each time it is initiated via the Task Scheduler.

For example: Natural Engineer is being used to maintain an application where various modifications are being applied using the modification options of Natural Engineer. The application has been specified within Natural Engineer to apply all the modifications to the base application library. To maintain integrity of the modified application on the Repository, the Extract Source Code function with Synchronize Source Code option activated requires running once a week. A task would be set up with the correct details specified to run Extract Source Code with a frequency of 'Weekly' set.

## Using the Dependency Task option

Task dependencies can be specified, so that tasks are only initiated provided the previous task has completed.

For example: Task 0001 is specified to run an Extract Source Code function for an application. A second task, 0002, is specified to run the Load Repository function for the same application with a dependency of task 0001 set. At run time, task 0002 will not execute until task 0001 has completed.

## Task Scheduler Configuration

---

In order to utilize the Task Scheduler functionality, some basic configuration tasks are required. These should be completed before attempting to use the Task Scheduler.

### Natural Parameter File for Task Scheduler

A new Natural parameter file TSKSCHED needs to be added to your Natural runtime environment. This can be done by copying the installed Natural Engineer parameter file: NEEPARM and renaming it.

Update the parameter file TSKSCHED, to remove the startup program used to populate the Natural system variable \*STARTUP.

### Natural Engineer supplied BAT Files

Natural Engineer comes supplied with several default BAT files that are installed during the Natural Engineer installation process for use with the Task Scheduler. These are located in the BAT directory of the Natural Engineer installation.

- SAMPLE bulkreports.bat
- SAMPLE delapp.bat
- SAMPLE ext-load-imp.bat
- SAMPLE extract.bat
- SAMPLE impact.bat
- SAMPLE impfld.bat
- SAMPLE load.bat
- SAMPLE neelod.bat
- SAMPLE remedyall.bat
- SAMPLE tsksched.bat

*Note: Other BAT files also reside in this location e.g., for PDF report generation.*

Each BAT file needs to be modified as follows: NB: Examples are for installations under Natural 6.3:



1. Change the location path to point the correct location of the Natural executable in your runtime environment. The default value is:

"c:\program files\software ag\natural\6.3\bin\natural.exe"

2. Change the location path of the information messages from the Task Scheduler. The default value is:

c:\PROGRAMDATA\SOFTWARE AG\NATURAL ENGINEER\DATA

3. Save the changes to a new BAT file removing "SAMPLE" from the name For example:

**SAMPLE extract.bat** should be changed and saved as **extract.bat**.

*Note: Task Scheduler utilizes pre-defined BAT file names.*

The user can change the directory where the BAT files are located by modifying the BAT parameter in the [NATENG] section of the NATENG.INI file.

*Note: For more information on the NATENG.INI file parameter BAT refer to Chapter 1 in the Natural Engineer Administration Guide for Windows manual*

## Windows Scheduled Tasks

The Task Scheduler tasks are initiated using the Windows Scheduled Tasks function. A task needs to be created to run the "tsksched.bat" file at set intervals, which will check to see if any tasks are available.

Once invoked, the "tsksched.bat" file will interrogate the Repository looking for any tasks that are ready for execution, i.e., any tasks that have a date and time stamp which is less than or equal to the date and time when "tsksched.bat" file is executing.

Create a task to run "tsksched.bat" using the Windows Scheduled Tasks function, with the following key settings:

### 1. Create a meaningful task name.

For example: NEE Task Scheduler.

### 2. The run path name for "tsksched.bat"

"X:\Natural Engineer\BAT\tsksched.bat"

where X is the directory where Natural Engineer was installed to.

# 1

## **Natural Engineer Utilities**

### **3. Set up a Schedule for the task to run.**

For example:


Start every day at 06:00, ending at 18:00 and repeat the task every 30 minutes.

This will result in the Windows Scheduled task running every 30 minutes between 06:00 and 18:00, when it will check for any Natural Engineer tasks that meet all the various criteria. Any tasks that are not ready to run will have to wait for the next scheduled run of Windows Scheduled task.

## Task Scheduler Summary Window

The Task Scheduler option is accessed using the following menu navigation: Utilities → Task Scheduler. When this option is selected, the Task Scheduler Summary screen is displayed.

The following Figure 1-1 illustrates the Task Scheduler Summary screen.



The screenshot shows a window titled "Task Scheduler Summary" with a table of tasks. The table has columns: Task ID, User ID, Date, Time, Freq, Dep, Status, Appl, Function Group, Function Name, and Impact Version. There are two rows of data. Below the table are buttons for Refresh, Add, and Cancel.

Task ID	User ID	Date	Time	Freq	Dep	Status	Appl	Function Group	Function Name	Impact Version
0001	USER01	24-01-2014	09:51:00	Once		Pending	HOSPITAL	Environment	Extract Source Code	0
0002	USER01	24-01-2014	09:51:00	Weekly		Suspended	COBJCLNT	Analysis	Impact Execution	1

Figure 1-1 Task Scheduler Summary screen

SCREEN ITEMS	DESCRIPTION
--------------	-------------

Each task is displayed in a single row on the Task Scheduler Summary screen. A task can be selected for update by using the left hand mouse button with a double click. Each task line consists of the following columns:

<b>Task Id</b>	The task id that has been assigned for the task. This is an internally generated sequential number starting from 0001. Deleted task numbers are reused.
<b>User Id</b>	The user id of the person that added the task.
<b>Date</b>	The task execution start date specified in the Task Scheduler Details screen.

SCREEN ITEMS	DESCRIPTION
<b>Time</b>	The task execution start time specified in the Task Scheduler Details screen.
<b>Freq</b>	<p>The task frequency. This controls the amount of executions for the task. Available frequencies are:</p> <p><b>Once</b> Task will execute once only.</p> <p><b>Daily</b> Task will execute daily at the same time based on the original date and time specified.</p> <p><b>Weekly</b> Task will execute weekly at the same time based on the original date and time specified.</p> <p><b>Monthly</b> Task will execute monthly at the same time based on the original date and time specified.</p>
<b>Dep</b>	The task's dependency on other scheduled tasks. This will contain the task id of the task that needs to complete before this task will execute.
<b>Status</b>	<p>The task status.</p> <p>Available statuses:</p> <p>“ “ Task is waiting for the specified start date and time, i.e., a date and time have been set in the future.</p> <p><b>Pending</b> Task has missed the specified date and time and is ready for execution the next time the Initiator is invoked.</p> <p><b>Error</b> Task has experienced an error during execution.</p> <p><b>Complete</b> Task has completed successfully.</p> <p><b>In Progress</b> Task is currently executing.</p> <p><b>Suspended</b> Task has been suspended and will not be released for execution until the Release option is used from the context menu.</p>
<b>Appl</b>	The name of the application being used by the task.
<b>Function Group</b>	<p>The main function area being used by the task.</p> <p>Available function groups are:</p> <ul style="list-style-type: none"> <li>▪ <b>Environment</b></li> <li>▪ <b>Analysis</b></li> <li>▪ <b>Modification</b></li> </ul>

SCREEN ITEMS	DESCRIPTION
<b>Function Name</b>	<p>The name of the sub-function within the main function.</p> <p>Available sub-functions are:</p> <p>For the function group Environment:</p> <ul style="list-style-type: none"><li>▪ <b>Extract Source Code</b></li><li>▪ <b>Load Repository</b></li><li>▪ <b>Extract &amp; Load</b></li><li>▪ <b>Extract, Load &amp; Impact</b></li><li>▪ <b>Environment Bulk Reports</b></li></ul> <p>For the function group Analysis:</p> <ul style="list-style-type: none"><li>▪ <b>Impact Execution</b></li><li>▪ <b>Impact Bulk Reports</b></li></ul> <p>For the function group Modification:</p> <ul style="list-style-type: none"><li>▪ <b>Modify All</b></li><li>▪ <b>Modification Bulk Reports</b></li></ul>
<b>Impact Version</b>	<p>The impact version number being used by the task. This is only applicable to function names: Impact Execution and Modify All. All other tasks will show '00'.</p>

BUTTON NAME	DESCRIPTION
<b>Refresh</b>	Refreshes the Task Scheduler Summary screen updating the task status values.
<b>Add</b>	Invoke the Task Scheduler Details screen.
<b>Cancel</b>	Cancel the Task Scheduler Summary process and return back to the main Natural Engineer screen.

# 1

## Natural Engineer Utilities

### Task Scheduler Summary Context Menu

Each task line on the Task Scheduler Summary screen can be selected and a context menu of options is available by using the right hand mouse button with a single click.

The following Figure 1-2 illustrates the Task Scheduler Summary screen context menu.




Figure 1-2 Task Scheduler Summary screen context menu

CONTEXT MENU ITEM	DESCRIPTION
<b>Delete</b>	Delete the selected task.
<b>Update</b>	Invoke the Task Scheduler Details screen to update the selected task details.
<b>Reset</b>	Reset the status of the selected task ready for re-execution.
<b>Suspend</b>	Suspend the selected task from any execution.
<b>Release</b>	Release the suspended task.
<b>View Log File</b>	Shows the Task Scheduler Log File.

*Note: This is only available when running in a Remote Development Environment.*

## Task Scheduler Details Window

The Task Scheduler Details window is where each task can be specified and added to the Task Scheduler. This screen is also used to update the details for a task.

The Task Scheduler Details screen can be invoked by using the 'Add' button on the Task Scheduler Summary screen, by selecting a task and then using the Task Scheduler Summary context menu update option or by selecting a task and using the left hand mouse button with a double click.

The following Figure 1-3 illustrates the Task Scheduler Details screen.

The screenshot shows the 'Task Scheduler Details' window with a menu bar containing 'File' and 'Help'. The window is divided into two main sections: 'Task Schedule' and 'Task Function'.  
In the 'Task Schedule' section, there are four fields: 'Start Date' (15/10/2014), 'Frequency' (Once), 'Start Time' (09:51:00), and 'Dependency'.  
In the 'Task Function' section, there are three fields: 'Application' (HOSPITAL), 'Function Group' (Environment), and 'Function Name' (Extract Source Code). There are also three buttons: 'Open Application', 'Extract Criteria', and 'Comments'.  
At the bottom right, there are three buttons: 'OK', 'Cancel', and 'Apply'.  
At the bottom left, there is a label 'Task 0001'.

Figure 1-3 Task Scheduler Details screen

MENU ITEMS	OPTIONS	DESCRIPTION
<b>File</b>	<b>Exit</b>	Exit the Task Scheduler Details screen and return back to the Task Scheduler Summary screen.
<b>Help</b>		Invoke the Task Scheduler Details help.

SCREEN ITEMS	DESCRIPTION
Task Schedule group:	
<b>Start Date</b>	The date the task is to execute. Use the selection boxes to select a month and year. The days are selected from the calendar. Changing the month and/or year will result in the calendar changing to the new settings. The default date will be the current date when the Task Scheduler Details screen was invoked.
<b>Start Time</b>	The time the task is to execute. Use the selection box to select the time required. The default time will be the current time when the Task Scheduler Details screen was invoked.
<b>Frequency</b>	<p>The frequency that is to be applied to the task. This controls the amount of executions for the task. The following frequencies are available:</p> <p><b>Once</b> Task will execute once only.</p> <p><b>Daily</b> Task will execute daily at the same time based on the original date and time specified.</p> <p><b>Weekly</b> Task will execute weekly at the same time based on the original date and time specified.</p> <p><b>Monthly</b> Task will execute monthly at the same time based on the original date and time specified.</p>
<b>Dependency</b>	Select a task id on which this task is to be dependent. Task ids available will be the current tasks available in the Task Scheduler Summary screen.
Task Function group:	
<b>Application</b>	The name of the application.
<b>Function Group</b>	<p>The main function area being used by the task.</p> <p>Available function groups are:</p> <ul style="list-style-type: none"> <li>▪ <b>Environment</b></li> <li>▪ <b>Analysis</b></li> <li>▪ <b>Modification</b></li> </ul>



SCREEN ITEMS	DESCRIPTION
<b>Function Name</b>	<p>The name of the sub-function within the main function.</p> <p>Available sub-functions available are:</p> <p>For the function group Environment:</p> <ul style="list-style-type: none"> <li>▪ <b>Extract Source Code</b></li> <li>▪ <b>Load Repository</b></li> <li>▪ <b>Extract &amp; Load</b></li> <li>▪ <b>Extract, Load &amp; Impact</b></li> <li>▪ <b>Environment Bulk Reports</b></li> </ul> <p>For the function group Analysis:</p> <ul style="list-style-type: none"> <li>▪ <b>Impact Execution</b></li> <li>▪ <b>Impact Bulk Reports</b></li> </ul> <p>For the function group Modification:</p> <ul style="list-style-type: none"> <li>▪ <b>Modify All</b></li> <li>▪ <b>Modification Bulk Reports</b></li> </ul>
<b>Comments</b>	Up to 80 characters of text can be entered to serve as a comment for the task. These are treated as information only.

BUTTON NAME	DESCRIPTION
Task Function group:	
<b>Open Application</b>	<p>Invoke the Open Application process.</p> <p>An existing application may be selected. Upon returning to the Task Scheduler Details screen, the selected application will appear in the application output box (left of this button).</p>
<b>Extract Criteria</b>	<p>Invoke the Extract and Load Selection Criteria process.</p> <p>Extract and Load selection criteria can be reviewed, updated or added and saved.</p> <p><i>Note: The criteria specified here are only relevant to the task for which they have been defined. The task criteria are independent of the main application extract selection criteria defined using the Environment ➔ Extract and Load Selection Criteria option.</i></p>

BUTTON NAME	DESCRIPTION
<b>Impact Version - nn</b>	<p>Invoke the Impact Criteria process.</p> <p>From here new Impact Versions can be created or an existing Impact Versions selected. Additionally, Impact Criteria can be reviewed, updated or added and saved.</p> <p>After selection, the button text will be updated to show the Impact Version selected.</p> <p>This button is only available for the following function names:</p> <ul style="list-style-type: none"> <li>▪ <b>Extract, Load &amp; Impact</b></li> <li>▪ <b>Impact Execution</b></li> <li>▪ <b>Impact Bulk Reports</b></li> <li>▪ <b>Modify All</b></li> <li>▪ <b>Modification Bulk Reports</b></li> </ul> <p><i>Note: The impact versions available are the same as for the application when using the Analysis ➔ Impact Criteria option.</i></p>
Task Scheduler Details screen:	
<b>OK</b>	Save changes and close the current screen.
<b>Cancel</b>	Cancel the Task Scheduler Details process and return back to the Task Scheduler Summary screen.
<b>Apply</b>	Save changes and retain the current screen.
	<i>Note: This button is only enabled if any changes have been made.</i>

STATUS BAR ITEM	DESCRIPTION
The Task Scheduler Details status bar is divided into 2 individual panes.	
<b>Pane 1</b>	The currently selected Task id.
<b>Pane 4</b>	Any Task Scheduler Details processing messages.

# COMPARE

## Chapter Overview

---

This chapter describes the Compare option available from the Utilities menu. The Compare option provides the facility to:

- Compare Natural, COBOL or JCL objects between either two or three libraries.
- Compare Natural libraries at library level, to review differences in save/stow date and time stamps, between either two or three libraries.
- Compare two or three PC files.

The following topics are covered:

1. [Compare Overview](#)
2. [Compare Selection window](#)
3. [Compare Results window](#)

## Compare Overview

---

The Compare option provides three types of compare functionality:

- Object Compare
- Natural Library Compare
- PC File Compare

It is possible to utilize a third-party compare utility, such as KDIFF, if required. To do this the `EXTERNAL=` setting in the [GENCOMPARE] group of the initialization file should be set. If a third party compare utility is used then the PC File Compare option is unavailable and only Natural Objects and Libraries may be compared.

*Note: To use a third-party compare utility workfiles 22, 23 and 24 need to be defined as UNFORMATTED, UTF-8 in the Natural Parameter Module used to invoke Natural Engineer.*

*Note: For more information on the NATENG.INI file parameter EXTERNAL refer to Chapter 1 in the Natural Engineer Administration Guide for Windows manual.*

## Object Compare

The object compare option provides the facility to compare object source code for programming languages Natural, Cobol and JCL.

The object compare process is initiated by specifying the language type and the libraries and objects to be used. If two libraries are specified then a two-way compare will be initiated. This will compare the objects on the base library against the objects in the Compare 1 library. If three libraries are specified then a three-way compare will be initiated. This will compare the objects on the base library against the objects in the Compare 1 library and the objects in the Compare 2 library.

*Note: The three-way compare does not compare the Compare 1 and Compare 2 objects against each other.*

The Base library and its objects are used to determine which objects are compared from the Compare 1 and Compare 2 libraries. Object names can be specified using full name, part name with wildcard (for a range of object names with the same prefix) or a wildcard range specified using '\*' (asterisk) to compare all objects found in the Base library.

The Compare results are displayed in a single window, with the object code from each library listed side by side for easier reference. Each of the differences are highlighted using fully customizable color schemes. Reviewing all the differences between the objects can be quickly achieved using the scroll buttons, which step through difference by difference.

For Natural object compares, the Base object can be modified from the Compare Results screen, to incorporate any of the code from the Compare 1 and/or Compare 2 objects by using standard copy and paste functionality. Additionally user changes can also be applied to edit existing code lines and/or insert new lines in the Base object. These modifications to the Base object can then be saved to a Natural library.

*Note: Modifications to Cobol and JCL objects is not available.*

## Natural Library Compare

Natural libraries at library level can be compared to review differences between object save/stow date and time stamps. Either two or three libraries can be specified to initiate either a two-way or three-way compARISon.

The Compare results are displayed in a single window with each row showing the object name, save date/time and catalog date/time. Each of the differences are highlighted using fully customizable color schemes. Reviewing all the differences between the libraries can be quickly achieved using the scroll buttons, which step through difference by difference.

Any objects highlighted for a difference in date and time stamp can be selected using a double click with the left hand mouse button to initiate a compare of the object source code. To facilitate easier navigation, this object compare is launched in a new window, retaining the Natural Library compare results window for further review/selection.

## PC File Compare

PC files can be compared to review differences between them. Either two or three files can be specified to initiate either a two-way or three-way compARISon.

The Compare results are displayed in a single window with each row showing the records within the specified files. Each of the differences are highlighted using fully customizable color schemes. Reviewing all the differences between the files can be quickly achieved using the scroll buttons, which step through difference by difference.

## Compare Selection Window

The Compare Selection screen allows you to specify the various criteria that are to be used for the Compare process. These include the Compare Options and Compare Selection details.

The Compare Selection screen is accessed using the following menu navigation: Utilities → Compare.

If Natural Engineer is running on the PC in a SPoD environment against a mainframe server and COBOL or JCL Object compare is selected then a different Compare Selections section will be displayed. See [Compare Selections – COBOL and JCL via SPoD](#).

The following Figure 2-1 illustrates the Compare Selection screen.

The screenshot shows the 'Compare Selection' dialog box. It has a title bar with standard window controls. The main area is divided into two sections: 'Compare Options' and 'Compare Selections'.

**Compare Options:**

- Compare Type:** Three radio buttons: 'Object Compare' (selected), 'Natural Library Compare', and 'PC File Compare'.
- Language Type:** Three radio buttons: 'Natural Objects' (selected), 'Cobol Objects', and 'JCL Objects'.
- Other:** Two checkboxes: 'Skip Identical Objects' (checked) and 'Ignore Referbacks' (unchecked).

**Compare Selections:**

	Base	Compare 1	Compare 2
Library	HOSPITAL	HOSPITAX	
Object	XX001P01		
Sys. File Alias	FUSER	FUSER	FUSER
Dbid	163	163	163
Fnr	101	101	101

At the bottom right are 'OK' and 'Cancel' buttons.

Figure 2-1 Compare Selection screen

SCREEN ITEMS	DESCRIPTION
--------------	-------------

Compare Options group:

**Compare Type**

The type of compare required. Available options are:

**Object Compare**

Select this option to compare object source code.  
If selected then the Language Type options are enabled.

**Natural Library Compare**

Select this option to compare Natural libraries at library level.  
Language Type options are not available for this option.

**PC File Compare**

Select this option to compare PC files.  
Language Type options are not available for this option.

**Language Type**

The programming language required for a compare of object source code.  
Available options are:

**Natural Objects**

Select this option for Natural programming objects.

**Cobol Objects**

Select this option for Cobol programming objects.

**JCL Objects**

Select this option for JCL objects.

**Skip Identical Objects**

If the source date and time of an object matches between all of the libraries being compared then the object will not be processed in the compare if this option is set on.

The default for this option is on.

Note: This option is only available for Natural object compares.

**Ignore Referbacks**

If any refer backs using line numbers are present within the object code and this option is selected, then any differences are ignored. The Compare will replace any line numbers with '????'.

The default for this option is off.

Note: This option is only available for Natural object compares.

**Include BOM in CompARISon files**

If set on then the UTF-8 Unicode Character BOM (Byte Order Mark) will be passed to the external compare utility.

*Note: This option is only available if a third-party external compare utility is utilized .*



SCREEN ITEMS	DESCRIPTION
--------------	-------------

Compare Selections group:

*Note: For COBOL or JCL Object compare running on the PC in a SPoD environment against a mainframe server see [Compare Selections – COBOL and JCL via SPoD](#).*

The following selections apply to all Compare Types except PC File Compare.

<b>Base Library</b>	<p>The name of the library you want to compare to.</p> <p>The library name can be typed in or selected by using the Base Library Selection button [....].</p>						
<b>Compare 1 Library</b>	<p>The name of the first library you are comparing against the Base.</p> <p>The library name can be typed in or selected by using the Compare 1 Library Selection button [....].</p>						
<b>Compare 2 Library</b>	<p>The name of the second library you are comparing against the Base.</p> <p>The library name can be typed in or selected by using the Compare 2 Library Selection button [....].</p> <p>If not specified, then a two-way compare will be invoked.</p>						
<b>Base Object</b>	<p>The name of the object on the Base library to be compared.</p> <p>This can be typed in using full name, part name with wildcard or a wildcard range to include all objects. The wildcard is an '*' (asterisk).</p> <p>The object name can be typed in or selected by using the Base Object Selection button [....].</p> <p>If part name with wildcard or wildcard range is specified, then there is no requirement to specify either the Compare 1 or Compare 2 object names. Examples based on the HOSPITAL application:</p> <tr> <td><b>XX001P01</b></td><td>Will compare object XX001P01 only.</td></tr> <tr> <td><b>XX022*</b></td><td> <p>Will compare any object that matches the prefix specified.</p> <p>For the HOSPITAL application this would be XX022M01 and XX022P01 only.</p> </td></tr> <tr> <td><b>*</b></td><td>Will compare all objects found on the Base library.</td></tr>	<b>XX001P01</b>	Will compare object XX001P01 only.	<b>XX022*</b>	<p>Will compare any object that matches the prefix specified.</p> <p>For the HOSPITAL application this would be XX022M01 and XX022P01 only.</p>	<b>*</b>	Will compare all objects found on the Base library.
<b>XX001P01</b>	Will compare object XX001P01 only.						
<b>XX022*</b>	<p>Will compare any object that matches the prefix specified.</p> <p>For the HOSPITAL application this would be XX022M01 and XX022P01 only.</p>						
<b>*</b>	Will compare all objects found on the Base library.						

SCREEN ITEMS	DESCRIPTION
<b>Compare 1 Object</b>	<p>The name of the object on the Compare 1 library to be compared against the Base object.</p> <p>This can be typed in using full name only. If omitted, then the object name specified in the Base object will be used.</p> <p>The object name can be typed in or selected by using the Compare 1 Object Selection button [...].</p>
<b>Compare 2 Object</b>	<p>The name of the object on the Compare 2 library to be compared against the Base object.</p> <p>This can be typed in using full name only. If omitted, then the object name specified in the Base object will be used.</p> <p>The object name can be typed in or selected by using the Compare 2 Object Selection button [...].</p>
<i>Note: No object selections are available for the Natural Library compare.</i>	
<b>Base Sys. File Alias</b>	The alias for the particular database number/file number combination where Natural System File for the Base library is located.
<b>Base Dbid</b>	The database number for the Natural System File where the Base library is located.
<b>Base Fnr</b>	The file number for the Natural System File where the Base library is located.
<b>Compare 1 Sys. File Alias</b>	The alias for the particular database number/file number combination where Natural System File for the Compare 1 library is located.
<b>Compare 1 Dbid</b>	The database number for the Natural System File where the Compare 1 library is located.
<b>Compare 1 Fnr</b>	The file number for the Natural System File where the Compare 1 library is located.
<b>Compare 2 Sys. File Alias</b>	The alias for the particular database number/file number combination where Natural System File for the Compare 2 library is located.
<b>Compare 2 Dbid</b>	The database number for the Natural System File where the Compare 2 library is located.
<b>Compare 2 Fnr</b>	The file number for the Natural System File where the Compare 2 library is located.

SCREEN ITEMS	DESCRIPTION
--------------	-------------

*Note: The default values for all the Dbid and Fnr will be based on the run time environment being used. Dbid and Fnr selections are only available for Natural Object and Natural Library compares. If a System File Alias is chosen the Dbid and Fnr will be set to whatever settings the alias has. If a user wants to specify a different Dbid or Fnr then the settings may be overwritten manually.*

*Please see the Global Properties section of the Natural Engineer Administration Manual for further information on setting System File aliases.*

The following selections apply to the Compare Type PC File Compare only.

<b>Base</b>	The name of the PC file you want to compare to. The PC file name can be typed in or selected by using the Browse button.
<b>Compare 1</b>	The name of the first PC file you are comparing against the Base. The PC file name can be typed in or selected by using the Browse button..
<b>Compare 2</b>	The name of the second PC file you are comparing against the Base. The PC file name can be typed in or selected by using the Browse button.  If not specified, then a two-way compare will be invoked.

BUTTON NAME	DESCRIPTION
-------------	-------------

Compare Selections group:

*Note: For COBOL or JCL Object compare running on the PC in a SPoD environment against a mainframe server see [Compare Selections – COBOL and JCL via SPoD](#).*

*Note: The following selections apply to all Compare Types except PC File Compare.*

<b>Base Library Selection [....]</b>	Invokes the General Selection screen, listing all the libraries available for the selected Base Dbid and Fnr.
<b>Compare 1 Library Selection [....]</b>	Invokes the General Selection screen, listing all the libraries available for the selected Compare 1 Dbid and Fnr.
<b>Compare 2 Library Selection [....]</b>	Invokes the General Selection screen, listing all the libraries available for the selected Compare 2 Dbid and Fnr.
<b>Base Object Selection [....]</b>	Invokes the General Selection screen, listing all the objects available for the selected library.
<b>Compare 1 Object Selection [....]</b>	Invokes the General Selection screen, listing all the objects available for the selected library.
<b>Compare 2 Object Selection [....]</b>	Invokes the General Selection screen, listing all the objects available for the selected library.

The following selections apply to the Compare Type PC File Compare only.

<b>Base Browse</b>	Invokes the standard Windows 'Open File' dialog, where the required PC file can be selected.
<b>Compare 1 Browse</b>	Invokes the standard Windows 'Open File' dialog, where the required PC file can be selected.
<b>Compare 2 Browse</b>	Invokes the standard Windows 'Open File' dialog, where the required PC file can be selected.

Compare Selection screen:

<b>OK</b>	Validates the input and then if no errors, invokes the Compare Results screen.
<b>Cancel</b>	Cancel the Compare Selection process and close the current screen.

*Note: For more information on the General Selection screen refer to Chapter 2 in the Concepts and Facilities manual.*

Compare Selections - COBOL or JCL via SPoD

When running on the PC in a SPoD environment against a mainframe server (z/OS only) a different Compare Selections screen is displayed to allow the selection of the mainframe COBOL or JCL datasets and objects and to build lists of the dataset contents if required.

The following Figure 2-1-1 illustrates the Compare Selection screen when running an Object Compare for COBOL or JCL objects using a remote development environment.

Compare Selection

Compare Options

Compare Type

☒ Object Compare

☐ Natural Library Compare

☐ PC File Compare

Language Type

☐ Natural Objects

☒ Cobol Objects

☐ JCL Objects

Other

☒ Skip Identical Objects

☐ Ignore Referbacks

Compare Selections

Base

COBJCLNT NATENG.COBOL.COBJCLNT.SOURCE

Rebuild List

PDS Name

NATENG.COBOL.COBJCLNT.SOURCE

Object

COB10P01

Compare 1

PDS Alias

COBJCLNT NATENG.COBOL.COBJCLNT.SOURCE

Rebuild List

PDS Name

NATENG.COBOL.COBJCLNT.SOURCE

Object

COB10P02

Compare 2

PDS Alias

COBJCLNT NATENG.COBOL.COBJCLNT.SOURCE

Rebuild List

PDS Name

Object

Build Lists

OK

Cancel

Figure 2-1-1 Compare Selection screen for COBOL/JCL using remote environment

33

SCREEN ITEMS	DESCRIPTION
--------------	-------------

Compare Selections group:

*Note: The following selections apply to all COBOL and JCL Object Compares when using a remote development environment.*

<b>Base PDS Alias</b>	The list of aliases/datasets that have been pre-defined in the Global Properties PDS Aliases screen.
-----------------------	--

<b>Compare 1 PDS Alias</b>	The list of aliases/datasets that have been pre-defined in the Global Properties PDS Aliases screen.
----------------------------	--

<b>Compare 2 PDS Alias</b>	The list of aliases/datasets that have been pre-defined in the Global Properties PDS Aliases screen.
----------------------------	--

*Please see the Global Properties section of the Natural Engineer Administration Manual for further information on setting PDS aliases.*

<b>Base PDS Name</b>	<p>The name of the dataset you want to compare to.</p> <p>The dataset name can be typed in or selected from the Base PDS Alias list.</p>
----------------------	--

<b>Compare 1 PDS Name</b>	<p>The name of the first dataset you are comparing against the Base.</p> <p>The dataset name can be typed in or selected from the Compare 1 PDS Alias list.</p>
---------------------------	---

<b>Compare 2 PDS Name</b>	<p>The name of the second dataset you are comparing against the Base.</p> <p>The dataset name can be typed in or selected from the Compare 2 PDS Alias list.</p>
---------------------------	--

If not specified, then a two-way compare will be invoked.

<b>Base Object</b>	<p>The name of the object on the Base dataset to be compared.</p> <p>This can be typed in using full name, part name with wildcard or a wildcard range to include all objects. The wildcard is an '*' (asterisk).</p> <p>Wildcards are only valid if a Build List of Object Names has been generated for the Base PDS Name dataset.</p> <p>The object name can be typed in or selected by using the Base Object Selection button [...] if a Build List of Object Names has been generated for the Base PDS Name dataset.</p>
--------------------	--

If part name with wildcard or wildcard range is specified, then there is no requirement to specify either the Compare 1 or Compare 2 object names.

SCREEN ITEMS	DESCRIPTION
<b>Compare 1 Object</b>	<p>The name of the object on the Compare 1 dataset to be compared against the Base object.</p> <p>The object name can be typed in using full name only or selected by using the Compare 1 Object Selection button [...] if a Build List of Object Names has been generated for the Compare 1 PDS Name dataset.</p> <p>If omitted, then the object name specified in the Base object will be used if a Compare 1 PDS name is specified.</p>
<b>Compare 2 Object</b>	<p>The name of the object on the Compare 2 dataset to be compared against the Base object.</p> <p>The object name can be typed in using full name only or selected by using the Compare 2 Selection button [...] if a Build List of Object Names has been generated for the Compare 2 PDS Name dataset.</p> <p>If omitted, then the object name specified in the Base object will be used if a Compare 2 PDS name is specified.</p>
<b>Base Build/Rebuild List</b>	<p>If selected then the list of object names on the Base dataset will be built/rebuilt once the batch Build Lists job has been executed.</p>
<b>Compare 1 Build/Rebuild List</b>	<p>If selected then the list of object names on the Compare 1 dataset will be built/rebuilt once the batch Build Lists job has been executed.</p>
<b>Compare 2 Build/Rebuild List</b>	<p>If selected then the list of object names on the Compare 2 dataset will be built/rebuilt once the batch Build Lists job has been executed.</p>

BUTTON NAME	DESCRIPTION
-------------	-------------

Compare Selections group:

*Note: The following selections apply to all COBOL and JCL Object Compares when using a remote development environment.*

<b>Base Object Name Selection [....]</b>	<p>Invokes the General Selection screen, listing all the object names available for the selected Base dataset.</p> <p><i>Note: This is only available if the list of object names has been built for the selected Base dataset.</i></p>
<b>Compare 1 Object Name Selection [....]</b>	<p>Invokes the General Selection screen, listing all the libraries available for the selected Compare 1 dataset.</p> <p><i>Note: This is only available if the list of object names has been built for the selected Compare 1 dataset.</i></p>
<b>Compare 2 Object Name Selection [....]</b>	<p>Invokes the General Selection screen, listing all the libraries available for the selected Compare 2 dataset.</p> <p><i>Note: This is only available if the list of object names has been built for the selected Compare 2 dataset.</i></p>

Compare Selection screen:

<b>Build Lists</b>	Will submit the batch Build Lists process for the selected datasets.
<b>OK</b>	Validates the input and then if no errors, invokes the Compare Results screen.
<b>Cancel</b>	Cancel the Compare Selection process and close the current screen.



## Compare Selection Examples

The following table illustrates the various Compare Selections that can be made and the type of Compare that will be invoked. All objects are based on the sample application HOSPITAL.

	Base	Compare 1	Compare 2	Results
Library Object	HOSPITAL *	HOSPITAX		Two-way compare for all objects found in Base library HOSPITAL.
Library Object	HOSPITAL XX001*	HOSPITAX		Two-way compare for all objects prefixed by 'XX001'.
Library Object	HOSPITAL XX021P01	HOSPITAX		Two-way compare for object XX021P01 only.
Library Object	HOSPITAL XX021P01	HOSPITAX XX021P01		Two-way compare for object XX021P01 only.
Library Object	HOSPITAL *	HOSPITAX	HOSPITAZ	Three-way compare for all objects found in Base library HOSPITAL.
Library Object	HOSPITAL XX001*	HOSPITAX	HOSPITAZ	Three-way compare for all objects prefixed by 'XX001'.
Library Object	HOSPITAL XX021P01	HOSPITAX	HOSPITAZ	Three-way compare for object XX021P01 only.
Library Object	HOSPITAL XX021P01	HOSPITAX XX021P01	HOSPITAZ XX021P01	Three-way compare for object XX021P01 only.

## Compare Results Window

---

The Compare Results screen displays the differences for the compare selection made from the Compare Selection screen. The differences are marked using customizable color schemes.

The display can show any of the following:

- The differences between two or three Natural, Cobol or JCL object source codes. Line numbers are included, for Natural this will be the same numbers seen in the Natural editor, for Cobol and JCL this will be a 8-byte sequential number starting from 1.
- The differences between two or three Natural libraries at library level. Line numbers are included, using a sequential number starting from 1.
- The differences between two or three PC files. Line numbers are included, using a sequential number starting from 1.

For Natural object compares, the Base object can have the differences from either or both of the compared objects applied to it, by using copy and paste functionality. It is also possible to make user changes to the Base object using basic edit, insert and delete functions. These changes can then be saved to a Natural library.

The differences can be reviewed using the available scroll buttons, or by using the up/down arrow keys. The listed details that are not visible can be scrolled left and right by using the left/right arrow keys.

The Compare Results makes use of the executable: GenCompare, which is invoked from the Compare Selection screen.

The following Figure 2-2 illustrates the Compare Results screen for a three-way compare for a Natural object.




Figure 2-2 Compare Results screen for a three-way compare for a Natural object

The following Figure 2-3 illustrates the Compare Results screen for a two-way compare for a Natural object.




Figure 2-3 Compare Results screen for a two-way compare for a Natural object

The following Figure 2-4 illustrates the Compare Results screen for a two-way compare for a Natural library compare.

Compare 1 Library: HOSPITAX				Base Library: HOSPITAL			
Dbid: 163 Fnr: 101				Dbid: 163 Fnr: 101			
01	XX000G00	01/05/2013	11:33:52	01	XX000G00	16/06/1997	17:31:00
02	XX001A01	16/12/2013	11:54:48	02	XX001A01	16/12/2013	11:54:48
03	XX001L01	20/04/1999	13:22:00	03	XX001L01	20/04/1999	13:22:00
04	XX001M01	16/06/1997	17:31:00	04	XX001M01	16/06/1997	17:31:00
05	XX001P01	22/06/1999	12:30:00	05	XX001P01	16/06/1997	17:31:00
06	XX002A01	16/12/2013	11:56:20	06	XX002A01	16/12/2013	11:56:20
07	XX002L01	16/06/1997	17:31:00	07	XX002L01	16/06/1997	17:31:00
08	XX002M01	16/06/1997	17:31:00	08	XX002M01	16/06/1997	17:31:00
09	XX002P01	16/06/1997	17:31:00	09	XX002P01	16/06/1997	17:31:00
10	XX021A01	16/12/2013	11:56:20	10	XX021A01	16/12/2013	11:56:20
11	XX021L01	16/06/1997	17:31:00	11	XX021L01	16/06/1997	17:31:00
12	XX021L02	16/06/1997	17:31:00	12	XX021L02	16/06/1997	17:31:00
13	XX021M01	16/06/1997	17:31:00	13	XX021M01	16/06/1997	17:31:00
14	XX021P01	22/06/1999	12:30:00	14	XX021P01	22/06/1999	12:30:00
15	XX022A01	16/12/2013	11:56:20	15	XX022A01	16/12/2013	11:56:20
16	XX022M01	16/06/1997	17:31:00	16	XX022M01	16/06/1997	17:31:00
17	XX022P01	20/04/1999	13:19:00	17	XX022P01	20/04/1999	13:19:00
18	XX023A01	16/12/2013	11:56:20	18	XX023A01	16/12/2013	11:56:20
19	XX023M01	16/06/1997	17:31:00	19	XX023M01	16/06/1997	17:31:00
20	XX023P01	16/06/1997	17:31:00	20	XX023P01	16/06/1997	17:31:00
21	XX024A01	16/12/2013	11:56:20	21	XX024A01	16/12/2013	11:56:20
22	XX024M01	16/06/1997	17:31:00	22	XX024M01	16/06/1997	17:31:00
23	XX024P01	16/06/1997	17:31:00	23	XX024P01	16/06/1997	17:31:00
24	XX025A01	16/12/2013	11:56:20	24	XX025A01	16/12/2013	11:56:20
25	XX025M01	16/06/1997	17:31:00	25	XX025M01	16/06/1997	17:31:00
26	XX025P01	16/06/1997	17:31:00	26	XX025P01	16/06/1997	17:31:00
27	XXCONPDA	16/06/1997	17:31:00	27	XXCONPDA	16/06/1997	17:31:00
28	XXCONUPD	16/06/1997	17:31:00	28	XXCONUPD	16/06/1997	17:31:00
29	XXEXIT	16/06/1997	17:31:00	29	XXEXIT	16/06/1997	17:31:00
30	XXGETID	06/04/2004	15:20:00	30	XXGETID	06/04/2004	15:20:00
31	XXMTHVAL	16/06/1997	17:31:00	31	XXMTHVAL	16/06/1997	17:31:00
32	XXTIDYUP	16/06/1997	17:31:00	32	XXTIDYUP	16/06/1997	17:31:00
33	XXVALCC	28/04/1998	13:51:00	33	XXVALCC	28/04/1998	13:51:00

Figure 2-4 Compare Results screen for a two-way compare for a Natural library compare

The following Figure 2-5 illustrates the Compare Results screen for a two-way compare for a PC file compare.




Figure 2-5 Compare Results screen for a two-way compare for a PC file compare




MENU ITEMS	OPTIONS	DESCRIPTION
<b>File</b>	<b>Exit</b>	Exit the Compare Results screen.
<b>View</b>	<b>Next Object</b>	<p>Select the next object from the Base library and display the compare results.</p> <p>This option is only available if a part name with wildcard or wildcard range has been specified on the Compare Selection screen.</p> <p><i>Note: This option is disabled when the last object in a range has been compared.</i></p>
	<b>Select Object...</b>	<p>Invoke the Compare Object Selection screen showing the list of objects available for selection.</p> <p>This option is only available if a part name with wildcard or wildcard range has been specified on the Compare Selection screen.</p>
	<b>Refresh</b>	<p>Refresh the current object compare details on the Compare Results screen.</p> <p><i>Note: This will re-run the Compare process.</i></p>
	<b>Ignore Referbacks</b>	<p>Used to select or de-select the compARISon of refer backs.</p> <p>If selected a tick appears to the left of the text.</p> <p>If any refer backs using line numbers are present within the object code and this option is selected, then any differences are ignored. The Compare will replace any line numbers with '????'.</p> <p>After a selection has been made, a confirmation message is displayed. If the 'Yes' button is used then the current object compare will be refreshed. If the 'No' button is used then the selection will be ignored and the previous compare details will be retained.</p> <p><i>Note: This option is only available for Natural Object compares.</i></p>
<b>Options</b>	<b>Color Schemes...</b>	Invoke the Compare Color Schemes screen.
<b>Help</b>	<b>Compare Results Help</b>	Invoke the Compare Results help.
	<b>About GenCompare</b>	Display the GenCompare version information.

SCREEN ITEMS	DESCRIPTION
<b>Compare 1 Library</b>	The name of the Compare 1 library being used.
<b>Compare 1 Object</b>	The name of the object currently being compared. <i>Note: Not available for Natural Library or PC File compares.</i>
<b>Compare 1 File</b>	The name of the PC file currently being compared. <i>Note: Only available for PC File compares.</i>
<b>Compare 1 Dbid</b>	The database number for the Natural System File where the Compare 1 library is located.
<b>Compare 1 Fnr</b>	The file number for the Natural System File where the Compare 1 library is located.
<b>Compare 1 Object details</b>	<p>The Compare 1 object source code is listed with any differences between Compare 1 and Base color coded to highlight any differences. The color code is controlled by the Color Schemes option.</p> <p>If the Compare 1 object is not found on the Compare 1 library, then a single message line will be displayed: "Compare 1 Object not found.</p> <p>If the Compare 1 object is identical to the Base version, i.e., there are no differences, then a single message line will be displayed: "Compare 1 Object and Base Object match.</p> <p><u>Line numbers are shown for each entry in the details list as follows:</u></p> <p><b>Natural object compares</b> - as seen in the Natural editor.</p> <p><b>Cobol/JCL object compares</b> -8-byte sequential number starting from 1.</p> <p><b>Natural Library/PC File compares</b> - sequential number starting from 1.</p>
<b>Base Library</b>	The name of the Base library being used.
<b>Base Object</b>	The name of the object currently being compared. <i>Note: Not available for Natural Library or PC File compares.</i>
<b>Base File</b>	The name of the PC file currently being compared. <i>Note: Only available for PC File compares.</i>
<b>Base Dbid</b>	The database number for the Natural System File where the Base library is located.
<b>Base Fnr</b>	The file number for the Natural System File where the Base library is located.



SCREEN ITEMS	DESCRIPTION
<b>Base Object details</b>	<p>The Base object source code is listed with any differences between Base and Compare 1 and/or Base and Compare 2, color coded to highlight any differences. The color code is controlled by the Color Schemes option.</p> <p>For Natural object compares, the object details can be modified using copy, paste, edit, insert and delete functionality. These are highlighted as User Changes.</p> <p><i>Note: For more information on modifying the Base object refer to section <a href="#">Object Details Context Menus</a>.</i></p> <p><u>Line numbers are shown for each entry in the details list as follows:</u>  <b>Natural object compares</b> - as seen in the Natural editor.  <b>Cobol/JCL object compares</b> -8-byte sequential number starting from 1.  <b>Natural Library/PC File compares</b> - sequential number starting from 1.</p>
<b>Compare 2 Library</b>	The name of the Compare 2 library being used.
<b>Compare 2 Object</b>	<p>The name of the object currently being compared.</p> <p><i>Note: Not available for Natural Library or PC File compares.</i></p>
<b>Compare 2 File</b>	<p>The name of the PC file currently being compared.</p> <p><i>Note: Only available for PC File compares.</i></p>
<b>Compare 2 Dbid</b>	The database number for the Natural System File where the Compare 2 library is located.
<b>Compare 2 Fnr</b>	The file number for the Natural System File where the Compare 2 library is located.
<b>Compare 2 Object details</b>	<p>The Compare 2 object source code is listed with any differences between Compare 2 and Base color coded to highlight any differences. The color code is controlled by the Color Schemes option.</p> <p>If the Compare 2 object is not found on the Compare 2 library, then a single message line will be displayed: "Compare 2 Object not found.</p> <p>If the Compare 2 object is identical to the Base version, i.e., there are no differences, then a single message line will be displayed: "Compare 2 Object and Base Object match.</p> <p><u>Line numbers are shown for each entry in the details list as follows:</u>  <b>Natural object compares</b> - as seen in the Natural editor.  <b>Cobol/JCL object compares</b> -8-byte sequential number starting from 1.  <b>Natural Library/PC File compares</b> - sequential number starting from 1.</p>

*Note: Dbid and Fnr selections are only available for Natural Object and Natural Library compares.*

BUTTON NAME	DESCRIPTION
<b>Scroll Buttons</b>	<p>There are three sets of scroll buttons available. Each set of buttons allows you to scroll through the differences within the objects being displayed.</p> <p>The scroll button sets are color coded to help distinguish each set. The color code is controlled by the Color Schemes option.</p> <div>  <p>Scroll through all differences between Compare 1 and Base or Compare 2 and Base.</p> <p>The default color is blue/green.</p> </div> <div>  <p>Scroll through all differences in Base, Compare 1 and Compare 2.</p> <p>The default color is bright green.</p> <p><i>Note: This button set is not available when running a two-way compare.</i></p> </div> <div>  <p>Scroll through all differences within an individual object.</p> <p>The default color is white.</p> </div>
<b>Save</b>	<p>Save the Base object to a Natural library.</p> <p>This button is disabled for the following object types:</p> <ul style="list-style-type: none"> <li>• <b>Global Data Areas</b></li> <li>• <b>Local Data Areas</b></li> <li>• <b>Parameter Data Areas</b></li> <li>• <b>Maps</b></li> </ul> <p>It will also be disabled if the Ignore Referbacks option is set on and an object contains refer backs.</p> <p><i>Note: This button is only available for Natural Object compares.</i></p>
<b>Next</b>	<p>Select the next object from the Base library and display the compare results.</p> <p>This button is only available if a part name with wildcard or wildcard range has been specified on the Compare Selection screen.</p> <p><i>Note: This button is disabled when the last object in a range has been compared.</i></p>

BUTTON NAME	DESCRIPTION
<b>Keyboard Arrow Keys</b>	The keyboard arrow keys can be used to aid navigation through the compare differences being displayed.  <b>Up/Down arrow keys</b> Scroll through all differences in Base, Compare 1 and Compare 2.  <b>Right/Left arrow keys</b> Scroll right or left in the object details lists. This will scroll all visible object details lists at the same time.

## Compare Object Selection Window

The Compare Object Selection screen provides a list of objects based on the object name specified on the Compare Selection screen. It is only available if a part name with wildcard or wildcard range have been specified.

The Compare Object Selection screen is invoked by selecting the menu option View➔ Select Object... from the Compare Results screen.

## 2

### Natural Engineer Utilities

The following Figure 2-6 illustrates the Compare Object Selection screen.




Figure 2-6 Compare Object Selection screen

SCREEN ITEMS	DESCRIPTION
--------------	-------------

<b>Object List</b>	<p>List of object names based on the part name with wildcard or wildcard range specified on the Compare Selection screen.</p> <p>Objects are selected by placing the cursor on the object name and then using the 'OK' button.</p>
--------------------	--

BUTTON NAME	DESCRIPTION
-------------	-------------

<b>OK</b>	Accept the selection made and refresh the Compare Results screen with the new selected object details.
<b>Cancel</b>	Cancel the Compare Object Selection process ignoring any object selection that may have been made and return to the Compare Results screen. The Compare Results screen will remain unchanged.

## Compare Color Schemes Window

The Compare Color Schemes screen controls the color codes for the Scroll buttons and Compare differences. All the color codes are customizable.

To change a color code, use the left hand mouse button with a single click on the colored square of the option you wish to change. This will invoke the Color palette screen where colors can be selected. After selecting a new color, both the Color Schemes screen and the Compare Results screen are refreshed to reflect the new color selection.

The Compare Color Schemes screen is invoked by selecting the menu option Options → Color Schemes from the Compare Results screen.

The following Figure 2-7 illustrates the Compare Color Schemes screen for three-way compare.




Figure 2-7 Compare Color Schemes screen for three-way compare

## 2

### Natural Engineer Utilities

The following Figure 2-8 illustrates the Compare Color Schemes screen for two-way compare.













Figure 2-8 Compare Color Schemes screen for two-way compare

MENU ITEMS	OPTIONS	DESCRIPTION
File	Always on Top	<p>This option allows you to control the display position of the Color Schemes screen.</p> <p>If selected (indicated by a tick to the left of the text) it will always keep the Color Schemes screen in the foreground.</p> <p>If de-selected (no tick) then the Color Schemes screen can be moved to the background.</p> <p><i>Note: The default setting when the Compare Results screen is first invoked is Always on Top.</i></p>
	Exit	Exit the Compare Color Schemes screen.

SCREEN ITEMS	DESCRIPTION
<b>Scroll Buttons</b>	<p>The Scroll Buttons allow you to scroll through the differences within the objects being displayed.</p> <p> Scroll through all differences between Compare 1 and Base or Compare 2 and Base. The default color is blue/green.</p> <p> Scroll through all differences in Base, Compare 1 and Compare 2. The default color is bright green.</p> <p> Scroll through all differences within an individual object. The default color is white.</p>
<b>Code Differences</b>	Any differences that exist between the objects being compared are color coded for easier viewing.
<b>Compare 1</b>	<p> Compare 1 object differs from Base object. The default color is red.</p>
<b>Base</b>	<p> User changes applied to Base object. The default color is yellow.</p> <p><i>Note: This color scheme is only available for Natural Object and Natural Library compares. For Natural Library compares this will reflect a difference in the save/stow date and time stamp.</i></p> <p> Base object differs from Compare 1 object. The default color is bright green.</p> <p> Base object differs from Compare 2 object. The default color is bright pink.</p> <p> Base object differs from both Compare 1 object and Compare 2 object. The default color is turquoise.</p>
<b>Compare 2</b>	<p> Compare 2 object differs from Base object. The default color is blue.</p>

## Object Detail Context Menus

The Object Details context menus provide basic editing functionality and are invoked by placing the cursor on any code line and using the right hand mouse button with a single click.

Editing can only be applied to the Base Object details and allows you to incorporate differences from Compare 1 and/or Compare 2 objects, as well as adding or deleting code lines in the Base object.

*Note: The Object Details context menus are only available for Natural Object compares.*

The following editing tasks can be performed:

- Copy code lines from Compare 1 Object.
- Copy code lines from Compare 2 Object.
- Edit existing code lines within Base Object.
- Insert new blank lines within Base Object and type in new code or comments
- Delete a code line within Base Object.
- Undo the last deletion in Base Object.

There are two types of Object detail context menu available:

1. Compare 1 and Compare 2 Object details context menu for copying code lines.
2. Base Object details context menu for all the editing functions to add or amend code lines in the Base object.



The following Figure 2-9 illustrates the Compare 1 Object Details context menu.




Figure 2-9 Compare 1 Object details context menu

CONTEXT MENU ITEM	DESCRIPTION
Copy	Copies the selected code lines to the clipboard.

*Note: The same context menu is invoked for code lines selected in Compare 2 Object details.*

The following Figure 2-10 illustrates the Base Object Details context menu.




Figure 2-10 Base Object details context menu

## CONTEXT MENU ITEM

## DESCRIPTION

### Edit

Opens the selected line for editing.

### Paste

Paste any copied code lines that have been placed in the clipboard by a previous copy.

This will paste the lines after the current selected line.

CONTEXT MENU ITEM	DESCRIPTION
<b>Insert Blank Line</b>	Insert a blank line after the current selected line.
<b>Delete</b>	Delete the current selected line.
<b>Undo Delete</b>	Reinstate the last deletion. <i>Note: This option is only available after a previous line deletion has been executed.</i>

## Using the Save Function

The Save function allows you to save a new copy of the Base object to a Natural library when running Natural object compares. This option is only available for Natural object compares.

The Save function is invoked by using the '**Save**' button on the Compare Results screen. This will invoke the Compare Save Source Code screen where the Natural library can be specified in one of two ways:

1. Using the modification library specified in the Application Properties. This method requires an Application to be opened within Natural Engineer before the Compare function is invoked.
2. Specifying the Natural library using the Compare Save Source Code screen. This method does not require an Application to be opened before the Compare function is invoked.

After the library name has been specified and the '**OK**' button used from the Compare Save Source Code screen, the object will be saved. A confirmation message is produced after the object has been saved.

If the object already exists on the destination library, an overwrite warning message is displayed. You can accept or decline the save. If accepted then the existing object will be overwritten.

*Note: No syntax checking is performed during the save. The saved objects will need to be checked manually using the Natural Editor.*

## With Natural Engineer Application Open

With a Natural Engineer Application open, the Compare Save function will save the object to the Natural library specified in the Modification Library within Application Properties.

*Note: For more information on the Application Properties refer to Chapter 1 in the Application Management manual.*

Audit trail records are generated for objects saved by the Compare when a Natural Engineer Application is open. These can be viewed using the Change Management Tracking option from the Utilities menu.

*Note: For more information on audit trail records refer to Chapter 5.*

The following Figure 2-11 illustrates the Compare Save Source Code screen with Application open.




Figure 2-11 Compare Save Source Code screen with Application open

SCREEN ITEMS	DESCRIPTION
The object will be saved to library:	This will contain the name of the modification library specified in the Application Properties. This can only be changed using the Application Properties screen.
BUTTON NAME	DESCRIPTION
OK	Accept the library selection details and save the object.

BUTTON NAME	DESCRIPTION
Cancel	Cancel the Compare Save Source Code process and return back to the Compare Results screen. The object will not be saved.

## With No Natural Engineer Application Open

With no Natural Engineer Application open, the Compare Save function will save the object to the Natural library specified in the Compare Library Selection screen.

No Audit trail records are generated for objects saved by the Compare when No Natural Engineer Application is open.

The following Figure 2-12 illustrates the Compare Save Source Code screen with no Application open.




Figure 2-12 Compare Save Source Code screen with no Application open

SCREEN ITEMS	DESCRIPTION
Enter the name of the library to save this object to:	Specify the name of the library to be used. This must be 1-8 characters and conform to Natural standards.  <i>Note: It is recommended that the library name is different to the Base library to avoid overwriting the original object.</i>
BUTTON NAME	DESCRIPTION
OK	Accept the library selection details and save the object.
Cancel	Cancel the Compare Save Source Code process and return back to the Compare Results screen. The object will not be saved.



# MODE CONVERSION

## Chapter Overview

---

This chapter describes the Mode Conversion option available from the Utilities menu. The Mode Conversion option provides the facility to convert Natural Reporting mode objects into Natural Structured mode objects.

The following topics are covered:

1. [Mode Conversion Overview](#)
2. [Mode Conversion Techniques](#)
3. [Mode Conversion GDA Processing](#)
4. [Mode Conversion Object Processing](#)

## Mode Conversion Overview

---

Applications that utilize Natural Reporting mode can become more difficult to maintain, as they become more complex through continual expansion and development.

Key issues with Natural Reporting mode are:

- User defined variables can be defined anywhere, making it difficult to identify what variables are in use.
- Database fields do not need to be defined anywhere, making it difficult to identify the database data that is being referenced.
- Loop constructs are closed using the LOOP statement, making it difficult to identify where loop processing ends. For example READ, FIND, REPEAT and FOR blocks.
- Logical constructs are bound using the DO/DOEND statements, making it difficult to identify what conditional statements will be executed within complex logical blocks (nested IF statements).

Applications written in Natural Structured mode provide clear and well-defined program structure for complex application solutions.

Key benefits with Natural Structured mode are:

- All user defined variables are contained in the DEFINE DATA statement at the top of each object, making it easier to identify what variables are in use.
- All database fields must be defined using a view of the database file and are contained in the DEFINE DATA statement at the top of each object, making it easier to identify the database data being referenced.
- Loop constructs must be explicitly closed using corresponding 'END' constructs, making it easier to identify where each individual loop construct ends. For example END-READ, END-FIND, END-REPEAT and END-FOR.
- Logical constructs must be bound by using END-IF statements, making it easier to identify what conditional statements will be executed within complex logical blocks.



The Mode Conversion option provides the facility to convert Natural Reporting mode objects into Natural Structured mode objects.

Applications that are to be converted are extracted and loaded into the Repository using the Extract and Load processes. The modification library (where the converted objects will reside) is controlled within the Application Properties screen. The Mode Conversion option can be used once the application has been loaded into the Repository.

*Note: For more information on the Application Properties, Extract and Load processes refer to the Application Management for Windows manual.*

The Mode Conversion process is split into two sub-processes:

### 1. Global Data

The Global data requirements within an application are specified first and if required, a new GDA object can be generated. Once generated, it will contain all the Global data referenced within the application.

### 2. Object Conversion

Objects to be converted can be selected individually, in groups, or all objects within the application. The GDA option specified will be taken into account and the correct references added to the converted objects.

Mode Conversion can only be applied to the following Natural object types:

- Copycodes
- Help routines
- Programs
- Subprograms
- Subroutines

After the Mode Conversion process has completed, the conversion details are displayed on the Mode Conversion Log window.

Audit trail records are generated for each object converted (including new GDA objects) and can be viewed using the Change Management Tracking (CMT) option.

*Note: The audit trail records are only available using the CMT Object Viewer option. For more information on CMT refer to Chapter 4.*

## Mode Conversion Techniques

---

This section describes the main conversion techniques applied during the Mode Conversion process.

### Global Data Definitions

There are 2 conversion techniques available for Global data definitions:

#### 1. Generate a new GDA.

- Will rationalize all existing GDA objects and/or in-line Global data definitions into one single new GDA object.
- Existing DEFINE DATA GLOBAL USING statements will be modified to reference the new GDA object name.
- A DEFINE DATA GLOBAL USING statement will be added to any objects that reference in-line Global data definitions only.
- Format and length attributes will be removed from in-line Global data definitions.

Example:

#### Before Conversion:

##### GDA1

```
0010 DEFINE DATA GLOBAL
0020 1 +ALPHA (A5)
0030 END-DEFINE
```

##### PROGRAM1

```
0010 DEFINE DATA
0020 GLOBAL USING GDA1
0030 END-DEFINE
0040 MOVE 'ABCDE' TO +ALPHA
0050 FETCH 'PROGRAM2'
0060 END
```

##### GDA2

```
0010 DEFINE DATA GLOBAL
0020 1 +NUMBER (N3)
0030 END-DEFINE
```

##### PROGRAM2

```
0010 DEFINE DATA
0020 GLOBAL USING GDA2
0030 END-DEFINE
0040 MOVE 123 TO +NUMBER
0050 MOVE 'HELLO WORLD'
0060 TO +TEXT-GLOBAL (A20)
0070 END
```

**After Conversion:****NEWGDA**

```
0010 DEFINE DATA GLOBAL
0020 1 +ALPHA (A5)
0030 1 +NUMBER (N3)
0040 1 +TEXT-GLOBAL (A20)
0050 END-DEFINE
```

**PROGRAM1**

```
::::
0050 DEFINE DATA
0060 GLOBAL USING NEWGDA
0070 END-DEFINE
0080 MOVE 'ABCDE' TO +ALPHA
0090 FETCH 'PROGRAM2'
0100 END
```

**PROGRAM2**

```
::::
0050 DEFINE DATA
0060 GLOBAL USING NEWGDA
0070 END-DEFINE
0080 MOVE 123 TO +NUMBER
0090 MOVE 'HELLO WORLD'
0100 TO +TEXT-GLOBAL
0110 END
```

**2. Use existing GDA object structure.**

- No new GDA objects will be generated.
- Existing DEFINE DATA GLOBAL USING statements will not be modified.

Example:

**Before Conversion:****OLDGDA**

```
0010 DEFINE DATA GLOBAL
0020 1 +LAST-PGM (A8)
0030 1 +NEXT-PGM (A8)
0040 END-DEFINE
```

**PROGRAM1**

```
0010 DEFINE DATA
0020 GLOBAL USING OLDGDA
0030 END-DEFINE
0040 MOVE 'PROGRAM1' TO +LAST-PGM
0050 MOVE 'PROGRAM2' TO +NEXT-PGM
0060 FETCH +NEXT-PGM
0070 END
```

**After Conversion:****OLDGDA**

```
0010 DEFINE DATA GLOBAL
0020 1 +LAST-PGM (A8)
0030 1 +NEXT-PGM (A8)
0040 END-DEFINE
```

**PROGRAM1**

```
::::
0050 DEFINE DATA
0060 GLOBAL USING OLDGDA
0070 END-DEFINE
0080 MOVE 'PROGRAM1' TO +LAST-PGM
0090 MOVE 'PROGRAM2' TO +NEXT-PGM
0100 FETCH +NEXT-PGM
0110 END
```

## User Defined Variables

- A DEFINE DATA LOCAL statement is added to the object and all user defined variables used within the object are defined here.
- Format and length attributes will be removed from the in-line user defined variables.
- RESET statements are added immediately after the END-DEFINE statement for any in-line user defined variables that have been defined using the RESET statement. For example: RESET #FIELD(A10).

Example:

### Before Conversion:

```
PROGRAM1
0010 RESET #NAME (A20) #ADDRESS (A50)
0020 REDEFINE #ADDRESS (#ADDRESS-1 (A25) #ADDRESS-2 (A25))
0030 MOVE 'SMITH' TO #NAME
0040 MOVE '101 THE AVENUE' TO #ADDRESS-1
0050 MOVE 'UNITED KINGDOM' TO #ADDRESS-2
0060 MOVE 1234567890 TO #TELEPHONE-NUMBER (N10)
0070 END
```

### After Conversion:

```
PROGRAM1
::::
0050 DEFINE DATA LOCAL
0060 1 #NAME (A20)
0070 1 #ADDRESS (A050)
0080 1 REDEFINE #ADDRESS
0090 2 #ADDRESS-1 (A025)
0100 2 #ADDRESS-2 (A025)
0110 1 #TELEPHONE-NUMBER (N010)
0120 END-DEFINE
0130 RESET #NAME #ADDRESS
0140 MOVE 'SMITH' TO #NAME
0150 MOVE '101 THE AVENUE' TO #ADDRESS-1
0160 MOVE 'UNITED KINGDOM' TO #ADDRESS-2
0170 MOVE 1234567890 TO #TELEPHONE-NUMBER
0180 END
```

## Database Fields

- A DEFINE DATA LOCAL statement is added to the object and view definitions are added here.
- A separate view definition will be created for each database access statement referencing the same database file.
- The view definitions will contain the definitions found for each database field referenced within the object.

Example:

### Before Conversion:

```
PROGRAM1
0010 READ EMPLOYEES
0020 DISPLAY PERSONNEL-ID NAME
0030 END
```

```
PROGRAM2
0010 FIND VEHICLES WITH MAKE = 'FORD'
0020   DISPLAY MAKE MODEL
0030 LOOP
0040 FIND VEHICLES WITH MAKE = 'TVR'
0050   DISPLAY MAKE MODEL
0060 LOOP
0070 END
```

### After Conversion:

```
PROGRAM1
::::
0050 DEFINE DATA LOCAL
0060 1 EMPLOYEES VIEW OF EMPLOYEES
0070 2 PERSONNEL-ID
0080 2 FULL-NAME
0090 3 NAME
0100 /*
0110 END-DEFINE
0120 READ-0010.
0130 READ EMPLOYEES
0140 DISPLAY PERSONNEL-ID NAME
0150 END-READ
0160 END
```

```
PROGRAM2
::::
0050 DEFINE DATA LOCAL
0060 1 VEHICLES VIEW OF VEHICLES
0070 2 CAR-DETAILS
0080 3 MAKE
0090 3 MODEL
0100 /*
0110 1 VEHICLES-1 VIEW OF VEHICLES
0120 2 CAR-DETAILS
0130 3 MAKE
0140 3 MODEL
0150 /*
0160 END-DEFINE
0170 FIND-0010.
0180 FIND VEHICLES WITH MAKE = 'FORD'
0190   DISPLAY MAKE MODEL
0200 END-FIND
0210 FIND-0040.
0220 FIND VEHICLES-1 WITH MAKE = 'TVR'
0230   DISPLAY MAKE MODEL
0240 END-FIND
0250 END
```

# 3

## Natural Engineer Utilities

### Loop Constructs

- LOOP processing statements are replaced with corresponding END constructs.
- Applies to the following Natural statements:

Statement	Corresponding END Construct
CALL FILE	END-FILE
CALL LOOP	END-LOOP
FIND	END-FIND
FOR	END-FOR
HISTOGRAM	END-HISTOGRAM
READ	END-READ
READ WORK FILE	END-WORK
REPEAT	END-REPEAT
SORT	END-SORT

Example:

#### **Before Conversion:**

```
PROGRAM1
0010 READ EMPLOYEES
0020 DISPLAY PERSONNEL-ID NAME
0030 LOOP
::::
```

#### **After Conversion:**

```
PROGRAM1
::::
0120 READ-0010.
0130 READ EMPLOYEES
0140 DISPLAY PERSONNEL-ID NAME
0150 END-READ
::::
```

## Conditional Logic Blocks

- Conditional statements will have the corresponding END constructs added.
- Any DO/DOEND statements will be removed.
- Applies to the following Natural statements:

Statement	Corresponding END Construct
IF	END-IF
IF NO RECORDS FOUND	END-NOREC
AT BREAK	END-BREAK
AT START OF DATA	END-START
AT END OF DATA	END-ENDDDATA
AT TOP OF PAGE	END-TOPPAGE
AT END OF PAGE	END-ENDPAGE
ON ERROR	END-ERROR

Example:

### Before Conversion:

```

PROGRAM1
::::
0030 REPEAT
0040 ADD 1 TO #LOOP-CONTROL
0050 IF #LOOP-CONTROL LE 10
0060 DO
0070 WRITE 'STILL SOME PROCESSING TO DO'
0080 ESCAPE TOP
0090 DOEND
0100 ELSE
0110 DO
0120 WRITE 'PROCESSING COMPLETED'
0130 ESCAPE
0140 DOEND
0150 LOOP
::::

```

# 3

## Natural Engineer Utilities

### After Conversion:

#### PROGRAM1

```
::::
0100 REPEAT-0030.
0110 REPEAT
0120 ADD 1 TO #LOOP-CONTROL
0130 IF #LOOP-CONTROL LE 10
0140 WRITE 'STILL SOME PROCESSING TO DO'
0150 ESCAPE TOP
0160 ELSE
0170 WRITE 'PROCESSING COMPLETED'
0180 ESCAPE BOTTOM
0190 END-IF
0200 END-REPEAT
::::
```

## Subroutine Blocks

- Internal and external subroutines will have the RETURN statement replaced by the corresponding END-SUBROUTINE construct.

Example:

### Before Conversion:

#### PROGRAM1

```
::::
0060 PERFORM ##CALCULATE-COST
0070 /*
0080 WRITE 'TOTAL COST WITH TAX =' #TOTAL-COST
0090 /*
0100 DEFINE SUBROUTINE ##CALCULATE-COST
0110 RESET #TEMP-COST #TOTAL-COST
0120 COMPUTE #TEMP-COST = #COST * #TAX
0130 #TOTAL-COST = #COST + #TEMP-COST
0140 RETURN
0150 END
```



**After Conversion:****PROGRAM1**

```

:::
0160 PERFORM ##CALCULATE-COST
0170 /*
0180 WRITE 'TOTAL COST WITH TAX =' #TOTAL-COST
0190 /*
0200 DEFINE SUBROUTINE ##CALCULATE-COST
0210 RESET #TEMP-COST #TOTAL-COST
0220 COMPUTE #TEMP-COST = #COST * #TAX
0230 COMPUTE #TOTAL-COST := #COST + #TEMP-COST
0240 END-SUBROUTINE
0250 END

```

**Open-ended ESCAPE Statements**

- Any ESCAPE statements that do not specify a destination will have a destination of BOTTOM added.

Example:

**Before Conversion:****PROGRAM1**

```

:::
0030 REPEAT
0040 ADD 1 TO #LOOP-CONTROL
0050 IF #LOOP-CONTROL GE 10
0060 DO
0070 WRITE 'LOOP WILL NOW STOP'
0080 ESCAPE
0090 DOEND
0100 LOOP
:::

```

### 3

## Natural Engineer Utilities

### After Conversion:

#### PROGRAM1

```

:::
0100 REPEAT-0030.
0110 REPEAT
0120 ADD +1 TO #LOOP-CONTROL
0130 IF #LOOP-CONTROL GE 10
0140 WRITE 'LOOP WILL NOW STOP'
0150 ESCAPE BOTTOM
0160 END-IF
0170 END-REPEAT
:::

```

## Short Form ASSIGN and COMPUTE Statements

- Short form ASSIGN and COMPUTE statements (i.e. statements with the ASSIGN/COMPUTE keyword omitted) will have the ASSIGN/COMPUTE keyword added.

Example:

### Before Conversion:

#### PROGRAM1

```

:::
0030 #TAX = 0.0010
0040 ASSIGN #COST = 15000
:::
0120 COMPUTE #TEMP-COST = #COST * #TAX
0130 #TOTAL-COST = #COST + #TEMP-COST
:::

```

### After Conversion:

#### PROGRAM1

```

:::
0130 ASSIGN #TAX = 0.0010
0140 ASSIGN #COST = 15000
:::
0220 COMPUTE #TEMP-COST = #COST * #TAX
0230 COMPUTE #TOTAL-COST = #COST + #TEMP-COST
:::

```

## Multiple Statements per Statement Line

- Any single statement line containing more than one statement will be split so that each statement is on a separate line.

Example:

### Before Conversion:

```
PROGRAM1
::::
0140 READ (10) PERSONNEL
0150 IF NAME EQ 'ADKINSON' DO WRITE PERSONNEL-NUMBER NAME DOEND
0160 LOOP
::::
```

### After Conversion:

```
PROGRAM1
::::
0430 READ-0140.
0440 READ (10) PERSONNEL
0450 IF NAME EQ 'ADKINSON'
0460 WRITE PERSONNEL-NUMBER NAME
0470 END-IF
0480 END-READ
::::
```

## MOVE INDEXED Statements

- MOVE INDEXED statements are replaced with standard MOVE statements.
- Suitable array definitions will be added for any MOVE INDEXED source variables that are not defined as arrays.

Example:

### Before Conversion:

#### PROGRAM1

```

:::
0010 RESET #BLOCK-MULTIPLE (A26) #FIRST (A1) #LAST (A1)
0020 REDEFINE #BLOCK-MULTIPLE (#BLOCK-SINGLE (A1))
0030 RESET #CURRENCY-CODES (A3/4) #INDEX (I02)
0040 /*
0050 FORMAT LS=250
0060 /*
0070 MOVE 'ABCDEFGHIJKLMNPOQRSTUVWXYZ' TO #BLOCK-MULTIPLE
0080 MOVE INDEXED #BLOCK-SINGLE <1> TO #FIRST
0090 MOVE INDEXED #BLOCK-SINGLE <26> TO #LAST
0100 WRITE '=' #FIRST '=' #LAST
0110 /*
0120 FORMAT LS=250
0130 MOVE 3 TO #ISN
0140 FIND EMPLOYEES WITH PERSONNEL-ID EQ '11100106'
0150   OBTAIN CURR-CODE (1-4)
0160   WRITE '=' PERSONNEL-ID / '=' NAME
0170   FOR #INDEX EQ 1 TO 4
0180     MOVE INDEXED CURR-CODE<#INDEX> TO #CURRENCY-CODES (#INDEX)
0190     WRITE #INDEX '=' #CURRENCY-CODES (#INDEX)
0200   LOOP
0210 LOOP
0220 /*
0230 END

```

**After Conversion:****PROGRAM1**

```

:::
0050 DEFINE DATA LOCAL
0060 1 #BLOCK-MULTIPLE (A026)
0070 1 REDEFINE #BLOCK-MULTIPLE
0080 2 #BLOCK-SINGLE (A001)
0090 1 REDEFINE #BLOCK-MULTIPLE
0100 2 #NEE@MI-#BLOCK-SINGLE (A001/1:26)
0110 1 #FIRST (A001)
0120 1 #LAST (A001)
0130 1 #CURRENCY-CODES (A003/1:4)
0140 1 #INDEX (I002)
0150 1 #ISN (N007)
0160 1 EMPLOYEES VIEW OF EMPLOYEES
0170 2 PERSONNEL-ID
0180 2 FULL-NAME
0190 3 NAME
0200 2 INCOME
0210 3 CURR-CODE(0000001:0000004)
0220 /*
0230 END-DEFINE
0240 RESET #BLOCK-MULTIPLE #FIRST #LAST
0250 RESET #CURRENCY-CODES (1:4) #INDEX
0260 /*
0270 FORMAT LS=250
0280 /*
0290 MOVE 'ABCDEFGHIJKLMNPOQRSTUVWXYZ' TO #BLOCK-MULTIPLE
0300 MOVE #NEE@MI-#BLOCK-SINGLE (1) TO #FIRST
0310 MOVE #NEE@MI-#BLOCK-SINGLE (26) TO #LAST
0320 WRITE '=' #FIRST '=' #LAST
0330 /*
0340 FORMAT LS=250
0350 MOVE 3 TO #ISN
0360 FIND-0140.
0370 FIND EMPLOYEES WITH PERSONNEL-ID EQ '11100106'
0380 WRITE '=' PERSONNEL-ID / '=' NAME
0390 FOR-0170.
0400 FOR #INDEX EQ 1 TO 4
0410 MOVE CURR-CODE (#INDEX) TO #CURRENCY-CODES (#INDEX)
0420 WRITE #INDEX '=' #CURRENCY-CODES (#INDEX)
0430 END-FOR
0440 END-FIND
0450 /*
0460 END

```

## Statement Reference Notation

- Statement labels are added to all loop processing statements and also to GET and STORE statements. The format used is:  
KEYWORD-NNNN  
where:  
KEYWORD is the Natural keyword used in the statement. For example READ or FIND.  
NNNN is the line number for the start of the statement in the original object.
- Any existing statement reference notation using source-code line numbers will be modified to use the new statement labels.
- Any existing statement labels will remain unchanged.
- Any database access view names will be modified to reflect the new view definitions.
- Any view name qualifiers on database fields will be modified to reflect the new view definitions.

Example:

### Before Conversion:

#### PROGRAM1

```
0010 LIMIT 5
0020 READ EMPLOYEES
0030   DISPLAY PERSONNEL-ID NAME
0040 LOOP
0050 /*
0060 R2.
0070 READ EMPLOYEES
0080   DISPLAY PERSONNEL-ID (R2.) NAME (R2.)
0090 LOOP (R2.)
0100 /*
0110 READ EMPLOYEES
0120   DISPLAY PERSONNEL-ID (0110) NAME (0110)
0130 LOOP (0110)
0140 /*
0150 READ EMPLOYEES
0160   DISPLAY EMPLOYEES.PERSONNEL-ID EMPLOYEES.NAME
0170 LOOP
0180 /*
0190 END
```

**After Conversion:****PROGRAM1**

```
::::
0050 DEFINE DATA LOCAL
0060 1 EMPLOYEES VIEW OF EMPLOYEES
0070 2 PERSONNEL-ID
0080 2 FULL-NAME
0090 3 NAME
0100 /*
0110 1 EMPLOYEES-1 VIEW OF EMPLOYEES
0120 2 PERSONNEL-ID
0130 2 FULL-NAME
0140 3 NAME
0150 /*
0160 1 EMPLOYEES-2 VIEW OF EMPLOYEES
0170 2 PERSONNEL-ID
0180 2 FULL-NAME
0190 3 NAME
0200 /*
0210 1 EMPLOYEES-3 VIEW OF EMPLOYEES
0220 2 PERSONNEL-ID
0230 2 FULL-NAME
0240 3 NAME
0250 /*
0260 END-DEFINE
0270 LIMIT 5
0280 READ-0020.
0290 READ EMPLOYEES
0300 DISPLAY PERSONNEL-ID NAME
0310 END-READ
0320 /*
0330 R2.
0340 READ EMPLOYEES-1
0350 DISPLAY PERSONNEL-ID (R2.) NAME (R2.)
0360 END-READ
0370 /*
0380 READ-0110.
0390 READ EMPLOYEES-2
0400 DISPLAY PERSONNEL-ID (READ-0110.) NAME (READ-0110.)
0410 END-READ
0420 /*
0430 READ-0150.
0440 READ EMPLOYEES-3
0450 DISPLAY EMPLOYEES-3.PERSONNEL-ID EMPLOYEES-3.NAME
0460 END-READ
0470 /*
0480 END
```

## OBTAIN Statements

- OBTAIN statements are removed and are replaced with index values specified in the view definition for each database field referenced in the old OBTAIN statements.

Example:

### Before Conversion:

```
PROGRAM1
0010 FIND EMPLOYEES WITH PERSONNEL-ID EQ '88888888'
0020   OBTAIN CURR-CODE(1:4)
0030   OBTAIN BONUS(1:4,1:4)
0040   DISPLAY PERSONNEL-ID BONUS(*,*) CURR-CODE(*)
0050 LOOP
0060 END
```

### After Conversion:

```
PROGRAM1
:::
0050 DEFINE DATA LOCAL
0060 1 EMPLOYEES VIEW OF EMPLOYEES
0070 2 PERSONNEL-ID
0080 2 INCOME
0090 3 CURR-CODE(0000001:0000004)
0100 3 BONUS(0000001:0000004,0000001:0000004)
0110 /*
0120 END-DEFINE
0130 FIND-0010.
0140 FIND EMPLOYEES WITH PERSONNEL-ID EQ '88888888'
0150 DISPLAY PERSONNEL-ID BONUS (*,*) CURR-CODE (*)
0160 END-FIND
0170 END
```



## SORT Statements

- The END-ALL statement will be inserted prior to the SORT statement.
- A statement notation label will be added using the format SORT-NNNN, where NNNN is the statement line number for the SORT statement in the original object.
- Corresponding END-SORT added.

Example:

### Before Conversion:

#### PROGRAM1

```

: : : :
0190 FIND EMPLOYEES WITH CITY = 'DERBY'
0200   OBTAIN SALARY(1:2)
0210 /*
0220   COMPUTE #TOTAL-SALARY (P11) = SALARY (1) + SALARY (2)
0230   ACCEPT IF #TOTAL-SALARY GT 0
0240 /*
0250   SORT BY PERSONNEL-ID USING #TOTAL-SALARY SALARY(*) CURR-CODE
0260       GIVE AVER(#TOTAL-SALARY)
0270 /*
0280   AT START OF DATA
0290   DO
0300       WRITE NOTITLE '*' (40)
0310       'AVERAGE CUMULATIVE SALARY:' *AVER(#TOTAL-SALARY)
0320       MOVE *AVER (#TOTAL-SALARY) TO #AVERAGE (P11)
0330   DOEND
0340 /*
0350   COMPUTE #AVERAGE-PERCENT (N3.2) = #TOTAL-SALARY / #AVERAGE * 100
0360   ADD #TOTAL-SALARY TO #TOTAL-TOTAL (P11)
0370 /*
0380   DISPLAY NOTITLE PERSONNEL-ID SALARY (1) SALARY (2)
0390       #TOTAL-SALARY CURR-CODE (1)
0400       'PERCENT/OF/AVER' #AVERAGE-PERCENT
0410 /*
0420   AT END OF DATA
0430   WRITE / '*' (40) 'TOTAL SALARIES PAID: ' #TOTAL-TOTAL
0440 /*
0450 END

```

**After Conversion:****PROGRAM1**

```

:::
0370 FIND-0190.
0380 FIND EMPLOYEES WITH CITY = 'DERBY'
0390 /*
0400 COMPUTE #TOTAL-SALARY = SALARY (1) + SALARY (2)
0410 ACCEPT
0420 IF #TOTAL-SALARY GT 0
0430 /*
0440 END-ALL
0450 SORT-0250.
0460 SORT BY PERSONNEL-ID USING #TOTAL-SALARY SALARY (*) CURR-CODE (1:1)
0470 GIVE AVER (#TOTAL-SALARY)
0480 /*
0490 AT START OF DATA
0500 WRITE NOTITLE '*' (40)
0510 'AVERAGE CUMULATIVE SALARY:' *AVER (#TOTAL-SALARY)
0520 MOVE *AVER (#TOTAL-SALARY) TO #AVERAGE
0530 END-START
0540 /*
0550 COMPUTE #AVERAGE-PERCENT = #TOTAL-SALARY / #AVERAGE * 100
0560 ADD #TOTAL-SALARY TO #TOTAL-TOTAL
0570 /*
0580 DISPLAY NOTITLE PERSONNEL-ID SALARY (1) SALARY (2)
0590 #TOTAL-SALARY CURR-CODE (1)
0600 'PERCENT/OF/AVER' #AVERAGE-PERCENT
0610 /*
0620 AT END OF DATA
0630 WRITE / '*' (40) 'TOTAL SALARIES PAID: ' #TOTAL-TOTAL
0640 /*
0650 END-ENDDATA
0660 END-SORT
0670 END

```

## FIND FIRST/NUMBER/UNIQUE Statements

- FIND FIRST statements are converted to FIND (1) statements and a GET statement is added to reference any data. FIND FIRST is not valid in Structured mode.
- FIND NUMBER statements using the WHERE clause, are converted to FIND (1) statements. The WHERE clause for FIND NUMBER is not valid in Structured mode. If the WHERE clause is not present, then the FIND NUMBER statement is retained.
- FIND UNIQUE statements are converted to FIND (1) statements and a GET statement is added to reference any data. FIND UNIQUE is not valid in Structured mode.

Example:

### Before Conversion:

```
PROGRAM1
::::
0040 FIND FIRST EMPLOYEES WITH NAME = 'ADKINSON'
0050   WHERE SEX EQ 'F'
0060 WRITE '=' (70)
0070 WRITE 'THE NUMBER OF ADKINSON'S ON FILE =' *NUMBER
0080 WRITE 'THE NUMBER OF FEMALE ADKINSON'S =' *COUNTER
0090 WRITE 'THE FIRST RECORD LOCATED IS:'
0100 / 5T'P-id:' PERSONNEL-ID (CD=RE)
0110 / 5T 'Name:' NAME (CD=RE)
0120 / 5T 'Sex :' SEX (CD=RE)
::::
0160 FIND NUMBER VEHICLES WITH MAKE = 'BMW'
0170   WHERE COLOR EQ 'BLACK'
0180 WRITE 'THE NUMBER OF BMW'S FOUND =' *NUMBER
0190 WRITE 'THE NUMBER OF BLACK BMW'S =' *COUNTER
::::
0230 FIND NUMBER VEHICLES WITH MAKE = 'FORD'
0240 WRITE 'THE NUMBER OF FORD'S FOUND =' *NUMBER
::::
0280 FIND UNIQUE PERSONNEL WITH NAME = 'BAYER'
0290 WRITE 'PERSONNEL INFORMATION FOUND :'
0300 / 'Last Name:' NAME (CD=GR)
0310 / 'First Name:' FIRST-NAME (CD=GR)
0320 / 'Job Title :' JOB (CD=GR)
::::
```

After Conversion:PROGRAM1

```

:::
0280 FIND-0040.
0290 FIND (1) EMPLOYEES WITH NAME = 'ADKINSON'
0300 WHERE SEX EQ 'F'
0310 END-FIND
0320 GET-FIND-0040.
0330 GET EMPLOYEES *ISN ( FIND-0040. )
0340 WRITE '=' (70)
0350 WRITE 'THE NUMBER OF ADKINSON'S ON FILE =' *NUMBER (FIND-0040.)
0360 WRITE 'THE NUMBER OF FEMALE ADKINSON'S =' *COUNTER (FIND-0040.)
0370 WRITE 'THE FIRST RECORD LOCATED IS:'
0380 / 5T 'P-id:' PERSONNEL-ID (CD=RE)
0390 / 5T 'Name:' NAME (CD=RE)
0400 / 5T 'Sex :' SEX (CD=RE)
:::
0440 FIND-0160.
0450 FIND (1) VEHICLES WITH MAKE = 'BMW'
0460 WHERE COLOR EQ 'BLACK'
0470 END-FIND
0480 WRITE 'THE NUMBER OF BMW'S FOUND =' *NUMBER (FIND-0160.)
0490 WRITE 'THE NUMBER OF BLACK BMW'S =' *COUNTER (FIND-0160.)
:::
0530 FIND-0230.
0540 FIND NUMBER VEHICLES-1 WITH MAKE = 'FORD'
0550 WRITE 'THE NUMBER OF FORD'S FOUND =' *NUMBER (FIND-0230.)
:::
0590 FIND-0280.
0600 FIND (1) PERSONNEL WITH NAME = 'BAYER'
0610 END-FIND
0620 GET-FIND-0280.
0630 GET PERSONNEL *ISN (FIND-0280.)
0640 WRITE 'PERSONNEL INFORMATION FOUND :'
0650 / 'Last Name:' NAME (CD=GR)
0660 / 'First Name:' FIRST-NAME (CD=GR)
0670 / 'Job Title :' JOB (CD=GR)
:::

```

## Mode Conversion GDA Processing

---

The first stage of the Mode Conversion process is to address the Global data requirements within the application.

### GDA Options Overview

When the Mode Conversion option is invoked, the Mode Conversion GDA Information window is displayed showing the GDA usage for the current application and the default GDA Options that will be set on the Mode Conversion GDA Options screen.

For each application being converted, there are three possible GDA options available:

#### 1. Use new GDA

This will generate a new GDA object that will contain all the Global data used within the application. This may include all Global data from one or more existing GDA objects already used by the application and/or any in-line Global data definitions found within individual objects. The Mode Conversion process will use the new GDA object name as part of the 'DEFINE DATA GLOBAL USING' statement within each newly converted object that references Global data.

It is recommended that this option is used to ensure all Global data used by the application, is encapsulated within one GDA object. For applications using multiple GDA objects, this option will rationalize the GDA objects into one single GDA object.

#### 2. Use converted GDA

This will use a previously generated GDA object, from a previous Mode Conversion execution using option 1 above. The Mode Conversion process will use the previously converted GDA object name as part of the 'DEFINE DATA GLOBAL USING' statement within each newly converted object that references Global data.

This option may be used if an application is being converted in phases using object ranges, or when additional single objects are being converted.

*Note: This option is only available if the Mode Conversion process has been previously executed using the 'Use new GDA' option and the modification library contains the GDA object specified.*

### 3. Use existing GDA

This will use the existing application GDA objects and the Mode Conversion process will not change the 'DEFINE DATA GLOBAL USING' statements within each newly converted object that references the GDA data.

If the application uses any in-line Global data definitions in addition to GDA objects, then the Mode Conversion In-line Global Variables option is invoked. This option allows you to specify the GDA object name, which will be generated to encapsulate all in-line Global data definitions used by the application. The Mode Conversion process will then add the 'DEFINE DATA GLOBAL USING' statements within each newly converted object that only references in-line Global data definitions.

*Note: The Mode Conversion In-line Global Variables option is mandatory for any application that uses a mix of GDA objects and in-line Global data definitions when using the 'Use existing GDA' option. This is to ensure that the application Global data usage integrity is maintained after conversion.*

## GDA Processing Considerations

### 1. Duplicate Global data definitions.

Any Global data definitions that have the same name, format and length will be rationalized as one variable in the generated GDA.

Any Global data definitions that have the same name but different format and/or length will not be added to the generated GDA object. These will be reported in the Mode Conversion Log. For example:

```
Duplicate Global variable name with different format detected in Object: G02
- Global variable: +DUPLICATE-NAME-DIFF-FORMAT (A020)
- Global variable already included from Object: G01
```

### 2. Global data definitions used by subprograms.

Any Global data definitions found within GDA objects only used by subprograms will not be added to the generated GDA object. These will be reported in the Mode Conversion Log. For example:

```
GDA object only used by Subprograms detected - Object: SPGMGDA1
- This GDA is not included in the new GDA
```

Any in-line Global data definitions found within subprograms will not be added to the generated GDA object. These will be reported in the Mode Conversion Log. For example:

```
In-line Global variable only used by Subprograms detected - Object: SUBPGM1
- Global variable: +SUBPGM-INLINE-GLOBAL
- This Global variable is not included in the new GDA
```

*Note: Any subprograms containing in-line Global data definitions will not be converted. These will have to be manually rationalized before conversion is allowed. Subprograms using GDA objects will be converted.*

### 3. Applications using multiple GDA objects.

Applications using multiple GDA objects can be addressed in any one of three ways:

1. Manually rationalize the multiple GDA objects into a new single GDA object. Any in-line Global data definitions would need to be identified and added to the new single GDA object. The application objects referencing Global data need to be changed to reference the new single GDA. Once this has been completed, the application needs to be extracted and loaded into the Repository, then the Mode Conversion process executed using the 'Use new GDA' option.

*Note: This is the recommended method of dealing with multiple GDA objects as it will ensure the stability of the Global data usage within the application.*

2. Automatically rationalize the multiple GDA objects into a new single GDA object using the Mode Conversion 'Use new GDA' option. This will generate a new single GDA object based on the GDA objects and any in-line Global data definitions found within the application.

3. Use the existing GDA objects. The existing GDA object usage within the application will be retained and any in-line Global data definitions will be encapsulated within a new single GDA object.

## Mode Conversion GDA Information Window

The Mode Conversion GDA Information screen displays the Global data usage information for the application along with the default options that will be displayed on the Mode Conversion GDA Options screen.

The Mode Conversion GDA Information screen will be displayed after selecting the option Utilities → Mode Conversion.

The following Figure 3-1 illustrates an example of the Mode Conversion GDA Information screen.




Figure 3-1 Example of the Mode Conversion GDA Information screen



The information displayed will be based on the following cases:

**1. Application uses no Global data.**

The application uses no Global data, either as GDA objects or in-line Global variable definitions.

SCREEN ITEMS	DESCRIPTION
<b>GDA Information</b>	For all GDA process executions: "Your application has no Global variables"
<b>Default Options</b>	Not applicable for this case.
<b>OK button</b>	Invoke the Mode Conversion Object Selection screen.

**2. Application uses in-line Global variables only.**

The application uses Global variables that have been defined in-line. The application does not use any GDA objects.

SCREEN ITEMS	DESCRIPTION
<b>GDA Information</b>	For all GDA process executions: "Your application has no Global Data Area in use" "Your application uses in-line global variables"
<b>Default Options</b>	For first time GDA process execution: "Default GDA name set to NEERSGDA" "Default option 'Use new GDA' has been selected" For subsequent GDA process execution: "Default option 'Use converted GDA' has been selected"
<b>OK button</b>	Invoke the Mode Conversion GDA Options screen.

### 3

#### Natural Engineer Utilities

##### 3. Application uses a single GDA object only.

The application uses Global variables that have been defined in a single GDA object. The application does not use any Global variables that have been defined in-line.

SCREEN ITEMS	DESCRIPTION
<b>GDA Information</b>	For all GDA process executions: "Your application has one Global Data Area in use" - 'GDA-name'
<b>Default Options</b>	For all GDA process executions: "Default option 'Use existing GDA' has been selected"
<b>OK button</b>	Invoke the Mode Conversion GDA Options screen.

*Note: 'GDA-name' will be the GDA object name within the application.*

##### 4. Application uses a single GDA object and in-line Global variables.

The application uses Global variables that have been defined using a single GDA object and in-line definitions.

SCREEN ITEMS	DESCRIPTION
<b>GDA Information</b>	For all GDA process executions: "Your application has one Global Data Area in use" - 'GDA-name' "Your application uses in-line global variables"
<b>Default Options</b>	For first time GDA process execution: "Default GDA name set to 'GDA-name'" "Default option 'Use new GDA' has been selected" For subsequent GDA process execution: "Default option 'Use converted GDA' has been selected"
<b>OK button</b>	Invoke the Mode Conversion GDA Options screen.

*Note: 'GDA-name' will be the GDA object name within the application.*

**5. Application uses multiple GDA objects and no in-line Global variables.**

The application uses Global variables that have been defined in more than one GDA object. The application does not use any Global variables that have been defined in-line.

SCREEN ITEMS	DESCRIPTION
<b>GDA Information</b>	For all GDA process executions:  "Your application has more than one Global Data Area in use"  - 'GDA-name' - 'GDA-name'  <i>Note: A maximum of four GDA object names will be displayed. If there are more than four GDA objects are used, then the text '&lt;MORE&gt;' will be shown. For example:</i>  - 'GDA-name' - 'GDA-name' - 'GDA-name' - 'GDA-name' - <MORE>
<b>Default Options</b>	For all GDA process executions:  "Default option 'Use existing GDAs' has been selected"
<b>OK button</b>	Invoke the Mode Conversion GDA Options screen.

*Note: 'GDA-name' will be the GDA object name within the application.*

### 6. Application uses a mix of multiple GDA objects and in-line Global variables.

The application uses Global variables that have been defined using both GDA objects and in-line definitions.

SCREEN ITEMS	DESCRIPTION
<b>GDA Information</b>	<p>For all GDA process executions:</p> <p>"Your application has more than one Global Data Area in use"</p> <ul style="list-style-type: none"> <li>- 'GDA-name'</li> <li>- 'GDA-name'</li> </ul> <p>"Your application uses in-line global variables"</p> <p><i>Note: A maximum of four GDA object names will be displayed. If there are more than four GDA objects are used, then the text '&lt;MORE&gt;' will be shown. For example:</i></p> <ul style="list-style-type: none"> <li>- 'GDA-name'</li> <li>- 'GDA-name'</li> <li>- 'GDA-name'</li> <li>- 'GDA-name'</li> <li>- &lt;MORE&gt;</li> </ul>
<b>Default Options</b>	<p>For all GDA process executions:</p> <p>"Default option 'Use existing GDAs' has been selected"</p>
<b>OK button</b>	Invoke the Mode Conversion GDA Options screen.

*Note: 'GDA-name' will be the GDA object name within the application.*

## Mode Conversion GDA Options Window

The Mode Conversion GDA Options screen allows you to specify what GDA processing is to be applied to the converted application.

*Note: If the application uses no Global data (either as GDA objects or in-line Global variable definitions) then the Mode Conversion GDA Options screen will not be displayed.*

The Mode Conversion GDA Options screen is invoked by using the 'OK' button on the Mode Conversion GDA Information screen.

The following Figure 3-2 illustrates the Mode Conversion GDA Options screen.




Figure 3-2 Mode Conversion GDA Options screen

MENU ITEMS	OPTIONS	DESCRIPTION
<b>File</b>	<b>Exit</b>	Exit the Mode Conversion GDA Options screen and return back to the main Natural Engineer screen.
<b>Help</b>		Invoke the Mode Conversion GDA Options help.

SCREEN ITEMS	DESCRIPTION
<b>Use new GDA</b>	Specify this option to create a new GDA object to be used by the converted application.
<b>GDA Name</b>	<p>Specify the GDA object name to be used. The GDA name is mandatory if the 'Use new GDA' option has been selected.</p> <p>The GDA name will normally appear 'blank' except under the following conditions:</p> <ol style="list-style-type: none"> <li>1. Will be set to NEERSGDA if the application only uses in-line Global definitions and has no GDA objects.</li> <li>2. Will be set to the 'GDA-name' used by the application if the application uses in-line Global definitions and a single GDA object.</li> </ol> <p><i>Note: These default values may be overwritten as required.</i></p>
<b>Use converted GDA</b>	<p>Specify this option if you wish to use a previously converted GDA object.</p> <p>The name of the previously converted GDA object will appear enclosed in brackets. For example [NEERSGDA].</p> <p><i>Note: This option is only available if the Mode Conversion process has been previously executed using the 'Use new GDA' option and the modification library contains the GDA object specified.</i></p>
<b>Use existing GDA</b>	<p>Specify this option if you wish to use the application's existing GDA objects.</p> <p><i>Note: If the application uses any in-line Global definitions, then the Mode Conversion In-line Global Variables screen will be displayed.</i></p>

BUTTON NAME	DESCRIPTION
<b>OK</b>	<p>Validates the selection made and invokes one of the following processes depending on the option selected:</p> <p><b>1. 'Use new GDA'</b></p> <p>Mode Conversion process will be invoked to generate the new GDA object. Depending on the volume of Global data present, the GDA generation may take some time to complete. The Mode Conversion Object Selection screen will not be displayed until this process has completed.</p> <p><b>2. 'Use converted GDA'</b></p> <p>Mode Conversion Object Selection screen displayed.</p> <p><b>3. 'Use existing GDA'</b></p> <p>If the application uses no in-line Global definitions then the Mode Conversion Object Selection screen will be displayed.</p> <p>If the application does use in-line Global definitions, then the Mode Conversion In-line Global Variables screen will be displayed.</p>
<b>Cancel</b>	<p>Cancel the Mode Conversion GDA Options process and return back to the main Natural Engineer screen.</p>

## Mode Conversion In-line Global Variables Window

The Mode Conversion In-line Global Variables screen allows you to specify the GDA object name to be used for any in-line Global variable definitions found within the application.

This option is mandatory if the application uses both GDA objects and in-line Global variable definitions.

*Note: The Mode Conversion In-line Global Variables screen is only displayed if the 'Use existing GDA' option has been selected on the Mode Conversion GDA Options screen and the application contains in-line Global variable definitions.*

The Mode Conversion In-line Global Variables screen is invoked by selecting option 'Use existing GDA' on the Mode Conversion GDA Options screen and using the 'OK' button.

The following Figure 3-3 illustrates the Mode Conversion In-line Global Variables screen.




Figure 3-3 Mode Conversion In-line Global Variables screen



MENU ITEMS	OPTIONS	DESCRIPTION
File	Exit	Exit the Mode Conversion In-line Global Variables screen and return back to the Mode Conversion GDA Options screen.
Help		Invoke the Mode Conversion In-line Global Variables help.

SCREEN ITEMS	DESCRIPTION
Explanation text	Provides an explanation for the Mode Conversion In-line Global Variables option.
GDA name	<p>Specify the GDA object name to be used. The GDA name is mandatory and the GDA object name must not already exist on the modification library.</p> <p>The default GDA name will be set to 'NEERSGDA'. This may be overwritten as required.</p>

BUTTON NAME	DESCRIPTION
OK	<p>Validates the selection made and invokes the Mode Conversion process to generate the new GDA object. Once completed, the Mode Conversion Object Selection screen will be displayed.</p> <p><i>Note: If the GDA name specified already exists on the modification library an error message will be displayed. The GDA name will need to be changed before you can continue.</i></p>
Cancel	Cancel the Mode Conversion In-line Global Variables process and return back to the Mode Conversion GDA Options screen.

## Mode Conversion Object Processing

The second stage of the Mode Conversion process is to select the objects to be converted and then invoke the Mode Conversion Object processing.

### Mode Conversion Object Selection Window

The Mode Conversion Object Selection screen allows you to select the objects that are to be converted for the application.

The Mode Conversion Object Selection screen is invoked by using the 'OK' button on the Mode Conversion GDA Options screen.

The following Figure 3-4 illustrates the Mode Conversion Object Selection screen.




Figure 3-4 Mode Conversion Object Selection screen

MENU ITEMS	OPTIONS	DESCRIPTION										
File	Exit	Exit the Mode Conversion Object Selection screen and return back to the main Natural Engineer screen.										
View	Change Start Position of Object List...	<p>Reposition the list of objects to start from a particular object name.</p> <p>The reposition value can be input using either a complete name or part name using an '*' (asterisk) wildcard.</p> <p>The reposition value is appended to the object list title to highlight the type of repositioning being applied.</p> <p>Possible reposition values are:</p> <table><tr><th>Value</th><th>Result</th></tr><tr><td>' ' (blank)</td><td>Reposition to the top of the object list.</td></tr><tr><td>*</td><td>Reposition to the top of the object list.</td></tr><tr><td>ABC*</td><td>Only show objects that are prefixed by 'ABC'.</td></tr><tr><td>XYZ</td><td>Reposition to the first object that either matches or is greater than 'XYZ' and then continue the object list from that point.</td></tr></table>	Value	Result	' ' (blank)	Reposition to the top of the object list.	*	Reposition to the top of the object list.	ABC*	Only show objects that are prefixed by 'ABC'.	XYZ	Reposition to the first object that either matches or is greater than 'XYZ' and then continue the object list from that point.
Value	Result											
' ' (blank)	Reposition to the top of the object list.											
*	Reposition to the top of the object list.											
ABC*	Only show objects that are prefixed by 'ABC'.											
XYZ	Reposition to the first object that either matches or is greater than 'XYZ' and then continue the object list from that point.											
Object Types	<p>Allows you to select the types of object to be listed.</p> <p>Available selections are:</p> <ul style="list-style-type: none"><li>▪ All Objects</li><li>▪ Copycodes</li><li>▪ Help routines</li><li>▪ Programs</li><li>▪ Subprograms</li><li>▪ Subroutines</li></ul>											
Help	Invoke the Mode Conversion Object Selection help.											

SCREEN ITEMS	DESCRIPTION
<b>Object List</b>	<p>List all the Reporting mode objects used by the currently selected application.</p> <p><i>Note: No Structured mode objects will be listed.</i></p> <p>The list of objects can be tailored to your requirements using the options available in the Object Types menu. Further refinement can be made using the option 'Change Start Position of Object List...' from the View menu.</p> <p>The Object List title reflects the Object Types being listed and will append any reposition values that may have been specified.</p> <p>Objects can be selected by using a double click with the <b>left hand mouse button</b>.</p>
<b>Selected</b>	<p>List all the objects that have been selected for Mode Conversion.</p> <p><i>Note: At least one object must be selected to run the conversion process.</i></p> <p>Objects can be de-selected by using a double click with the <b>left hand mouse button</b>.</p>

BUTTON NAME	DESCRIPTION
Object List group:	
<b>Prev</b>	<p>Scrolls the object list to previous page.</p> <p>This button will be available/unavailable depending on the value specified in the LISTBOXMAX parameter in the NATENG.INI file.</p>
<b>More</b>	<p>Scrolls the object list forward one page.</p> <p>This button will be available/unavailable depending on the value specified in the LISTBOXMAX parameter in the NATENG.INI file.</p>

BUTTON NAME	DESCRIPTION
-------------	-------------

Selection / De-selection buttons:

>>>	Select all objects in the object list (when more than one page is available, as set by the LISTBOXMAX parameter in the NATENG.INI file).
>>	Select all objects on the current page in the object list.
>	Select all selected objects in the object list.
<	De-select all selected objects in the selected list.
<<	De-select all objects on the current page in the selected list.
<<<	De-select all objects in the selected list (when more than one page is available, as set by the LISTBOXMAX parameter in the NATENG.INI file).

Selected group:

<b>Prev</b>	<p>Scrolls the selected list to previous page.</p> <p>This button will be available/unavailable depending on the value specified in the LISTBOXMAX parameter in the NATENG.INI file.</p>
<b>More</b>	<p>Scrolls the selected list forward one page.</p> <p>This button will be available/unavailable depending on the value specified in the LISTBOXMAX parameter in the NATENG.INI file.</p>

Mode Conversion Object Selection screen:

<b>Execute</b>	Invoke the Mode Conversion process for the selected objects.
<b>Cancel</b>	<p>Cancel any object selection and return back to the Mode Conversion GDA Options screen.</p> <p><i>Note: If your application uses no Global data (either as GDA objects or in-line Global variable definitions) then you will be returned to the main Natural Engineer screen.</i></p>

*Note: For more information on the NATENG.INI file parameter LISTBOXMAX refer to Chapter 1 in the Natural Engineer Administration Guide for Windows manual.*

STATUS BAR ITEM	DESCRIPTION
-----------------	-------------

<b>Pane</b>	Any Mode Conversion Object Selection processing messages.
-------------	---

## Mode Conversion Information Window

The Mode Conversion Information screen summarizes the GDA options to be applied during the conversion process. It is possible at this stage to cancel the conversion process and make new object selection and/or change the GDA options to be used.

*Note: If the application uses no Global data (either as GDA objects or in-line Global variable definitions) then the Mode Conversion Information screen will not be displayed.*

The following Figure 3-5 illustrates an example of the Mode Conversion Information screen.




Figure 3-5 Example of the Mode Conversion Information screen

SCREEN ITEMS	DESCRIPTION
<b>You are about to execute Mode Conversion with the following GDA option:</b>	<p>List the GDA option that will be used during the conversion process. The GDA options available are:</p> <ul style="list-style-type: none"><li>- <b>Use new GDA ['GDA-name']</b> Conversion will use the new GDA 'GDA-name' when converting objects.</li><li>- <b>Use converted GDA ['GDA-name']</b> Conversion will use the previously converted GDA 'GDA-name' when converting objects.</li><li>- <b>Use existing GDA</b> Conversion will use the existing application GDA when converting objects.</li></ul> <p><i>Note: 'GDA-name' will contain the name of the GDA that has been specified on the Mode Conversion GDA Options screen.</i></p>
BUTTON NAME	DESCRIPTION
<b>Yes</b>	Invoke the Mode Conversion process.
<b>No</b>	Cancel the Mode Conversion process and return back to the Mode Conversion Object Selection screen.

## Canceling Active Mode Conversion Tasks

Once the Mode Conversion process has been invoked, it is possible to cancel the conversion by using the '**Cancel**' button on the Mode Conversion progress window.

This will cancel the mode conversion process after the current object has been converted. A log entry will then be displayed in the Mode Conversion Log. For example:

**PGM1 converted to Structured mode**

**PGM2 - Process interrupted by user**

*Note: For more information on the Mode Conversion Log refer to section [Mode Conversion Log Window](#).*

## Overwrite Warning Window

In the event that Mode Conversion is being re-run for an application, any objects that already exist in the modification library will result in the Overwrite Warning window being displayed.

The following Figure 3-6 illustrates the Overwrite Warning window.




Figure 3-6 Overwrite Warning window



BUTTON NAME	DESCRIPTION
<b>Yes</b>	<p>Allow the current object to be overwritten in the modification library.</p> <p>The Overwrite Warning window will re-display for the next object found in the modification library.</p>
<b>Yes to All</b>	<p>Allow the current object to be overwritten in the modification library and also overwrite any subsequent objects.</p> <p>The Overwrite Warning window will not be displayed for any subsequent objects found in the modification library.</p>
<b>No</b>	<p>Do not allow the current object to be overwritten in the modification library. The object will not be converted.</p> <p>The Overwrite Warning window will re-display for the next object found in the modification library.</p> <p>A log entry for each object will be displayed in the Mode Conversion Log. For Example:</p> <p><b>PGM1 not replaced - user specified</b></p>
<b>No to All</b>	<p>Do not allow the current object to be overwritten in the modification library and also do not overwrite any subsequent objects. These objects will not be converted.</p> <p>The Overwrite Warning window will not be displayed for any subsequent objects found in the modification library.</p> <p>A log entry for each object will be displayed in the Mode Conversion Log. For Example:</p> <p><b>PGM1 not replaced - user specified</b>  <b>PGM2 not replaced - user specified</b></p>
<b>Cancel</b>	<p>Cancel the Mode Conversion Process and display the Mode Conversion Log screen with the following log entry:</p> <p><b>Process cancelled</b></p>

## Mode Conversion Log Window

The Mode Conversion Log screen is displayed at the end of a conversion process. The Mode conversion log screen will contain a list of entries showing the conversion process activity.

The following Figure 3-7 illustrates the Mode Conversion Log screen showing GDA conversion details.




Figure 3-7 Mode Conversion Log screen showing GDA conversion details

The following Figure 3-8 illustrates the Mode Conversion Log screen showing object conversion details.




Figure 3-8 Mode Conversion Log screen showing object conversion details

SCREEN ITEMS	DESCRIPTION
<b>Details</b>	<p>A separate entry for each object and/or process action will be displayed here. Example entries:</p> <p><b>GDA NEERSGDA created in MODECNVX</b></p> <p><b>PGM1 converted to Structured mode</b></p> <p><b>PGM1 not replaced - user specified</b></p> <p><b>PGM1 - Process interrupted by user</b></p> <p><b>Process cancelled</b></p> <p><b>SUBPGM1 cannot be converted. SubProgram contains in-line globals</b></p> <p><i>Note: Entries for duplicate Global data definitions and Global data definitions used by subprograms are also displayed. For examples of these refer to section <a href="#">GDA Processing Considerations</a>.</i></p>
BUTTON NAME	DESCRIPTION
<b>Notepad</b>	<p>Opens the text editor Notepad using the Mode Conversion files:</p> <ul style="list-style-type: none"> <li>• 'Convlda.txt' - for GDA conversion details.</li> <li>• 'Convobj.txt' - for object conversion details.</li> </ul> <p>From here it is possible to print the log details and/or save them.</p> <p><i>Note: The Mode Conversion files are located in the DATA directory of the Natural Engineer installation.</i></p>
<b>Cancel</b>	<p>Cancel the Mode Conversion Log process and return to the main Natural Engineer screen.</p> <p><i>Note: If the last function was 'Use new GDA', the Mode Conversion Object Selection screen will be displayed.</i></p>

## CHANGE MANAGEMENT TRACKING (CMT)

### Chapter Overview

---

This chapter describes the Change Management Tracking (CMT) option available from the Utilities menu. The CMT option provides the facility to track changes that have been applied to objects within an application using Natural Engineer.

The following topics are covered:

1. [Change Management Tracking Overview](#)
2. [Change Management Tracking Object Viewer](#)
3. [Change Management Tracking Reports](#)
4. [Change Management Tracking Examples](#)

## Change Management Tracking Overview

---

The CMT option provides audit trail data per object within an application that has used Natural Engineer to administer maintenance changes.

Any updates applied by Natural Engineer to an application's objects generate audit trail records for the application on the Repository. These audit trail records contain the before and after images of updated code, a date and time stamp of when the updates were made and the User Id of the person making the update.

The audit trail records are accumulated per object, and are only deleted when the application is deleted from the Repository. This allows for complete tracking of updates for an application during its maintenance life cycle within Natural Engineer.

The audit trail records can be viewed online or as hardcopy reports using the standard reporting formats.

## CMT Object Viewer Window

The CMT Object Viewer screen allows you to select and review online audit trail records for individual objects. These audit trail records can be seen for a single version or for all versions for that object.

The list of objects that have been loaded in the Repository and have had modification within Natural Engineer applied to them, are listed in a selection box. When an object is selected the relevant audit trail records will be displayed.

The CMT Object Viewer screen is accessed by the following menu navigation: Utilities → Change Management Tracking → Object Viewer.

The following Figure 4-1 illustrates the CMT Object Viewer screen.




Figure 4-1 CMT Object Viewer screen

SCREEN ITEMS	DESCRIPTION
Object Filtering group:	
<b>Object Types</b>	<p>Allows you to select the types of object to be listed.</p> <p>Available selections are:</p> <ul style="list-style-type: none"> <li>▪ All Objects</li> <li>▪ Classes</li> <li>▪ Copycodes</li> <li>▪ Dialogs</li> <li>▪ Functions</li> <li>▪ Global Data Areas</li> <li>▪ Help routines</li> <li>▪ Local Data Areas</li> <li>▪ Maps</li> <li>▪ Parameter Data Areas</li> <li>▪ Programs</li> <li>▪ Subprograms</li> <li>▪ Subroutines</li> </ul>
<b>Language</b>	<p>Allows you to select the programming language of the objects to be listed.</p> <p>Available selections are:</p> <ul style="list-style-type: none"> <li>▪ All</li> <li>▪ Cobol</li> <li>▪ Natural</li> </ul>
<b>Impact Version</b>	Change the Impact version to review alternate audit trail records for the currently selected application.
Object List group:	
<b>Object List</b>	<p>Lists all the impacted objects for the current Impact Version.</p> <p>The list of objects can be tailored to your requirements using the options available in the Object Types and Language menus. Further refinement can be made using the option 'Change Start Position of Object List...' from the Object List context menu.</p> <p>The Object List title reflects the Object Types being listed and will append any reposition values that may have been specified.</p>



SCREEN ITEMS	DESCRIPTION
--------------	-------------

Modified Statements group:

<b>Modified Statements</b>	<p>Displays the audit trail records for the selected object, for the selected Impact Version.</p> <p>The sort order for the list of statements can be tailored to your requirements using the options available in the Modified Statements context menu.</p> <p>The Modified Statements title reflects the sort order selection in force.</p>
----------------------------	---

BUTTON NAME	DESCRIPTION
-------------	-------------

Object Filtering group:

<b>Prev</b>	<p>Scrolls the object list to previous page.</p> <p>This button will be available/unavailable depending on the value specified in the LISTBOXMAX parameter in the NATENG.INI file.</p>
<b>More</b>	<p>Scrolls the object list forward one page.</p> <p>This button will be available/unavailable depending on the value specified in the LISTBOXMAX parameter in the NATENG.INI file.</p>

CMT Object Viewer screen:

<b>Cancel</b>	<p>Cancel the CMT Object Viewer process and return back to the main Natural Engineer screen.</p>
---------------	--

*Note: For more information on the NATENG.INI file parameter LISTBOXMAX refer to Chapter 1 in the Natural Engineer Administration Guide for Windows manual.*

## CMT Object Viewer Context Menus

The CMT Object Viewer context menus are invoked by placing the cursor on any of the items listed in the Object or Modified Statements lists using the right hand mouse button with a single click.

### Object List Context Menu

The Object list context menu provides the facility to tailor the list of objects displayed in the Object list.

CONTEXT MENU ITEM	DESCRIPTION										
<b>Change Start Position of Object List...</b>	<p>Reposition the list of objects to start from a particular object name.</p> <p>The reposition value can be input using either a complete name or part name using an '*' (asterisk) wildcard.</p> <p>The reposition value is appended to the object list title to highlight the type of repositioning being applied.</p> <p>Possible reposition values are:</p> <table> <tr> <th>Value</th><th>Result</th></tr> <tr> <td>' ' (blank)</td><td>Reposition to the top of the object list.</td></tr> <tr> <td>*</td><td>Reposition to the top of the object list.</td></tr> <tr> <td>ABC*</td><td>Only show objects that are prefixed by 'ABC'.</td></tr> <tr> <td>XYZ</td><td>Reposition to the first object that either matches or is greater than 'XYZ' and then continue the object list from that point.</td></tr> </table>	Value	Result	' ' (blank)	Reposition to the top of the object list.	*	Reposition to the top of the object list.	ABC*	Only show objects that are prefixed by 'ABC'.	XYZ	Reposition to the first object that either matches or is greater than 'XYZ' and then continue the object list from that point.
Value	Result										
' ' (blank)	Reposition to the top of the object list.										
*	Reposition to the top of the object list.										
ABC*	Only show objects that are prefixed by 'ABC'.										
XYZ	Reposition to the first object that either matches or is greater than 'XYZ' and then continue the object list from that point.										

## Modified Statements Context Menu

The Modified Statements context menu provides the facility to reorganize the list of audit trail records in the Modified Statements list.

CONTEXT MENU ITEM	DESCRIPTION
<b>Audit Record Sort Order</b>	Sort the data to show the audit trail records in one of the following orders: <ul style="list-style-type: none"><li>▪ <b>Timestamp – Ascending.</b></li><li>▪ <b>Timestamp – Descending.</b></li><li>▪ <b>User Id – Ascending.</b></li><li>▪ <b>User Id – Descending.</b></li><li>▪ <b>Line Number – Ascending.</b></li><li>▪ <b>Line Number – Descending.</b></li></ul>

## CMT Reports Window

The CMT Reports screen allows you to review audit trail records for individual or a range of objects within an application using any one of three reporting options.

The CMT Reports screen is accessed by the following menu navigation: Utilities → Change Management Tracking → Reports.

The following Figure 4-2 illustrates the CMT Reports screen.




Figure 4-2 CMT Reports screen

SCREEN ITEMS	DESCRIPTION
Report Options group:	
<b>Selected Object</b>	<p>The name of the object or range of objects to be used in the report.</p> <p>A single object can be selected by typing in the object name.</p> <p>A range of objects can be selected by typing in the start of range object name in the 'from' section followed by the end of range object name in the 'to' section. For example: 'XX001P01' to 'XX002P01' will include all objects that are within this range.</p> <p>A group of objects can be selected by typing in a part name with a single '*' (asterisk). For example: 'XX001*' will include all the objects that are prefixed with 'XX001'.</p> <p>All objects can be selected by typing in a single '*' (asterisk).</p> <p>The object names can also be selected by using the Selected Object from and Selected Object to Selection buttons [...].</p>
<b>Version</b>	Change the Impact version to review alternate audit trail records for the currently selected application.
<b>Date</b>	<p>Date ranges, to limit the audit trail records reported to the selected date range values.</p> <p><b>Date Operator</b>      The operator used to qualify the date range specified. Available selections are:</p> <p><b>GT – greater than.</b></p> <p><b>LT – less than.</b></p> <p><b>EQ – equal to.</b></p> <p><b>From Date</b>            Start from date using format DDMMYYYY.</p> <p><b>To Date</b>                End at date using format DDMMYYYY.</p>
<b>Language</b>	<p>Programming language of the objects, to limit the audit trail records reported to the selected programming language. Available selections are:</p> <ul style="list-style-type: none"> <li>▪ <b>All</b></li> <li>▪ <b>Cobol</b></li> <li>▪ <b>Natural</b></li> </ul>
<b>User Id</b>	<p>User Id of the person responsible for the changes, to limit the audit trail records reported to the selected user.</p> <p>This input is case dependent. For example:</p> <p>'xx209' will only report a User Id of 'xx209' and not 'XX209'.</p>

SCREEN ITEMS	DESCRIPTION
--------------	-------------

<b>Sort Order</b>	The Sort order that the audit trail records will be displayed in the report. Available selections are:
-------------------	---

- |                   |   |
|-------------------|---|
| <b>Sort Order</b> | <ul style="list-style-type: none"> <li>▪ <b>Timestamp – Ascending.</b></li> <li>▪ <b>Timestamp – Descending.</b></li> <li>▪ <b>User Id – Ascending.</b></li> <li>▪ <b>User Id – Descending.</b></li> <li>▪ <b>Line Number – Ascending.</b></li> <li>▪ <b>Line Number – Descending.</b></li> </ul> |
|-------------------|---|

Object Types group:

<b>Object Types</b>	The types of object to be included in the report, to limit the audit trail records reported to the selected object types. Available selections are:
---------------------	---

- |                     |  |
|---------------------|--|
| <b>Object Types</b> | <ul style="list-style-type: none"> <li>▪ <b>Classes</b></li> <li>▪ <b>Copycodes</b></li> <li>▪ <b>Dialogs</b></li> <li>▪ <b>Functions</b></li> <li>▪ <b>Global Data Areas</b></li> <li>▪ <b>Help routines</b></li> <li>▪ <b>Local Data Areas</b></li> <li>▪ <b>Maps</b></li> <li>▪ <b>Parameter Data Areas</b></li> <li>▪ <b>Programs</b></li> <li>▪ <b>Subprograms</b></li> <li>▪ <b>Subroutines</b></li> </ul> |
|---------------------|--|

Display Options group:

<b>Display Options</b>	Select the required display option.
------------------------	-------------------------------------

- |                    |  |
|--------------------|--|
| <b>Screen</b>      | Display the report using Natural screen. |
| <b>Spreadsheet</b> | Display the report using a spreadsheet.  |
| <b>Word</b>        | Display the report using Word document.  |
| <b>PDF</b>         | Display the report using PDF document.   |
| <b>HTML</b>        | Display the report using HTML.           |

BUTTON NAME	DESCRIPTION
Report Options group:	
<b>Selected Object from Selection [....]</b>	Invokes the General Selection screen, listing all the objects available for the selected Impact version and programming language.
<b>Selected Object to Selection [....]</b>	Invokes the General Selection screen, listing all the objects available for the selected Impact version and programming language.
CMT Reports screen:	
<b>OK</b>	Accept the CMT Reports criteria and produce the report.
<b>Cancel</b>	Cancel the CMT Reports process and return back to the main Natural Engineer screen.

## CMT Examples

---

To illustrate the Change Management Tracking process, two examples are shown using the sample Natural application HOSPITAL.

The two examples are:

1. To demonstrate the CMT Object Viewer option for a simple modification applied to the sample application HOSPITAL.
2. To demonstrate the CMT Reports option for a simple modification applied to the sample application HOSPITAL.



### Example 1 – Use of CMT Object Viewer option.

This example will demonstrate the CMT Object Viewer option showing a simple set of audit trail records for objects that have been modified using the sample application HOSPITAL.

All the objects from the HOSPITAL application have been extracted and loaded into the Repository and the steps in this example start from the Impact Analysis process.

**Step 1** Version 1 impact search criteria have been specified to search for keyword DATAITEM with search values of #G-MESSAGE, #L-MESSAGE and #M-MESSAGE. Replace values for each of these criteria have been specified as #G-MSG, #L-MSG and #M-MSG respectively.

The following Figure 4-3 illustrates the Criteria Summary tab screen after specifying all the criteria.




Figure 4-3 Criteria Summary tab screen after specifying all the criteria

**Step 2** After Impact Analysis has been executed; modification has been applied to all the impacted objects.

The following Figure 4-4 illustrates the Modification Element Maintenance screen after all the objects have been modified. Object XX000G00 has been selected and also data item #G-MESSAGE, just to show the modification parameters that have been applied.

Modification Element Maintenance for HOSPITAL Version 1

Object Filtering Options  
Object Type: All Objects

Impact Versions: 01 Change all instances of MESSAGE to be MSG in DATAITEMS

All Objects  
XX000G00  
XX001A01  
XX001L01  
XX001M01  
XX001P01  
XX002A01  
XX002L01  
XX002M01  
XX002P01  
XX001A01

Impact Items

Category	Type	Line	Attribute	External Object	Name
A	I	0003	A70		#G-MESSAGE

Modify Details  
Automatic Data Item  
Reason: Data item can be automatically changed  
Comment:   
User ID: Last Update:   
Replace Value: #G-MSG  
Definition: Keyword:   
TLM Data: Name: Pos:   
Update Impact Item Additional Details...

Impact Reason  
01 Searching All Objects for DATAITEM with value '#G-MESSAGE', replace with '#G-MSG'

Impact Reason Context Source Code

Reject Single Object Reject Multiple Objects Manual Single Object Manual Multiple Objects Execute Modification

Figure 4-4 Modification Element Maintenance screen after all objects have been modified

**Step 3** The CMT Object Viewer option is selected using the menu navigation Utilities→Change Management Tracking→Object Viewer. On the Object Viewer screen; object XX001P01 has been selected from the Modified Objects List to produce the relevant audit trail records for that object.

In the Modified statements box all the audit trail records are displayed. For each modification applied to object XX001P01 there is a before and after image of the statements. For this object, it shows the modification of #L-MESSAGE to #L-MSG. For each set of before and after images there is information to show the version applicable to that change, the timestamp of when the change was applied and the User Id that applied the change.

The following Figure 4-5 illustrates the CMT Object Viewer screen displaying object XX001P01 audit trail records.




Figure 4-5 CMT Object Viewer screen displaying object XX001P01 audit trail records

### Example 2 – Use of CMT Reports option.

This example will demonstrate the CMT Reports option showing a simple set of audit trail records for objects using a selection of the reporting display options.

This example uses the same objects from the application HOSPITAL, as used in example 1.

**Step 1** The same set of Version 1 impact search criteria have been applied as in Example 1 above. Also, the same modifications have been executed.

**Step 2** The CMT Reports option is selected using the menu navigation Utilities→Change Management Tracking→Reports. On the CMT Reports selection screen; module XX001P01 has been selected and the Screen reporting destination has been checked.

The following Figure 4-6 illustrates the CMT Reports screen showing the specified reporting options.

Figure 4-6 CMT Reports selection screen showing the specified reporting options

**Step 3** By clicking the **OK** button on the CMT Reports selection screen; the audit trail records are displayed on the Natural screen.

The following Figure 4-7 illustrates the CMT audit trail records being displayed on the Natural screen.

Natural		Change Management Tracking System Report	
Application: HOSPITAL Criteria Order: Sorted by Timestamp - Ascending Criteria Range: Object: XX001P01 (Object Lang.: *) (Object Types: 4C37GHLMAPNS) Criteria Dates: For all Timestamps Criteria Vers: 1			
Object Name: XX001P01			
-----			
Version:	1	Timestamp:	24/01/2014 13:13:45.1 User: USER01
Before:	00000110	RESET	#L-MESSAGE
After:	00000110	RESET	#L-MSG /* NEE MODIFIED
Version:	1	Timestamp:	24/01/2014 13:13:45.2 User: USER01
Before:	00000240	MOVE	"INVALID OPTION SELECTED" TO #L-MESSAGE
After:	00000240	MOVE	"INVALID OPTION SELECTED" TO #L-MSG /* NEE MODIFIED
Version:	1	Timestamp:	24/01/2014 13:13:45.2 User: USER01
Before:	00000260	MOVE	"INVALID PF KEY PRESSED" TO #L-MESSAGE
After:	00000260	MOVE	"INVALID PF KEY PRESSED" TO #L-MSG /* NEE MODIFIED
Natural Engineer <span style="float: right;">Page 1 24/January/2014 13:16</span>			

**Figure 4-7 CMT audit trail records being displayed on the Natural screen**



# KEYWORD CATALOGUE

## Chapter Overview

---

This chapter describes the Keyword Catalogue option available from the Utilities menu. The Keyword Catalogue option provides the facility to identify related items within the Natural Engineer Repository.

Keywords may be added when maintaining the following Natural Engineer options:

- Business Rules
- Services
- Data Model Perspectives
- Object Documentation

*Note: The exact options available depend on the Natural Engineer version installed.*

By specifying suitable keywords the user may group related entities. These entities can be quickly identified by using the Keyword Catalogue.

## Keyword Catalogue Window

The Keyword Catalogue screen allows you to view all grouped entities depending on the keyword selected.

The Keyword Catalogue screen is accessed using the following menu navigation: Utilities → Keyword Catalogue.

The following Figure 5-1 illustrates the Keyword Catalogue screen.




Figure 5-1 Keyword Catalogue screen

Selecting an entity will display the relevant maintenance screens for that type of entity.



SCREEN ITEMS	DESCRIPTION
--------------	-------------

Keyword Catalogue screen:

<b>All Keywords</b>	<p>The list of keywords that have been added to the various entities. *ALL* will show all entities that have keywords.</p> <p><i>NB: By default each entity will have *ALL* added as a keyword. This allows for the identification of any 'orphaned' documentation.</i></p> <p>A context menu is available to change the start position of the keyword list by using the <b>right hand mouse button</b> on a selected keyword.</p>
<b>Search for Multiple Keywords</b>	<p>Searches the relevant documentation for Keywords that match all the criteria specified. The entities whose Keywords match the criteria are then shown.</p>

Filtering Options group:

<b>Entity</b>	<p>The type of Entity you wish to display.</p> <p>Options available are:</p> <ul style="list-style-type: none"> <li>All</li> <li>Business Rules</li> <li>Services</li> <li>Data Model Perspectives</li> <li>Object Documentation</li> </ul> <p><i>Note: The exact options available depend on the Natural Engineer version installed.</i></p>
<b>Application</b>	<p>Filters the Object Documentation list, if selected, by application name.</p> <p><i>NB: This is only available if Object Documentation has been selected as the entity to display.</i></p>

Related Entities group:

<b>Type</b>	The type of Entity.
-------------	---------------------

## 5

## Natural Engineer Utilities

SCREEN ITEMS	DESCRIPTION
<b>Name</b>	<p>The name of the Entity.</p> <p>Business Rules – The name of the Business Rule</p> <p>Services – The name of the Service</p> <p>Data Model Perspectives – The name of the Data Model Perspective</p> <p>Object Documentation – The application and object name</p> <p>A context menu is available, which is tailored to the type of entity selected, by using the <b>right hand mouse button</b> on a selected object.</p>
<b>Additional Information</b>	<p>Business Rules – The component associated with the Business Rule</p> <p>Services – The entry point object of the Service</p> <p>Data Model Perspectives – The entry point DDM of the Data Model Perspective</p> <p>Object Documentation – The object title of the Object Documentation</p>

BUTTON NAME	DESCRIPTION
All Keywords group:	
<b>Prev</b>	Scrolls the object list to previous page. This button will be available/unavailable depending on the value specified in the LISTBOXMAX parameter in the NATENG.INI file.
<b>More</b>	Scrolls the object list forward one page. This button will be available/unavailable depending on the value specified in the LISTBOXMAX parameter in the NATENG.INI file.
Related Entities group:	
<b>Prev</b>	Scrolls the object list to previous page. This button will be available/unavailable depending on the value specified in the LISTBOXMAX parameter in the NATENG.INI file.
<b>More</b>	Scrolls the object list forward one page. This button will be available/unavailable depending on the value specified in the LISTBOXMAX parameter in the NATENG.INI file.
Keyword Catalogue screen:	
<b>Cancel</b>	Cancel the Keyword Catalogue process and close the current screen.

*Note: For more information on the NATENG.INI file parameter LISTBOXMAX refer to Chapter 1 in the Natural Engineer Administration Guide for Windows manual.*

## Keyword Catalogue Context Menu

The Keyword Catalogue context menu is invoked by placing the cursor on any of the entities listed in the Related Entities box and using the right hand mouse button with a single click.

## Related Entities Context Menu

The Related Entities context menu allows you to navigate between the Keyword Catalogue screen and the Object Documentation, Business Rule Definition, Services Viewer or Data Model Perspective Documentation screens , or reposition the name list.

*Note: The navigation will depend on the type of entity selected.*

# 5

## Natural Engineer Utilities

The following Figure 5-2 illustrates the Keyword Catalogue context menu when an Object Documentation entity is selected.




Figure 5-2 Keyword Catalogue context menu

CONTEXT MENU ITEM	DESCRIPTION										
<b>Object Documentation</b>	<p>Invoke the Object Documentation screen.</p> <p><i>NB: This is only available if an Object Documentation entity is selected.</i></p>										
<b>Data Model Perspective Documentation</b>	<p>Invoke the Data Model Perspective Documentation screen.</p> <p><i>NB: This is only available if a Data Model Perspective entity is selected.</i></p>										
<b>Services Viewer</b>	<p>Invoke the Services Viewer screen.</p> <p><i>NB: This is only available if a Services entity is selected.</i></p>										
<b>Rule Definition</b>	<p>Invoke the Rule Definition screen.</p> <p><i>NB: This is only available if a Business Rule entity is selected.</i></p>										
<b>Change Start Position of List...</b>	<p>Reposition the list of entities to start from a particular entity name.</p> <p>The reposition value can be input using either a complete name or part name using an '*' (asterisk) wildcard.</p> <p>The reposition value is appended to the entity list title to highlight the type of repositioning being applied.</p> <p>Possible reposition values are:</p> <table> <tr> <th>Value</th><th>Result</th></tr> <tr> <td>' ' (blank)</td><td>Reposition to the top of the entity list.</td></tr> <tr> <td>*</td><td>Reposition to the top of the entity list.</td></tr> <tr> <td>ABC*</td><td>Only show entities that are prefixed by 'ABC'.</td></tr> <tr> <td>XYZ</td><td>Reposition to the first entity that either matches or is greater than 'XYZ' and then continue the entity list from that point.</td></tr> </table>	Value	Result	' ' (blank)	Reposition to the top of the entity list.	*	Reposition to the top of the entity list.	ABC*	Only show entities that are prefixed by 'ABC'.	XYZ	Reposition to the first entity that either matches or is greater than 'XYZ' and then continue the entity list from that point.
Value	Result										
' ' (blank)	Reposition to the top of the entity list.										
*	Reposition to the top of the entity list.										
ABC*	Only show entities that are prefixed by 'ABC'.										
XYZ	Reposition to the first entity that either matches or is greater than 'XYZ' and then continue the entity list from that point.										



# ARCHITECTURAL GOVERNANCE

## Chapter Overview

---

This chapter describes the Architectural Governance option available from the Utilities menu. The Architectural Governance option provides the facility to apply global or application specific coding standards to Natural Objects.

The topics covered are:

1. [Architectural Governance](#)
2. [Global Coding Standards](#)
3. [Application Coding Standards](#)
4. [Impact Execution](#)
5. [Impact Element Maintenance](#)

## Architectural Governance Overview

---

The Architectural Governance screen provides the facility to access the individual tasks for each stage of Architectural Governance.

### Architectural Governance Screen

The Architectural Governance screen is accessed using the following menu navigation:  
Utilities → Architectural Governance

The following Figure 6-1 illustrates the Architectural Governance screen.




Figure 6-1 Architectural Governance screen



BUTTON NAME	DESCRIPTION
<b>Global Coding Standards</b>	Invoke the Global Coding Standards screen to apply site-wide coding standards. <i>Note: For more information refer to the section <a href="#">Global Coding Standards</a>.</i>
<b>Application Coding Standards</b>	Invoke the Application Coding Standards screen to apply application specific coding standards.. <i>Note: For more information refer to the section <a href="#">Application Coding Standards</a>.</i>
<b>Impact Execution</b>	Invoke the Coding Standards Impact Execution screen. <i>Note: For more information refer to the section <a href="#">Coding Standards Impact Execution</a>.</i>
<b>Impact Element Maintenance</b>	Invoke the Coding Standards Impact Element Maintenance screen to review the impact results. <i>Note: For more information refer to the section <a href="#">Coding Standards Impact Element Maintenance</a>.</i>
Architectural Governance screen:	
<b>Cancel</b>	Cancel the Architectural Governance process and return back to the main Natural Engineer screen.

## 6

### Natural Engineer Utilities

STATUS BAR ITEM	DESCRIPTION
-----------------	-------------

---

The Architectural Governance status bar is divided into 2 individual panes.

<b>Pane 1</b>	Name of the selected application.
---------------	-----------------------------------

<b>Pane 2</b>	Any Architectural Governance processing messages.
---------------	---

## Global Coding Standards Overview

---

The Global Coding Standards option provides the facility for the specification of coding standards that are to be used as the default settings within Natural Engineer.

Using Global Coding Standards, it is possible to specify the Natural application coding standards employed at your site, or if none exist, specify the standards that you wish to apply and adhere to. Then by loading each of your applications into the Repository and running the Architectural Governance impact analysis it is possible to report on each application's compliance.

If an Application has individual coding standards than the global definitions may be overridden by using the Application Coding Standards options.

## Global Coding Standards Screen

The Global Coding Standards screen is accessed using the following navigation: Utilities → Architectural Governance → Global Coding Standards.

The following Figure 6-2 illustrates the Global Coding Standards screen.

The screenshot shows a Windows-style dialog box titled "Global Coding Standards". It contains several sections for configuring coding standards:

- Data Item Specification and Usage:**
  - Data Item Name Length: 1 (dropdown)
  - Local Data Item Start Character: (empty text box)
  - Allow Dynamic Variables: ☐
  - Allow AIVs: ☐
  - Allow Reserved Words as Data Items: ☐
  - Allow use of Hexadecimal: ☐
- Database Access:**
  - Allow Database Access: ☐
- Prohibited Keywords:**
  - Add Prohibited Keywords: (button)
- Object Complexity:**
  - McCabe: 0 (text box)
  - Halstead Difficulty: 0.00 (text box)
  - Maximum Nested Levels: 0 (text box)
  - Max Nbr for Conditional Stmts: 0 (text box)
- Miscellaneous:**
  - Allow numeric back references: ☐
  - Check for unused variables: ☐
  - Check for redundant code: ☐

At the bottom of the dialog are five buttons: View Summary, Delete, OK, Cancel, and Apply.

Figure 6-2 Global Coding Standards screen

SCREEN ITEMS	DESCRIPTION
<b>Data Item Specification and Usage</b>	<p>Identifies standards specific to Data Items. Data Item Specification and Usage options are</p> <p><b>Data Item Name Length</b> A number from 1 to 32 can be selected. Natural Engineer will identify data items that exceed this number.</p> <p><b>Local Data Item Start Character</b> The first character required for locally defined data items.</p> <p><b>Allow Dynamic Variables</b> Dynamic variables, such as &amp;variables are permitted by standards.</p> <p><b>Allow AIVs</b> Application Independent Variables are permitted by the standards.</p> <p><b>Allow Reserved Words as Data Items</b> If selected, data item names may also be reserved words.</p> <p><b>Allow use of Hexadecimal</b> If selected, hexadecimal code is permitted by standards.</p>
<b>Database Access</b>	<p>Identifies usage of Database Access statements e.g., READ, FIND or HISTOGRAM</p> <p><b>Allow Database Access</b> If selected, Database Access statements are permitted by standards.</p>
<b>Object Complexity</b>	<p>Allows the specification of industry standard complexity limits.</p> <p><b>McCabe</b> If defined any objects that exceed the specified McCabe number will be identified.</p> <p><b>Halsted Difficulty</b> If defined any objects that exceed the specified Halsted difficulty will be identified.</p> <p><b>Maximum Nested Levels</b> The number of nested levels that are allowed.</p> <p><b>Max Nbr for Conditional Stmts</b> The number of conditional statements that are allowed.</p>

SCREEN ITEMS	DESCRIPTION
Miscellaneous	<p>Identifies standards for miscellaneous options. Miscellaneous options are:</p> <p><b>Allow Numeric Back References</b> If selected numeric back references are allowed by standards.</p> <p><b>Check for Unused Variables</b> Impact will look for any unused variables. These can be user-defined variables or logical view variables.</p> <p><b>Check for Redundant Code</b> Impact will look for any unused source code lines within programming objects, across a whole application.</p> <p>Any source code that is driven by event rather than position is ignored. For example AT BREAK, AT END OF PAGE, WRITE TITLE.</p> <p>Unused source code within internal subroutines is included, but for external subroutines the Unused Objects report should be referenced.</p> <p><i>Note: Only Structured Mode objects will be impacted. For Reporting Mode objects, it is recommended that they are converted to Structured Mode first using the Mode Conversion function, and then impacted.</i></p>

BUTTON NAME	DESCRIPTION
Prohibited Keywords group	
<b>Add Prohibited Keywords</b>	Invokes a screen where Natural keywords that are not permitted by standards may be defined.
Architectural Governance Screen	
<b>View Summary</b>	Will display a summary of what Global Coding Standards have been set.
<b>Delete</b>	Delete the Global Coding Standards. <i>Note: This button is only enabled if any Global Coding Standards exist.</i>
<b>OK</b>	Save the Global Coding Standards and close the current screen.
<b>Cancel</b>	Cancel the Global Coding Standards process and return back to the main Natural Engineer screen.
<b>Apply</b>	Save the Global Coding Standards and retain the current screen. <i>Note: This button is only enabled if any changes have been made.</i>

## Application Coding Standards Overview

---

The Application Coding Standards option provides the facility for the specification of coding standards that are specific to a particular application within Natural Engineer. If set, these will override the Global Coding Standards.

The Application Coding Standards screen is accessed using the following navigation: Utilities➔Architectural Governance➔ Application Coding Standards

For further information on the options available please refer to the [Global Coding Standards](#) section.



## Coding Standards Impact Execution Overview

---

The Coding Standards Impact Execution option invokes the Impact process, which will execute the selected Coding Standards Impact Criteria against the chosen application code held in the Repository.

Impact Execution is accessed by using the following menu navigation: Utilities➔Architectural Governance➔ Impact Execution from the main Natural Engineer screen. A screen is then displayed allowing the selection of applications to run the coding standards against.

## Coding Standards Impact Element Maintenance

---

The Coding Standards Impact Element Maintenance option provides the facility to review the results of the last executed Impact Analysis for the Architectural Governance Option. All impacted objects within the chosen applications are available for selection. Once selected the impacted items within the object are listed.

The impacted items can be selected to reveal the source code context within the object and the impact match reason showing why the item has been impacted. The context of the data item within the data definitions of the selected object are also shown.

Coding Standards Impact Element Maintenance Window

The Coding Standards Impact Element Maintenance window is accessed by using the following menu navigation: Utilities → Architectural Governance → Impact Element Maintenance from the main Natural Engineer screen.

The following Figure 6-3 illustrates the Coding Standards Impact Element Maintenance screen.




Figure 6-3 Coding Standards Impact Element Maintenance screen

SCREEN ITEMS	DESCRIPTION
--------------	-------------

Object Filtering Options group:

**Object Types** Allows you to select the types of object to be listed.

Available selections are:

- All Objects
- Programs
- Classes
- Subprograms
- Functions
- Subroutines
- Copycodes
- Help routines
- Dialogs
- Maps
- Local Data Areas
- Global Data Areas
- Parameter Data Areas
- Data Definition Modules
- Adaptors

**Language** Allows you to select the programming language of the objects to be listed.

Available selections are:

- All
- Cobol
- JCL
- Natural

**Impact Version** Change the Impact version to review alternate Impact results for the application.

*NB: If you have selected more than one application to run the coding standards against, then each application will have its own type of version.*

SCREEN ITEMS	DESCRIPTION												
Object List group:													
<b>Object List</b>	<p>List of all the impacted objects for the currently selected Impact Version.</p> <p>The list of objects can be tailored to your requirements using the options available in the Object Types and Language options of the Object Filtering Options group. Further refinement can be made using the option 'Change Start Position of Object List...' from the context menu.</p> <p>The Object List title reflects the Object Types being listed and will append any reposition values that may have been specified.</p> <p>A context menu is available to invoke viewing options View Structure Diagram for Search Criteria (for the selected object only) or View Impacted Code or to reposition the object list by using the <b>right hand mouse button</b> on a selected object.</p> <p><i>Note: For more information on the Object List context menu, refer to section <a href="#">Impact Element Maintenance Context Menu</a>.</i></p>												
Impact Item group:													
<b>Impact Items</b>	<p>List of all the impacted items for the currently selected object.</p> <p>A context menu is available to invoke viewing options Enter Filter Value for Impact Items by using the <b>right hand mouse button</b> on an entry in the Impact Items box to tailor the list to your requirements.</p> <p>The columns available are:</p> <table> <tr> <td><b>Type</b></td><td>This is a 2-byte value, which denotes the type of Impact.</td></tr> <tr> <td></td><td><i>Note: For more information on type of impact refer to the section <a href="#">Impact Types</a>.</i></td></tr> <tr> <td><b>Line</b></td><td>The statement line number for the impact item within the selected object.</td></tr> <tr> <td><b>Attribute</b></td><td>The format and length of the impact item if the item is a data item from a data definition area within the object.</td></tr> <tr> <td><b>External Object</b></td><td>The name of the object that contains the impact item if the item is in an external object, for example GDA, LDA, PDA or Copycode.</td></tr> <tr> <td><b>Name</b></td><td>The name of the impact items impacted within the selected object.</td></tr> </table>	<b>Type</b>	This is a 2-byte value, which denotes the type of Impact.		<i>Note: For more information on type of impact refer to the section <a href="#">Impact Types</a>.</i>	<b>Line</b>	The statement line number for the impact item within the selected object.	<b>Attribute</b>	The format and length of the impact item if the item is a data item from a data definition area within the object.	<b>External Object</b>	The name of the object that contains the impact item if the item is in an external object, for example GDA, LDA, PDA or Copycode.	<b>Name</b>	The name of the impact items impacted within the selected object.
<b>Type</b>	This is a 2-byte value, which denotes the type of Impact.												
	<i>Note: For more information on type of impact refer to the section <a href="#">Impact Types</a>.</i>												
<b>Line</b>	The statement line number for the impact item within the selected object.												
<b>Attribute</b>	The format and length of the impact item if the item is a data item from a data definition area within the object.												
<b>External Object</b>	The name of the object that contains the impact item if the item is in an external object, for example GDA, LDA, PDA or Copycode.												
<b>Name</b>	The name of the impact items impacted within the selected object.												

SCREEN ITEMS	DESCRIPTION
--------------	-------------

Context List group:

**Context List**

Displays the context of the selected data item within the data definition of the selected object.

*Note: Only displays details for impacted data items from data definition areas.*

If the selected data item is a literal string, then no context details will be displayed.

If the selected data item is part of a view definition, group or redefinition, then the context list will show data items one level lower and one level higher in relation to the selected data item.

Some examples based on the following data definition:

```
0020 01 #GROUP
0030 02 #ALPHA (A10)
0040 02 REDEFINE #ALPHA
0050 03 #NUMERIC (N6)
```

For data item #GROUP, the context list will show:

```
0020 01 #GROUP          G
0030 02 #ALPHA          A10
```

For data item #ALPHA, the context list will show:

```
0020 01 #GROUP          G
0030 02 #ALPHA          A10
0040 02 REDEFINE #ALPHA
0050 03 #NUMERIC        N6
```

For data item #NUMERIC, the context list will show:

```
0030 02 #ALPHA          A10
0040 02 REDEFINE #ALPHA
0050 03 #NUMERIC        N6
```

SCREEN ITEMS	DESCRIPTION
Source Code group:	
<b>Source Code</b>	Displays all the impacted statement references for the selected impact item.  The columns available are:  <b>Object Name</b> The name of the object in which the Impact is identified. This will normally be the object selected, but can be an external object such as a GDA, LDA, PDA or Copycode, which is included in the selected object.  <b>Line Number</b> The line number of the impacted statement code.  <b>Statement</b> The statement code which is impacted.
Impact Reason group:	
<b>Impact Reason</b>	Displays information on the reasons for the impact based on the search criteria specified.

BUTTON NAME	DESCRIPTION
Object List group:	
<b>Prev</b>	Scrolls the object list to previous page. This button will be available/unavailable depending on the value specified in the LISTBOXMAX parameter in the NATENG.INI file.
<b>More</b>	Scrolls the object list forward one page. This button will be available/unavailable depending on the value specified in the LISTBOXMAX parameter in the NATENG.INI file.
Impact Item group:	
<b>Prev</b>	Scrolls the impact items to previous page. This button will be available/unavailable depending on the value specified in the LISTBOXMAX parameter in the NATENG.INI file.
<b>More</b>	Scrolls the impact items forward one page. This button will be available/unavailable depending on the value specified in the LISTBOXMAX parameter in the NATENG.INI file.
Impact Element Maintenance screen:	
<b>View Report</b>	Invokes the All Impacts report to display the Coding Standards results in a report format. <i>For further details of the All Impacts report refer to the Natural Engineering Reporting manual.</i>

*Note: For more information on the NATENG.INI file parameter LISTBOXMAX refer to Chapter 1 in the Natural Engineer Administration Guide for Windows manual.*



### Coding Standards Impact Element Maintenance Context Menu

The Coding Standards Impact Element Maintenance context menu is invoked by placing the cursor on any of the items listed in the Object or Impact Items lists and using the right hand mouse button with a single click.

#### Object List Context Menu

The Object List context menu allows viewing options View Structure Diagram for Search Criteria (for the selected object only) or View Impacted Code to be invoked. It also provides the option to reposition the object list.

*Note: The option View Impacted Code is not available when displaying DDM objects.*

The following Figure 6-4 illustrates the Object List context menu.




Figure 6-4 Object List context menu

CONTEXT MENU ITEM	DESCRIPTION										
<b>Change Start Position of Object List...</b>	<p>Reposition the list of objects to start from a particular object name.</p> <p>The reposition value can be input using either a complete name or part name using an '*' (asterisk) wildcard.</p> <p>The reposition value is appended to the object list title to highlight the type of repositioning being applied.</p> <p>Possible reposition values are:</p> <table> <tr> <th>Value</th><th>Result</th></tr> <tr> <td>' ' (blank)</td><td>Reposition to the top of the object list.</td></tr> <tr> <td>*</td><td>Reposition to the top of the object list.</td></tr> <tr> <td>ABC*</td><td>Only show objects that are prefixed by 'ABC'.</td></tr> <tr> <td>XYZ</td><td>Reposition to the first object that either matches or is greater than 'XYZ' and then continue the object list from that point.</td></tr> </table>	Value	Result	' ' (blank)	Reposition to the top of the object list.	*	Reposition to the top of the object list.	ABC*	Only show objects that are prefixed by 'ABC'.	XYZ	Reposition to the first object that either matches or is greater than 'XYZ' and then continue the object list from that point.
Value	Result										
' ' (blank)	Reposition to the top of the object list.										
*	Reposition to the top of the object list.										
ABC*	Only show objects that are prefixed by 'ABC'.										
XYZ	Reposition to the first object that either matches or is greater than 'XYZ' and then continue the object list from that point.										
<b>View Structure Diagram for Search Criteria...</b>	<p>Invoke GenTree Structure Analyzer to display the impacts made for the specified search criteria for the selected object.</p> <p><i>Note: For more information on GenTree refer to Chapter 2 in the Natural Engineer Reporting manual.</i></p>										
<b>View Impacted Code</b>	<p>Display the impacts within an object using the Browser. The whole object source code will be displayed with the impacted items highlighted using the colors set by the SPECIFIED, DERIVED and EXCLUDED parameters in the NATENG.INI file.</p> <p><i>Note: For more information on the NATENG.INI file parameters SPECIFIED, DERIVED and EXCLUDED refer to Chapter 1 in the Natural Engineer Administration Guide for Windows manual.</i></p>										

Impact Items Context Menu

The Impact Items context menu provides the option to filter the Impact Items list.

The following Figure 6-5 illustrates the Impact Items context menu.




Figure 6-5 Impact Items context menu

CONTEXT MENU ITEM	DESCRIPTION										
<b>Enter Filter Value for Impact Items</b>	<p>Filters the list of impact items to show impacts for a particular impact item name only.</p> <p>The filter value can be input using either a complete name or part name using an '*' (asterisk) wildcard.</p> <p>The filter value is appended to the impact item list title to highlight the type of filter being applied.</p> <p>Possible filter values are:</p> <table><tr><th>Value</th><th>Result</th></tr><tr><td>' ' (blank)</td><td>Reposition to the top of the impact item list.</td></tr><tr><td>*</td><td>Reposition to the top of the impact item list.</td></tr><tr><td>ABC*</td><td>Only show impact items that are prefixed by 'ABC'.</td></tr><tr><td>XYZ</td><td>Only show impact items that are named 'XYZ'.</td></tr></table>	Value	Result	' ' (blank)	Reposition to the top of the impact item list.	*	Reposition to the top of the impact item list.	ABC*	Only show impact items that are prefixed by 'ABC'.	XYZ	Only show impact items that are named 'XYZ'.
Value	Result										
' ' (blank)	Reposition to the top of the impact item list.										
*	Reposition to the top of the impact item list.										
ABC*	Only show impact items that are prefixed by 'ABC'.										
XYZ	Only show impact items that are named 'XYZ'.										

## Coding Standards Impact Types

The following table shows all of the available coding standards impact types:

Type	Description
<b>Coding Standards</b>	
<b>Ha</b>	Data Item Name Length.
<b>Hb</b>	Local Data Item Start Character.
<b>Hc</b>	Allow Dynamic Variables.
<b>Hd</b>	Allow Reserved Words as Data Items.
<b>He</b>	Allow AIVs.
<b>Hf</b>	Allow Hexadecimals.
<b>Hg</b>	Allow Numeric Back References.
<b>Hh</b>	Allow Database Access.
<b>Hi</b>	Unused Variables.
<b>Hj</b>	Redundant Code.
<b>Hk</b>	Object Complexity: Halstead Difficulty.
<b>Hi</b>	Object Complexity: McCabe Number.
<b>Hm</b>	Prohibited Keywords.
<b>Hn</b>	Data Items greater than 32 characters.
<b>Ho</b>	Nested Levels.
<b>Hp</b>	Condition Complexity.

# ARIS INTERFACE

## Chapter Overview

---

This chapter describes the Natural Engineer ARIS Interface option available from the Utilities menu.

The ARIS Interface option provides the facility to create an XML file from an object within the Natural Engineer repository. This XML file may be imported into ARIS to create a Business Process Modelling Notation (BPMN) diagram for the object.

Whenever a model is created based on an object and a XML file generated, Natural Engineer will store meta-data within the Natural Engineer Repository for the model/version. If that object changes then the model should be re-generated with a new version number. The new model/version should be created based on a previous model/version. This allows Natural Engineer to compare the meta-data in order to allow comparison between the models. The differences will be shown within ARIS once the new XML file has been imported.

The XML file generated resides in the DATA directory of your Natural Engineer installation.

*Note: Subroutines within the object appear as linked diagrams within ARIS.*

The ARIS Interface is a Natural Engineer Add-On. It will only be available depending on your Natural Engineer Licensing agreement.

The topics covered are:

1. [ARIS Interface Pre-Requisites](#)
2. [ARIS Interface Window](#)
3. [Import to ARIS](#)

## ARIS Interface Pre-Requisites

Natural Engineer ARIS Interface will generate XML which contains Object Source Code.

In order for this to be shown within ARIS, a new Attribute Type needs to be added & then linked as Allowed Attributes to ARIS Object Types Event, Function & Rule.

In ARIS Administration, a new Attribute Type called 'Object Source Code' needs to be added.

The following Figure 7-1 illustrates the ARIS Administration screen.





Figure 7-1 ARIS Administration screen

It is of Data Type Multi-line Text with size of 10,000,000.

Generally it is added to the Group '\System environment'

An existing Attribute Type to base this on is 'Assumptions & Constraints', as shown below from the 'ARIS Method – Tables' manual.

The following Figure 7-2 illustrates the 'ARIS Method – Tables' manual.



The image shows a screenshot of the 'ARIS Method - Tables' manual. It contains a table with three columns: 'Attribute Type Name', 'Data Type', and 'Maximum Length'. The table lists various attribute types and their corresponding data types and maximum lengths.

Attribute Type Name	Data Type	Maximum Length
Associated architecture element	Multi-line text	250
Association kind	Value	50
Association role (Src)	Multi-line text	250
Association role (Trg)	Multi-line text	250
Assumptions and constraints	Multi-line text	10000000
Attribute category	Value	20
Attribute default	Value	512
Attribute flag	Value	10

Figure 7-2 'ARIS Method – Tables' manual.

Once added, make a note of the GUID – this needs to be added to the NATENG.INI file as, for example:

```
[ARIS]
AT_SRC=3FFEDBE0-C80B-11E4-2AA2-5C260A3E6C3D
VERSION=97
[ARIS-END]
```

The GUID generated will be unique to each ARIS installation. To make this new Attribute Type allowable for Object Types, Select Edit Object Type & select the new Attribute Type within the 'Allowed attributes' list:

The following Figure 7-3 illustrates the ARIS Administration ‘Allowed attributes’ list.




Figure 7-3 ARIS Administration ‘Allowed attributes’ list.

Restart the ARIS Server & these changes will become active – ready for the first import of a XML file generated by Natural Engineer.



## ARIS Interface Window

The ARIS Interface window provides the facility to select an object from Natural Engineer and create an XML file for ARIS containing details to create a Business Process Modelling Notation (BPMN) Diagram of the object.

The ARIS Interface window is accessed using the following menu navigation: Utilities  
➔ ARIS Interface

The following Figure 7-4 illustrates the ARIS Interface screen.




Figure 7-4 ARIS Interface screen

SCREEN ITEMS	DESCRIPTION
--------------	-------------

Object Selection Options Group:

<b>Library</b>	<p>The name of the Library that contains the object you wish to create the XML data for.</p> <p>The library name can be typed in or selected by using the Library Selection button [...].</p>
<b>Object Types</b>	<p>Allows you to select the types of object to be listed. The Objects Types are tailored depending on the Language selected.</p>
<b>Language</b>	<p>Allows you to select the programming language of the objects to be listed.</p> <p>Available selections are:</p> <ul style="list-style-type: none"> <li>▪ <b>All</b></li> <li>▪ <b>Cobol</b></li> <li>▪ <b>Natural</b></li> </ul>
<b>Object List</b>	<p>A list of the objects in the selected library. Select the name of the object you wish to create the XML data for.</p> <p>The list of objects can be tailored to your requirements using the options available in the Object Types and Language menus. Further refinement can be made using the option 'Change Start Position of Object List...' from the <a href="#">Object List context menu</a>.</p> <p>The Object List title reflects the Object Types being listed and will append any reposition values that may have been specified.</p>

Environment Group:

<b>NEE Web URL</b>	The URL where the Natural Engineer Web Interface is running. Default: localhost.
<b>ARIS Ver.</b>	Specify to version of ARIS you will be importing into e.g. 95 or 97. Default 97.

New Model Group:

<b>New Model Name</b>	The name of the Model to be added.
<b>New Model Version Number</b>	The Version number of the Model to be added.

SCREEN ITEMS	DESCRIPTION
--------------	-------------

Base Model Group:

<b>Base on</b>	The name of the Model a new Model will be based on.
<b>Version</b>	The Version number of a Model the new Model will be based on.
<b>Base Model List</b>	List of all Models saved.
<b>Base Model Version</b>	The Version of the Model selected.

BUTTON NAME	DESCRIPTION
-------------	-------------

Base Model group:

<b>Delete Base Model</b>	Deletes the selected version.
<b>Clear Base Model</b>	Clears all selections in the base model group.
<b>Prev</b>	Scrolls the list to the previous page. This button will be available/unavailable depending on the value specified in the LISTBOXMAX parameter in the NATENG.INI file.
<b>More</b>	Scrolls the list forward one page. This button will be available/unavailable depending on the value specified in the LISTBOXMAX parameter in the NATENG.INI file.

Object Selection Options Group:

<b>Library Selection [...]</b>	Invokes the General Selection screen, listing all Natural Engineer Applications in the repository.
<b>Prev</b>	Scrolls the list to the previous page. This button will be available/unavailable depending on the value specified in the LISTBOXMAX parameter in the NATENG.INI file.
<b>More</b>	Scrolls the list forward one page. This button will be available/unavailable depending on the value specified in the LISTBOXMAX parameter in the NATENG.INI file.

ARIS Interface screen:

<b>Ok</b>	Saves changes and exports the required information to an XML file for importing into AIS.
<b>Cancel</b>	Cancel the ARIS Interface process and return back to the main Natural Engineer screen.

## ARIS Interface Context Menus

The context menus are invoked by placing the cursor within the Objects list and using the right hand mouse button with a single click.

CONTEXT MENU ITEM	DESCRIPTION										
<b>Change Start Position of Object List...</b>	<p>Reposition the list of items to start from a particular object or service name.</p> <p>The reposition value can be input using either a complete name or part name using an '*' (asterisk) wildcard.</p> <p>The reposition value is appended to the Objects list title to highlight the type of repositioning being applied.</p> <p>Possible reposition values are:</p> <table> <tr> <th>Value</th><th>Result</th></tr> <tr> <td>' ' (blank)</td><td>Reposition to the top of the item list</td></tr> <tr> <td>*</td><td>Reposition to the top of the item list.</td></tr> <tr> <td>ABC*</td><td>Only show items that are prefixed by 'ABC'.</td></tr> <tr> <td>XYZ</td><td>Reposition to the first item that either matches or is greater than 'XYZ' and then continue the items list from that point.</td></tr> </table>	Value	Result	' ' (blank)	Reposition to the top of the item list	*	Reposition to the top of the item list.	ABC*	Only show items that are prefixed by 'ABC'.	XYZ	Reposition to the first item that either matches or is greater than 'XYZ' and then continue the items list from that point.
Value	Result										
' ' (blank)	Reposition to the top of the item list										
*	Reposition to the top of the item list.										
ABC*	Only show items that are prefixed by 'ABC'.										
XYZ	Reposition to the first item that either matches or is greater than 'XYZ' and then continue the items list from that point.										

## Import to ARIS Overview

The XML file generated from the ARIS Interface option may be imported into ARIS to create a Business Process Modelling Notation (BPMN) Diagram.

The following Figure 7-5 illustrates a sample generated Natural Engineer ARIS XML file.





Figure 7-5 Sample Natural Engineer ARIS XML file

# 7

## Natural Engineer Utilities


The following screens guide you through importing an XML file into ARIS. They are purely illustrative. For up to date information on importing XML files into ARIS please see the appropriate ARIS documentation.

- 1) Create a Database within ARIS




The 'Create database' dialog box is shown. It has a title bar with a close button. Inside, there is a 'Name:' label followed by a text input field containing 'NEE8330'. Below this is a checkbox labeled 'Versionable' which is checked. At the bottom are three buttons: 'OK', 'Cancel', and 'Help'.

- 2) When you connect, select 'Entire Method' for 'Filter':



The 'Login Wizard' dialog box is shown. It has a title bar with a close button. The main area is divided into two panes. The left pane has tabs for 'Steps' and 'Help', and it displays '1. Select options'. The right pane is titled '1. Select options' and contains the following fields: 'Which settings do you want to use for opening the database?' with sub-fields for 'Database:' (text input with 'NEE8330'), 'Filter:' (dropdown menu with 'Entire method' selected), and 'Language:' (dropdown menu with 'English (United States) (Alternative language)' selected). Below these is another section 'Which version of the database do you want to open?' with a 'Versioning state:' dropdown menu (selected 'Workspace') and a 'Change list number:' text input field next to a 'Select...' button. At the bottom right are three buttons: 'Finish', 'Cancel', and 'Help'.


3) To group your models, create a sub-group under the 'Main Group'



# 7


## Natural Engineer Utilities

- 4) Now you should be able to Import XML:






5) From the NEE Data directory, you should find the .XML file required:




Select one:




# 7

## Natural Engineer Utilities


6) Click Next:




7) Leave options to default values, Click Next:



- 8) Click Finish, If all OK, then:




Expand the new group, and you should see the new models:



# 7

## Natural Engineer Utilities

9) Double click on a Model to view it in ARIS:



# INDEX

## A

- Architectural Governance, 131
  - Application Coding Standards Overview, 140
  - Architectural Governance Overview, 132
  - Architectural Governance Screen, 132
  - Chapter Overview, 131
  - Coding Standards Impact Element Maintenance, 142
    - Context Menu, 149
  - Impact Element Maintenance Window, 143
  - Coding Standards Impact Execution Overview, 141
  - Global Coding Standards Overview, 135
  - Global Coding Standards Screen, 136
- ARIS Interface, 153
  - ARIS Interface Pre-Requisites, 154
  - ARIS Interface Window, 157
  - Chapter Overview, 153
  - Import to ARIS Overview, 161
- ARIS Interface Window
  - Context Menus, 160

## C

- Change Management Tracking, 105
  - Examples, 116
  - Object Viewer window, 107
  - Overview, 106
  - Reports window, 112
- Compare, 23
  - Compare Overview, 24
  - Compare Results window, 38
    - Compare Color Schemes window, 49

- Compare Object Selection window, 47
  - Object Detail Context Menus, 52
  - Using the Save Function, 55
- Compare Selection window, 27
  - Selection Examples, 37
- Compare Selections - COBOL or JCL via SPoD, 33

## I

- Impact Element Maintenance
  - Coding Standards Impact Types, 152

## K

- Keyword Catalogue, 123
  - Context Menu, 127
  - Window, 124

## M

- Mode Conversion, 59
  - GDA Processing, 81
    - Considerations, 82
    - GDA Information window, 84
    - GDA Options window, 89
    - In-line Global Variables window, 92
    - Overview, 81
  - Object Processing, 94
    - Canceling Active Mode Conversion Tasks, 100
  - Mode Conversion Information window, 98
  - Mode Conversion Log window, 102
  - Object Selection window, 94
  - Overwrite Warning window, 100

- Overview, 60
- Techniques, 62
  - Conditional Logic Blocks, 67
  - Database Fields, 65
  - FIND FIRST Statements, 79
  - FIND NUMBER Statements, 79
  - FIND UNIQUE Statements, 79
  - Global Data Definitions, 62
  - Loop Constructs, 66
  - MOVE INDEXED Statements, 72
  - Multiple Statements per Statement Line, 71
  - OBTAIN Statements, 76
  - Open-ended ESCAPE Statements, 69
  - Short Form ASSIGN and COMPUTE Statements, 70
  - SORT Statements, 77

- Statement Reference Notation, 74
- Subroutine Blocks, 68
- User Defined Variables, 64

## T

- Task Scheduler, 9
  - Overview, 10
  - Task Scheduler Configuration, 12
    - BAT Files, 12
    - NATPARM, 12
    - Windows Scheduled Tasks, 13
  - Task Scheduler Details window, 19
  - Task Scheduler Summary context menu, 18
  - Task Scheduler Summary window, 15