

Natural Engineer

Application Analysis & Modification for Unix

Version 8.3

March 2016

Manual Order Number: NEE83-023UNIX

Copyright © 1997-2016, Generation Systems Ltd., East Grinstead, UK.

This document applies to Natural Engineer version 8.3 and to all subsequent releases.

Specifications contained herein are subject to change, and these changes will be reported in subsequent revisions or editions.

Readers' comments are welcomed. Comments may be addressed to the Documentation Department at the address on the back cover. Internet users may send comments to the following e-mail address:

document@gensystems.com

Acknowledgements

The name Software AG and all Software AG product names are either trademarks or registered trademarks of Software AG and/or Software AG USA Inc. and/or its subsidiaries and/or its affiliates and/or their licensors. Other company and product names mentioned herein may be trademarks of their respective owners.

Detailed information on trademarks and patents owned by Software AG and/or its subsidiaries is located at <http://softwareag.com/licenses>.

This software may include portions of third-party products. For third-party copyright notices, license terms, additional rights or restrictions, please refer to "License Texts, Copyright Notices and Disclaimers of Third Party Products". For certain specific third-party license restrictions, please refer to section E of the Legal Notices available under "License Terms and Conditions for Use of Software AG Products / Copyright and Trademark Notices of Software AG Products". These documents are part of the product documentation, located at <http://softwareag.com/licenses> and/or in the root installation directory of the licensed product(s).

Use of this software is subject to adherence to Software AG's licensing conditions and terms. These terms are part of the product documentation, located at <http://softwareag.com/licenses> and/or in the root installation directory of the licensed product(s).

TABLE OF CONTENTS

TABLE OF CONTENTS	I
ABOUT THIS MANUAL	1
Purpose of this manual	1
Target Audience.....	2
Typographical Conventions used in this manual.....	2
How this manual is organized.....	3
Terminology	4
Related Literature.....	7
IMPACT ANALYSIS PROCESSES	9
Chapter Overview	9
Impact Version.....	10
Impact Criteria.....	13
Impact Data Preparation	57
Impact Execution	71
Impact Element Maintenance.....	73
Impact Analysis Inventory.....	88
MODIFICATION PROCESSES	89
Chapter Overview	89
Modification Preferences.....	90
Modification Element Maintenance	102
Execute Modification for All Objects.....	117
Modification Inventory.....	120
COMBINATION SEARCH KEYWORDS	121
Chapter Overview	121
ADJUST	122
CODE IMPROVEMENT	135
OBJECT BUILDER	162
NATRPC	164
MULTI SEARCH	166
MVS NAT22TO31.....	176
PORTING.....	200
REFACTORING.....	204
INDEX	213

Natural Engineer Application Analysis & Modification

ABOUT THIS MANUAL

Purpose of this manual

This manual contains the Application Analysis and Modification for Natural Engineer.

It describes the Analysis and Modification processes available to interrogate and maintain your Natural applications within Natural Engineer.

The topics cover the Analysis options found under the Analysis menu, which include:

- How to create multiple Impact versions of Impact search criteria for an application, which allow multiple analysis of applications by more than one user.
- How to specify the Impact search criteria, what Natural keywords are supported, additional combination and miscellaneous keywords.
- Additional data preparation options to create Impact Sets and Object Builder line range criteria.
- The Impact execution process and how to review the Impact results using the Impact Element Maintenance screen or the Impact reporting options.

The topics cover the Modification options found under the Modification menu, which include:

- Specifying Modification Preferences to reference Text Logic Members (TLM) during Modification execution to include in-house written processes into the modified objects.
- Reviewing and re-specifying Modification parameters and settings prior to applying the actual Modification.
- The Modification execution process and how to review the Modification results.

Target Audience

The target audience for this manual is intended to be any User of Natural Engineer at any level of experience.

Typographical Conventions used in this manual

The following conventions are used throughout this manual:

UPPERCASE TIMES	Commands, statements, names of programs and utilities referred to in text paragraphs appear in normal (Times) uppercase.
UPPERCASE BOLD COURIER	In illustrations or examples of commands, items in uppercase bold courier must be typed in as they appear.
< >	Items in angled brackets are placeholders for user-supplied information. For example, if asked to enter <file number>, you must type the number of the required file.
<u>Underlined</u>	Underlined parts of text are hyperlinks to other parts within the online source manual. This manual was written in MS-Word 97 using the "hyperlink" feature.

The following symbols are used for instructions:

⇒	Marks the beginning of an instruction set.
o	Indicates that the instruction set consists of a single step.
1.	Indicates the first of a number of steps.

How this manual is organized

This manual is organized to reflect the Application Analysis and Modification options of Natural Engineer in the following chapters:

Chapter	Contents
1	Describes the various Impact options available to create Impact versions of search criteria, the search criteria, the various search keywords available, the Impact execution process and how to review the Impact results.
2	Describes the various Modification options available to review and re-specify the Modification parameters and settings, execute Modification to modify the object source code within an application and how to review the Modified objects.
3	Describes the combination keywords that are available when specifying Impact search criteria. These keywords allow various multiple sub-criteria to be specified and are used to handle more complex analysis within objects. An example of this would be the search keyword MVS _{NAT22} TO31 that checks for Natural 2.2 to 3.1 migration compliance of applications.

Natural Engineer Application Analysis & Modification

Terminology

This section offers some of the terms that are specific to the Natural Engineer product.

Note: Familiarity is assumed with the general terminology of Natural, Adabas, Microsoft and Mainframe operating systems.

Analysis

The Analysis process of Natural Engineer searches application data within the Natural Engineer Repository, according to specified Search Criteria and generates reports on the search results.

Application

An Application is a library or group of related libraries, which define a complete Application. In Natural Engineer, the Application can have a one-to-one relationship with a single library of the same name, or a library of a different name, as well as related steplibs. The Application refers to all the source code from these libraries, which Natural Engineer loads into the Repository.

Browser

An Internet Browser such as Microsoft Internet Explorer or Netscape.

Category

Categories in Natural Engineer specify whether and how a Modification is applied to the Natural code. Valid categories are: Automatic change, Manual change, Reject the default Modification, No change to the data item, and the data item is in Generated Code.

A category is further broken down according to type of change (for example: Keyword, Literal, Data Item, Database Access, Definition).

Cobol

Abbreviation of Common Business Orientated Language. A programming language.

Cobol Link

A Cobol Link is the link between the individual Cobol modules and the executable Cobol program referenced in the JCL object.

Consistency

An option in the Analysis process that causes Natural Engineer to trace an Impact through the code, using left and right argument resolution to identify further code impacted by the code found.

About this manual

Data Item

A collective term used for any data fields within a programming object. These can be user-defined variables, DDM fields or System Variables. It is inter-changeable with the term 'variable'.

Environment

The Environment process is the means by which Natural Engineer generates a structured view of the application code in the Natural Engineer Repository. This provides application analysis reports and inventory information on the application and is used as the basis for Impact Analysis.

Exception

An Exception is an Item identified as impacted that does not require a Modification. Where there are a few similar Exception Items, they can be treated as Exceptions, and rejected in the Modification review process. Where there are many similar (therefore not Exceptions), consideration should be given to changing the Search Criteria so they are not identified as impacted in the first place.

Generated Code

This is code which has been generated by a Natural code generator, such as Construct, and which is not normally modified directly in the Natural editor.

Impact

An Impact is an instance of a Natural code Item; e.g., data item or statement (a "hit" scored by the Analysis process) that matches the defined Search Criteria used in the Analysis process.

Iteration

An Iteration is one examination cycle of a field identified according to the specified Search Criteria. For example, one Iteration is reading the field right to left. Multiple Iterations are performed when the option of 'Consistency' or Multi Search is requested for Analysis, and Natural Engineer performs as many Iterations as necessary to exhaust all possibilities of expressing and tracing the field, and can be limited by a setting in the NATENG.INI file.

JCL

Job Control Language.

JCL object

A JCL object is a collection of Job Control statements in the order which they are to be executed in a mainframe batch environment. Commonly referred to as JCL.

Library

A single library of source code, which exists in the Natural system file.

Modification

A Modification is a change suggested or made to an object or data item resulting in the required compliance of that object or data item. Modifications in Natural Engineer are classified according to Category and Type.

Natural Engineer Application Analysis & Modification

Refactoring

Improving a computer program by reorganizing its internal structure without altering its external behavior.

Soft Link

A Soft Link is where a link between two objects has been defined using an alphanumeric variable rather than a literal constant.

TLM

Text Logic Members are used to contain the code required to support inclusion of common code into the application. An example of this is the code to include into an application before updating a database.

Type

The Type of Modification available, for example: Data Item, Keyword and Literal.

Variable

A collective term used for any data fields within a programming object. These can be user-defined variables, DDM fields or System Variables. It is inter-changeable with the term 'data item'.

Related Literature

The complete set of Natural Engineer manuals consists of:

- 1 Natural Engineer Concepts and Facilities (NEE83-006ALL)**
The Concepts and Facilities manual describes the many application systems problems and solutions offered by Natural Engineer, providing some guidelines and usage that can be applied to Natural applications.
- 2 Natural Engineer Release Notes (NEE83-008ALL)**
The Release Notes describe all the information relating to the new features, upgrades to existing functions and documentation updates that have been applied to Natural Engineer.
- 3 Natural Engineer Installation Guide for Windows (NEE83-010WIN)**
Natural Engineer Installation Guide for Mainframes(NEE83-010MFR)
Natural Engineer Installation Guide for Unix (NEE83-010UNIX)
The Installation Guide provides information on how to install Natural Engineer on PC, Unix and mainframe platforms.
- 4 Natural Engineer Administration Guide (NEE83-040WIN)**
Natural Engineer Administration Guide (NEE83-040MFR)
The Administration Guide provides information on all the various control settings available to control the usage of the different functions within Natural Engineer.
- 5 Natural Engineer Application Management (NEE83-020WIN)**
Natural Engineer Application Management (NEE83-020MFR)
The Application Management manual describes all the functions required to add Natural applications into the Repository.
- 6 Natural Engineer Application Documentation (NEE83-022WIN)**
Natural Engineer Application Documentation (NEE83-022MFR)
The Application Documentation manual describes all the available functions to document a Natural application within the Repository. These functions will help enhance / supplement any existing systems documentation such as BSD / CSD / Specifications etc.
- 7 Natural Engineer Application Analysis and Modification (NEE83-023WIN)**
Natural Engineer Application Analysis and Modification (NEE83-023MFR)
The Application Analysis and Modification manual describes all the available functions to carry out analysis of Natural applications; including basic keyword searches. The modification process is described and detailed to show how it can be applied to modify single selected objects within a Natural application, or the entire Natural application in one single execution.

Natural Engineer Application Analysis & Modification

- 8 Natural Engineer Application Restructuring (NEE83-024WIN)
Natural Engineer Application Restructuring (NEE83-024MFR)**

The Application Restructuring manual describes the analysis and modification functionality required to carryout some of the more sophisticated functions such as Object Builder.
- 9 Natural Engineer Utilities (NEE83-080WIN)
Natural Engineer Utilities (NEE83-080MFR)**

The Utilities manual describes all the available utilities found within Natural Engineer and, when and how they should be used.
- 10 Natural Engineer Reporting (NEE83-025ALL)**

The Reporting manual describes each of the reports available in detail, providing report layouts, how to trigger the report and when the report data becomes available. The various report-producing mediums within Natural Engineer are also described.
- 11 Natural Engineer Batch Processing [Mainframes] (NEE83-026MFR)**

The Batch Processing manual describes the various batch jobs (JCL) and their functionality.
- 12 Natural Engineer Messages and Codes (NEE83-060ALL)**

The Messages and Codes manual describes the various messages and codes produced by Natural Engineer.
- 13 Natural Engineer Web Interface Installation and Configuration Guide(NEA83-010ALL)**

The Web Interface Installation and Configuration Guide provides information on how to install and configure the Natural Engineer Web Interface.
- 14 Natural Engineer Advanced Services (NEE83-017WIN)**

The Advanced Services manual describes various advanced options such as the Refactoring of Natural application source code with Natural Engineer, conversion of applications for Natural for Ajax and Business Rule processing.

IMPACT ANALYSIS PROCESSES

Chapter Overview

The Impact Analysis processes provide all the facilities to run analytical interrogation of each application held on the Repository. The results from these interrogations provide the basis for any desired modifications to the objects within an application.

Once Impact Analysis has been executed, there are various reporting options to view the results either online or using textual reports.

All the Impact Analysis processes are available from the Impact Analysis menu.

The topics covered in this chapter:

1. [Impact Version](#)
2. [Impact Criteria](#)
3. [Impact Data Preparation](#)
4. [Impact Execution](#)
5. [Impact Element Maintenance](#)
6. [Impact Analysis Inventory](#)

1

Natural Engineer Application Analysis & Modification

Impact Version

The Impact Version option allows you to save multiple sets of Impact Criteria for an application and provides a management facility to administer these search criteria for all options found in the Analysis and Modification menus.

The Impact Version screen allows you to add new versions, delete or modify existing versions and create Impact sets.

When deleting an Impact Version, then all the associated Impact Criteria and any Impact data that may have been generated during any previous Impact execution for this version, will all be deleted.

The Impact Version option supports up to a maximum of 99 versions per application.

Impact Version Screen

The Impact Version screen is accessed by selecting option 'V' (Impact Version) from the Impact Analysis Menu screen.

The following Figure 1-1 illustrates the Impact Version screen.

```

                                     Impact Versions          Application: HOSPITAL
                                                                Version: 01
Ver Date      Time  User ID  Description
_ 01 13/09/2001 12:08 XGSLXX  CHANGE ALL INSTANCES OF MESSAGE TO MSG
_ 02 13/09/2001 12:10 XGSLXX  SEARCH APPLICATION HOSPITAL FOR DB FILES

Enter-PF1---PF2---PF3---PF4---PF5---PF6---PF7---PF8---PF9---PF10---PF11--PF12---
      Help      Exit      Add  Prev  Next      Main
    
```

Figure 1-1 Impact Version screen

SCREEN ITEMS	DESCRIPTION
Select	This is the selection column where existing impact versions can be selected for use, deleted or have the description modified. Valid selections are: 'S' Select impact version for immediate use. 'D' Delete impact version. 'M' Modify the impact version description.
Ver	The impact version number for the application. A maximum of 99 versions of Impact Analysis is available for each application.
Date	The date the impact version was modified.
Time	The time the impact version was modified.
User-id	The user identifier of the person who modified the impact version.
Description	Comment to describe the purpose of the impact version.

1

Natural Engineer Application Analysis & Modification

PFKEYS	DESCRIPTION
PF1	Activates the help function.
PF3	Exit from the current function and return to previous screen.
PF6	Add new impact version. This invokes a pop-up window for the impact version description to be entered.
PF7	Displays previous page.
PF8	Displays next page.
PF12	Returns to the Natural Engineer Main Menu.

The following Figure 1-2 illustrates the Addition of a new Impact Version.

```

Impact Versions                               Application: HOSPITAL
                                                Version: 01
Ver Date      Time  User ID  Description
_ 01 13/09/2001 12:08 XGSLXX  CHANGE ALL INSTANCES OF MESSAGE TO MSG
_ 02 13/09/2001 12:10 XGSLXX  SEARCH APPLICATION HOSPITAL FOR DB FILES

New Version Description

Please add version 03 description
_____
PF3/15 Exit

Enter-PF1---PF2---PF3---PF4---PF5---PF6---PF7---PF8---PF9---PF10--PF11--PF12---
      Help      Exit      Add  Prev  Next      Main
  
```

Figure 1-2 Add new Impact Version

Note: The same pop-up window is presented when selection 'M' – modify existing Impact Version description is used.

Impact Criteria

Impact Criteria are used to identify instances of specified keywords and/or keyword values within object source code. The Impact Criteria can also be specified to hold replacement values, which are used by the Modification process.

The Impact Criteria can be added, deleted, updated and reviewed using the Impact Criteria Summary screen. Each set of criteria will apply to a single Impact version, allowing for multiple sets of criteria to be specified for a single application.

The Impact Criteria can be saved to the Repository, allowing them to be re-used across applications.

Impact Criteria Summary Screen

The Impact Criteria Summary screen is accessed by selecting option 'C' (Impact Search Criteria) from the Impact Analysis Menu screen.

When this option is selected, the Impact Criteria Summary screen is displayed. This screen will show a summary of the criteria that have been specified for an Impact Version.

The Impact Criteria Summary screen utilizes left and right screen scrolling to show the complete information for each criteria. This is controlled by using 'PF10' (W<) to scroll left and 'PF11' (W>) to scroll right.

1

Natural Engineer Application Analysis & Modification

The following Figure 1-3 illustrates the Impact Criteria Summary screen positioned left.

```
          - Impact Criteria Summary - Application: HOSPITAL
                                Version: 01
Search      Keyword      Search      Replace      Replace
Keyword     Value        Value        Value        TLM

Enter-PF1---PF2---PF3---PF4---PF5---PF6---PF7---PF8---PF9---PF10--PF11--PF12---
Help  DeleC Exit  GetSa SaveA Add  Prev  Next          W<  W>  Main
```

Figure 1-3 Impact Criteria Summary screen positioned left.

The following Figure 1-4 illustrates the Impact Criteria Summary screen positioned right.

```
          - Impact Criteria Summary - Application: HOSPITAL
                                Version: 01
Search      Replace      Replace Cons Opt Modification
Keyword     Defn.        Position          Parameters

Enter-PF1---PF2---PF3---PF4---PF5---PF6---PF7---PF8---PF9---PF10---PF11--PF12---
Help  DeleC Exit  GetSa SaveA Add  Prev  Next          W<  W>  Main
```

Figure 1-4 Impact Criteria Summary screen positioned right.

SCREEN ITEMS	DESCRIPTION
Select	<p>This is the selection column where existing criteria can be selected to be modified, deleted or removed. Valid selections are:</p> <p>'S' Select the criteria item. This will invoke the Impact Criteria screen where the criteria can be modified if required.</p> <p>'D' Delete criteria item. <i>Note: The delete process will only remove the criteria, any previously impacted data will still be available until the next impact execution.</i></p> <p>'R' Delete the criteria and associated impact data from the previous Impact execution.</p>
Language Indicator	<p>The programming language indicator for the Search Keyword. Possible values are:</p> <p>' ' (blank) All languages. C Cobol. N Natural.</p>
Search Keyword	The keyword to be searched for.
Keyword Value	The associated value with the keyword, such as an object name.
Search Value	The value specified for searching, such as the text in a literal.
Replace Value	The value to replace the value found.
Replace TLM	The TLM to be inserted into the code.
Replace Defn.	The format and length to replace the definition found e.g. replace N8 with A8, where N8 is the Search Value (Definition) and A8 is the Replace Definition.
Replace Position	The physical replacement location for the TLM: Replace, After or Before.
Cons	<p>Consistency - Causes the Analysis to trace impacts through the code. There are 3 types of Consistency available:</p> <p>Y Standard Consistency when using search keywords ADJUST, DATAITEM, DBFILE and DEFINITION. S Single Iteration when using Multi Search criteria. M Multiple Iteration when using Multi Search criteria.</p>

SCREEN ITEMS	DESCRIPTION
Opt	<p>This shows the type of search criteria applicable. Valid types are :</p> <p>Blank Standard Impact criteria. IN1 Incremental, “Apply to whole application”. IN2 Incremental, “Only previously impacted objects”. IN3 Incremental, “Only previously impacted statements”. OEM Object Builder or manual source code update.</p> <p><i>Note: For more information on the Incremental types refer to the section Incremental Impact Criteria Preferences.</i></p> <p><i>Note: For more information on the Object Builder types refer to the section Object Builder Processing.</i></p>
Modification Parameters	This shows specific modification parameters for specific search keywords.

PFKEYS	DESCRIPTION
PF1	Activates the help function.
PF2	Delete all the criteria for the current selected version. <i>Note: The clear process will only remove the criteria, any previously impacted data will still be available until the next impact execution.</i>
PF3	Exit from the current function and return to previous screen.
PF4	Get saved criteria from the Repository. This will invoke a pop-up window displaying all the saved criteria. After selecting a saved criteria set, the criteria will be read into the Impact Criteria Summary screen.
PF5	Save the defined criteria set to the Repository. Saves all the criteria specified for a version for re-use. This option invokes the same pop-up window used by the get saved option.
PF6	Invokes the Impact Criteria screen where the new criteria can be specified. <i>Note: For more information on the Impact Criteria screen refer to the section Impact Criteria screen.</i>
PF7	Displays previous page.
PF8	Displays next page.

1

Natural Engineer Application Analysis & Modification

PFKEYS	DESCRIPTION
PF9	<p>Invokes the Impact Criteria screen, where the criteria can be specified and then the Incremental Impact Criteria Preferences set. This option is only available when impact data exists (created by one or more criteria).</p> <p><i>Note: For more information on the Impact Criteria screen refer to the section Impact Criteria screen.</i></p> <p><i>Note: For more information on the Incremental Impact Criteria Preferences refer to the section Incremental Impact Criteria Preferences.</i></p>
PF10	Scrolls screen display to the left.
PF11	Scrolls screen display to the right.
PF12	Returns to the Natural Engineer Main Menu.

Incremental Impact Criteria Preferences

Incremental Impact Criteria Preferences allow you to perform an Analysis over the results of a previous Analysis, i.e., only newly added search criteria will be used during the impact execution. The previous search criteria must not be modified; only new entries should be added.

This is called Incremental Impact.

The Incremental Impact Criteria Preferences can be set when adding Impact Criteria using 'PF9' (Incrm) on the Impact Criteria Summary screen.

This will allow you to add new criteria, specifying the details in the same way as standard criteria. The difference is that when confirming the criteria using the 'PF5' (Save), the Incremental Impact Criteria Preferences pop-up window is presented.

The following Figure 1-5 illustrates the Incremental Impact Criteria Preferences pop-up window.




Figure 1-5 Incremental Impact Criteria Preferences pop-up window

The Incremental Impact Criteria Preferences screen allows the specification of how the Incremental Criteria are to be applied.

1

Natural Engineer Application Analysis & Modification

- **“The Whole Application”**

Impact Execution will apply the incremental criteria against all the objects in the current application, adding the incremental criteria impacts to the existing criteria.

This can prove to be useful if the application contains a large number of objects and re-running all the impact criteria in addition to the newly added criteria may take a long time to complete.

These incremental criteria will have a criteria option set to “IN1”.

- **“Only Previously Impacted Objects”**

Impact execution will apply the incremental criteria only against the objects that have been previously impacted during the last impact execution. All objects within the application that have not been previously impacted will not be impacted for the new incremental criteria.

This is a useful way of refining the impact results to help identify more specifically impact data of interest.

These incremental criteria will have a criteria option set to “IN2”.

- **“Only Previously Impacted Statements”**

Impact execution will apply the incremental criteria only against the statements that have been previously impacted during the last impact execution. All previously non-impacted statements in all objects within an application will not be impacted for the new incremental criteria.

This is another useful way of refining the impact results to help identify more specifically impact data of interest.

These incremental criteria will have a criteria option set to “IN3”.

After incremental impact has been executed, there are three options that can be taken:

1. Add a new non-incremental criteria to the impact criteria in the current version

This will result in the next impact execution disregarding any previous impact results and will apply ALL the criteria in the current version against all the objects in the application.

2. Add a new Incremental criteria.

This will restart the Incremental impact process depending on the criteria option selected for the incremental criteria. When adding new incremental criteria it is not possible to go backwards in the incremental chain, i.e., it is only possible to add an incremental criteria at the same level as the previous incremental or the next level down.

Examples:

- (1) If the previous impact execution was for an incremental “IN1”, then new incremental criteria can be added as IN1, IN2 or IN3.
- (2) If the previous impact execution was for an incremental “IN2”, then new incremental criteria can be added as IN2 or IN3 only.
- (3) If the previous impact execution was for an incremental “IN3”, then new incremental criteria can be added as IN3 only.

3. Update the Incremental criteria

As there has been extensive post-processing to the results of all the criteria, it is not possible to update any criteria previous to the last incremental one. Therefore, the only criteria you can update is the last incremental one. The incremental criteria can only be changed as to how the incremental criteria is to be applied during impact execution (IN1; IN2; IN3).

Impact Criteria Screen

Impact Criteria can be added or updated using the Impact Criteria screen. This can be invoked in one of two ways:

1. To add a new criteria by using ‘**PF6**’ (Add) from the Impact Criteria Summary screen. With this method, the Search Keyword Selection pop-up window will also be presented providing easy selection of the required search keyword.

Note: For more information refer to the section [Search Keyword Selection pop-up window](#).

2. To view or modify an existing criteria by selecting the criteria using ‘**S**’ from the Impact Criteria Summary screen.

The following Figure 1-6 illustrates the Impact Criteria screen with the Search Keyword CALLNAT selected.

```

                                     Impact Criteria           Application: HOSPITAL
                                                                Version: 01
Search Keyword...: CALLNAT_____
Object Name.....: _____
Keyword Value (Call Name)
_____
Search Value (Data Item/Literal/Definition)
_____
  _ Data Item _ Literal _ Definition _ Parameter
                _ Word _ Case
Replace Value....: _____
_____
Replace Keyword..: _ Data Item _ Literal _ Mask
_____
Replace Defn.....: _____
Replace TLM.....: _____ Position: _____
Enter-PF1---PF2---PF3---PF4---PF5---PF6---PF7---PF8---PF9---PF10--PF11--PF12---
      Help  Types Exit          Add  Optns RepKW                               Main
```

Figure 1-6 Impact Criteria screen with Search Keyword CALLNAT selected

Note: The available options displayed on the Impact Criteria screen will vary depending on the Search Keyword selected, i.e., options that are not applicable to a Search Keyword will not appear on the screen.

SCREEN ITEMS	DESCRIPTION
Search Keyword	<p>This option allows you to select a keyword from a list of valid search keywords.</p> <p><i>Note: For more information on the available search keywords refer to the section Search Keywords.</i></p>
Object Name	<p>The name of the object to be included.</p> <p>The object name can be entered in full. For example 'XX021P01' will include object XX021P01 only.</p> <p>A group of objects can be selected by typing in a part name using an '*' (asterisk) wildcard. For example 'XX001*' will include all objects that are prefixed with 'XX001'.</p> <p>All Objects can be selected by typing in a single '*' (asterisk).</p>
Keyword Value	<p>The name of an object directly associated with the keyword.</p> <p>This option is only available for Impact Types and Search Keywords that reference other objects. For example:</p> <p>FETCH has an associated program object name. CALLNAT has an associated subprogram object name. INPUT MAP has an associated map object name. HISTOGRAM has an associated DDM name.</p> <p>The Keyword Value can be specified using a full or partial call name. Partial values can be input using wild card '?'. For example:</p> <p>XX? Will search for all call names starting with XX. ?XX Will search for all call names ending with XX. ?XX? Will search for all call names containing XX.</p> <p>The Keyword Value can also be specified using a mask value for the call name. This can only be used for non-DDM related keywords, for example: CALLNAT, FETCH and INPUT MAP.</p> <p><i>Note: For more information on using call name masks refer to the section Keyword Options pop-up window.</i></p>
Search Value	<p>The value to be searched for. This can be either text within a literal string, a data item, a definition attribute (format and length) or number of parameters being used within calls to other objects.</p> <p>You must specify for what type of value you are searching, using 'Y' to select any of the following:</p> <p>Data Item</p> <p>A data item search locates all data items within objects for the specified value. Data item names can be input using either a complete name or part name using a '?' wildcard. For example:</p>

SCREEN ITEMS	DESCRIPTION
#ABC?	Will search for all data items starting with #ABC.
?#ABC	Will search for all data items ending with #ABC.
?#ABC?	Will search for all data items containing #ABC.
Literal	
A literal search locates all the text, numeric constants or edit mask definitions within objects for the specified value. Values can be input using either complete values or part values using a '?' wildcard. For example:	
Hello?	Will search for all literal strings starting with Hello.
?Hello	Will search for all literal strings ending with Hello.
?Hello?	Will search for all literal strings containing Hello.
Definition	
A definition search locates all the data items within objects for the specified value. Definitions can be input using either a single format and length value or a range of format and lengths values using a '-' (hyphen) to separate the range. For example:	
A001	Will locate all one-byte alphanumeric data items.
A001-A010	Will locate all alphanumeric data items with a length greater than or equal to one and less than or equal to ten.
<i>Note: Further refinement options are available using the Definition Options. For more information refer to the section Definition Options screen.</i>	
Parameter	
A parameter search locates all the statements that pass data items within objects for the specified value. For example CALLNAT, FETCH.	
Parameter values are specified as a number of parameters. For example: Specifying a value of 3 with the CALLNAT keyword will locate all CALLNATs that have three data items specified for the parameter reference.	
Word	
This treats the literal text string as individual words and the search value is validated against each word. For Example: 'ADABAS and Natural', with 'Word' specified will validate the three values as separate entries against the search value.	
Therefore, if the search value was ADABAS and there were two literal text strings 'ADABAS and Natural' and 'An ADABAS Database', if WORD was specified then the two literal text strings would be impacted. If WORD was not specified then neither would be impacted.	

SCREEN ITEMS	DESCRIPTION
--------------	-------------

	<p>Case</p> <p>The Case option determines whether the search value entered is to be searched using the same upper and lower case format as used in literal text strings within the objects.</p> <p>Therefore, if the search value was 'Hello' and there were two literal text strings 'Hello' and 'HELLO', if CASE was specified then only 'Hello' would be impacted. If CASE was not specified then both would be impacted.</p> <p>Comments</p> <p>These options provide the handling options for literal strings within comment lines. Available selections are:</p> <p>'Y' Will report any impacts found within comment lines. 'N' Will ignore any impacts found within comment lines. 'O' Will only report impacts found within comment lines.</p>
Replace Value	<p>The value to replace the value found by the Search Value. This value is used during the modification process.</p> <p>This can be either text within a literal string, a data item or an object. You must specify for what type of value you are replacing, using 'Y' to select any of the following:</p> <p>Data item</p> <p>Identifies that the Replace Value is to be used as a data item. For example, if you are searching for a literal and want to replace it with a data item this option is required to replace the literal correctly.</p> <p>Literal</p> <p>Identifies that the Replace Value is to be used as a literal. For example, if you are searching for a data item and want to replace it with a literal then this option is required to replace the data item correctly.</p> <p>Mask</p> <p>This option provides the facility to modify applications to support language code processing. This option is used to identify the Replace Value as a mask value, which will be used against the search value. This option is only available for Search Keywords utilizing language code processing for example: CALLNAT, FETCH and INPUT MAP.</p> <p>The Replace Value must be specified using the following convention:</p> <p>. (period) Ignore the character position. * (asterisk) Wildcard used to indicate that the replacement applies to the last character position.</p>

SCREEN ITEMS	DESCRIPTION															
	<p>& (ampersand) The replacement character.</p> <p>Examples:</p> <table border="1"> <thead> <tr> <th>Old Name</th> <th>Mask Value</th> <th>New Name</th> </tr> </thead> <tbody> <tr> <td>MAP001M</td> <td>.....&</td> <td>MAP00&M</td> </tr> <tr> <td>MAP001</td> <td>.....&</td> <td>MAP00&</td> </tr> <tr> <td>SUBPGM01</td> <td>*&</td> <td>SUBPGM0&</td> </tr> <tr> <td>SPGM1</td> <td>*&</td> <td>SPGM&</td> </tr> </tbody> </table>	Old Name	Mask Value	New Name	MAP001M&	MAP00&M	MAP001&	MAP00&	SUBPGM01	*&	SUBPGM0&	SPGM1	*&	SPGM&
Old Name	Mask Value	New Name														
MAP001M&	MAP00&M														
MAP001&	MAP00&														
SUBPGM01	*&	SUBPGM0&														
SPGM1	*&	SPGM&														
Replace Keyword	<p>This option allows you to select a keyword that will replace the Search Keyword. This option is only available for keywords that execute other objects, e.g., CALLNAT and you can replace this with, for example a CALL or FETCH statement.</p> <p>This option is only available for the following Search Keywords:</p> <ul style="list-style-type: none"> ▪ CALL ▪ CALL FILE ▪ CALL INTERFACE4 ▪ CALL LOOP ▪ CALLNAT ▪ ESCAPE ROUTINE ▪ FETCH ▪ FETCH REPEAT ▪ FETCH RETURN ▪ INVESTIGATE ▪ PERFORM ▪ RUN ▪ RUN REPEAT ▪ RUN RETURN ▪ STOP ▪ TERMINATE <p><i>Note: The replacement value can be selected by using 'PF7' (Repkw) which becomes active for this Search Keyword.</i></p>															
Replace Definition	Replaces the data item definition with the new format or length.															

SCREEN ITEMS	DESCRIPTION
Align Decimals	<p>Specify whether decimal places (DP) are to be aligned. This applies to any derived fields, i.e., any fields that are found to be propagated by the specified field.</p> <p>This option is only available for Impact Types DBFILE, DATAITEM and DEFINITION, and Consistency is set on.</p> <p>If unchecked, any derived field DP will have the replace definition DP added to them.</p> <p>If checked, and the derived field DP are greater than the replace definition DP, then no change is made to the derived field DP.</p> <p>If checked, and the derived field DP are less than the replace definition DP, then the derived field DP are set to the replace definition DP value.</p> <p>For example, for the following source code, an Impact Criteria of DATAITEM #A and replace value of N5.2 is specified.</p> <pre>0010 #A (N7) 0020 #B (N7.1) 0030 #C (N7.3) 0040 #D (N9) 0050 MOVE #A TO #B #C #D</pre> <p>If Align Decimals is unchecked, the following modifications will be made:</p> <pre>0010 #A (N5.2) 0020 #B (N5.3) 0030 #C (N5.5) 0040 #D (N7.2)</pre> <p>If Align Decimals is checked, the following modifications will be made:</p> <pre>0010 #A (N5.2) 0020 #B (N5.2) 0030 #C (N5.3) 0040 #D (N7.2)</pre>
Mark Definitions	<p>Only used for search keywords DATAITEM or DBFILE. Causes the analysis to mark definitions only, processing code only or both definitions and processing code. This setting is ignored for Consistency.</p> <p>Valid selections are:</p> <p>'Y' Yes - Both definitions and processing code will be marked if impacted. This is the default setting.</p> <p>'N' No - Only processing code will be marked if impacted.</p> <p>'O' Only - Only definitions will be marked if impacted.</p>
Replace TLM	<p>The name of the Text Logic Member (TLM) to be inserted in the object source code.</p>

SCREEN ITEMS	DESCRIPTION
Position	<p>Determines the actual placement of the Replace TLM. Available options are:</p> <ul style="list-style-type: none"> ▪ REPLACE ▪ AFTER ▪ BEFORE
Consistency	<p>Causes the Analysis to trace code identified, for further impact on other code. For example: MOVE #A TO #B.</p> <p>Using the search keyword DATAITEM and search value #A the above statement will be impacted as follows:</p> <p>With Consistency set off: #A will be impacted as it is the specified item.</p> <p>With Consistency set on: #A will be impacted as the specified item and #B will be impacted as it is being propagated by #A.</p> <p><i>Note: This option is only available for Search Keywords ADJUST, DATAITEM, DBFILE and DEFINITION.</i></p> <p>Valid selections are:</p> <p>'Y' Select this option. ' ' Option not selected.</p>
Modification Parameters	<p>This is used for specific modification parameters for specific search keywords. The following search keywords currently use this option:</p> <p>OBJECT BUILDER</p> <p><i>Note: For more information on Object Builder refer to the section Object Builder Processing.</i></p>

PFKEYS	DESCRIPTION
PF1	Activates the help function.
PF2	Invoke the Object Type Selection pop-up window. Available selections are: Object Language 'C' COBOL 'N' Natural Object Types '4' Classes 'C' Copycode 'D' Data Definition Modules '3' Dialogs 'G' Global Data Areas 'H' Helproutines 'L' Local Data Areas 'M' Maps 'A' Parameter Data Areas 'P' Programs 'N' Subprograms 'S' Subroutines
PF3	Exit from the current function and return to previous screen.
PF5	Saves new criteria or updates existing criteria. <i>Note: If the adding new criteria the PF key text will show 'Add', if updating existing criteria the PF key text will show 'Updt'.</i>

PFKEYS	DESCRIPTION
PF6	<p>This option provides further refinement options for a Search Keyword. The PF key text will always show 'Optns'.</p> <p>The following Search Keywords use this facility:</p> <p><u>Combination Search Keywords:</u></p> <p>CODE IMPROVEMENT</p> <p>This will invoke the Code Improvement Preferences screen where further refinement options can be selected.</p> <p>MULTI SEARCH</p> <p>This will invoke the Multi Search Criteria screen where more advanced search criteria can be specified.</p> <p>MVSNAT22TO31</p> <p>This will invoke the MVSNAT22TO31 Preferences screen where further refinement options can be selected.</p> <p>PORTING</p> <p>This will invoke the PORTING Preferences screen where further refinement options can be selected.</p> <p>REFACTORING</p> <p>This will invoke the Refactoring Preferences screen where further refinement options can be selected.</p> <p><i>Note: For more information on these Combination Search Keywords and their refinement options refer to Chapter 3 Combination Search Keywords.</i></p> <p><u>Natural Keywords that utilize optional clauses:</u></p> <p>COMPOSE, FIND, SEND, STACK and WRITE</p> <p>This will invoke the Keyword Options pop-up window where further refinement options can be selected.</p> <p><u>Natural Keywords that utilize call names:</u></p> <p>These are Natural Keywords that make reference to an external object, for example: CALLNAT, FETCH and INPUT MAP.</p> <p>This will invoke the Keyword Options pop-up window where further refinement options can be selected.</p> <p><i>Note: For more information on using optional clauses and call name masks refer to the section Keyword Options pop-up window.</i></p>

Natural Engineer Application Analysis & Modification

PFKEYS	DESCRIPTION
	<p><u>Miscellaneous Keywords:</u></p> <p>DEFINITION</p> <p>This will invoke the Definition Options screen where further refinement options can be selected.</p> <p><i>Note: For more information refer to the section Definition Options screen.</i></p>
PF7	<p>This PF key is only available for the following Search Keywords:</p> <ul style="list-style-type: none"> ▪ CALL ▪ CALL FILE ▪ CALL INTERFACE4 ▪ CALL LOOP ▪ CALLNAT ▪ ESCAPE ROUTINE ▪ FETCH ▪ FETCH REPEAT ▪ FETCH RETURN ▪ INVESTIGATE ▪ PERFORM ▪ RUN ▪ RUN REPEAT ▪ RUN RETURN ▪ STOP ▪ TERMINATE <p>The PF key text will show 'Repkw'.</p>
PF12	<p>Returns to the Natural Engineer Main Menu.</p>

Search Keyword Selection Pop-up Window

The Search Keyword Selection pop-up window allows Search Keywords to be selected for the criteria specification.

It is presented by default when a new criteria is being added, but can also be invoked by typing '?' in the first character position of the Search Keyword screen field on the Impact Criteria screen.

The following Figure 1-7 illustrates the Impact Criteria screen with the Search Keyword Selection pop-up window.




Figure 1-7 Impact Criteria screen with Search Keyword Selection pop-up window

1

Natural Engineer Application Analysis & Modification

SCREEN ITEMS	DESCRIPTION
Select	This is the selection column where the required Search Keyword can be selected. Valid selections are: 'S' Select the Search Keyword.
Search Keyword	The list of available Search Keywords. <i>Note: For more information on the available search keywords refer to the section Search Keywords.</i>
Reposition	Reposition the list of Search Keywords starting from the new value entered.

PFKEYS	DESCRIPTION
PF3	Close the Search Keyword Selection pop-up window.
PF7	Displays previous page.
PF8	Displays next page.

Search Keywords

The Analysis process allows the selection of a Search Keyword in the Criteria. These may be [Natural Keywords](#), [Cobol Keywords](#), [Combination Keywords](#) or [Miscellaneous Keywords](#).

Natural Keywords

The following table lists the Natural Keywords available to Impact Criteria.

ACCEPT	END-ENDPAGE	NEWPAGE
ADD	END-ERROR	NEWPAGE TITLE
ASSIGN	END-FILE	OBTAIN
AT BREAK OF	END-FIND	ON ERROR
AT END OF DATA	END-FOR	OPEN CONVERSATION
AT END OF FILE	END-HISTOGRAM	OPEN DIALOG
AT END OF PAGE	END-IF	OPTIMIZE
AT START OF DATA	END-INTERFACE	OPTIONS
AT TOP OF PAGE	END-LOOP	ORDER BY
BACKOUT	END-METHOD	PASSW
BEFORE BREAK	END-NOREC	PERFORM
BROWSE	END-PROCESS	PLOT
BROWSE BY	END-PROPERTY	PROCESS
BROWSE WHERE	END-REPEAT	PRINT
BROWSE WITH	END-READ	PROCESS COMMAND
CALL	END-SELECT	PROCESS GUI ACTION
CALL FILE	END-SORT	PROCESS SQL
CALL INTERFACE4	END-START	PROCESS REPORT
CALL LOOP	END-TOPPAGE	PROCESS REPORTER

1

Natural Engineer Application Analysis & Modification

CALLNAT	END-SUBROUTINE	PROPERTY
CLOSE CONVERSATION	END-WORK	READ
CLOSE DIALOG	ENTER	READ BY
CLOSE PC	ESCAPE	READ PC
CLOSE PRINTER	ESCAPE BOTTOM	READ WITH
CLOSE WORK	ESCAPE ROUTINE	READ WORK
COMMIT	EXAMINE	REDEFINE
COMPOSE	EXAMINE TRANSLATE	REDUCE
COMPOSE ASSIGNING	EXPAND	REINPUT
COMPOSE EXTRACTING	FETCH	REINPUT MARK
COMPOSE FORMATTING	FETCH REPEAT	REJECT
COMPOSE MOVING	FETCH RETURN	RELEASE SETS
COMPOSE RESETTING	FIND	RELEASE STACK
COMPRESS	FIND WITH	RELEASE VARIABLES
COMPUTE	FIND WHERE	READ WHERE
CREATE OBJECT	ESCAPE TOP	REPEAT
DECIDE	FIND COUPLED	RETRY
DECIDE VALUE	FIND RETAIN	REPEAT UNTIL
DECIDE VALUE ALL	FIND FIRST	REPEAT WHILE
DECIDE VALUE ANY	FIND NUMBER	RESET
DECIDE VALUE NONE	FIND UNIQUE	RUN
DECIDE WHEN	FORMAT	RETURN
DECIDE WHEN ALL	FIND SORTED	ROLLBACK
DECIDE WHEN ANY	FOR	RULEVAR
DECIDE WHEN NONE	HISTOGRAM VALUE	SEPARATE
DEFINE CLASS	GET	RUN REPEAT
DEFINE DATA CONTEXT	GET SAME	RUN RETURN

DEFINE DATA GLOBAL	GET TRANSACTION	SELECT
DEFINE DATA INDEPENDENT	GROUP BY	SEND
DEFINE DATA LOCAL	HAVING	SEND EVENT
DEFINE DATA OBJECT	HISTOGRAM	SEND METHOD
DEFINE DATA PARAMETER	HISTOGRAM WHERE	SET CONTROL
DEFINE INITIAL	IF	SET GLOBALS
DEFINE PRINTER	IF NO RECORDS	SET KEY
DEFINE REPORT	IF SELECTION	SETTIME
DEFINE SUBROUTINE	IGNORE	SET WINDOW
DEFINE WINDOW	IMPORT	SETTIME
DEFINE WORK	INCLUDE	SHOW
DELETE	INPUT	SKIP
DELETE FROM	INPUT MARK	SORT
DISPLAY	INPUT MAP	STACK
DIVIDE	INPUT WINDOW	STACK DATA
DLOGOFF	INPUT TEXT	STACK COMMAND
DLOGON	INSERT	STOP
DO	INTERFACE	STORE
DOEND	INVESTIGATE	SUBTRACT
DOWNLOAD	LABEL	SUSPEND
DRAW	LIMIT	TERMINATE
EJECT	LOOP	TRANSFER
ELSE	MAP	UPDATE
END	METHOD	UPLOAD
END TRANSACTION	MOVE	WHILE
END-ALL	MOVE ALL	WRITE
END-BEFORE	MOVE BY NAME	WRITE PC

1

Natural Engineer Application Analysis & Modification

END-BREAK	MOVE BY POSITION	WRITE TITLE
END-BROWSE	MOVE EDITED	WRITE TRAILER
END-CLASS	MOVE INDEXED	WRITE WORK
END-DECIDE	MOVE LEFT	
END-DEFINE	MOVE RIGHT	
END-ENDDATA	MOVE ROUNDED	
END-ENDFILE	MULTIPLY	

There are some generic level Search Keywords available that can be specified, which allow you to include related keywords. This allows you to specify a range of related keywords as one single criteria and Impact Analysis will then identify all related keywords.

These Search Keywords can be identified by a '?' at the end of the keyword. For example:

1. A Search Keyword of 'DEFINE ?' will identify the following keywords:

- DEFINE DATA CONTEXT
- DEFINE DATA GLOBAL
- DEFINE DATA INDEPENDENT
- DEFINE DATA LOCAL
- DEFINE DATA OBJECT
- DEFINE DATA PARAMETER
- DEFINE CLASS
- DEFINE INITIAL
- DEFINE PRINTER
- DEFINE REPORT
- DEFINE SUBROUTINE
- DEFINE WINDOW
- DEFINE WORK

2. A Search Keyword of 'DEFINE DATA ?' will identify the following keywords:

- DEFINE DATA CONTEXT
- DEFINE DATA GLOBAL
- DEFINE DATA INDEPENDENT
- DEFINE DATA LOCAL
- DEFINE DATA OBJECT

- DEFINE DATA PARAMETER
3. A Search Keyword of DEFINE DATA GLOBAL will only identify DEFINE DATA GLOBAL keywords.

Special Search Value for Search Keyword IF

For the Search Keyword **IF**, a special Search Value of 'IS(format)' can be specified. This search value will impact any usage of the IS option within an IF statement.

Note: The IS option can be used to check whether the content of an alphanumeric field can be converted to a specific other format. For example, the IS option can be used to check the content of a field before the mathematical function VAL (extract numeric value from an alphanumeric field) is used to ensure that it will not result in a runtime error.

The search value IS(format) is specified in the search value field on the Impact Criteria screen and is only valid with the search keyword IF, where '(format)' is the desired format and length. Examples of possible search values are:

IS(N7)
IS(I002)
IS(D)

For Example:

```

::::
0090 DEFINE DATA LOCAL
0100 01 #ALPHA           (A7)
0110 01 #NUMERIC        (N7)
0120 END-DEFINE
::::
0250 IF #ALPHA IS (N5)
0260   COMPUTE #NUMERIC := VAL(#ALPHA) * 1
0270   WRITE #NUMERIC
0280 END-IF
::::

```

Using Impact criteria of search keyword 'IF' and search value 'IS(N5)' would provide Impact results for statement line number 0250.

Cobol Keywords

The following table lists the Cobol Keywords available to Impact Criteria.

1

Natural Engineer Application Analysis & Modification

++INCLUDE	END-READ	OBJECT SECTION
ACCEPT	END-RETURN	ON
ADD	END-REWRITE	OPEN
ALTER	END-SEARCH	PERFORM
BASED-STORAGE SECTION	END-START	PROCEDURE DIVISION
BASIS	END-STRING	PROCESS
BOSS	END-SUBSTRACT	READ
CALL	END-UNSTRING	READY
CANCEL	END-WRITE	RECEIVE
CBL	END-XML	RELEASE
CLOSE	ENTER	REPLACE
COMPUTE	ENTRY	REPORT SECTION
CONFIGURATION SECTION	ENVIRONMENT DIVISION	RESET
CONTINUE	EVALUATE	RESET TRACE
CONSTANT SECTION	EXAMINE	RETURN
COPY	EXEC ADABAS	REWRITE
DATA DIVISION	EXEC CICS	SCREEN SECTION
DECLARATIVES	EXEC DLI	SEARCH
DECIMAL-POINT	EXEC SQL	SEEK
DELETE	EXHIBIT	SELECT
DISABLE	EXIT	SEND
DISPLAY	EXIT METHOD	SERVICE
DIVIDE	EXIT PERFORM	SERVICE LABEL
EJECT	EXIT PROGRAM	SERVICE RELOAD
ENABLE	FILE SECTION	SET
ELSE	GENERATE	SKIPI
END CLASS	GOBACK	SKIP2

Impact Analysis Processes

1

END DECLARATIVES	GO	SKIP3
END METHOD	ID DIVISION	SORT
END OBJECT	IDENTIFICATION DIVISION	START
END PROGRAM	IF	STOP
END-ADD	INITIALIZE	STRING
END-CALL	INPUT-OUTPUT SECTION	SUBTRACT
END-COMPUTE	INSERT	TITLE
END-DELETE	INSPECT	TRANSFORM
END-DISPLAY	INVOKE	UNSTRING
END-DIVIDE	LINKAGE SECTION	UNLOCK
END-EVALUATE	LOCAL-STORAGE SECTION	USE
END-EXEC	MERGE	WHEN
END-IF	METHOD-ID	WORKING-STORAGE SECTION
END-INVOKE	MOVE	WRITE
END-MULTIPLY	MULTIPLY	XML PARSE
END-PERFORM	NEXT SENTENCE	

Combination Keywords

These are special keywords that perform predefined functions.

- ADJUST
- CODE IMPROVEMENT
- OBJECT BUILDER
- NATRPC
- MULTI SEARCH
- MVS NAT22TO31
- PORTING
- REFACTORING

Note: For more information on each of the combination keywords refer to Chapter 3 [Combination Search Keywords](#).

Miscellaneous Keywords

These are additional Search Keywords that will identify all instances of non database data items (fields), Database data items (fields), DDMs, data item definitions (format and length) and literal strings within objects.

The miscellaneous keywords are:

1. [DATAITEM](#)
2. [DBFILE](#)
3. [DEFINITION](#)
4. [LITERAL](#)

DATAITEM

This allows the user to search for any non-database field. The full value or a partial value, of the data item to be searched for, is specified in the Search Value field. Partial values can be input using wildcards '?'. For example:

- #ABC Will search for data items named #ABC
- #ABC? Will search for all data items starting with #ABC
- ?#ABC? Will search for all data items containing #ABC
- ?#ABC Will search for all data items ending with #ABC

DBFILE

This allows the user to search for any DDM and database field. The full value or a partial value, of the DDM to be searched for is specified in the Keyword Value field. Partial values can be input using wildcards '?'. For example:

- FILE1 Will search for all DDMs named FILE1
- FILE? Will search for all DDMs starting with FILE
- ?FILE? Will search for all DDMs containing FILE
- ?FILE Will search for all DDMs ending with FILE

Note: Specifying '?' on its own in the Keyword Value field, will result in all DDMs being searched for.

The full value or a partial value of the database field to be searched for is specified in the Search Value field. Partial values can be input using wildcards '?'. For example:

For example:

- NAME Will search for all database fields named NAME
- NAME? Will search for all database fields starting with NAME
- ?NAME? Will search for all database fields containing NAME
- ?NAME Will search for all database fields ending with NAME

Note: Specifying '?' on its own in the Search Value field, will result in all database fields being searched for.

1

Natural Engineer Application Analysis & Modification

Note: The DBFILE process does not identify any database fields that are used on a Map. This is because they are actually defined as Parameter Data within the map itself. These can be identified by using the DATAITEM search keyword.

The following Figure 1-8 illustrates the database fields defined within a map.

```
0001 * MAP2: PROTOTYPE
0002 * INPUT USING MAP 'XXXXXXXX'
0003 *      #C-ADDRESS #C-ARRIVED #C-DOB #C-DUE-FOR-SURGERY #C-FIRST-NAME
0004 *      #C-PATIENT-ID #C-RELEASED #C-SURNAME #G-MESSAGE #M-MAP-HEADING
0005 *      #M-UNDERLINE PATIENT.ADDRESS(*) PATIENT.ARRIVED PATIENT.DOB
0006 *      PATIENT.DUE-FOR-SURGERY PATIENT.FIRST-NAME PATIENT.PATIENT-ID
0007 *      PATIENT.RELEASED PATIENT.SURNAME
0008 DEFINE DATA PARAMETER
0009 1 #C-ADDRESS (C)
0010 1 #C-ARRIVED (C)
0011 1 #C-DOB (C)
0012 1 #C-DUE-FOR-SURGERY (C)
0013 1 #C-FIRST-NAME (C)
0014 1 #C-PATIENT-ID (C)
0015 1 #C-RELEASED (C)
0016 1 #C-SURNAME (C)
0017 1 #G-MESSAGE (A070)
0018 1 #M-MAP-HEADING (A040)
0019 1 #M-UNDERLINE (A040)
0020 1 PATIENT.ADDRESS (A030/00001:00004)
0021 1 PATIENT.ARRIVED (A020)
0022 1 PATIENT.DOB (N06.0)
0023 1 PATIENT.DUE-FOR-SURGERY (A006)
0024 1 PATIENT.FIRST-NAME (A020)
0025 1 PATIENT.PATIENT-ID (N07.0)
0026 1 PATIENT.RELEASED (D)
0027 1 PATIENT.SURNAME (A020)
0028 END-DEFINE
```

Figure 1-8 Database fields defined within a map

DEFINITION

This option allows for the searching of a format and length or a range of format and lengths within the objects. The data is entered as a format type and length and with a range this is repeated with a '-' (hyphen) between the values.

For example:

A001 Will locate all one-byte alphanumeric data items.

A001-A010 Will locate all alphanumeric data items with a length greater than or equal to one and less than or equal to ten.

Note: When this Search Keyword is selected, further refinement options become available by using 'PF6' (Optns) from the Impact Criteria screen. For more information on these refinement options refer to the section [Definition Options Screen](#).

LITERAL

The literal search locates all text and numeric constants in objects, as well as edit mask definitions. The literal can be specified in full or a partial value can be used. Partial values can be input using wildcards '?'.

For example:

Hello? Will search for all literal strings starting with Hello

?Hello Will search for all literal strings ending with Hello

?Hello? Will search for all literal strings containing Hello

Hello Will search for all literal strings named Hello

Forward/Backward Tracking

Forward/Backward tracking can be used to control the tracking direction for a variable, when using search keyword MULTISEARCH or the search keywords DATAITEM, DBFILE or DEFINITION (which make use of the consistency option).

Forward/Backward tracking is controlled by the TRACKING parameter in the NATENG.INI file.

Note: For more information on NATENG.INI file parameter TRACKING refer to Chapter 2 in the Natural Engineer Administration Guide for Unix manual.

Forward tracking by Value will track the forward direction of a variable showing all the derivatives being populated from the variable.

Backward tracking by Value will track the backward direction of a variable showing all the derivatives that have populated the variable.

Forward/Backward tracking by Value affects any statements using the following Natural Keywords:

- MOVE
- ASSIGN
- MOVE BY NAME
- ASSIGN ROUNDED
- MOVE LEFT
- MOVE RIGHT
- MOVE ROUNDED

Forward/Backward tracking by Usage will track the direction of the variable using all syntactical relationships.

Example of Forward/Backward Tracking

The following example uses a search keyword of DATAITEM, with a search value of #A and Consistency switched on. Results for each of the tracking options is then described.

Sample Source Code:

```
::::  
0110 MOVE #A TO #B  
0120 IF #A > #C  
0130   WRITE 'HELLO'  
0140 END-IF  
0150 MOVE #D TO #A  
0160 END
```

1. Forward tracking by Value will result in:

- #A at statement lines 0110, 0120 and 0150 being marked as 'Specified' matches.
- #B at statement line 0110 would be marked as 'Derived'.

2. Backward tracking by Value will result in:

- #A at statement lines 0110, 0120 and 0150 being marked as 'Specified' matches.
- #D at statement line 0150 would be marked as 'Derived'.

3. Forward tracking by Usage will result in:

- #A at statement lines 0110, 0120 and 0150 being marked as 'Specified' matches.
- #B at statement line 0110 would be marked as 'Derived'.
- #C at statement line 0120 would be marked as 'Derived'.

4. Backward tracking by Usage will result in:

- #A at statement lines 0110, 0120 and 0150 being marked as 'Specified' matches.
- #D at statement line 0150 would be marked as 'Derived'.

5. Normal tracking will result in:

- #A at statement lines 0110, 0120 and 0150 being marked as 'Specified' matches.
- #B at statement line 0110 would be marked as 'Derived'.
- #C at statement line 0120 would be marked as 'Derived'.
- #D at statement line 0150 would be marked as 'Derived'.

1

Natural Engineer Application Analysis & Modification

Keyword Options Pop-up Window

The Keyword Options pop-up window is invoked using 'PF6' (Optns) from the Impact Criteria screen. It provides the facility to add further refinement options for select Search Keywords. There are two main levels of refinement options available:

1. Specify Sub Keywords.

Sub Keywords represent the optional clauses that can be used with a Natural Keyword. The following Natural Keywords are supported:

COMPOSE	FIND	SEND
STACK	WRITE	

2. Allow the use of call name mask values specified in Keyword Value.

Call names can be specified as a Keyword Value using a full or partial call name, or, as a mask value. If a mask value is used then the refinement option needs to be specified to indicate that the call name is a mask value.

Note: Impact will only match call names that are coded as literal strings when using mask values.

The following Search Keywords are supported:

CALL ?	CALL	CALL FILE
CALL INTERFACE4	CALL LOOP	CALLNAT
FETCH ?	FETCH	FETCH REPEAT
FETCH RETURN	INPUT MAP	INVESTIGATE
OPEN DIALOG	RUN ?	RUN
RUN REPEAT	RUN RETURN	

The Keyword Options pop-up window is a common screen, which is used for all the Search Keywords listed above, the only variation is the list of Sub Keywords. The Sub Keywords represent the optional clauses that can be added to a Search Keyword, and will only list the relevant optional clauses for the selected Search Keyword.

The following Figure 1-9 illustrates the Keyword Options pop-up window.




Figure 1-9 Keyword Options pop-up window

SCREEN ITEMS	DESCRIPTION
--------------	-------------

Call Name is Mask	<p>This option identifies the call name used for the Keyword Value as a mask value.</p> <p>This option is only available for any Search Keywords that utilize call names, for example CALLNAT, FETCH and INPUT MAP.</p> <p>Possible values are:</p> <p>'Y' Call name is using mask value.</p> <p>'N' Call name is not using mask value.</p> <p>The mask value used must be specified using the following convention:</p> <p>. (period) Indicates a single position that is not to be checked.</p> <p>* (asterisk) Wildcard used to indicate that the last character position is to be checked by the following mask character.</p> <p>For example: *N will check the last character in a call name for a numeric digit.</p> <p>N The position is to be checked for a numeric digit.</p> <p>A The position is to be checked for an alphabetical character (upper or lower case).</p> <p>C The position is to be checked for an alphabetical character (upper or lower case), numeric digit or a blank.</p> <p>'c' One or more positions to be checked for the characters bound by apostrophes.</p> <p>For example: 'ABC' will check the call name to contain 'ABC'.</p>
--------------------------	--

Note: The maximum length for a mask value is 8 bytes.

Examples:

For the following code statements:

0220 CALLNAT 'XX001P01' #PARM

0350 CALLNAT 'XXN01' #FIELD-A #FIELD-B #RESPONSE

1000 CALLNAT 'XXP01A'

1550 CALNAT 'XXABCP1A'

1600 CALLNAT 'ABCMA&'

A Search Keyword of CALLNAT is used with the following mask values used as Keyword Values:

Mask Value	Statement	Description
------------	-----------	-------------

SCREEN ITEMS	DESCRIPTION	
AANNANN	0220	Checks for alphabetic characters in positions 1, 2 and 6. Checks for numeric digits in positions 3, 4, 5, 7 and 8.
.....N	0220	Ignore positions 1 to 7 and check for numeric digit in position 8.
*N	0220 0350	Check last position for numeric digit.
.....A	1550	Ignore positions 1 to 7 and check for alphabetic character in position 8.
*A	1000 1550	Check last position for alphabetic character.
..'ABC'...	1550	Check for the characters 'ABC' in positions 3, 4 and 5.
..'ABC'	1550	Check for the characters 'ABC' in positions 3, 4 and 5.
*'&'	1600	Check last position for '&'.
Sub Keywords	This will list the appropriate optional clauses for the Natural Keyword selected. The optional clauses available for each supported Natural Keyword are:	
	Natural Keyword	Optional Clauses
	COMPOSE	ASSIGNING EXTRACTING FORMATTING MOVING RESETTING
	FIND	FIRST NUMBER UNIQUE RETAIN SORTED
	SEND	EVENT METHOD
	STACK	COMMAND DATA
	WRITE	FORM MAP

1**Natural Engineer Application Analysis & Modification**

PFKEYS	DESCRIPTION
PF3	Close the Keyword Options pop-up window.

Definition Options Screen

The Definition Options screen is invoked using 'PF6' (Optns) from the Impact Criteria screen. It provides the facility to add further refinement options for select Search Keywords.

The following Figure 1-10 illustrates the Definition Options screen.

```

- Definition Options -

General                                Redefinitions

Search Logic
  Y Boolean 'OR'
  _ Boolean 'AND'

Parent Field
  _ Fixed Array
  _ Variable Array
  _ Constant Value
  _ Init Value
  _ Dynamic Field

Data Types
  _ Alphanumeric
  _ Binary
  _ Attribute Control
  _ Date
  _ Floating Point
  _ Integer
  _ Logical
  _ Numeric (unpacked)
  _ Packed Numeric
  _ Time

Array
  _ Fixed Array
  _ Variable Array

Enter-PF1---PF2---PF3---PF4---PF5---PF6---PF7---PF8---PF9---PF10--PF11--PF12---
  Help           Exit                                     Main
```

Figure 1-10 Definition Options screen

SCREEN ITEMS	DESCRIPTION
--------------	-------------

Search Logic group:

Search Logic

Determines the relationship between the Parent Field and Redefinition options to be used during the Analysis process.

Boolean 'OR' Analysis will apply 'OR' logic for the Parent Field and Redefinition options.

Boolean 'AND' Analysis will apply 'AND' logic for the Parent Field and Redefinition options.

For example:

Specifying Fixed Array from the Parent Field options and Packed Numeric from the Redefinitions options and running Analysis against the following source code

```
0010 01 #FIXED-ARRAY-1          (A10/1:10)
0020 01 #FIXED-ARRAY-2          (A10/1:10)
0030 01 REDEFINE #FIXED-ARRAY-2
0040 02 #REDEF-ARRAY            (P10/1:10)
```

For Boolean 'OR', the impact result will show

```
0010 01 #FIXED-ARRAY-1          (A10/1:10)
0020 01 #FIXED-ARRAY-2          (A10/1:10)
0030 01 REDEFINE #FIXED-ARRAY-2
```

For Boolean 'AND', the impact result will show

```
0020 01 #FIXED-ARRAY-2          (A10/1:10)
0030 01 REDEFINE #FIXED-ARRAY-2
```

Parent Field group:

Fixed Array

Search for any data item that is defined as a fixed array.

For example:

```
01 #FIXED-ARRAY (A10/1:5)
```

Variable Array

Search for any data item that is defined as a variable array.

For example:

```
01 #VARIABLE-ARRAY (A10/1:#INDEX)
```

Constant Value

Search for any data item that is defined using a CONSTANT value.

For example:

```
01 #CONSTANT-FIELD (A5) CONSTANT <'ABCDE'>
```

Init Value

Search for any data item that is defined with an initial value.

For example:

```
01 #INIT-FIELD (A5) INIT <'VWXYZ'>
```

SCREEN ITEMS	DESCRIPTION
Dynamic Field	Search for any data item that is defined using the DYNAMIC clause. For example: 01 #DYNAMIC-FIELD (A) DYNAMIC
Data Types group:	
Alphanumeric	Search for any data item that is defined using format A.
Binary	Search for any data item that is defined using format B.
Attribute Control	Search for any data item that is defined using format C.
Date	Search for any data item that is defined using format D.
Floating Point	Search for any data item that is defined using format F.
Integer	Search for any data item that is defined using format I.
Logical	Search for any data item that is defined using format L.
Numeric [unpacked]	Search for any data item that is defined using format N.
Packed Numeric	Search for any data item that is defined using format P.
Time	Search for any data item that is defined using format T.
Array group:	
Fixed Array	Search for any data item that is redefined as a fixed array. For example: 01 #ALPHA-FIELD (A50) 01 REDEFINE #ALPHA-FIELD 02 #FIXED-ARRAY (A10/1:5)
Variable Array	Search for any data item that is redefined as a variable array. For example: 01 #ALPHA-FIELD (A50) 01 REDEFINE #ALPHA-FIELD 02 #VARIABLE-ARRAY (A10/1:#INDEX)

1**Natural Engineer Application Analysis & Modification**

PFKEYS	DESCRIPTION
PF1	Activates the help function.
PF3	Exit from the current function and return to previous screen.
PF12	Returns to the Natural Engineer Main Menu.

Impact Data Preparation

The Impact Data Preparation options provide the facility to prepare further pre-analysis data, which is referenced during the Impact execution. The Impact Data Preparation data is used in conjunction with any Impact Criteria that may have already been specified.

Any specifications made using the Impact Data Preparation options is applicable to the currently selected Impact Version.

The Impact Data Preparation option is accessed by selecting option 'P' (Impact Data Preparation) from the Impact Analysis Menu screen.

This provides a sub-menu with the following options:

1. [Impact Sets](#)
2. [Object Builder Processing](#)

Impact Sets

Impact Sets are a means of creating a sub-set of objects within an Application for a given Impact Version, which will allow impact to be executed against the specified Impact Set only. This means that impact can be executed against sets of objects within an Application without the need for creating individual applications containing the sub-sets of objects required.

Objects can be selected individually using 'S' in the selection column against each required object or by using 'PF11' (S All) to select all the objects.

Once all selections have been made, the objects now form the Impact set, which will be used during any subsequent Impact Executions for this version. Only objects within the Impact Set will be impacted. All other objects in the Application, but outside the Impact Set, will not be impacted.

If no Impact Set exists for an Impact version within an Application, then all the objects in the Application will be impacted.

Impact Sets Screen

The Impact Sets screen is accessed by selecting option 'S' (Impact Sets) from the Impact Data Preparation sub menu screen.

The following Figure 1-11 illustrates the Impact Sets screen.

```
Impact Set Selection      Application: HOSPITAL
                          Version: 01

Sel  Object Name
--
--  XXCONPDA
--  XXCONUPD
--  XXEXIT
--  XXGETTD
--  XXMTHVAL
--  XXTIDYUP
--  XXVALCC
--  * XX000G00
--  * XX001L01
--  * XX001M01
--  * XX001P01
--  XX002L01
--  XX002M01
--  XX002P01
Reposition -> _____ Object Lang. * All
                          Object Types 4C3GHLMAPNS

Enter-PF1---PF2---PF3---PF4---PF5---PF6---PF7---PF8---PF9---PF10--PF11--PF12---
      Help  Types Exit                Prev Next          S All D All Main
```

Figure 1-11 Impact Sets screen

SCREEN ITEMS	DESCRIPTION								
Sel	This is the selection column where individual data items can be selected. Valid selections are: 'S' Select object. 'D' De-select object								
Object Name	List of objects loaded in the Repository for the current application. Objects that have been selected for Impact Sets will have an asterisk (*) to the left of the object name.								
Reposition	Reposition the list of objects starting from the new value entered. The reposition value can be input using either a complete name or part name using an '*' (asterisk) wildcard. For example: <table border="1"> <thead> <tr> <th>Value</th> <th>Result</th> </tr> </thead> <tbody> <tr> <td>*</td> <td>Will reposition at the start of the Object list. For the HOSPITAL system, this would start the object list from object XXCONPDA.</td> </tr> <tr> <td>XXE*</td> <td>Will reposition at the first object name that matches the mask XXE or is greater than the mask input. For the HOSPITAL system, this would start the object list from object XXEXIT.</td> </tr> <tr> <td>XX000G01</td> <td>Will reposition at the first object name that matches the mask exactly or is greater than the object name input. For the HOSPITAL system, this would start the object list from object XX001L01 as object XX000G01 does not exist.</td> </tr> </tbody> </table>	Value	Result	*	Will reposition at the start of the Object list. For the HOSPITAL system, this would start the object list from object XXCONPDA.	XXE*	Will reposition at the first object name that matches the mask XXE or is greater than the mask input. For the HOSPITAL system, this would start the object list from object XXEXIT.	XX000G01	Will reposition at the first object name that matches the mask exactly or is greater than the object name input. For the HOSPITAL system, this would start the object list from object XX001L01 as object XX000G01 does not exist.
Value	Result								
*	Will reposition at the start of the Object list. For the HOSPITAL system, this would start the object list from object XXCONPDA.								
XXE*	Will reposition at the first object name that matches the mask XXE or is greater than the mask input. For the HOSPITAL system, this would start the object list from object XXEXIT.								
XX000G01	Will reposition at the first object name that matches the mask exactly or is greater than the object name input. For the HOSPITAL system, this would start the object list from object XX001L01 as object XX000G01 does not exist.								

PFKEYS	DESCRIPTION
PF1	Activates the help function.
PF2	Invoke the Object Type Selection pop-up window. Available selections are: Object Language 'C' COBOL 'N' Natural Object Types '4' Classes 'C' Copycode '3' Dialogs 'G' Global Data Areas 'H' Help routines 'L' Local Data Areas 'M' Maps 'A' Parameter Data Areas 'P' Programs 'N' Subprograms 'S' Subroutines
PF3	Exit from the current function and return to previous screen.
PF7	Displays previous page.
PF8	Displays next page.
PF10	Selects all objects.
PF11	De-select all selected objects.
PF12	Returns to the Natural Engineer Main Menu.

1

Natural Engineer Application Analysis & Modification

Object Builder Processing

The Object Builder Processing option provides the facility to set up Object Builder line range criteria, which are used during Impact execution. These criteria will appear in the Impact Criteria Summary screen and will have a type of 'OEM' denoted.

The setting up of Object Builder line range criteria using the Object Builder Processing option, is the same as using the Impact Criteria screen to add the Search Keyword 'OBJECT BUILDER' and specifying the line range in the Modification Parameters field. Impact execution treats both sets of criteria identically.

The Object Builder Processing method of specifying Object Builder line range criteria is easier to use, in that the object source code is displayed on the screen. The Impact Criteria method requires prior knowledge of the line ranges to be available, either from hardcopy listings or using the Natural editor.

Note: For more information on the Impact Criteria and the criteria type 'OEM', refer to the section [Impact Criteria](#).

Note: For more information on the Object Builder process refer to the Natural Engineer Application Restructuring manual.

Object Builder Objects Selection Screen

The Object Builder Processing option is accessed by selecting option ‘O’ (Object Builder Processing) from the Impact Data Preparation sub menu screen. This will display the Object Builder Objects Selection screen with a list of the available objects within an application.

The following Figure 1-12 illustrates the Object Builder Objects Selection screen.

```
-Object Builder Objects Selection - Application: HOSPITAL

Select Object
  - XX021L01
  - XX021L02
  - XX021M01
  - XX021P01 *
  - XX022M01
  - XX022P01
  - XX023M01
  - XX023P01
  - XX024M01
  - XX024P01
  - XX025M01
  - XX025P01

Reposition: _____
Object Lang.: * All
Object Types: CHMPNS
Enter-PF1---PF2---PF3---PF4---PF5---PF6---PF7---PF8---PF9---PF10--PF11--PF12---
Help Types Exit                      Prev Next                               Main
```

Figure 1-12 Object Builder Objects Selection screen

SCREEN ITEMS	DESCRIPTION
--------------	-------------

Select	This is the selection column where individual objects can be selected. Valid selections are: 'S' Select object.								
Object	List of objects containing Soft Links within an application. Objects that have had line ranges specified and saved to the Repository, will have an asterisk (*) to the right of the object name. For example: XX021P01 *								
Reposition	Reposition the list of objects starting from the new value entered. The reposition value can be input using either a complete name or part name using an '*' (asterisk) wildcard. For example:								
	<table border="1"> <thead> <tr> <th>Value</th> <th>Result</th> </tr> </thead> <tbody> <tr> <td>*</td> <td>Will reposition at the start of the Object list. For the HOSPITAL system, this would start the object list from object XXCONPDA.</td> </tr> <tr> <td>XXE*</td> <td>Will reposition at the first object name that matches the mask XXE or is greater than the mask input. For the HOSPITAL system, this would start the object list from object XXEXIT.</td> </tr> <tr> <td>XX000G01</td> <td>Will reposition at the first object name that matches the mask exactly or is greater than the object name input. For the HOSPITAL system, this would start the object list from object XX001L01 as object XX000G01 does not exist.</td> </tr> </tbody> </table>	Value	Result	*	Will reposition at the start of the Object list. For the HOSPITAL system, this would start the object list from object XXCONPDA.	XXE*	Will reposition at the first object name that matches the mask XXE or is greater than the mask input. For the HOSPITAL system, this would start the object list from object XXEXIT.	XX000G01	Will reposition at the first object name that matches the mask exactly or is greater than the object name input. For the HOSPITAL system, this would start the object list from object XX001L01 as object XX000G01 does not exist.
Value	Result								
*	Will reposition at the start of the Object list. For the HOSPITAL system, this would start the object list from object XXCONPDA.								
XXE*	Will reposition at the first object name that matches the mask XXE or is greater than the mask input. For the HOSPITAL system, this would start the object list from object XXEXIT.								
XX000G01	Will reposition at the first object name that matches the mask exactly or is greater than the object name input. For the HOSPITAL system, this would start the object list from object XX001L01 as object XX000G01 does not exist.								

PFKEYS	DESCRIPTION
PF1	Activates the help function.
PF2	Invoke the Object Type Selection pop-up window. Available selections are: Object Language 'C' COBOL 'N' Natural Object Types 'C' Copycode 'H' Help routines 'M' Maps 'P' Programs 'N' Subprograms 'S' Subroutines
PF3	Exit from the current function and return to previous screen.
PF7	Displays previous page.
PF8	Displays next page.
PF12	Returns to the Natural Engineer Main Menu.

Object Builder Processing Screen

The Object Builder Processing screen is accessed by selecting an object from the Object Builder Selection screen.

The following Figure 1-13 illustrates the Object Builder Processing screen.

```

- Object Builder Processing - Application: HOSPITAL
Object Name: XX021P01 Line Number....: 0610 Version: 01
Set Start Point: _____
Source Code Set End Point...: _____ Objects: _____
-----
0610 01 #M-UNDERLINE(A40)
0620 END-DEFINE
0630 *
0640 SET KEY ALL
0650 MOVE *DATN TO #L-TEMP-DATE
0660 DECIDE ON FIRST VALUE OF #G-SELECTED-OPTION
0670 VALUE "A"
S 0680 MOVE *DATX TO PATIENT.RELEASED
0690 CALLNAT "XXGETID" PATIENT.PATIENT-ID #L-TEMP-DATE-N6
0700 MOVE " ADD A PATIENT" TO #M-MAP-HEADING
0710 MOVE " *****" TO #M-UNDERLINE
0720 MOVE (AD=D) TO #C-GROUP(*)
E 0730 MOVE (AD=P) TO #C-PATIENT-ID
0740 VALUE "D"
0750 PERFORM GET-RECORD
Enter-PF1---PF2---PF3---PF4---PF5---PF6---PF7---PF8---PF9---PF10--PF11--PF12---
Help Exit Range Save Prev Next Top Bot Main

```

Figure 1-13 Object Builder Processing screen

SCREEN ITEMS	DESCRIPTION
Objects Name	The name of the selected object.
Line Number	Will display the first line number of the source code being displayed. It is possible to reposition to any source code line by typing in a value (N4) and using the 'ENTER' key.
Set Start Point	To Set Start Point enter line number in the space provided (N4). This will define the start line for the component, marking it as S (Component Start) in the source code.
Set End Point	To Set End Point enter line number in the space provided (N4). This will define the end line for the component, marking it as E (Component End) in the source code.
Objects	The generated PDA and Subprogram name overrides are input here. The format is pppppppp,ooooooo where: pppppppp is the name of the generated PDA. For example PDA01 and ooooooo is the name of the generated sub-program, for example SUB01. <i>Note: For more information refer to the section Modification Parameters.</i>
Source Code	Display the selected source code for the currently selected object. Any source code lines that are part of a saved line range will have the following in the first 2 bytes of the line: S Indicates that the line is the start of a range. E Indicates that the line is the end of a range. <i>Note: If a single line has been selected for start and end ranges, e.g., 0100-0100, then the indicator will show only S.</i>

PFKEYS	DESCRIPTION
PF1	Activates the help function.
PF3	Exit from the current function and return to previous screen.
PF4	Invokes a pop-up window displaying all the line ranges and generated object name overrides that have been saved for the object. <i>Note: For more information refer to section Saved Ranges pop-up window.</i>
PF5	Save the specified line ranges.
PF7	Displays previous page.
PF8	Displays next page.
PF9	Displays the first page of the source code listing.
PF10	Displays the last page of the source code listing.
PF12	Returns to the Natural Engineer Main Menu.

Saved Ranges Pop-up Window

The Saved Ranges pop-up window is accessed by selecting 'PF4' (Range) from the Object Builder Processing screen.

The following Figure 1-14 illustrates the Saved Ranges pop-up window.

```

Object Name: XX0                                Saved Ranges                                on: HOSPITAL
                                                on: 01
Source Code
-----
0610  01 #M-UN
0620  END-DEFI
0630  *
0640  SET KEY
0650  MOVE *DA
0660  DECIDE O
0670  VALUE "A
S 0680  MOVE *
0690  CALLNA
0700  MOVE "
0710  MOVE "
0720  MOVE (
E 0730  MOVE (
0740  VALUE "D
0750  PERFOR
Enter-PF1---PF2---PF3---PF4---PF5---PF6---PF7---PF8---PF9---PF10---PF11---PF12---
      Help      Exit Range Save      Prev Next Top Bot      Main
  
```

Figure 1-14 Saved Ranges pop-up window

1**Natural Engineer Application Analysis & Modification**

SCREEN ITEMS	DESCRIPTION
Select	This is the selection column where line ranges can be deleted. Valid selections are: 'D' Delete line range.
Range	Lists each start and end line range that has been specified and saved for the selected object.
Objects	Lists any generated PDA and Subprogram name overrides that have been specified and saved for the selected object.

PFKEYS	DESCRIPTION
PF3	Exit from the current function and return to previous screen.
PF6	Deletes all specified line ranges for the selected object.
PF7	Displays previous page.
PF8	Displays next page.

Impact Execution

The Impact Execution option invokes the Impact process, which will execute the Impact Criteria against the application code held in the Repository.

Each search criteria is checked against every element of the Repository. If 'Consistency' has been selected for the criterion, every impact found is then re-processed against the code in order to find the impacts of the impacts, using every left-right argument. This tracing process continues through the code until no further impacts or related impacts are found.

The number of times these Iterations occur can be limited by using the Maximum Iterations setting found in the Impact Criteria Summary screen.

This is accessed by selecting option 'E' (Impact Execution) from the Impact Analysis Menu screen. This will open the NATRJE Job Submission screen.

1

Natural Engineer Application Analysis & Modification

The following Figure 1-19 illustrates the NATRJE submission screen for the Impact Execution option.

```

                                     - Job Submission -           Application: HOSPITAL

Job Selection details
-----
      Job Selected   : (IMPUPD) IMPACT EXECUTION
      Impact Version : 01
Job Card details
-----
      Job Name      : XGSLXX__
      Job Class     : _

Job Control Record details
-----
      Control Status :
      Last Job Submitted
      Job Name      :
      Opid         :
      Step         :
      Return Code   :

Enter-PF1---PF2---PF3---PF4---PF5---PF6---PF7---PF8---PF9---PF10--PF11---PF12---
      Help         Exit         Sub   Ref           Rel           Main

```

Figure 1-19 NATRJE Job Submission screen

Note: For more information on the NATRJE Job Submission screen refer to the Natural Engineer Batch Processing (Unix) manual.

Impact Element Maintenance

The Impact Element Maintenance option provides the facility to review the results of the last executed Impact Analysis for the currently selected version. All impacted objects within an application are available for selection, once selected the impacted data items within the object are listed.

The impacted data items can be selected to reveal the source code context within the object and the impact match reason showing why the data item has been impacted. The context of the data item within the data definitions of the selected object are also shown.

The Impact Element Maintenance option is accessed by selecting option 'M' (Impact Element Maintenance) from the Impact Analysis Menu screen.

1

Natural Engineer Application Analysis & Modification

Impact Object Selection Screen

All the impacted objects for the previous Impact Execution for the current selected Impact Version are listed on the Impact Object Selection screen. Each object can be selected to show a list of the individual impacted data items within the selected object.

The following Figure 1-20 illustrates the Impact Object Selection screen.

```

- Impact Object Selection -      Application: HOSPITAL
Select      Object Name          Version: 01
-          XXGETID
-          XX000G00
-          XX001L01
-          XX001M01
-          XX001P01
-          XX002L01
-          XX002M01
-          XX002P01
-          XX021M01
-          XX021P01
-          XX022M01
-          XX022P01
-          XX023M01
-          XX023P01
-          XX024M01
Reposition -> _____ Object Lang. * All
                          Object Types 4CD3GHLMAPNS
Enter-PF1---PF2---PF3---PF4---PF5---PF6---PF7---PF8---PF9---PF10--PF11--PF12---
      Help  Types Exit          Prev Next          Main
  
```

Figure 1-20 Impact Object Selection screen

SCREEN ITEMS	DESCRIPTION
Select	This is the selection column where individual objects can be selected. Valid selections are: 'S' Select object.
Object Name	Lists all the objects that have been impacted by the previous Impact Execution
Reposition	Reposition the list of objects starting from the new value entered. The reposition value can be input using either a complete name or part name using an '*' (asterisk) wildcard. For example: <ul style="list-style-type: none"> * Will reposition at the start of the Object list. For the HOSPITAL system, this would start the object list from object XXCONPDA. XXE* Will reposition at the first object name that matches the mask XXE or is greater than the mask input. For the HOSPITAL system, this would start the object list from object XXEXIT. XX000G01 Will reposition at the first object name that matches the mask exactly or is greater than the object name input. For the HOSPITAL system, this would start the object list from object XX001L01 as object XX000G01 does not exist.

PFKEYS	DESCRIPTION
PF1	Activates the help function.
PF2	Invoke the Object Type Selection pop-up window. Available selections are: Object Language 'C' COBOL 'N' Natural Object Types '4' Classes 'C' Copycode 'D' Data Definition Modules '3' Dialogs 'G' Global Data Areas 'H' Helproutines 'L' Local Data Areas 'M' Maps 'A' Parameter Data Areas 'P' Programs 'N' Subprograms 'S' Subroutines
PF3	Exit from the current function and return to previous screen.
PF7	Displays previous page.
PF8	Displays next page.
PF12	Returns to the Natural Engineer Main Menu.

Impact Object Categorization Screen

After selecting an object using option 'S' from the Impact Object Selection screen, the Impact Object Categorization screen is displayed, showing all the individual impacted data items within the selected object.

The following Figure 1-21 illustrates the Impact Object Categorization screen.

```

- Impact Object Categorization - Application: HOSPITAL
                                Version: 01
Object: XX021P01 - Program
  T Line Attr  Ext.Obj  Element Name
  I 0020 A070  XX000G00  #G-MESSAGE
  -
  A 0020 N007  XX021L01  PATIENT.PATIENT-ID
  -
  A 0030      XX021L01  PATIENT.PATIENT-ID
  -
  A 0040 A002  XX021L01  PATIENT.#V-YY
  -
  A 0050 N005  XX021L01  PATIENT.#V-NUMBER
  -
  A 0060 A020  XX021L01  PATIENT.FIRST-NAME
  -
  A 0070 A020  XX021L01  PATIENT.SURNAME
  -
  A 0080 N006  XX021L01  PATIENT.DOB
  -
  A 0090      XX021L01  PATIENT.DOB
  -
  A 0100 A006  XX021L01  PATIENT.#V-DOB
  -
  A 0110 A030  XX021L01  PATIENT.ADDRESS
  -
  A 0120 A020  XX021L01  PATIENT.ARRIVED
  -
  A 0130      XX021L01  PATIENT.ARRIVED
  -
  A 0140 A001  XX021L01  PATIENT.#V-VAL
  -
  A 0150 A006  XX021L01  PATIENT.DUE-FOR-SURGERY

Enter-PF1---PF2---PF3---PF4---PF5---PF6---PF7---PF8---PF9---PF10--PF11--PF12---
      Help           Exit                   Prev Next                               Main
    
```

Figure 1-21 Impact Object Categorization screen

1

Natural Engineer Application Analysis & Modification

SCREEN ITEMS	DESCRIPTION
Object	The selected object name followed by the type of object applicable.
Sel	This is the selection column where individual data items can be selected. Valid selections are: 'S' Select object.
T	This is a 2-byte value, which denotes the type of impact. <i>Note: For more information on type of impact refer to the section Impact Types.</i>
Line	Line number in the object where the Impact was identified.
Attr	The definition of the item, if appropriate.
Ext.Obj	The name of the object that contains the item as impacted e.g., external Local Data Area with a Data Item definition.
Element Name	Lists all the data items impacted within the selected object.

PFKEYS	DESCRIPTION
PF1	Activates the help function.
PF3	Exit from the current function and return to previous screen.
PF7	Displays previous page.
PF8	Displays next page.
PF12	Returns to the Natural Engineer Main Menu.

Impact Element Categorization Screen

After selecting a data item using option 'S' from the Impact Object Categorization screen, the Impact Element Categorization screen is displayed, showing all the usage information for the selected impacted data item, within the selected object.

The following Figure 1-22 illustrates the Impact Element Categorization screen.

```
                - Impact Element Categorization - Application: HOSPITAL
                                                Version: 01
Object: XX021P01                               Page: 1
Field : PATIENT.DOB
Attr  : N006   Impact Type: Database File and Field Ext. Object: XX021L01

Search Criteria: Searching All Objects for DBFILE ? with value '?'

Stmt Source Line
0080  2 DOB                                N  6.0
0090 R 2 DOB                                /* BEGIN REDEFINE: DOB
1570 WHEN PATIENT.DOB = 0 OR #V-DOB NOT = MASK(MMDDYY)
2030          MOVE BY NAME PATIENT TO PATIENT-UPDATE

Enter-PF1---PF2---PF3---PF4---PF5---PF6---PF7---PF8---PF9---PF10---PF11---PF12---
      Help      Exit      Prev Next      Ctxt      Main
```

Figure 1-22 Impact Element Categorization screen

SCREEN ITEMS	DESCRIPTION
Object	The name of the selected object.
Field	The name of the selected data item.
Attr	The format and length of the selected data item.
Impact Type	The type of impact description based on the 2-byte code found on the Object Categorization screen. <i>Note: For more information on type of impact refer to the section Impact Types.</i>
Ext. Object	The name of the object that contains the item as impacted e.g., external Local Data Area with a Data Item definition.
Search Criteria	The reason for this data item impact based on the criteria specified.
Stmt	The statement line number of the code that is identified as impacted.
Source Line	The statement code which is impacted.

PFKEYS	DESCRIPTION
PF1	Activates the help function.
PF3	Exit from the current function and return to previous screen.
PF7	Displays previous page.
PF8	Displays next page.
PF10	Invokes the Field Context List screen, which shows the context of the selected data item within the data definitions of the selected object.
PF12	Returns to the Natural Engineer Main Menu.

Field Context List Screen

The context of any selected data item can be seen using the Field Context List screen, which displays the relationship of the selected data item within the data definitions of an object and the relative offsets where applicable.

The Field Context List screen is invoked by using 'PF10' (Ctxt) from the Element Categorization screen.

The following Figure 1-23 illustrates the Field Context List screen.

```

- Field Context List -      Application: HOSPITAL
Object: XX023P01           Page: 1
Field: PATIENT.#V-YY
  Stmt      Start  End Lvl Field Name      Attr
-----
  0003      1      7 02 PATIENT-ID        N7
  0004      1      7 02 REDEFINE PATIENT-ID
  0005      1      2 03 #V-YY          A2
  0006      3      7 03 #V-NUMBER     N5

Enter-PF1---PF2---PF3---PF4---PF5---PF6---PF7---PF8---PF9---PF10--PF11--PF12---
                Exit                Prev Next                Top                Main

```

Figure 1-23 Field Context List screen

1**Natural Engineer Application Analysis & Modification**

SCREEN ITEMS	DESCRIPTION
Object	The name of the selected object.
Field	The name of the selected data item.
Stmt	The statement line number within the data definitions of an object.
Start	The starting position of each data item.
End	The ending position of each data item.
Lvl	The level number for each data item.
Field Name	The data item name.
Attr	The Format and Length of each data item.

PFKEYS	DESCRIPTION
PF3	Exit from the current function and return to previous screen.
PF7	Displays previous page.
PF8	Displays next page.
PF10	Reposition to the top of the list.
PF12	Returns to the Natural Engineer Main Menu.

Impact Types

The following table shows all of the available impact types by criteria group:

Type	Description
Standard	
I	Data Item.
ID	Data Item - Derived fields.
M	Database Access.
A	Database File and Field.
AD	Database File and Field - Derived fields.
K	Keyword.
T	Literal.
TC	Literal comments.
Q	Definition.
QD	Definition - Derived fields.
S	Source code change.
Adjust	
J	Adjust.
Code Improvement	
7A	FIND <de=val> OR <de=val>.
7B	FIND <de> GE <val> AND <de> LE <val>.
7C	FIND <de=val> AND <de=val>.
7D	FIND <de=val> WHERE <non-de>.
7E	FIND <de> AND <non-de>.
7F	Nested READ/FIND loops.
7G	Assignment stmts with different format/lengths.
7H	REPEAT UNTIL/WHILE.
7I	Comparison statements arrays vs. literals.
7J	SUBSTRING.

Type	Description
7K	HISTOGRAM.
7L	Numerical fields in calculations.
7M	Arrays within group fields.
7N	External Objects.
7O	Callnats and number of parms.
7P	System variables referenced GT 1.
7Q	PDA fields in calculations.
7R	Array assignments in non-db loops.
7S	Assignment stmts with different format/lengths.
7T	Alpha literal values and variables.
7U	DECIDE ON using system variables.
7V	Insert RECORD option for READ WORK FILE.
7W	Move Occurrence No. to each PE member.
7X	Replace MOVE INDEXED with appropriate MOVE.
7Y	FOR & REPEAT loops to use named constants.
7Z	Find unused dataitems in programs.
71	Split STACK COMMAND stmts with embedded data.
72	Find unused Global variables.
73	Find unused source code lines.
Object Builder	
G	Object Builder Line Range.
P	Object Builder Field Element.
V	Object Builder View Used.
C	Object Builder Initial/Temporary Impact.
X	Object Builder field external to line range referencing a line within the line range.
Y	Object Builder Escape Routine.

Natural RPC

- 4A** Natural keyword FETCH prohibited.
- 4B** Natural keyword RUN prohibited.
- 4C** Natural keyword INPUT prohibited.
- 4D** Natural keyword STOP works the same as ESCAPE ROUTINE.
- 4E** Natural keyword TERMINATE works the same as ESCAPE ROUTINE.

Multi Search

- 1** Specified
- 1D** Derived
- 1X** Excluded

Natural version 2.2-3.1 Conversion

- 3a** Redefinition of DB Arrays.
- 3b** DEFINE WINDOW Minimum Size.
- 3c** DIVIDE and Decimal Positions. The actual DIVIDE statement.
- 3h** DIVIDE and Decimal Positions. The Data Definition affected.
- 3d** Comparison Logic for MU's in FIND.. WITH.
- 3e** Empty Statement Blocks. IGNORE inserted into empty statement block.
- 3@** Empty Statement Blocks. Empty Statement block commented out and maximum variable value inserted.
- 3g** No uppercase translation for *COM.
- 3I** Results of SIN, COS and TAN functions.
- 3j** More precise SQRT Function Results.
- 3k** Assignments of Numbers with Decimals to Time Fields.
- 3l** MOVE RIGHT JUSTIFIED where target field is smaller than source field.
- 3m** Negative Values to Date Fields.
- 3n** More precise results for Floating Point Conversions and computation of floating point exponentiation.
- 3o** Comparison and Assignment of Variable Array Ranges.
- 3p** NAT1117 and NAT0924 replaced by NAT0082.

1

Natural Engineer Application Analysis & Modification

- 3q** Obsolete Error Messages.
- 3r** Changed System Variable *TPSYS under BS2000.
- 3s** Priority of PRINT/WORK FILE Statements.
- 3t** Usage of User Exit Modules Copies from SYSEXT.
- 3u** Internal Handling of AD=O.
- 3v** EJECT Statement Required Operand LESS.
- 3w** ESCAPE not Valid AT START OF DATA. ESCAPE TOP and ESCAPE BOTTOM not allowed in ON ERROR blocks.
- 3x** Decimal Digits of Constant Values.
- 3y** NEWPAGE Statement Required Operands LESS/TOP.
- 3z** PRINT Statement LS Parameter invalid.
- 31** BEFORE BREAK within IF condition invalid.
- 32** SUBSTRING clause, where the offset plus the length of the substring must not exceed the length of the field.
- 33** MOVE BY NAME statement where redefinition of alpha fields to numeric exist and both source and target numeric field are same length.

Porting

- 6A** Alpha variables with redefinition variables defined using formats Binary, Integer or Packed.
- 6B** Numeric variables that are moved to Alpha variables.

Refactoring

- 81 Screen I/O within database processing loops.
- 82 Missing database labels.
- 83 Missing non-database labels.
- 84 Convert numeric back references to labels.
- 85 Find unused source code lines.
- 86 Find unused dataitems in programs.

Impact Analysis Inventory

The Analysis Inventory consists of a set of Impact Reports, which provide various types of information concerning the Impact Analysis, including a view of used Search Criteria. Reports are available at the summary, object and detailed data item levels.

The information provided by the Impact reports complements the information found in the Impact Element Maintenance screen.

The Impact Reports can be accessed by selecting option 'I' (Impact Reports) from the Impact Analysis Menu screen.

The following list illustrates the Impact Reports that are available:

- Search Criteria
- Application Impact Summary
- Object Impact Summary
- Impacted External: Objects
- Impacted External: Interfaces
- Impacted CONSTRUCT Models
- All Impacts
- Impacted JCL Steps
- Data Item Impact Inventory
- Impacted Steplib Inventory
- Data Item Impact Usage Inventory

Note: For more information on the Impact Reports refer to Chapter 3 in the Natural Engineer Reporting manual.

MODIFICATION PROCESSES

Chapter Overview

This chapter describes the Modification options available from the Modification menu.

The Modification processes provide all the facilities to modify object source code for the objects within an application held on the Repository. The Modification process relies on the Analysis information generated by the Impact execution and is controlled by the Impact Version process.

Once Modification has been executed, there are various reporting options to view the results either online or using textual reports.

All the Modification processes are available from the Modification menu.

The topics covered in this chapter:

1. [Modification Preferences](#)
2. [Modification Element Maintenance](#)
3. [Execute Modification for All Objects](#)
4. [Modification Inventory](#)

Modification Preferences

The Modification Preferences option is used to specify override TLMs for an application and is accessed from the Modification menu.

TLMs are Natural objects with an object type of Text, containing the required processing code to be used during modification. They need to exist on either the modification library specified in the Application Properties or, can be held on the Natural SYSTEM library.

After the override TLMs have been saved, they need to be defined using the Modification Preferences option in order that Natural Engineer can recognize them and use them during the modification process.

When override TLMs are specified for an application, they will override any site wide TLM settings that are in place, across all versions for the currently selected application.

Note: Site wide TLMs are specified using the Default Text Logic Members option found by selecting option 'T' (Default Text Logic Members) from the Options Menu screen.

For more information on the Default Text Logic Members option refer Chapter 1 in the Natural Engineer Administration Guide for Unix manual.

Supplied Sample Text Logic Members

Natural Engineer comes supplied with three Text Logic Member (TLM) objects that can be adapted and used for the Modification Preferences option.

The sample TLMs supplied are:

1. TLMSTART
2. TLMCOM
3. TLMAFTER
4. TLMDYNAM

Note: These objects can be found on the Natural Engineer SYSNEE library and will need to be moved to either SYSTEM or modification libraries as required. If moved to the SYSTEM library, they will be available to all modification libraries.

New TLMs can be generated and added to the required Natural library and their usage must correspond to the TLM types that are available.

2

Natural Engineer Application Analysis & Modification

TLMSTART

This is an example 'Start' TLM. It may be used for Structured Mode or Reporting Mode objects.

```
0010 * -----  
0020 * TLMSTART - START  
0030 * -----  
0040 FORMAT PS=24 LS=132  
0050 * -----  
0060 * TLMSTART - END  
0070 * -----
```

This will get inserted before the first line of procedural code in an object e.g., after the definitions in a Structured Mode program.

TLMCOM

This is an example 'Comment' TLM. It will get inserted at the start of an object for object types: Program, Subprogram and Subroutine.

```
0010 /* -----  
0020 /* TLMCOM-START  
0030 /* -----  
0040 /* Updated by: XX-USER Dated: XX-DATE Time: XX-TIME using NEE  
0050 /* -----  
0060 /* TLMCOM -END  
0070 /* -----
```

The XX-USER will be translated to *USER contents

The XX-DATE will be translated to DD/MM/YYYY from *DATX

The XX-TIME will be translated to HH:II:SS from *TIMX

The user can add additional code to their own specifications.

TLMAFTER

This is an example 'After Field' TLM for a field that would get inserted after a particular keyword or data item if specified in the Impact Criteria or on the Modification Element Maintenance screen.

```
0010 * -----  
0020 * TLMAFTER - START  
0030 * -----  
0040 PERFORM ##VALIDATION  
0050 * -----  
0060 * TLMAFTER - END  
0070 * -----
```

TLMDYNAM

This is an example 'Dynamic operand replacement' TLM. It is used when a TLM that has been used to modify a statement and retain the original statement operands.

For more information refer to the section [Dynamic Operand replacement in Text Logic Members](#).

```
0010 /* -----  
0020 /*  
0030 /* Sample TLM to show dynamic replacement of operands.  
0040 /* This example shows how to use dynamic operand replacement to  
0050 /* convert all MOVE statements to ASSIGNS  
0060 /*  
0070 /* Impact Criteria = MOVE with replacement TLM set of TLMDYNAM  
0080 /*  
0090 /* Up to 10 dynamic operands per statement may be specified.  
0100 /* Conditional logic is specified via **NEE XX-OPERn and closed via  
0110 /* **NEE BLOCK-END  
0120 /*  
0130 /* START OF TLMDYNAM  
0140 /*  
0150 /* -----  
0160 ASSIGN XX-OPER2 = XX-OPER1  
0170 **NEE XX-OPER3  
0180 ASSIGN XX-OPER3 = XX-OPER1  
0190 **NEE BLOCK-END  
0200 **NEE XX-OPER4  
0210 ASSIGN XX-OPER4 = XX-OPER1  
0220 **NEE BLOCK-END  
0230 **NEE XX-OPER5  
0240 ASSIGN XX-OPER5 = XX-OPER1  
0250 **NEE BLOCK-END  
0260 **NEE XX-OPER6  
0270 ASSIGN XX-OPER6 = XX-OPER1  
0280 **NEE BLOCK-END  
0290 /* -----  
0300 /* END OF TLMDYNAM  
0310 /* -----
```

Dynamic Operand replacement in Text Logic Members

If a TLM is used to modify a statement, it is possible to retain the use of the operands from the original statement within the TLM.

For example, if all MOVE statements are to be replaced by ASSIGN statements, the following search criteria could be specified:

Search Keyword = MOVE,
Replace TLM value = 'TLMDYNAM'
Replace Position set to REPLACE.

Note: For details on the sample TLM: TLMDYNAM refer to the section [Supplied Sample Text Logic Members](#).

Points to note using Dynamic Operand replacement TLMs:

1. Operands in the original statement are referenced in the TLM by using XX-OPERn. A maximum of 10 operands can be replaced this way, i.e., XX-OPER1 to XX-OPER10.
2. The replace TLM will only be activated with position set to REPLACE (search criteria specification). If position AFTER or BEFORE is used, then the dynamic operand replacement will not occur.
3. Conditional logic can be used within the TLM, by using the '**NEE' notation at the start of the statement line.

In the sample TLM above at line 0170, the statement '**NEE XX-OPER3' is an IF condition checking to see if XX-OPER3 exists in the original statement. If it does then the statement ASSIGN XX-OPER3 = XX-OPER1 will be included in the modified object. The '**NEE BLOCK-END' statement acts as an END-IF.

2

Natural Engineer Application Analysis & Modification

Example of Dynamic Operand replacement in a TLM

The following example illustrates a simple object which will have a modification applied changing the MOVE statement to ASSIGN using the example TLM illustrated above.

Sample object before modification:

```
0010 DEFINE DATA LOCAL
0020 01 #A          (A10)
0030 01 #B          (A10)
0040 01 #C          (A10)
0050 01 #D          (A10)
0060 01 #E          (A10)
0070 END-DEFINE
0080 /*
0090 MOVE #A TO #B #C #D #E
0100 /*
0110 END
```

The operands for dynamic replacement are:

#A for XX-OPER1
#B for XX-OPER2
#C for XX-OPER3
#D for XX-OPER4
#E for XX-OPER5

After modification the object code will look like this:

```
0010 DEFINE DATA LOCAL
0020 01 #A          (A10)
0030 01 #B          (A10)
0040 01 #C          (A10)
0050 01 #D          (A10)
0060 01 #E          (A10)
0070 END-DEFINE
0080 /*
0090 /* MOVE #A TO #B #C #D #E /* NEE OLD CODE
0100 /*
0110 /* -----
0120 /* START OF TLMDYNAM
0130 /* -----
0140 ASSIGN #B = #A
0150 ASSIGN #C = #A
0160 ASSIGN #D = #A
0170 ASSIGN #E = #A
0180 /* -----
0190 /* END OF TLMDYNAM
0200 /* -----
0210 END
```

Note: The leading comments from the supplied sample TLM: TLMDYNAM have been removed for the purpose of this example.

Modification Preferences Screen

All the specifications for the override TLMs are defined using the Modification Preferences screen.

This is accessed by selecting option 'P' (Modification Preferences) from the Modification Menu screen.

The following Figure 2-1 illustrates the Modification Preferences screen.

```

- Modification Preferences - Application: NEEDOCN

Text Logic Members: Application NEEDOCN Override TLM's

Opt TLM Type      Format Length  Mode      Edit Mask      Logic
_  COMMENT_____ -          _____  STRUCTURED _____  TLMCOM__

Enter-PF1---PF2---PF3---PF4---PF5---PF6---PF7---PF8---PF9---PF10--PF11--PF12---
      Help TLM  Exit          Save          Prev Next          Opts          Main

```

Figure 2-1 Modification Preferences screen

SCREEN ITEMS	DESCRIPTION
Opt	Line command options. Valid options are: T Insert a new line. D Delete the current line.
TLM Type	Specify what type of TLM is defined. Valid values are: START A TLM to be inserted at the Start of an Object. This is after the definition of the data items in the object. DATA A TLM that provides data items to be included in an object. MISC A TLM that is placed at the end of the object that can contain processing, for example including common routines. COMMENT To be inserted at the start of the object to explain another TLM inserted in the object. The following variables can be specified and will be replaced at remedy execution. <ul style="list-style-type: none"> • XX-DATE, which will be translated into DD/MM/YYYY • XX-TIME, which will be translated into HH:MM:SS • XX-USER, which will contain the user-id of the person who executed modification for the object. CMPT COMMENT The Component comment inserted at the start of the new component subprogram that has been created. CMPT DATA Component parameter data inserted as the last parameter passed in the subprogram. The TLM data must be specifically coded in this routine and must contain the following definition first. 01 #EXTRA-PDA If a component TLM is required to pass a data item #RESPONSE between the new subprogram and the object calling it then the following is the structure for this TLM: 01 #EXTRA-PDA 02 #RESPONSE (A1)

SCREEN ITEMS	DESCRIPTION
SAG05 R1	<p>This is the default modification for empty FOR and REPEAT statement blocks. The TLM will insert the keyword IGNORE into the empty block. For Example:</p> <pre>1020 REPEAT 1030 IGNORE 1040 END-REPEAT</pre> <p><i>Note: Used in Nat 2.2 to Nat 3.1 conversion.</i></p>
SAG05 R2	<p>This TLM type can be used as an alternative to the default SAG05R1. This will comment out the empty statement block but then insert a line of code to set the applicable variable to the maximum value. For Example:</p> <p>FOR #A = 1 TO 10, will insert MOVE 10 TO #A.</p> <p>This will only be applied to a FOR loop block, a REPEAT loop block will only get commented out.</p> <p>Additionally, if this TLM type is selected in the preference screen, then prior to modification the update field button will need to be used on the Modification Element Maintenance screen to ensure the correct TLM is applied during modification.</p> <p><i>Note: Used in Nat 2.2 to Nat 3.1 conversion.</i></p>
Format	The format of the data item the TLM relates to. (Not used at present.)
Length	The length of the data item the TLM relates to. (Not used at present.)
Mode	Programming mode to which the TLM applies. Valid values are: <ul style="list-style-type: none"> Structured Structured mode Reporting Reporting mode
Edit Mask	The specific edit mask for the data item that the TLM relates to. (Not used at present.)
Logic Member	Name of the TLM to be used.

PFKEYS	DESCRIPTION
PF1	Activates the help function.
PF2	Displays a selection list of valid TLM Types. <i>Note: For more information on TLM Types refer to the screen item TLM Type</i>
PF3	Exit from the current function and return to previous screen.
PF5	Saves the specified default TLM details.
PF7	Displays previous page.
PF8	Displays next page.
PF10	Displays the options available to view alternate TLM settings. <i>Note: For the Default TLM option only SiteWide TLM's are viewable.</i>
PF12	Returns to the Natural Engineer Main Menu.

Modification Element Maintenance

The Modification Element Maintenance option provides the facility to review and modify interactively, the default modifications to be applied to objects from the last Impact execution for the currently selected version within an application. All impacted objects within an application are available for selection, once selected a list of the impacted data items within the object are listed.

The Modification Element Maintenance option allows each modification to be updated to change the modification types, categories and replacement values as desired. The Modification changes to be applied can be reviewed before they are implemented, using the Browser.

The Modification Element Maintenance option also provides the facility to review the Impact results in the Browser.

Modifications to single objects can be implemented from this option.

The Modification Element Maintenance option is accessed by selecting option 'M' (Modification Element Maintenance) from the Modification Menu screen.

Modification Object Selection Screen

All the impacted objects for the previous Impact Execution for the current selected Impact Version are listed on the Modification Object Selection screen. Each object can be selected to show a list of the individual impacted data items within the selected object.

The following Figure 2-2 illustrates the Modification Object Selection screen.

```

      - Modification Object Selection - Application: HOSPITAL
                                   Version: 01
Select  Object Name                Date of Modification
  -      XXGETID                    N/A
  -      XXTIDYUP                   N/A
  -      XX000G00                   23 Sep 2001 at 14:18:28
  -      XX001L01                   23 Sep 2001 at 14:18:28
  -      XX001M01                   23 Sep 2001 at 14:18:28
  -      XX001P01                   23 Sep 2001 at 14:18:29
  -      XX002L01                   23 Sep 2001 at 14:18:29
  -      XX002M01                   23 Sep 2001 at 14:18:30
  -      XX002P01                   23 Sep 2001 at 14:18:30
  -      XX021L01                   N/A
  -      XX021L02                   N/A
  -      XX021M01                   23 Sep 2001 at 14:18:31
  -      XX021P01                   23 Sep 2001 at 14:18:32
  -      XX022M01                   23 Sep 2001 at 14:18:32
  -      XX022P01                   23 Sep 2001 at 14:18:33
Reposition ->
Object Lang. * All                Object Types 4CD3GHLMAPNS
Enter-PF1---PF2---PF3---PF4---PF5---PF6---PF7---PF8---PF9---PF10--PF11--PF12---
      Help  Types Exit                Prev Next                Main

```

Figure 2-2 Modification Object Selection screen

SCREEN ITEMS	DESCRIPTION
Select	This is the selection column where individual objects can be selected. Valid selections are: 'S' Select object.
Object Name	Lists all the impacted objects for the current Impact Version.
Date of Modification	The date and time Modification was applied to an object. If the object has not yet been modified, then this will default to 'N/A'.
Reposition	Reposition the list of objects starting from the new value entered. The reposition value can be input using either a complete name or part name using an '*' (asterisk) wildcard. For example: * Will reposition at the start of the Object list. For the HOSPITAL system, this would start the object list from object XXCONPDA. XXE* Will reposition at the first object name that matches the mask XXE or is greater than the mask input. For the HOSPITAL system, this would start the object list from object XXEXIT. XX000G01 Will reposition at the first object name that matches the mask exactly or is greater than the object name input. For the HOSPITAL system, this would start the object list from object XX001L01 as object XX000G01 does not exist.

PFKEYS	DESCRIPTION
PF1	Activates the help function.
PF2	Invoke the Object Type Selection pop-up window. Available selections are: Object Language 'C' COBOL 'N' Natural Object Types '4' Classes 'C' Copycode 'D' Data Definition Modules '3' Dialogs 'G' Global Data Areas 'H' Help routines 'L' Local Data Areas 'M' Maps 'A' Parameter Data Areas 'P' Programs 'N' Subprograms 'S' Subroutines
PF3	Exit from the current function and return to previous screen.
PF7	Displays previous page.
PF8	Displays next page.
PF12	Returns to the Natural Engineer Main Menu.

Modification Object Categorization Screen

After selecting an object using option 'S' from the Modification Object Selection screen, the Modification Object Categorization screen is displayed, showing all the individual impacted data items within the selected object.

The following Figure 2-3 illustrates the Modification Object Categorization screen.

```

- Modification Object Categorization - Application: HOSPITAL
                                     Version: 01
XX001P01 - Program remedy executed on 23 Sep 2001 AT 14:18:29
C T Line Attr Ext.Obj Element Name
- N I 0020 A070 XX000G00 #G-MESSAGE
- N I 0020 A070 XX001L01 #L-MESSAGE
- A I 0110 #L-MESSAGE
- A I 0240 #L-MESSAGE
- A I 0260 #L-MESSAGE

Enter-PF1---PF2---PF3---PF4---PF5---PF6---PF7---PF8---PF9---PF10--PF11--PF12---
      Help      Exit      Mod      Prev Next      Edit Main

```

Figure 2-3 Modification Object Categorization screen

SCREEN ITEMS	DESCRIPTION
Object	The selected object name followed by the type of object applicable. The date and time Modification was applied to an object is appended to the end. If the object has not yet been modified, then this will default to ' not yet modified '.
Sel	This is the selection column where individual data items can be selected. Valid selections are: 'S' Select object.
C	This is a 1-byte value, which denotes the Category of Modification to be applied for the data item. <i>Note: For more information on these categories refer to the section Modification Categories.</i>
T	This is a 2-byte value, which denotes the type of impact. <i>Note: For more information on type of impact refer to the section Impact Types.</i>
Line	Line number in the object where the Impact was identified.
Attr	The definition of the item, if appropriate.
Ext.Obj	The name of the object that contains the item as impacted e.g., external Local Data Area with a Data Item definition.
Element Name	Lists all the data items impacted within the selected object.

PFKEYS	DESCRIPTION
PF1	Activates the help function.
PF3	Exit from the current function and return to previous screen.
PF5	<p>Executes any automatic Modification changes, by copying the code into the defined Modification library and changing the code as required.</p> <p><i>Note: This will only apply Modification changes to the currently selected object.</i></p> <p><i>Note: If the object is from a PAC application, then a set of validations will be performed to check that the modification can be applied. For more information refer to the section PAC Applications.</i></p>
PF7	Displays previous page.
PF8	Displays next page.
PF11	<p>Invokes the Natural editor for the object that has been selected. Natural Engineer will be closed down. The Natural editor that is invoked will depend on the object type of the selected object, e.g., if a program object has been selected, then the program editor will be invoked.</p> <p>The library will be the Modification library specified in the Application Properties.</p> <p><i>Note: It is possible to return back to Natural Engineer by typing in 'NATENG' in the Natural command line. This will return you back to the Object Categorization screen.</i></p>
PF12	Returns to the Natural Engineer Main Menu.

Modification Element Categorization Screen

After selecting a data item using option 'S' from the Modification Object Categorization screen, the Modification Element Categorization screen is displayed, showing all the usage information for the selected impacted data item, within the selected object.

The following Figure 2-4 illustrates the Modification Element Categorization screen.

```

- Modification Element Categorization - Application: HOSPITAL
                                         Version: 01
                                         Page: 1
Object: XX001P01
Field : #L-MESSAGE
Attr  :      External Object Name:
Category : A   Automatic           Replace Defn: _____ TLM: _____
Type    : I_  Data Item              Pos: _____
Replace Value: #L-MSG_____
User Comment : _____
TLM Data    : _____
Reason : Data item can be automatically changed
User ID:      Last Update      :
              Execution Date : 23 Sep 2001 at 14:18:29

Stmt Source Line
0020  1 #L-MESSAGE                A   70 /* Message at bottom of Scre
0110 RESET #L-MESSAGE
0240  MOVE "INVALID OPTION SELECTED" TO #L-MESSAGE
0260  MOVE "INVALID PF KEY PRESSED" TO #L-MESSAGE

Enter-PF1---PF2---PF3---PF4---PF5---PF6---PF7---PF8---PF9---PF10---PF11---PF12---
      Help      Exit      Updt  SCrit Prev Next +Parm Ctxt      Main

```

Figure 2-4 Modification Element Categorization screen

SCREEN ITEMS	DESCRIPTION
Page	The page number for the Source Lines being displayed. Up to 6 lines of source code are displayed at a time.
Object	The name of the selected object.
Field	The name of the selected data item.
Attr	The Format and Length of the selected data item, if appropriate.
External Object Name	The name of the object that contains the item identified as impacted e.g., external Local Data Area with a Data Item definition.
Category	The default Modification Category provided by Impact execution. This can be overwritten with a different value and updated using 'PF5' (Updt). <i>Note: For more information on these categories refer to the section Modification Categories.</i>
Type	The default Impact Type provided by Impact execution. This can be overwritten with a different value and updated using 'PF5' (Updt). <i>Note: For more information on type of impact refer to the section Impact Types in Chapter 1.</i>
Replace Defn	The definition to replace the original definition of the Item.
TLM	The name of the TLM to be used. This will display the name of the TLM that was specified with the Search Criteria, otherwise will be blank. A new TLM name can be input here.
Pos	The position the TLM will be inserted relative to the Item. Available values are: <ul style="list-style-type: none"> ▪ After ▪ Before ▪ Replace.
Replace Value	The value with which to replace the Item.
User Comment	A user-entered comment usually used to explain any change made to the defaults.
TLM Data	Data for passing to the TLM. The modification process will move the value into the TLM Data field. TLM data field is XX-TLM.
Reason	Natural Engineer's reason for assigning the Category and Type.
User ID	The User ID of the last change made to that Item.
Last Update	The date and time of the last update to the Modification options.
Execution Date	The date and time Modification was applied to an object. If the object has not yet been modified, then this will default to ' not yet modified '.

SCREEN ITEMS	DESCRIPTION
Object Details	This section will display all the references of the selected data item for the selected object. Up to 6 lines are displayed per page. These details are organized in the following columns:
Stmt	The statement line number of the code that is identified as impacted.
Source Line	The statement code which is impacted.

PFKEYS	DESCRIPTION
PF1	Activates the help function.
PF3	Exit from the current function and return to previous screen.
PF5	Applies any changes made to the Modification settings, to the Item.
PF6	Displays the Impact reason for the selected data item, based on the criteria specified.
PF7	Displays previous page.
PF8	Displays next page.
PF9	Additional Modification parameters. These parameters are available for maps so that the user can additionally specify entries for the following values: AL Display length for alphanumeric data item. NL Display length for a numeric data item. EM Edit mask for the data item.
PF10	Invokes the Field Context List screen, which shows the context of the selected data item within the data definitions of the selected object and the relative offsets if applicable.
PF12	Returns to the Natural Engineer Main Menu.

Field Context List Screen

The context of any selected data item can be seen using the Field Context List screen, which displays the relationship of the selected data item within the data definitions of an object.

2

Natural Engineer Application Analysis & Modification

The Field Context List screen is invoked by using 'PF10' (Ctxt) from the Element Categorization screen.

The following Figure 2-5 illustrates the Field Context List screen.

- Field Context List -					Application: HOSPITAL
					Version: 01
					Page: 1
Object: XX021P01					
Field: #L-TEMP-DATE.#L-TEMP-DATE-N6					
Stmt	Start	End	Lvl	Field Name	Attr

0460	1	8	01	#L-TEMP-DATE	N8
0470			01	REDEFINE #L-TEMP-DATE	
0480	1	2	02	{FILLER}	A2
0490	3	8	02	#L-TEMP-DATE-N6	N6

Enter	PF1	PF2	PF3	PF4	PF5	PF6	PF7	PF8	PF9	PF10	PF11	PF12
		Exit				Prev	Next		Top		Main	

Figure 2-5 Field Context List screen

SCREEN ITEMS	DESCRIPTION
Object	The name of the selected object.
Field	The name of the selected data item.
Stmt	The Natural statement line number within the data definitions of an object.
Level	The level number for each data item.
Field Name	The data item name.
Attr	The Format and Length of each data item.

PFKEYS	DESCRIPTION
PF3	Exit from the current function and return to previous screen.
PF7	Displays previous page.
PF8	Displays next page.
PF10	Reposition to the top of the list.
PF12	Returns to the Natural Engineer Main Menu.

Modification Categories

The following table shows all of the available modification categories:

Cat	Description
A	Automatic These are changes that can be made automatically by the Natural Engineer Modification process.
G	Generated Applies to CONSTRUCT and Predict Case objects. These are changes that must be made manually by a user.
M	Manual These are changes that must be made manually by a user.
N	Not Applicable These are Items that are not relevant for change.
R	Reject These are Items that have been Rejected for change by a user.
X	User Exit These are changes applied based on customized settings applied using the Natural Engineer supplied User Exit NEEUEX3. <i>Note: For more information on User Exit usage refer to the section User Exit Modification.</i>

User Exit Modification

Customizable modifications can be applied by making use of the supplied user exit module NEEUEX3.

The user exit module can be customized to replace selected Impact items within an object with up to 20 lines of new source code.

Note: The user exit module supplied is named 'NEEUEX3X' on the Natural Engineer SYSNEE library. This is to avoid overwriting any existing (modified) versions on the production SYSNEE library during Natural Engineer installation. If this user exit has not been loaded before, then it will need to be renamed to 'NEEUEX3' before making use of the User Exit Modification functionality.

The user exit module can be invoked during the Modification process by selecting an impacted statement line in the Impact item list on the Modification Element Maintenance screen and changing the Modification Category to 'X' (User Exit).

Example of User Exit Modification

This example is based on the sample code from the supplied user exit module.

Impact Analysis is run against the HOSPITAL application using the following Impact Criteria settings of DBFILE (Impact Type), PATIENT (Keyword Value) and PATIENT-ID (Search Value).

The impacted item at statement line number 0690 within object XX021P01 is selected and the Modification Category changed to 'X' (User Exit).

The Modification process is then invoked for object XX021P01.

Sample source code for object XX021P01 before Modification:

```
0630 *
0640 SET KEY ALL
0650 MOVE *DATN TO #L-TEMP-DATE
0660 DECIDE ON FIRST VALUE OF #G-SELECTED-OPTION
0670 VALUE "A"
0680 MOVE *DATX TO PATIENT.RELEASED
0690 CALLNAT "XXGETID" PATIENT.PATIENT-ID #L-TEMP-DATE-N6
0700 MOVE " ADD A PATIENT" TO #M-MAP-HEADING
```

2

Natural Engineer Application Analysis & Modification

Sample source code for object XX021P01 after Modification:

```
0630 *
0640 SET KEY ALL
0650 MOVE *DATN TO #L-TEMP-DATE
0660 DECIDE ON FIRST VALUE OF #G-SELECTED-OPTION
0670 VALUE "A"
0680 MOVE *DATX TO PATIENT.RELEASED
0690 /* CALLNAT "XXGETID" PATIENT.PATIENT-ID #L-TEMP-DATE-N6 /* NEE OLD
0700 * /* Changed
0710 * Start of Block of Code from NEEUEX3 /* Changed
0720 * /* Changed
0730 CALLNAT "SAGGETID" PATIENT.PATIENT-ID #L-TEMP-DATE-N6 /* Changed
0740 * /* Changed
0750 * End of Block of Code from NEEUEX3 /* Changed
0760 * /* Changed
0770 MOVE " ADD A PATIENT" TO #M-MAP-HEADING
```

Execute Modification for All Objects

The Execute Modification for All Objects option invokes the Modification process, which will apply the specified Modifications to the object source code for all the objects within an application, held on the Repository in one single operation.

This option is usually executed after review and confirmation that all Modification Categories, Types and other settings are as required, using the Modification Element Maintenance screen and Modification Reports.

Each object is modified as follows:

- The object is found in the application Natural library (i.e., the Natural library from which the Extract process extracted the objects).
- The object is then copied over to the Modification library (i.e., as specified in the Application Properties).
- During the copy phase, the Modification process checks the Impact and Modification data held in the Repository for the object being modified and applies it to the modified version.

This is accessed by selecting option 'A' (Execute Modification for All Objects) from the Modification Menu screen. This will open the NATRJE Job Submission screen.

2

Natural Engineer Application Analysis & Modification

The following Figure 2-6 illustrates the NATRJE submission screen for the Execute Modification for All Objects option.

```

          - Job Submission -           Application: HOSPITAL

Job Selection details
-----
Job Selected   : (REMEXE) EXECUTE REMEDY FOR ALL OBJECTS

Job Card details
-----
Job Name      : XGSLXX__
Job Class     : _

Job Control Record details
-----
Control Status :
Last Job Submitted
Job Name      :
Opid         :
Step         :
Return Code   :

Enter-PF1---PF2---PF3---PF4---PF5---PF6---PF7---PF8---PF9---PF10--PF11---PF12---
Help       Exit       Sub   Ref               Rel               Main

```

Figure 2-6 NATRJE Job Submission screen

Note: For more information on the NATRJE Job Submission screen refer to the Natural Engineer Batch Processing (Unix) manual.

Warning: For any objects being modified, if the same object already exists in the Modification library, then it will be over written by the new version created during the Modification process.

PAC Applications

This section only applies if Natural Engineer is executing in a mainframe environment and PAC version 2.4.2 or above is installed.

If the Modification is to be applied to objects from a PAC Application, then the Modification process will apply a set of validations to each object to check that the object can be modified. If any of the validations fail, then the object will not be modified.

The validations are:

- The object is already 'checked out' by another PAC user.
- The Repository version of the object is different to the PAC version of the object.
- If a PAC Check Out log for the object has not been created.

Modification Inventory

The Modification Inventory consists of a set of Modification Reports, which provide various types of information concerning the Modification process. Reports are available at the summary, object and detailed data item levels.

The Modification Reports can be accessed by selecting option 'R' (Modification Reports) from the Modification Menu screen.

The following list illustrates the Modification Reports that are available:

- Application Modification Summary
- Object Modification Summary
- Category / Type Summary
- PREDICT Changes
- Data Item Inventory Modification
- Data Item Inventory for Automatic Modification
- Data Item Inventory for Manual Modification
- Impacted Objects Not directly Modified
- CONSTRUCT Models Not directly Modified
- Database Data Requirements Modification

Note: For more information on the Modification Reports refer to Chapter 3 in the Natural Engineer Reporting manual.

In addition to the Modification Reports, all modification changes generate audit trail records of the before and after images of the changed source code. These audit trail records can be reviewed using the Change Management Tracking option from the Utilities menu.

Note: For more information on the Change Management Tracking option refer to Chapter 2 in the Natural Engineer Utilities for Unix manual.

COMBINATION SEARCH KEYWORDS

Chapter Overview

This chapter describes the combination search keywords that can be used when specifying Search Criteria for the Impact Analysis option.

These search keywords are not Natural statements in themselves, but are used to qualify a group of Impact Criteria, which may encompass several Natural statements in the process.

The topics in this chapter are:

1. [ADJUST](#)
2. [CODE IMPROVEMENT](#)
3. [OBJECT BUILDER](#)
4. [NATRPC](#)
5. [MULTI SEARCH](#)
6. [MVS NAT22 TO31](#)
7. [PORTING](#)
8. [REFACTORING](#)

3

Natural Engineer Application Analysis & Modification

ADJUST

The search keyword ADJUST can be used to change the name of an object within an application.

Impact will identify the object that has been specified within an application and using the consistency option with this search keyword, will result in all references to the object being identified within the other objects in the application.

Modification will copy and rename the specified object to the modification library and then change all impacted references within objects to use the new object name.

Specifying Adjust

To use the Adjust criteria, you must first select the search keyword 'ADJUST' from the Search Keyword Selection pop-up window on the Impact Criteria screen.

The following Figure 3-1 illustrates the specification of search keyword ADJUST on the Impact Criteria screen.

```

                                     - Impact Criteria -      Application: HOSPITAL
                                                                    Version: 01
Search Keyword...: ADJUST_____
Object Name.....: _____
Keyword Value (Object Name)
_____

Replace Value....:
_____
                _ Data Item _ Literal

                                                                    Consistency: N
Modification Parm _____
Enter-PF1---PF2---PF3---PF4---PF5---PF6---PF7---PF8---PF9---PF10---PF11---PF12---
      Help  Types Exit          Add                                     Main

```

Figure 3-1 The specification of search keyword ADJUST

SCREEN ITEMS	DESCRIPTION
Keyword Value	The name of an object.
Replace Value	The replacement name to be used for the selected object.
Consistency	If not selected, then the object specified in the keyword value will be renamed using the replacement name. All calling references within the application will not be modified. If selected, then the object specified in the keyword value will be renamed using the replacement name and all calling references within the application will be modified to use the new name.

3

Natural Engineer Application Analysis & Modification

Example to illustrate the use of Adjust

This example will use the search keyword ADJUST to change the name of object XX021P01 to be SAG21P01. Consistency will be activated so that all references within the sample application HOSPITAL for object XX021P01 are found and changed to be SAG21P01.

Step 1 Create a new version of the Impact Criteria and using a Keyword of ADJUST, a Keyword value of 'XX021P01', a Replace Value of 'SAG21P01' and Consistency activated.

The following Figure 3-2 illustrates the specification of search keyword ADJUST in the Impact Criteria screen.

Impact Criteria	Application: HOSPITAL Version: 01
Search Keyword....: ADJUST _____	
Object Name.....: _____	
Keyword Value (Object Name) XX021P01 _____	
Replace Value.....: SAG21P01 _____	
_ Data Item Y Literal	
Modification Parm _____	Consistency: Y
Enter-PF1---PF2---PF3---PF4---PF5---PF6---PF7---PF8---PF9---PF10--PF11--PF12---	
Help Types Exit Add	Main

Figure 3-2 The specification of search keyword ADJUST

Step 2 Execute Impact analysis.

Step 3 Review the Impact results using the Impact Element Maintenance option. Impact Analysis will find impacts for three objects: XX002P01, XX021P01 and XX025P01.

The following Figure 3-3 illustrates the Object Impact Selection screen displaying the impacted objects for search keyword: ADJUST.

```

- Impact Object Selection -      Application: HOSPITAL
Option      Object Name                Version: 01
-          XX002P01
-          XX021P01
-          XX025P01

Reposition -> _____ Object Lang. * All
Object Types 4CD3GHLMAPNS
Enter-PF1---PF2---PF3---PF4---PF5---PF6---PF7---PF8---PF9---PF10--PF11--PF12---
Help  Types Exit                Prev Next                          Main
    
```

Figure 3-3 Object Impact Selection screen with impact results for ADJUST

Object XX021P01 has been impacted for the object rename. Objects XX002P01 and XX025P01 have been impacted because they make reference to object XX021P01.

Object XX002P01 will be selected using option ‘S’, to review the impacted data items using the Object Categorization screen.

3

Natural Engineer Application Analysis & Modification

The following Figure 3-4 illustrates the Object Categorization screen displaying the impacted data items within object XX002P01 for search keyword: ADJUST.

```
                - Impact Object Categorization - Application: HOSPITAL
                                      Version: 01
Object: XX002P01 - Program
  C Line Attr  Ext.Obj  Element Name
_  T  0250                XX021P01

Enter-PF1---PF2---PF3---PF4---PF5---PF6---PF7---PF8---PF9---PF10--PF11--PF12---
      Help      Exit          Prev Next          Main
```

Figure 3-4 Object Categorization screen with impact results for ADJUST

One single data item has been impacted within object XX002P01. For more detailed impact information, we need to select the data item using 'S' to display the Element Categorization screen.

The following Figure 3-5 illustrates the Element Categorization screen displaying the usage of the impacted data items within object XX002P01 for search keyword: ADJUST.

```
          - Impact Element Categorization - Application: HOSPITAL
                                         Version: 01
Object: XX002P01                          Page: 1
Field : XX021P01
Attr  :          Impact Type: Literal      Ext. Object:

Search Criteria: Searching All Objects for ADJUST , replace with 'SAG21P01'

Stmt Source Line
0250          FETCH "XX021P01"  /* ADD NEW PATIENT

Enter-PF1---PF2---PF3---PF4---PF5---PF6---PF7---PF8---PF9---PF10--PF11--PF12---
      Help      Exit      Prev Next      Ctxt      Main
```

Figure 3-5 Element Categorization screen with impact results for ADJUST

The Element Categorization screen shows us that the data item impacted is the literal 'XX021P01'.

The other impacted objects in this example can be reviewed using the same selection options to display the Object Categorization and Element Categorization screens.

3

Natural Engineer Application Analysis & Modification

Step 4 Review modification information by selecting objects using the Modification Element Maintenance option. Select each object to view the modification strategy. All object changes with a category of 'A' will be automatically completed by Natural Engineer. All others must be reviewed.

The following Figure 3-6 illustrates the Modification Object Selection screen displaying the modification details for search keyword: ADJUST.

- Modification Object Selection - Application: HOSPITAL		
Version: 01		
Option	Object Name	Date of Modification
-	XX002P01	N/A
-	XX021P01	N/A
-	XX025P01	N/A

Reposition -> _____
 Object Lang. * All Object Types 4CD3GHLMAPNS
 Enter-PF1---PF2---PF3---PF4---PF5---PF6---PF7---PF8---PF9---PF10--PF11---PF12---
 Help Types Exit Prev Next Main

Figure 3-6 Modification Object Selection screen with modification details for ADJUST

Object XX002P01 will be selected using option 'S', to review the impacted data items using the Object Categorization screen.

The following Figure 3-7 illustrates the Modification Object Categorization screen displaying the impacted data items within object XX002P01 for search keyword: ADJUST.

```

- Modification Object Categorization - Application: HOSPITAL
                                     Version: 01
XX002P01 - Program - not yet modified
  C T Line Attr  Ext.Obj  Element Name
_  A T 0250                XX021P01

Enter-PF1---PF2---PF3---PF4---PF5---PF6---PF7---PF8---PF9---PF10--PF11--PF12---
      Help       Exit       Mod       Prev Next       Edit Main
```

Figure 3-7 Modification Object Categorization screen with modification details for ADJUST

One single data item has been impacted within object XX002P01. For more detailed impact information, we need to select the data item using 'S' to display the Element Categorization screen.

3

Natural Engineer Application Analysis & Modification

The following Figure 3-8 illustrates the Modification Element Categorization screen displaying the modification details for object XX002P01 for search keyword: ADJUST.

```

- Modification Element Categorization - Application: HOSPITAL
                                     Version: 01
Object: XX002P01                      Page: 1
Field : XX021P01
Attr  : External Object Name:
Category : A Automatic          Replace Defn: _____ TLM: _____
Type    : T Literal              Pos: _____
Replace Value: SAG21P01
User Comment : _____
TLM Data    : _____
Reason : Data item can be automatically changed
User ID:      Last Update      :
              Execution Date : Not yet modified

Stmt Source Line
0250          FETCH "XX021P01" /* ADD NEW PATIENT

Enter-PF1---PF2---PF3---PF4---PF5---PF6---PF7---PF8---PF9---PF10--PF11--PF12---
      Help      Exit      Updt SCrit Prev Next +Parm Ctxt      Main

```

Figure 3-8 Modification Element Categorization screen with modification details for ADJUST

The other impacted objects in this example can be reviewed using the same selection options to display the Object Categorization and Element Categorization screens.

Step 5 Execute modification using the Execute Modification for All Objects option from the Modification menu to apply all modifications in one single operation.

This will copy each object to the Modification library HOSPITAX, and apply the changes that have been specified. The changes applied are:

1. Rename object XX021P01 to SAG21P01,
2. In object XX002P01, change statement at line number 0250:
From: FETCH "XX021P01"
To FETCH "SAG21P01".
3. In object XX025P01, change statement at line number 1080 :
From: FETCH RETURN "XX021P01" #M-PATIENT-ID (#W-LOOP)
To: FETCH RETURN "SAG21P01" #M-PATIENT-ID (#W-LOOP).

3

Natural Engineer Application Analysis & Modification

Step 6 Review the modifications applied by opening the modification library HOSPITAX in Natural.

The following Figure 3-9 illustrates the modified objects in the modification library HOSPITAX.

```

User XGSLXX          - LIST Objects in a Library -          Library HOSPITAX
-----
Cmd  Name            Type            S/C  SM  Version  User ID  Date      Time
---  *              *              *    *  *        *      *        *
___  SAG21P01         Program        S    R   1.2.GS   21P01   19
___  XX002P01         Program        S    S   3.1.04   XGSLXX  2001-09-23  17:01:23
___  XX025P01         Program        S    S   3.1.04   XGSLXX  2001-09-23  17:01:24

                                                    3 Objects found

Top of List.
Command ==>
Enter-PF1---PF2---PF3---PF4---PF5---PF6---PF7---PF8---PF9---PF10--PF11--PF12---
      Help  Print Exit          --  -   +   ++          >   Canc
  
```

Figure 3-9 Modified objects in modification library HOSPITAX

From the object list it can be seen that object XX021P01 has been renamed to SAG12P01.

The following Figure 3-10 illustrates the modified source code within object XX002P01.

```
> + Program XX002P01 Lib HOSPITAX
Top .....1.....2.....3.....4.....5.....6.....7..
0010 DEFINE DATA
0020 GLOBAL
0030 USING XX000G00
0040 LOCAL
0050 USING XX002L01
0060 END-DEFINE
0070 *
0080 SET KEY ALL
0090 *
0100 REPEAT
0110 *
0120 INPUT USING MAP "XX002M01"
0130 RESET #M-MESSAGE
0140 *
0150 DECIDE ON FIRST VALUE OF *PF-KEY
0160 *
0170 VALUE "PF3", "PF15"
0180     FETCH "XX001P01"
0190 VALUE "PF12", "PF24"
0200     PERFORM XXEXIT
0210 VALUE "ENTR"
0220     DECIDE ON FIRST VALUE OF #M-OPTION
0230     VALUE "A"
0240     MOVE "A" TO #G-SELECTED-OPTION
0250 /*     FETCH "XX021P01" /* ADD NEW PATIENT /* NEE OLD CODE
0260     FETCH "SAG21P01" /* ADD NEW PATIENT /* NEE MODIFIED AUTO
```

Figure 3-10 Modified source code within object XX002P01

3

Natural Engineer Application Analysis & Modification

The following Figure 3-11 illustrates the modified source code within object XX025P01.

```

>
> + Program      XX025P01 Lib HOSPITAX
....+....1....+....2....+....3....+....4....+....5....+....6....+....7..
1030 DEFINE SUBROUTINE PROCESS-SELECTED
1040 *
1050 FOR #W-LOOP = 1 TO 15
1060   DECIDE FOR FIRST CONDITION
1070     WHEN #M-SELECTED(#W-LOOP) = " "
1080       ESCAPE TOP
1090     WHEN #M-SELECTED(#W-LOOP) NOT = " " AND
1100       #M-PATIENT-ID(#W-LOOP) = 0
1110       MOVE "YOU SELECTED A BLANK LINE - TRY AGAIN!" TO #G-MESSAGE
1120       ESCAPE ROUTINE
1130     WHEN #M-SELECTED(#W-LOOP) = "D" OR = "M"
1140       MOVE #M-SELECTED(#W-LOOP) TO #G-SELECTED-OPTION
1150 /*       FETCH RETURN "XX021P01" #M-PATIENT-ID(#W-LOOP) /* NEE OLD CODE
L 1160       FETCH RETURN "SAG21P01" #M-PATIENT-ID(#W-LOOP) /* NEE MODIFIED AUT
1170       MOVE " " TO #M-SELECTED(#W-LOOP)
1180     WHEN NONE
1190       MOVE "INVALID CHARACTER FOUND IN SELECTION ARRAY" TO #G-MESSAGE
1200       ESCAPE ROUTINE
1210   END-DECIDE
1220 END-FOR
1230 PERFORM READ-DATA
1240 END-SUBROUTINE
1250 END

```

Figure 3-11 Modified source code within object XX025P01

Step 7 Copy the rest of the application HOSPITAL objects, taking care that the objects XX002P01 and XX025P01 do not get over written. Apply a CATAL to the HOSPITAX library and then execute the HOSPITAL system using the modified objects.

CODE IMPROVEMENT

The combination search keyword CODE IMPROVEMENT is used to locate certain Natural statements that may cause performance considerations within Natural Applications.

This search keyword uses a sub-set of criteria, which are specified using the options provided by the PFkey '**PF6**' (Optns) from the Impact Criteria screen.

*Note: For more information on the PFkey '**PF6**' (Optns) refer to the section [Impact Criteria screen](#).*

Once impacted, then for some cases it may be possible to modify the code to correct the inefficiencies found, using the Modification process.

3

Natural Engineer Application Analysis & Modification

Specifying Code Improvement

To use the Code Improvement criteria, you must first select the search keyword 'CODE IMPROVEMENT' from the Search Keyword Selection pop-up window on the Impact Criteria screen. This will enable the PFkey 'PF6' (Optns) on the Impact Criteria screen.

Note: Only one set of CODE IMPROVEMENT criteria is allowed per Impact Version.

The following Figure 3-13 illustrates the specification of search keyword CODE IMPROVEMENT on the Impact Criteria screen.

```
Impact Criteria                               Application: HOSPITAL
                                           Version: 03
Search Keyword...: CODE IMPROVEMENT_____
Object Name.....: _____

Enter-PF1---PF2---PF3---PF4---PF5---PF6---PF7---PF8---PF9---PF10--PF11--PF12---
      Help  Types Exit          Add  Optns                               Main
```

Figure 3-13 The specification of search keyword CODE IMPROVEMENT

Using 'PF6' (Optns) will invoke the Code Improvement Options screen where all the Code Improvement options can be selected / de-selected.

Code Improvement Options Screen

The following Figure 3-14 illustrates the Code Improvement Options screen showing the first page of the available options.

```
          - Code Improvement Options -      Application: HOSPITAL
                                           Version: 03

  FIND <de=val> OR <de=val>
  - FIND <de> GE <val> AND <de> LE <val>
  - FIND <de=val> AND <de=val>
  - FIND <de=val> WHERE <non-de>
  - FIND <de> AND <non-de>
  - Nested READ/FIND loops
  - Assignment stmts with different format/lengths
  - REPEAT UNTIL/WHILE
  - Comparison statements arrays vs. literals
  - Alpha literal values and variables
  - Insert RECORD option for READ WORK FILE
  - Replace MOVE INDEXED with appropriate MOVE
  - Find unused dataitems in programs
  - Find unused Global variables

Enter-PF1---PF2---PF3---PF4---PF5---PF6---PF7---PF8---PF9---PF10---PF11---PF12---
      Help           Exit           Prev Next           SelA ADel Main
```

Figure 3-14 Code Improvement Options screen showing first page of options

3

Natural Engineer Application Analysis & Modification

The following Figure 3-15 illustrates the Code Improvement Options screen showing the second page of the available options.

```

- Code Improvement Options -      Application: HOSPITAL
                                   Version: 03

- SUBSTRING
- HISTOGRAM
- Numerical fields in calculations
- Arrays within group fields
- External Objects
- Callnats and number of parms
- System variables referenced GT 1
- PDA fields in calculations
- Array assignments in non-db loops
- DECIDE ON using system variables
- Move Occurrence No. to each PE member
- FOR & REPEAT loop to use named constants
- Split STACK COMMAND stmts with embedded data
- Find unused source code lines

Enter-PF1---PF2---PF3---PF4---PF5---PF6---PF7---PF8---PF9---PF10--PF11--PF12---
      Help       Exit           Prev Next           SelA ADel Main
```

Figure 3-15 Code Improvement Options screen showing second page of options

SCREEN ITEMS	DESCRIPTION
Code Improvement Options	<p>Each Code Improvement option is listed.</p> <p>A 'Y' in the selection column next to each option indicates that the option will be checked for. If a selection column is blank then that option will not be referenced during Impact execution.</p> <p><i>Note: At least one Code Improvement option must be selected.</i></p> <p>Available selections are:</p> <ul style="list-style-type: none"> ▪ FIND <de=val> OR <de=val> ▪ FIND <de> GE <val> AND <de> LE <val> ▪ FIND <de=val> AND <de=val> ▪ FIND <de=val> WHERE <non-de> ▪ FIND <de> AND <non-de> ▪ Nested READ/FIND loops ▪ Assignment stmts with different format/lengths ▪ REPEAT UNTIL/WHILE ▪ Comparison statements arrays vs. literals ▪ Alpha literal values and variables ▪ Insert RECORD option for READ WORK FILE ▪ Replace MOVE INDEXED with appropriate MOVE ▪ Find unused dataitems in programs ▪ Find unused Global variables ▪ SUBSTRING ▪ HISTOGRAM ▪ Numerical fields in calculations ▪ Arrays within group fields ▪ External Objects ▪ Callnats and number of parms ▪ System variables referenced GT 1 ▪ PDA fields in calculations ▪ Array assignments in non-db loops ▪ DECIDE ON using system variables ▪ Move Occurrence No. to each PE member ▪ FOR & REPEAT loops to used named constants ▪ Split STACK COMMAND stmts with embedded data ▪ Find unused source code lines <p><i>Note: For more information on each option refer to the section Code Improvement Preferences Explained.</i></p>

3

Natural Engineer Application Analysis & Modification

PFKEYS	DESCRIPTION
PF1	Activates the help function.
PF3	Exit from the current function and return to previous screen.
PF7	Displays previous page.
PF8	Displays next page.
PF10	Selects all the Code Improvement options.
PF11	Deselects all the Code Improvement options.
PF12	Returns to the Natural Engineer Main Menu.

Code Improvement Preferences Explained

The Code Improvement Preferences help identify inefficiencies within Natural objects that may cause a degradation of performance.

Some of the inefficiencies can be modified using the Modification process, others will only have the Impact process available and manual modifications may need to be applied to each of these.

FIND <de=val> OR <de=val>

Impact	Impact will look for any FIND statements that have a WITH clause that uses “<descriptor=value> OR < descriptor=value>”, where the same descriptor is used. <u>Example:</u> 0230 FIND VEHICLES WITH MAKE = 'BMW' OR MAKE = 'VW'
Impact Type	7A
Modification	Manual.

FIND <de> GE <val> AND <de> LE <val>

Impact	Impact will look for any FIND statements that have a WITH clause that uses “<descriptor> GE <value> AND < descriptor> LE <value>”, where the same descriptor is used. <u>Example:</u> 0230 FIND VEHICLES WITH MAKE GE 'BMW' AND MAKE LE 'VW'
Impact Type	7B
Modification	Manual.

FIND <de=val> AND <de=val>

Impact	Impact will look for any FIND statements that have a WITH clause that uses “<descriptor=value> AND < descriptor=value>”. <u>Example:</u> 0230 FIND VEHICLES WITH MAKE = 'BMW' AND COLOR = 'RED'
Impact Type	7C
Modification	Manual.

3

Natural Engineer Application Analysis & Modification

FIND <de=val> WHERE <non-de>

Impact	Impact will look for any FIND statements that have a WITH clause that uses “<descriptor=value>” and a WHERE clause that uses “< non-descriptor>”. <u>Example:</u> 0230 FIND VEHICLES WITH MAKE = 'BMW' WHERE MODEL = 'M3'
Impact Type	7D
Modification	Manual.

FIND <de> AND <non-de>

Impact	Impact will look for any non-descriptor searches. For any non-descriptors found, Impact will show the DDM and any FIND statements referencing them. There are two types of non-descriptor searched for: [1] Database fields that have descriptor type set to 'N' in the DDM being referenced. <u>Example:</u> 0230 FIND GSL-VEH WITH MAKE = 'BMW' AND MODEL = 'M3' <i>Note: The descriptor MODEL in this example has a descriptor type of 'N' (non-descriptor) set in the DDM GSL-VEH.</i> [2] Database fields that have a descriptor type set to 'D' in the DDM, but are not marked as descriptors in the FDT. <i>Note: For this Impact, the database must be active and contain the relevant FDT.</i> <u>Example:</u> 0230 FIND GSL-EMP WITH NAME = 'PAUL' AND MAR-STAT = 'S' <i>Note: The descriptor MAR-STAT in this example has a descriptor type of 'D' (descriptor) set in the DDM GSL-EMP, but is not marked as a descriptor in the FDT (EMPLOYEES).</i>
Impact Type	7E
Modification	Manual.

Nested READ/FIND loops

Impact	<p>Impact will look for any FIND statements, including FIND FIRST and FIND (1), which are within READ loops.</p> <p>Both the READ and FIND statements are impacted.</p> <p>If the FIND statement is part of an internal subroutine and is invoked by using a PERFORM statement within a READ loop, then PERFORM statement will also be impacted.</p> <p><u>Example:</u></p> <pre> 0420 READ EMPLOYEES 0430 FIND VEHICLES WITH PERSONNEL-ID ='12345678' 0440 WRITE '=' PERSONNEL-ID(0420) '=' NAME(0420) 0450 WRITE '=' MAKE(0430) 0460 '=' MODEL(0430) '=' REG-NUM(0430) 0470 END-FIND 0480 END-READ :::: 0530 READ EMPLOYEES 0540 MOVE PERSONNEL-ID TO #EMP-PERS-ID 0550 WRITE '=' PERSONNEL-ID '=' NAME 0560 PERFORM ##FIND-VEHICLES-ONLY 0570 END-READ :::: 0780 DEFINE SUBROUTINE ##FIND-VEHICLES-ONLY 0790 FIND VEHICLES WITH PERSONNEL-ID = #EMP-PERS-ID 0800 WRITE '=' MAKE '=' MODEL '=' REG-NUM 0810 END-FIND 0820 END-SUBROUTINE </pre>
Impact Type	7F
Modification	Manual.

3

Natural Engineer Application Analysis & Modification

Assignment stmts with different format/lengths

Impact	<p>Impact will look for any assignment statements that have fields of either different format or, fields that have the same format but different lengths.</p> <p><u>Example:</u></p> <pre>0010 01 #ALPHA5 (A5) 0020 01 #ALPHA10 (A10) 0030 01 #NUMERIC5 (N5) 0040 01 #NUMERIC10 (N10) 0050 MOVE #NUMERIC5 TO #ALPHA5 0060 MOVE #ALPHA5 TO #ALPHA10</pre> <p>Statement at line 0050 will be impacted because the fields have different formats (7G)</p> <p>Statement at line 0060 will be impacted because the fields have same format but different lengths (7S).</p> <p>ASSIGN and COMPUTE statements that are ‘assignments’ will be impacted, but ‘computational’ ASSIGN and COMPUTE statements will not be impacted.</p> <p><u>Example:</u></p> <pre>0070 ASSIGN #ALPHA5 = #NUMERIC5 0080 ASSIGN #NUMERIC5 = #NUMERIC10 - #NUMERIC5 0090 COMPUTE #ALPHA5 = #NUMERIC5 0100 COMPUTE #NUMERIC5 = #NUMERIC10 - #NUMERIC5</pre> <p>Statements 0070 and 0090 will be impacted, but statements 0080 and 0100 will not.</p>
Impact Type	7G (different format) 7S (same format, different length)
Modification	Manual.

REPEAT UNTIL/WHILE

Impact	<p>Impact will look for any REPEAT statements that use UNTIL or WHILE clauses.</p> <p><u>Example:</u></p> <pre>0210 REPEAT UNTIL #COUNT EQ 2 0220 ADD 1 TO #COUNT 0230 END-REPEAT ::: 0310 REPEAT WHILE #COUNT EQ 2 0320 ADD 1 TO #COUNT 0330 END-REPEAT</pre> <p>If the UNTIL or WHILE clause is placed near the bottom of the loop block, then the corresponding REPEAT statement is also impacted.</p> <p><u>Example:</u></p> <pre>0490 REPEAT 0500 ADD 1 TO #COUNT 0510 UNTIL #COUNT EQ 2 0520 END-REPEAT ::: 0590 REPEAT 0600 ADD 1 TO #COUNT 0610 WHILE #COUNT EQ 2 0620 END-REPEAT</pre>
Impact Type	7H
Modification	Manual.

Comparison statements arrays vs. literals

Impact	Impact will look for any alpha literal strings that are being compared against a field defined as an array. <u>Example:</u> 0010 01 #A (A1/10) 0020 01 #B (A1) :::: 0050 IF 'A' EQ #A(1) :::: 0100 IF 'B' EQ #B
Impact Type	7I
Modification	Manual.

Alpha literal values and variables

Impact	Impact will look for any alpha literal string being moved to alpha variables that are defined with a length greater than the length of the literal string. <u>Example:</u> 0010 01 #TEMP (A10) 0020 01 #WORK (A5) 0030 MOVE 'ABCDE' TO #TEMP 0040 MOVE 'VWXYZ' TO #WORK <i>Note: It is more efficient if length of the alpha literal string is equal to the length of the alpha variable it is being moved to.</i>
Impact Type	7T
Modification	Automatic. Modification will pad the literal string value with spaces to match the length of the alpha variable. <u>Example:</u> 0010 01 #TEMP (A10) 0020 01 #WORK (A5) 0030 /* MOVE 'ABCDE' TO #TEMP /* NEE OLD CODE 0040 MOVE 'ABCDE ' TO #TEMP /* NEE MODIFIED 0050 MOVE 'VWXYZ' TO #WORK

Insert RECORD option for READ WORK FILE

Impact	<p>Impact will look for any READ WORK FILE statements that only use one user-defined variable.</p> <p>Example:</p> <pre> :::: 0130 READ WORK FILE 1 #WKF01 0140 END-WORK :::: </pre>
Impact Type	7V
Modification	<p>Automatic.</p> <p>Modification will add the RECORD clause to these READ WORK FILE statements.</p> <p>Example:</p> <pre> :::: 0130 /* READ WORK FILE 1 #WKF01 /* NEE OLD CODE 0140 READ WORK FILE 1 RECORD #WKF01 /* NEE MODIFIED 0150 END-WORK :::: </pre>

Replace MOVE INDEXED with appropriate MOVE

Impact	Impact will look for any MOVE INDEXED statements. <i>Note: Only applies to Reporting Mode objects.</i>
Impact Type	7X
Modification	<p>Automatic.</p> <p>Modification will perform one of the following:</p> <ul style="list-style-type: none"> ▪ Standard MOVE INDEXED statements will be replaced with the correct MOVE statement. ▪ MOVE INDEXED statements utilizing contiguous storage will produce a message "Object 'object-name' contains a contiguous MOVE INDEXED statement. This is marked for manual change." The MOVE INDEXED statement will be marked for manual change and have a comment of "REASON: CONTIGUOUS MOVE INDEXED" appended. <p>Example of contiguous MOVE INDEXED statement:</p> <pre>0010 RESET #FIELD-1 (A10) #FIELD-2 (A10) 0020 RESET #DISPLAY (A10) 0030 MOVE 'CORRECT' TO #FIELD-1 0040 MOVE 'WRONG' TO #FIELD-2 0050 MOVE INDEXED #FIELD-1<2> TO #DISPLAY 0060 WRITE #DISPLAY</pre> <ul style="list-style-type: none"> ▪ MOVE INDEXED statements for DDM fields will produce a message "Object 'object-name' contains a view with a MOVE INDEXED statement. This is marked for manual change." The MOVE INDEXED statement will be marked for manual change and have a comment of "REASON: FIELD IS FROM A VIEW" appended. <p>Example of MOVE INDEXED statement for DDM fields:</p> <pre>0010 RESET #DISPLAY-ADDRESS (A20) 0020 READ EMPLOYEES BY NAME 0030 OBTAIN ADDRESS-LINE (1:4) 0040 MOVE INDEXED ADDRESS-LINE<1> 0050 TO #DISPLAY-ADDRESS 0060 LOOP</pre>

Find unused dataitems in programs

Impact	Impact will look for any unused data items. These can be user-defined variables or logical view variables. <u>Example:</u> 0010 #A (A5) 0020 #B (A5) 0030 #C (A5) 0040 MOVE 'ABCDE' TO #A 0050 MOVE #A TO #B 0060 WRITE #B 0070 END
Impact Type	7Z
Modification	Automatic. Modification will comment out any unused data items. <u>Example:</u> 0010 #A (A5) 0020 #B (A5) 0030 /* #C (A5) /* UNUSED DATA ITEM /* NEE OLD CODE 0040 /* UNUSED */ #C (A5) /* UNUSED DATA ITEM /* NEE MODIFIED 0050 MOVE 'ABCDE' TO #A 0060 MOVE #A TO #B 0070 WRITE #B 0080 END <i>Note: LDA and PDA objects with unused data items will not be modified.</i>

Find unused Global variables

Impact	Impact will look for any unused Global variables defined in a GDA, across a whole application. Impacts are only marked within the GDA objects and not individual objects.
Impact Type	72
Modification	Manual.

3

Natural Engineer Application Analysis & Modification

SUBSTRING

Impact	Impact will look for any statements that use the SUBSTRING clause. <u>Example:</u> 0400 ASSIGN #TEMP-DATE = SUBSTRING(#CONST-DATE, 3, 6) :::: 0600 IF SUBSTR(#TEXT, 1, 2) EQ 'SM' 0610 IGNORE 0620 END-IF :::: 0700 MOVE SUBSTR(#TEXT, 1, 4) TO SUBSTR(#TEXT2, 5, 4) <i>Note: The internal evaluation of the SUBSTRING clause is a performance issue, as there are three operands (argument, start offset and length value) that need to be resolved, as well as a 'range in fields bounds' check. Performance can be improved by use of variable redefinitions to substitute for the SUBSTRING clause.</i>
Impact Type	7J
Modification	Manual.

HISTOGRAM

Impact	Impact will look for any HISTOGRAM statements. <u>Example:</u> 0210 HISTOGRAM EMPLOYEES NAME END-HISTOGRAM :::: 0350 HISTOGRAM EMPLOYEES NAME STARTING 'SMITH' 0360 END-HISTOGRAM 0460 HISTOGRAM EMPLOYEES NAME 'JONES' THRU 'SMITH' 0470 END-HISTOGRAM
Impact Type	7K
Modification	Manual.

Numerical fields in calculations

Impact	<p>Impact will look for any fields defined as numeric (format 'N') that are used within arithmetic statements.</p> <p>The following Natural keywords are included: ADD, ADD ROUNDED, SUBTRACT, SUBTRACT ROUNDED, DIVIDE, DIVIDE ROUNDED, MULTIPLY, MULTIPLY ROUNDED, ASSIGN, ASSIGN ROUNDED, COMPUTE, COMPUTE ROUNDED.</p> <p><u>Example:</u></p> <pre>0010 01 #VAL1 (N7) 0020 01 #VAL2 (N7) 0030 01 #TEMP (N7) :::: 0050 ADD #VAL1 TO #VAL2 0060 SUBTRACT ROUNDED #VAL2 FROM #VAL1 GIVING #TEMP 0070 DIVIDE #VAL1 INTO #VAL2 GIVING #TEMP 0080 MULTIPLY ROUNDED #VAL1 BY #VAL2 GIVING #TEMP</pre> <p>ASSIGN and COMPUTE statements that are 'computational' will be impacted, but 'assignment' ASSIGN and COMPUTE statements will not be impacted.</p> <p><u>Example:</u></p> <pre>0100 ASSIGN #VAL1 = #VAL2 0110 ASSIGN #TEMP = #VAL1 - #VAL2 0120 COMPUTE #VAL1 = #VAL2 0130 COMPUTE #TEMP = #VAL1 - #VAL2</pre> <p>Statements 0110 and 0130 will be impacted, but statements 0100 and 0120 will not.</p>
Impact Type	7L
Modification	Manual.

Arrays within group fields

Impact	<p>Impact will look for any group fields that have been defined as an array.</p> <p><u>Example:</u></p> <pre> 0210 01 #GROUP-ARRAY (5) 0220 02 #GROUP-FIELD1 (A2) 0230 02 #GROUP-FIELD2 (A2) 0240 02 #GROUP-FIELD3 (A2) 0250 02 #GROUP-FIELD4 (A2) :::: 0370 01 #GROUP-GROUP-ARRAY 0380 02 #GGA-NAME (A10) 0390 02 #GGA-PASSWORD (A8) 0400 02 #GGA-GROUP-OF-OPTIONS (1:4) 0410 03 #GOO-OPTION1 (A2) 0420 03 #GOO-OPTION2 (A2) </pre> <p><i>Note: Only applies to Structured Mode objects.</i></p>
Impact Type	7M
Modification	Manual.

External Objects

Impact	<p>Impact will look for any statements that reference external objects. The following Natural keywords are included: FETCH, FETCH RETURN, FETCH REPEAT, CALLNAT, PERFORM (external subroutines only).</p> <p><u>Example:</u></p> <pre>0190 FETCH RETURN 'PGM1' #PARM-FIELD1 :::: 0330 CALLNAT 'SUBPGM1' #PARM-FIELD1 #PROCESS-OPTION :::: 0490 PERFORM ##EXTERNAL-SUBROUTINE1</pre> <p><i>Note: Calls to external objects can degrade performance as each called object will need to use the object load process. For example, calls to an external subroutine are more expensive than using internal subroutines.</i></p>
Impact Type	7N
Modification	<p>Manual.</p> <p><i>Note: Impacted calls to external objects can be reviewed to see if incorporating them into calling object is feasible. Consideration should be given to any maintenance overheads that may result.</i></p>

Callnats and number of parms

Impact	<p>Impact will look for any CALLNAT statements and the number of fields used in the parameter list.</p> <p><u>Example:</u></p> <pre>0100 CALLNAT `SUBPGM01' 0110 CALLNAT 'SUBPGM02' #P-FIELD1 #P-FIELD2 0120 CALLNAT 'SUBPGM03' #PARM-GROUP</pre> <p><i>Note: The transfer of parameter fields to an external object can be a performance issue if the parameter list contains a large number of fields. Performance can be improved by rationalizing the number of fields in the parameter list.</i></p>
Impact Type	7O
Modification	Manual.

System variables referenced GT 1

Impact	<p>Impact will look for any System Variables that are referenced more than once within an object.</p> <p>This applies to all System Variables except for: *ISN, *COUNTER, *NUMBER.</p> <p><u>Example:</u></p> <pre>0340 IF *PROGRAM EQ 'PROGRAM1' 0350 MOVE *PROGRAM TO #STORE-PROGRAM1 0360 END-IF</pre> <p><i>Note: A System Variable is used to access data that resides in one of the Natural control structures. The data for these variables is accessed using special internal Natural access modules, which impacts the performance as it is slower than accessing a scalar variable. Performance can be improved by copying the System Variable to a scalar variable.</i></p>
Impact Type	7P
Modification	Manual.

PDA fields in calculations

Impact	<p>Impact will look for any Parameter Data Area fields that are used within arithmetic statements.</p> <p>The following Natural keywords are included: ADD, ADD ROUNDED, SUBTRACT, SUBTRACT ROUNDED, DIVIDE, DIVIDE ROUNDED, MULTIPLY, MULTIPLY ROUNDED, ASSIGN, ASSIGN ROUNDED, COMPUTE, COMPUTE ROUNDED.</p> <p><u>Example:</u></p> <pre>0010 DEFINE DATA PARAMATER 0020 01 #VAL1 (N7) 0030 01 #VAL2 (N7) 0040 01 #TEMP (P7) 0050 END-DEFINE :::: 0150 ADD #VAL1 TO #VAL2 0160 SUBTRACT ROUNDED #VAL2 FROM #VAL1 GIVING #TEMP 0170 DIVIDE #VAL1 INTO #VAL2 GIVING #TEMP 0180 MULTIPLY ROUNDED #VAL1 BY #VAL2 GIVING #TEMP</pre> <p>ASSIGN and COMPUTE statements that are 'computational' will be impacted, but 'assignment' ASSIGN and COMPUTE statements will not be impacted.</p> <p><u>Example:</u></p> <pre>0200 ASSIGN #VAL1 = #VAL2 0210 ASSIGN #TEMP = #VAL1 - #VAL2 0220 COMPUTE #VAL1 = #VAL2 0230 COMPUTE #TEMP = #VAL1 - #VAL2</pre> <p>Statements 0210 and 0230 will be impacted, but statements 0200 and 0220 will not.</p>
Impact Type	7Q
Modification	Manual.

Array assignments in non-db loops

<p>Impact</p>	<p>Impact will look for any 'assignment' statements within non-database loops that use fields defined as arrays.</p> <p><i>Note: There must be an array field on both sides.</i></p> <p>The following Natural keywords are included: MOVE, MOVE ALL, MOVE EDITED, MOVE ROUNDED, MOVE LEFT, MOVE RIGHT, MOVE INDEXED, MOVE BY NAME, MOVE BY POSITION, ASSIGN, ASSIGN ROUNDED, COMPUTE, COMPUTE ROUNDED.</p> <p><u>Example:</u> :::: 0300 MOVE #ARRAY1 (*) TO #ARRAY2 (*) :::: 0400 FOR #INDEX EQ #LOOP-START TO #LOOP-END 0410 MOVE #ARRAY1 (#INDEX) TO #ARRAY2 (#INDEX) 0420 END-FOR :::: 0500 READ (10) VEHICLES 0510 MOVE #ARRAY1 (*) TO #ARRAY2 (*) 0520 END-READ</p> <p>Statement 0300 will not be impacted as it is not bound by a non-database loop. Statement 0510 will not be impacted as it is bound by a database loop.</p>
<p>Impact Type</p>	<p>7R</p>
<p>Modification</p>	<p>Manual.</p>

DECIDE ON using system variables

Impact	<p>Impact will look for any DECIDE ON statements that reference system variables, for example *PF-KEY, *DATE.</p> <p><u>Example:</u></p> <pre> :::: 0120 DECIDE ON FIRST VALUE OF *PF-KEY 0130 VALUE 'PF1' 0140 WRITE NOTITLE 'PF1' 0150 NONE 0160 IGNORE 0170 END-DECIDE </pre> <p><i>Note: When using a DECIDE ON statement for a system variable, it is more efficient to use a temporary variable of the same format and length.</i></p>
Impact Type	7U
Modification	<p>Automatic.</p> <p>Modification will generate a temporary variable and move the system variable to this temporary variable. The DECIDE ON statement will then be changed to reference the temporary variable rather than the system variable.</p> <p><u>Example:</u></p> <pre> 0100 01 #NEE-PF-KEY (A04) /* NEE MODIFIED :::: 0140 /* DECIDE ON FIRST VALUE OF *PF-KEY /* NEE OLD CODE 0150 MOVE *PF-KEY TO #NEE-PF-KEY /* NEE MODIFIED 0160 DECIDE ON FIRST VALUE OF #NEE-PF-KEY /* NEE MODIFIED 0170 VALUE 'PF1' 0180 WRITE NOTITLE 'PF1' 0190 NONE 0200 IGNORE 0210 END-DECIDE </pre>

Move Occurrence No. to each PE member

Impact	<p>Impact will look for any logical view data definitions where the occurrences for a PE group are defined at the group level rather than for each child level within that group.</p> <p><u>Example:</u></p> <pre>0090 01 REP1 VIEW GSREPOSITORY 0100 02 REC-TYPE 0110 02 PROGRAM 0120 02 LIBRARY 0130 02 FIELD-GROUP(1:5) 0140 03 FIELD-NAME 0150 03 FIELD-VALUE</pre> <p><i>Note: Certain operations will perform faster if referenced array fields are defined in a contiguous manner.</i></p>
Impact Type	7W
Modification	<p>Automatic.</p> <p>Modification will change the PE group definition so that the number of occurrences is at each child level within the group and remove the number of occurrences from the PE group variable.</p> <p><u>Example:</u></p> <pre>0090 01 REP1 VIEW GSREPOSITORY 0100 02 REC-TYPE 0110 02 PROGRAM 0120 02 LIBRARY 0130 /* 02 FIELD-GROUP(1:5) /* NEE OLD CODE 0140 02 FIELD-GROUP /* NEE MODIFIED 0150 /* 03 FIELD-NAME /* NEE OLD CODE 0160 03 FIELD-NAME (1:5) /* NEE MODIFIED 0170 /* 03 FIELD-VALUE /* NEE OLD CODE 0180 03 FIELD-VALUE (1:5) /* NEE MODIFIED</pre>

FOR & REPEAT loops to use named constants

Impact	Impact will look for any FOR and REPEAT statements that make use of numeric literal values. <u>Example:</u> 0180 FOR #IDX EQ 1 TO 10 0190 WRITE NOTITLE 'HELLO' 0200 END-FOR
Impact Type	7Y
Modification	Automatic. Modification will change the impacted FOR and REPEAT statements to use variables defined with CONSTANT values. <u>Example:</u> 0120 01 #NEE-1 (P09) CONST <1> /* NEE MODIFIED 0130 01 #NEE-10 (P09) CONST <10> /* NEE MODIFIED :::: 0200 /* FOR #IDX EQ 1 TO 10 /* NEE OLD CODE 0210 FOR #IDX EQ #NEE-1 TO #NEE-10 /* NEE MODIFIED 0220 WRITE NOTITLE 'HELLO' 0230 END-FOR

3

Natural Engineer Application Analysis & Modification

Split STACK COMMAND stmts with embedded data

Impact	<p>Impact will look for any STACK COMMAND statements and check if both data and commands have been stacked with the same statement.</p> <p><u>Example:</u> 0270 STACK COMMAND 'COMMAND' #COMMAND1</p> <p><i>Note: For improved performance, any use of the Natural command stack should separate the commands from the data. All commands are copied to the command input buffer, while the data is stacked for input processing within the object, resulting in improved efficiency.</i></p>
Impact Type	71
Modification	<p>Automatic.</p> <p>Modification will split the STACK COMMAND statements impacted into STACK DATA and STACK COMMAND statements.</p> <p><u>Example:</u> 0270 STACK TOP DATA #COMMAND1 /* NEE MODIFIED 0280 /* STACK COMMAND 'COMMAND' #COMMAND1 /* NEE OLD CODE 0290 STACK COMMAND 'COMMAND' /* NEE MODIFIED</p>

Find unused source code lines

Impact	<p>Impact will look for any unused source code lines within programming objects, across a whole application.</p> <p>Any source code that is driven by event rather than position is ignored. For example AT BREAK, AT END OF PAGE, WRITE TITLE.</p> <p>Unused source code within internal subroutines is included, but for external subroutines the Unused Objects report should be referenced.</p> <p><i>Note: Only Structured Mode objects will be impacted. For Reporting Mode objects, it is recommended that they are converted to Structured Mode first using the Mode Conversion function, and then impacted.</i></p> <p><u>Example:</u></p> <pre>0290 IF #CHOICE = 'X' 0300 MOVE 'COPTZP4S' TO #FIELD-A 0310 RESET #FIELD-N 0320 FETCH 'COPTZP4S' #FIELD-A #FIELD-N 0330 RESET #FIELD-N 0340 MOVE 'XYZ' TO #FIELD-A 0350 END-IF</pre>
Impact Type	73
Modification	Manual.

OBJECT BUILDER

The combination search keyword OBJECT BUILDER is used to specify line ranges within an object, which will then be used to create a new subprogram object containing the specified lines and a Parameter Data Area object containing any parameter data that is required. The original object is then modified to call the new subprogram.

This process is part of the Application Restructuring processes available within Natural Engineer.

Note: For more information on the Object Builder process refer to the Natural Engineer Application Restructuring for Unix manual.

Specifying Object Builder

To use the Object Builder criteria, you must first select the search keyword 'OBJECT BUILDER' from the Search Keyword Selection pop-up window on the Impact Criteria screen.

Note: OBJECT BUILDER criteria are mutually exclusive to all other Impact Types within a single Impact Version.

The following Figure 3-17 illustrates the specification of search keyword OBJECT BUILDER on the Impact Criteria screen.

```

- Impact Criteria -           Application: HOSPITAL
                               Version: 05
Search Keyword...: OBJECT BUILDER _____
Object Name.....: _____

Keyword Value (Object Name)
_____

Replace Value.....:
_____
      _ Data Item _ Literal

Modification Parm
Enter-PF1---PF2---PF3---PF4---PF5---PF6---PF7---PF8---PF9---PF10--PF11--PF12---
      Help  Types Exit          Add                               Main

```

Figure 3-17 The specification of search keyword OBJECT BUILDER

Note: For more information on the Object Builder process refer to the Natural Engineer Application Restructuring for Unix manual.

NATRPC

The combination search keyword NATRPC can be used to locate statements that may be affected by future versions of Natural, in particular with the Natural Remote Procedure Call (RPC). The impacted statements for Natural RPC are detailed below showing their respective current and future functionality:

Current State

Statement	Description
TERMINATE	Using this statement causes the server to be terminated, regardless of conversations that may still be open.
FETCH, RUN, STOP	Using these statements causes the CALLNAT context to get lost. Upon a FETCH, RUN or STOP statement, the server detects that it has lost its CALLNAT context and returns a corresponding Natural error message to the client; at that time, however, the statement has already been executed by the server. Exception: This does not apply to FETCH RETURN.
INPUT	Input values are unpredictable when the input data are read from a file (and not from the stack).

Future State

Statement	Description
FETCH, RUN, INPUT	Not Permitted.
STOP, TERMINATE	Same as ESCAPE ROUTINE.

Natural Engineer Analysis and Modification

Using the search keyword NATRPC, Natural Engineer will identify those statements that may be affected with future versions of Natural.

Automatic modification will also be performed for instances of STOP and TERMINATE where the statement will be replaced with ESCAPE ROUTINE.

Specifying NATRPC

To use the NATRPC criteria, you must first select the search keyword 'NATRPC' from the Search Keyword Selection pop-up window on the Impact Criteria screen.

Note: Only one set of NATRPC criteria are allowed per Impact Version.

The following Figure 3-18 illustrates the specification of search keyword NATRPC on the Impact Criteria screen.

```

                                     - Impact Criteria -      Application: HOSPITAL
                                                                Version: 07
Search Keyword...: NATRPC_____
Object Name.....: _____

Enter-PF1---PF2---PF3---PF4---PF5---PF6---PF7---PF8---PF9---PF10--PF11--PF12---
      Help  Types Exit          Add                                     Main
```

Figure 3-18 The specification of search keyword NATRPC

Using 'PF5' (Add) will save the criteria.

MULTI SEARCH

The combination search keyword MULTI SEARCH allows for more advanced search criteria to be specified, including, conditions that are to be included in the analysis, or excluded from the analysis.

The search keyword MULTI SEARCH allows up to 500 search conditions to be combined. These may be DATAITEM searches, DBFILE searches, LITERAL searches and/or attribute searches.

This search keyword uses a sub-set of criteria, which are specified using the options provided by the PFkey 'PF6' (Optns) from the Impact Criteria screen.

Note: For more information on the PFkey 'PF6' (Optns) refer to the section [Impact Criteria screen](#).

The MULTI SEARCH criteria can be saved to the Repository, allowing them to be re-used across applications.

Note: Natural Engineer comes supplied with a default MULTI SEARCH criteria set '###DEF01'. For more information refer to Chapter 2 in the Natural Engineer Administration Guide for Unix manual.

Specifying MULTI SEARCH

To use the Multi Search criteria, you must first select the search keyword 'MULTI SEARCH' from the Search Keyword Selection pop-up window on the Impact Criteria screen. This will enable the PFkey 'PF6' (Optns) on the Impact Criteria screen.

Note: MULTI SEARCH criteria are mutually exclusive to all other Impact Types within a single Impact Version.

The following Figure 3-19 illustrates the specification of search keyword MULTI SEARCH on the Impact Criteria screen.

```

                                     Impact Criteria          Application: HOSPITAL
                                                                Version: 08
Search Keyword...: MULTI SEARCH _____
Object Name.....: _____

Enter-PF1---PF2---PF3---PF4---PF5---PF6---PF7---PF8---PF9---PF10--PF11--PF12---
      Help  Types Exit          Add  Optns                               Main
```

Figure 3-19 The specification of search keyword MULTI SEARCH

Using 'PF6' (Optns) will invoke the Multi Search Criteria screen where the additional search conditions can be specified.

Multi Search Criteria Screen

The following Figure 3-20 illustrates the Multi Search Criteria screen.

```

- Multi Search Criteria -      Application: HOSPITAL
                               Version: 08
Sel  Seq Type  Criteria
-   1   *      Multi Search Options
-   2   *
-   3   *      A  Absolute Exclude
-   4   *      X  Exclude
-   5   *      I  Include
-   6   *      XA Exclude Attribute
-   7   *      IA Include Attribute
-   8   *      XD Exclude Decimals
-   9   *      XL Exclude Literal
-  10   *      IL Include Literal
-  11   *      *  Comment
-  12   *

      Y  Multiple Iterations      Field Length Increase: 02
      _  Single Iteration

Enter-PF1---PF2---PF3---PF4---PF5---PF6---PF7---PF8---PF9---PF10--PF11--PF12---
      Help Dflt Exit          Save      Prev Next          Top  Sort Main

```

Figure 3-20 Multi Search Criteria screen

SCREEN ITEMS	DESCRIPTION
Sel	Line command selections. Valid selections are: 'I' Insert a new line. 'D' Delete the current line.
Seq	Sequential number for each criteria starting from 1.
Type	The Multi Search Criteria Type. It is possible to input a criteria type directly, or by using '?' in the first byte and using the 'ENTER' key. This will invoke the Criteria Type Selection pop-up window. <i>Note: For more information refer to section Multi Search Criteria Types.</i>
Criteria	The criteria that are to be applied. These can be full or partial field names. They can also be full or partial values of literal strings and numerics. If partial names or values are used, they must be entered using wild card '?' <i>Note: For more information refer to section Criteria Values.</i>
Multiple Iterations	Impact will match the specified search criteria and any derivatives will be identified. <i>Note: The tracking information can be further controlled by the NATENG.INI file parameter TRACKING. For more information refer to section Forward/Backward Tracking.</i>
Single Iteration	Impact will only match for the specified search criteria. No derivative tracking will be performed.
Field Length Increase	Used by Multi Search to increase the default length of an impacted field when Modification is executed. For example: Field #A is defined as (N2) and Field Length Increase is set to 2. After Modification, #A will have its length increased to (N4).

PFKEYS	DESCRIPTION
PF1	Activates the help function.
PF2	Open and read in the default Multi Search criteria set '###DEF01'.
PF3	Exit from the current function and return to previous screen.
PF5	Save the defined criteria set to the Repository. Saves all the criteria specified for a version for re-use.
PF7	Displays previous page.
PF8	Displays next page.
PF10	Reposition to the top of the list.
PF11	<p>Will perform a sort of all the Multi Search criteria into the following criteria type order:</p> <ul style="list-style-type: none"> ▪ Absolute Excludes (A) ▪ Exclude Field (X) ▪ Include Field (I) ▪ Exclude Format (XA) ▪ Include Format (IA) ▪ Exclude Decimals (XD) ▪ Exclude Literal (XL) ▪ Include Literal (IL) <p><i>Note: Comments (*) maintain position for the criteria type that they precede. For example:</i> <i>* Exclude MESSAGE fields</i> <i>X ?MESSAGE?</i></p> <p><i>Would always be kept together as a pair.</i></p> <p><i>Any comments found in line 1 will always be retained at line 1 and can be used as a description line for the criteria set.</i></p>
PF12	Returns to the Natural Engineer Main Menu.

Multi Search Criteria Types

There are nine criteria types that can be used:

1. '*' – Comment Line

- These criteria types allow for comments to be placed anywhere within the criteria list for any documentation notes or as separators between the criteria.
- They are ignored by the Impact process.

2. 'A' – Absolute Exclude Field

- These criteria types will result in the Impact process excluding any fields that are an exact match for the value specified. These fields will be permanently excluded from the Impact process.
- These criteria types must be at the top of the criteria list, before any other criteria types.

3. 'X' – Exclude Field

- These criteria types will result in the Impact process excluding parts of a field name, while the remainder of the field name is still searched for inclusion.
- These criteria types make use of the 'Byte-Lockout' process.
Note: For more information refer to the section [Byte-Lockout Process](#).
- These criteria types must be located before the 'I' – Include Field criteria types in order to benefit from the 'Byte-Lockout' process.

4. 'I' – Include Field

- These criteria types will result in the Impact process including any fields that match the value specified.
- If a criteria value is specified without the use of wildcards '?', then it is an absolute include. For example: 'I DATE'.
- If the INI file parameter DEF-REM-LEN is set, then the impacted fields will have their length increased by the value specified during Modification.
- These criteria types must be located after the 'X' – Exclude Field criteria types.

5. 'XA' – Exclude Format

- These criteria types will result in the Impact process excluding any field that matches the format value. For example: 'XA A001' would exclude all fields with a format of A001.
- These criteria types can have format ranges specified. For example:
 'XA N1-N20' will exclude any fields that have a format of N and a length between 1 and 20. This would include any fields that have decimal places, e.g., N6.2.
 'XA P5.2-P9.2' will exclude any fields with format N and length between 5.2 and 9.2.
Note: If a comma is used to reference a decimal place, then Natural Engineer will convert them to decimal points for Impact to use (i.e., 5,3 becomes 5.3). For Modification they will be converted back to a comma.
 'XA N-N999' will exclude any numeric type field.
- These criteria types must be located before the 'IA' – Include Format criteria types.

6. 'IA' – Include Format

- These criteria types will result in the Impact process including any field that matches the format value. For example: 'IA A001' would include all fields with a format of A001.
- These criteria types can have format ranges specified. For example:
 'IA N1-N20' will include any fields that have a format of N and a length between 1 and 20. This would include any fields that have decimal places, e.g., N6.2.
 'IA P5.2-P9.2' will include any fields with format N and length between 5.2 and 9.2.
Note: If a comma is used to reference a decimal place, then Natural Engineer will convert them to decimal points for Impact to use (i.e., 5,3 becomes 5.3). For Modification they will be converted back to a comma.
 'IA N-N999' will include any numeric type field.
- These criteria types must be located after the 'XA' – Exclude Format criteria types.

7. 'XL' – Exclude Literal

- These criteria types will result in the Impact process excluding any literal string that matches the criteria value. For example: 'XL ABCDEF' would exclude all literal strings that match the value 'ABCDEF'.

Note: If a partial value is used, then the literal string, may still be included by any subsequent 'IL' - Include Literal criteria. For example:

using the literal string 'ABCDEF'

Criteria 'XL ?ABC?' and 'IL ?DEF?' would result in the literal string being included in the Impact Analysis.

Criteria 'XL ABCDEF' and 'IL ?DEF?' would result in the literal string being excluded in the Impact Analysis.

- These criteria types must be located before the 'IL' – Include Literal criteria types.

8. 'IL' – Include Literal

- These criteria types will result in the Impact process including any literal string that matches the criteria value. For example: 'IL ABCDEF' would include all literal strings that match the value 'ABCDEF'.

- These criteria types must be located after the 'XL' – Exclude Literal criteria types.

9. 'XD' – Exclude Decimal

These criteria types will result in the Impact process excluding any fields that have been defined to hold decimals. For example: N3.1, N1.4 etc.

Criteria Values

Criteria Values specify the search value for the criteria type being used. These can be entered using full or partial values.

Full Value Criteria

If full values are used then the Impact process will only match if the exact value specified matches the item. These types of criteria value are known as absolute values, i.e., an exact match must be made. For example:

3

Natural Engineer Application Analysis & Modification

0010 01 #ALPHA (A10)
0020 01 #ALPHA-BET (A26)
0030 MOVE 'ABCDEF' TO #ALPHA-BET
0040 MOVE 'ABC' TO #ALPHA

Criteria 'I #ALPHA' will impact line 0010 AND 0040 only.

Criteria 'IL ABC' will impact line 0040 only.

Partial Value Criteria

Partial Value criteria can be specified by using the wildcard '?' as part of the value specification. These types of criteria value allow a range to be specified for field names or literal strings.

There are three positions the wildcard can be placed:

1. At the beginning of the value.

Impact will look for a match for any field or literal that ends with the specified value. The format is ?value.

2. At the end of the value.

Impact will look for a match for any field or literal that starts with the specified value. The format is value?.

3. At both the beginning and the end of the value.

Impact will look for a match for any field or literal that contains the specified value. The format is ?value?.

Examples:

0010 01 #INDEX-ONE (I02)
0020 01 #ONE-INDEX (I02)

Criteria 'I ?ONE' will impact line 0010 only.

Criteria 'I ONE?' will impact line 0020 only.

Criteria 'I ?ONE?' will impact line 0010 and 0020.

Additional option

For the criteria types Include (I) and Exclude (X), it is also possible to include or exclude by name and length by adding a format and length to the criteria value. This can be specified as an absolute format or a range.

For example:

'**X ?FRED? (A10)**' will exclude any field with a name that includes FRED and with a format and length of A10.

'**I #TOTAL (N2-N9)**' will include any field with a name of #TOTAL and a format and length that falls between the range N2 to N9.

Byte Lockout Process

This is a unique technique to handle parts of field names that may be included or excluded in the impact reports, depending on the defined search criteria.

For example, if you define UPDATE to be excluded but DATE to be included in the search, the UPDATE part of the field UPDATE-DATE will be excluded, but the DATE part will be included for further processing. Conversely, the field UPDATE will be excluded as defined, and not be included merely on the basis of the inclusion of DATE. This process works for literal values as well as fields.

MVSNAT22TO31

The combination search keyword MVSNAT22TO31 can be used to identify and modify incompatibilities between the syntax for Natural 2.2 and 3.1.

Note: The incompatibilities that exist between Natural 2.2.8 and Natural 3.1 are the same as those between Natural 2.2.8 and Natural 2.3.

This search keyword uses a sub-set of criteria, which are specified using the options provided by the PFkey '**PF6**' (Optns) from the Impact Criteria screen.

*Note: For more information on the PFkey '**PF6**' (Optns) refer to the section [Impact Criteria screen](#).*

Specifying MVS NAT22TO31

To use the MVS NAT22TO31 criteria, you must first select the search keyword 'MVS NAT22TO31' from the Search Keyword Selection pop-up window on the Impact Criteria screen. This will enable the PFkey 'PF6' (Optns) on the Impact Criteria screen.

Note: Only one set of MVS NAT22TO31 criteria is allowed per Impact Version.

The following Figure 3-21 illustrates the specification of search keyword MVS NAT22TO31 on the Impact Criteria screen.

```

                                     Impact Criteria           Application: HOSPITAL
                                                                Version: 09
Search Keyword...: MVS NAT22TO31 _____
Object Name.....: _____

Enter-PF1---PF2---PF3---PF4---PF5---PF6---PF7---PF8---PF9---PF10--PF11--PF12---
      Help  Types Exit           Add  Optns                               Main
```

Figure 3-21 The specification of search keyword MVS NAT22TO31

Using 'PF6' (Optns) will invoke the MVS NAT22TO31 Preferences screen where each of the options can be selected / de-selected.

MVSNAT22TO31 Preferences Screen

The following Figure 3-22 illustrates the MVSNAT22TO31 Preferences screen showing the first page of the available options.

```

- Natural 22 to 31 Criteria -

Y Redefinition of Database Arrays
Y DEFINE WINDOW minimum sizes
Y DIVIDE stmt and decimal positions
Y Comparison logic for MU's in FIND..WITH
Y Incomplete Statement Blocks
Y No uppercase translation for *COM
Y Computation of floating point exponentiation
Y Results for SIN, COS and TAN functions
Y More precise SQRT function results
Y Assignment of decimals to time fields
Y Negative values to date fields
Y Variable arrays comparision & assignment
Y NAT1117 & NAT0924 replaced by NAT0082
Y NAT9nnn messages obsolete

Enter-PF1---PF2---PF3---PF4---PF5---PF6---PF7---PF8---PF9---PF10--PF11--PF12---
      Help      Exit      Prev Next      SelA ADel Main

```

Figure 3-22 MVSNAT22TO31 Preferences screen showing first page of options

Using 'PF8' (Next) will display the second and last page of the available options.

The following Figure 3-23 illustrates the MVS NAT22 TO31 Preferences screen showing the second page of the available options.

```
- Natural 22 to 31 Criteria -  
  
Y *TPSYS changed under BS2000  
Y Priority of PRINT/WORK FILE statements  
Y Usage of exit modules copied from SYSEXT  
Y Internal handling of AD=0  
Y EJECT requires LESS  
Y Invalid usage of ESCAPE  
Y Decimal digits of constant values  
Y NEWPAGE requires LESS/TOP  
Y PRINT statement LS parm now invalid  
Y MOVE RIGHT JUSTIFIED shorter target field  
Y BEFORE BREAK in IF  
Y SUBSTRING Option  
Y Numeric redefinition in MOVE BY NAME  
  
Enter-PF1---PF2---PF3---PF4---PF5---PF6---PF7---PF8---PF9---PF10--PF11--PF12---  
      Help       Exit           Prev Next           SelA ADel Main
```

Figure 3-23 MVS NAT22 TO31 Preferences screen showing second page of options

SCREEN ITEMS	DESCRIPTION
--------------	-------------

MVSNAT22TO31 Criteria	<p>Each MVSNAT22TO31 option is listed.</p> <p>A 'Y' in the selection column next to each option indicates that the option will be checked for. If a selection column is blank then that option will not be referenced during Impact execution.</p> <p>Available selections and their respective modification types are:</p> <ul style="list-style-type: none"> ▪ Redefinition of Database Arrays (SAG01) ▪ DEFINE WINDOW minimum sizes (SAG02) ▪ DIVIDE stmt and decimal positions (SAG03/SAG3) ▪ Comparison logic for MU's in FIND..WITH (SAG04) ▪ Incomplete Statement Blocks (SAG05 R1 /SAG05 R2) ▪ No uppercase translation for *COM (SAG07) ▪ Computation for floating point exponentiation (SAG08/SAG13) ▪ Results for SIN, COS and TAN functions (SAG09) ▪ More precise SQRT function results (SAG10) ▪ Assignment of decimals to time fields (SAG11) ▪ Negative values to date fields (SAG12) ▪ Variable arrays comparison & assignment (SAG14) ▪ NAT1117 & NAT0924 replaced by NAT0082 (SAG15) ▪ NAT9nnn messages obsolete (SAG16) ▪ *TPSYS changed under BS2000 (SAG17) ▪ Priority of PRINT/WORK FILE statements (SAG18) ▪ Usage of exit modules copied from SYSEXT (SAG19) ▪ Internal handling of AD=O (GSL01) ▪ EJECT requires LESS (GSL02) ▪ Invalid usage of ESCAPE (GSL03) ▪ Decimal digits of constant values (GSL04) ▪ NEWPAGE requires LESS/TOP (GSL05) ▪ PRINT statement LS parm now invalid (GSL06) ▪ MOVE RIGHT JUSTIFIED shorter target field (GSL07) ▪ BEFORE BREAK in IF (GSL08) ▪ SUBSTRING Option (GSL09) ▪ Numeric redefinition in MOVE BY NAME (GSL10) <p><i>Note: For more information on each of these options refer to the section Natural 2.2 / 3.1 Incompatibilities.</i></p>
--------------------------	--

PFKEYS	DESCRIPTION
PF1	Activates the help function.
PF3	Exit from the current function and return to previous screen.
PF7	Displays previous page.
PF8	Displays next page.
PF10	Selects all the MVS _{NAT22TO31} sub-criteria.
PF11	Deselects all the MVS _{NAT22TO31} sub-criteria.
PF12	Returns to the Natural Engineer Main Menu.

3

Natural Engineer Application Analysis & Modification

Natural 2.2 / 3.1 Incompatibilities

Natural Engineer identifies the following incompatibilities between Natural 2.2 and Natural 3.1.

Some of the incompatibilities can be modified using the Modification process, others will only have the Impact process available and manual modifications may need to be applied to each of these.

Note: The NEE Modification Type relates to the modification types and codes that are available from the Modification Element Maintenance screen. For more information refer to the section [Modification Element Maintenance](#).

1. Redefinition of Database Arrays

Description	It is no longer possible to specify a variable index range in the redefinition of a periodic-group or multiple value fields.
NEE Impact	NEE will identify any variable index range specified where the field is a redefinition of a periodic-group or multiple value field.
NEE Modification Type	3a SAG01
NEE Modification	Automatic. NEE will replace the variable index range with a 1 by default. A different replacement value may be specified by setting the appropriate value required in the 'Replace Value' section on the Modification Element Maintenance screen.

2. DEFINE WINDOW Minimum Window Size

Description	The minimum size of a window definition in the SIZE clause of the DEFINE WINDOW statement is 2 lines by 10 columns without a frame and 4 lines by 13 columns with a frame. In Natural 2.2 a size smaller than the minimum may be specified. In Natural 3.1 a NAT1167 compilation error will occur if the lines are wrong, NAT1166 if columns.
NEE Impact	Natural Engineer will identify DEFINE WINDOW statements where the line or column values are less than the minimum allowed.
NEE Modification Type	3b SAG02
NEE Modification	Automatic. Natural Engineer will replace the invalid line or column value with the minimum defined values.

3

Natural Engineer Application Analysis & Modification

3. DIVIDE statement with GIVING and REMAINDER Clauses

Description	In Natural 3.1, if a DIVIDE statement has both GIVING and REMAINDER options then if the dividend (Operand 2) has more or fewer decimal positions than the result field, then different results will be shown for the REMAINDER field.
NEE Impact	Natural Engineer will identify all DIVIDE statements containing GIVING and REMAINDER where the number of decimals of the dividend is greater or fewer than that of the result. It will also identify the data definition of the relevant result field.
NEE Modification Type	3c SAG03 3h SAG03
NEE Modification	Automatic. The DIVIDE statement is identified by the SAG03 type. There is however no modification to be applied to the actual DIVIDE statement so the modification category is set to Not Applicable. The data definition for the result field is identified by the SAG03 type. This is automatically changed so that the decimal places of the data definition for the result field is the same as that of the dividend.

4. Comparison Logic for MU's in FIND..WITH

Description	<p>The comparison logic for multiple value fields in the WITH clause of the FIND statement has been changed to be in line with other comparison logic in other statements, for example IF.</p> <p>1. FIND XYZ-VIEW WITH MU = 'A' With Natural 2.2 and 3.1, this statement returns records in which at least one occurrence of MU has the value 'A'.</p> <p>2. FIND XYZ-VIEW WITH MU NOT EQUAL 'A' With Natural 2.2, this statement returns records in which no occurrence of MU has the value 'A' (same as 4.). With Natural 3.1, this statement returns records in which at least one occurrence of MU does not have the value 'A'.</p> <p>3. FIND XYZ-VIEW WITH NOT MU NOT EQUAL 'A' With Natural 2.2, this statement returns records in which at least one occurrence of MU has the value 'A' (same as 1). With Natural 3.1, this statement returns records in which every occurrence of MU has the value 'A'.</p> <p>4. FIND XYZ-VIEW WITH NOT MU = 'A' With Natural 2.2 and 3.1, this statement returns records in which no occurrence of MU has the value 'A'. This means that if you newly compile under Natural 3.1 existing Natural 2.2 programs containing FIND statements of the type 2 and 3., they will return different results.</p>
NEE Impact	<p>Natural Engineer will identify all FIND statements using an MU field in the WITH clause like:</p> <ol style="list-style-type: none"> 1) MU NOT EQUAL Value 2) NOT MU NOT EQUAL Value
NEE Modification Type	<p>3d SAG04</p>
NEE Modification	<p>Automatic.</p> <p>The modification will be applied as follows:</p> <ol style="list-style-type: none"> 1) MU NOT EQUAL Value to NOT MU = value 2) NOT MU NOT EQUAL Value to MU = Value

5. Empty Statement Blocks for FOR and REPEAT

Description	In Natural 2.2 an empty statement block e.g. FOR or REPEAT may not lead to compilation errors. In Natural 3.1, this is removed.
NEE Impact	
NEE Modification Type	3e SAG05R1 3@ SAG05R2
NEE Modification	Automatic. The default modification for this problem is SAG05R1. This will insert into the empty statement block an IGNORE statement based on the TLM N31R05T1. An alternative modification is SAG05R2. This will comment out the empty statement block but then insert a line of code to set the applicable variable to the maximum value. For Example: FOR #A = 1 TO 10, will insert MOVE 10 TO #A. This is based on the TLM N31R05T2. The insertion of this TLM will only apply to FOR loops. REPEAT loops will only be commented out and NO TLM will be inserted. Before applying this modification, the TLM's N31R05T1 and N31R05T2 need to be copied from the SYSNEE library to SYSTEM or the modification library of the Natural Engineer Application. In addition Modification Preferences will need to be defined for the specific Modification Type to assign the TLM's to the type.

6. No Upper-case translation for *COM

Description	In Natural 2.2 *COM may be specified with an AD=T attribute. This is ignored at runtime but not rejected at compile. In Natural 3.1 this will lead to a compile error NAT0335.
NEE Impact	Natural Engineer will identify all occurrences of *COM with an AD=T attribute.
NEE Modification Type	3g SAG07
NEE Modification	Automatic. The AD=T attribute is removed from the *COM data item.

7. Computation of Floating-Point Exponentiation Corrected

Description	<p>With Natural 2.2, if, in an exponentiation, both the base and the exponent are of floating-point format, the length of the exponent is used for the computation of the result.</p> <p>With Natural 3.1, if, in an exponentiation, both the base and the exponent are of floating-point format, the length of the base is used for the computation of the result.</p> <p>With Natural 2.2, if, in an exponentiation, the exponent is of floating-point format and the base is not, the base is internally converted to format/length F4 or F8, depending on the length of the base.</p> <p>With Natural 3.1, if, in an exponentiation, the exponent is of floating-point format and the base is not, the base is internally always converted to format/length F8 so as to get the greatest possible precision.</p> <p>Both the above corrections may in some cases lead to different results; however, these results will be of a greater precision.</p>
NEE Impact	Natural Engineer will identify all relevant occurrences.
NEE Modification Type	3n SAG13/SAG08
NEE Modification	Manual.

8. Results for SIN, COS and TAN functions

Description	<p>With Natural 2.2, when the mathematical functions SIN, COS and TAN (sine, cosine and tangent) are applied to very large numbers (equal to or greater than 10^{++17}), they may in some cases return incorrect results.</p> <p>With Natural 3.1, for numbers equal to or greater than 10^{++17} the sine will be 0, the cosine will be 1 and the tangent will be 0.</p> <p>This may in some cases lead to different results.</p>
NEE Impact	Natural Engineer will identify all SIN, COS and TAN references.
NEE Modification Type	3i SAG09
NEE Modification	Manual.

9. More precise SQRT function results

Description	<p>With Natural 3.1, the computation of the mathematical function SQRT (square root) has been improved for floating-point operands.</p> <p>This may in some cases lead to different results. However, these results will be of a greater precision.</p>
NEE Impact	Natural Engineer will identify all relevant SQRT references and all data items used in these statements.
NEE Modification Type	3j SAG10
NEE Modification	Manual.

10. Assignments of Numbers with Decimal Digits to Time Fields

Description	<p>With Natural 2.2, if numbers (format N or P) decimal positions are assigned/moved to a time field (format T), the entire number is assigned/moved as an integer; that is, the decimal point is ignored.</p> <p>With Natural 3.1, this error has been corrected: The positions after the decimal point will be truncated, or rounded (if the ROUNDED option is used in the corresponding COMPUTE or MOVE statement). This may lead to different results, which will, however, be correct.</p>
NEE Impact	Natural Engineer will identify all COMPUTE, MOVE statements moving a P, N variable or a value with decimal digits to a time field.
NEE Modification Type	3k SAG11
NEE Modification	Manual.

11. Negative Values to Date Fields

Description	<p>It is not allowed to assign a negative value to a date field (format D) or a time field (format T).</p> <p>With Natural 2.2, however, such invalid assignment at runtime may in some cases not be intercepted.</p> <p>With Natural 3.1, this has been corrected: The assignment of a negative value to a date or time field will always lead to an error (NAT1319).</p>
NEE Impact	All negative assignments to Date or Time fields are identified.
NEE Modification Type	3m SAG12
NEE Modification	Manual.

3

Natural Engineer Application Analysis & Modification

12. More precise Results for Floating Point Conversions

Description	The format conversion for the transfer of data from floating-point fields (format F) to packed numeric fields (format P) and vice versa, as well as from floating-point fields to alphanumeric fields (format A) and vice versa, has been improved. This may in some cases lead to different results. However, these results will be of a greater precision than with Natural 2.2.
NEE Impact	Natural Engineer will identify all relevant occurrences.
NEE Modification Category	3n SAG13/SAG08
NEE Modification	Manual.

13. Comparison and Assignment of Variable Array Ranges

Description	<p>With Natural 3.1, a comparison or assignment involving arrays with variable indexes will lead to an error at runtime (NAT1317) if an array range turns out to be actually a scalar once the actual values are assigned to the index variables.</p> <p>With Natural 2.2, such a comparison or assignment is allowed, but it is not consistent with the handling of constant scalars (as shown in the following example).</p> <p>Example (assuming $j = i + 1$):</p> <p>Natural 2.2:</p> <ol style="list-style-type: none"> 1. IF #A(i:j) = #B(m) is resolved as: IF #A(i) = #B(m) OR #A(j) = #B(m) 2. IF #A(i:j) = #B(m:n) is resolved as: IF #A(i) = #B(m) AND #A(j) = #B(n) <p>This means that if the values of 'm' and 'n' are equal, comparison 2 is resolved inconsistently.</p> <p>Natural 3.1:</p> <p>If the values of 'm' and 'n' are equal, comparison 2. Will cause a runtime error.</p>
NEE Impact	Natural Engineer will identify all comparisons or assignments using variable indexed arrays.
NEE Modification Type	3o SAG14
NEE Modification	Not Applicable

14. Error Messages NAT1117 and NAT0924 replaced by NAT0082

Description	In situations where Natural 2.2 displays error message NAT1117 (requested map not available) or NAT0924 (subroutine, GDA or external report not found), Natural 3.1 displays message NAT0082. This will lead to different results if you interrogate these message numbers in your applications.
NEE Impact	Natural Engineer will identify any literal strings containing 1117 and 924.
NEE Modification Type	3p SAG15
NEE Modification	Manual (default). This can be updated to 'Automatic' via the Modification Element Maintenance screen and then applied by executing the Modification process. All references to 1117 and 924 will be modified to be 0082.

15. Obsolete Error Messages

Description	The following error messages have become obsolete; they no longer exist with Natural 3.1: NAT9000, NAT9100, NAT9101 and NAT9200.
NEE Impact	Natural Engineer will identify all references of NAT9000, NAT9100, NAT9101 and NAT9200.
NEE Modification Type	3q SAG16.
NEE Modification	Manual.

16. Changed System Variable *TPSYS

Description	Under TIAM (BS2000) *TPSYS contains 'TIAM' instead of 'RTIO'
NEE Impact	Natural Engineer will identify all references of 'RTIO'.
NEE Modification Category	3r SAG17.
NEE Modification	Automatic. All references of 'RTIO' will be modified to 'TIAM'.

17. Priority of PRINT/WORK FILE statements

Description	The NATPARM definitions of Print/Load files have priority over the JCL definitions. Special purpose ZAP NA32116 puts back Natural 2.2 functionality.
NEE Impact	Natural Engineer will identify all PRINT/WRITE WORK FILE statements. <i>Note: This may produce a lot of impacts. If you wish to remove this search from Natural Engineer then please modify the impact search criteria by de-selecting the option 'Priority of PRINT/WORK FILE statements' from the MVS/NAT22TO31 Preferences screen.</i>
NEE Modification Category	3s SAG18
NEE Modification	Manual.

3

Natural Engineer Application Analysis & Modification

18. User Exit Modules copied from SYSEXT

Description	In general, the user exits (USR****N) located on FUSER (Natural 2.2) have to be replaced with the corresponding module from library SYSEXT on the FNAT of Natural 3.1.
NEE Impact	Natural Engineer will identify all USR..... (CALLNAT) references.
NEE Modification Type	3t SAG19
NEE Modification	Manual.

19. Internal Handling of AD=O

Description	With Natural 3.1, the internal handling of AD=O has changed. A CALLNAT/PERFORM parameter marked with AD=O is no longer passed to the subprogram/subroutine 'by reference' (that is, via its address) but 'by value'.
NEE Impact	Natural Engineer will identify all CALLNAT/PERFORM statements with parameter AD=O Specified.
NEE Modification Type	3u GSL01
NEE Modification	Manual.

20. LESS clause of EJECT Statement

Description	To enhance the clarity of programs and avoid possible ambiguities in the source code, the keyword LESS in Syntax 2 of the EJECT statement is no longer optional, but required. With Natural 2.2, the shortest possible form is: EJECT operand1 With Natural 3.1, it is: EJECT LESS operand1
NEE Impact	Natural Engineer will identify all EJECT statements without the LESS clause.
NEE Modification Type	3v GSL02
NEE Modification	Automatic. The LESS clause will be added to the EJECT statement.

21. ESCAPE TOP within AT START OF DATA

ESCAPE TOP and ESCAPE BOTTOM not allowed in ON ERROR blocks

Description	In Natural 3.1, you are no longer allowed to place an ESCAPE TOP statement within an AT START OF DATA statement block. It is also not permitted to place either an ESCAPE TOP or an ESCAPE BOTTOM within an ON ERROR BLOCK.
NEE Impact	Natural Engineer will identify all ESCAPE TOP statements in AT START OF DATA Blocks. Also, ESCAPE TOP and ESCAPE BOTTOM statements within ON ERROR blocks are identified.
NEE Modification Type	3w GSL03
NEE Modification	Manual.

22. Decimal Digits of Constant Values

Description	If the constant value specified after CONSTANT or INIT has more digits after the decimal point than the corresponding field, this does not lead to an error with Natural 2.2. With Natural 3.1, such inconsistency leads to error NAT0094 at compilation.
NEE Impact	Natural Engineer will identify all statements where the constant/initial value has more digits after the decimal point than the corresponding field.
NEE Modification Type	3x GSL04
NEE Modification	Manual.

23. TOP and LESS clauses of NEWPAGE statement

Description	To enhance the clarity of programs and avoid possible ambiguities in the source code, the keywords TOP and LESS OF the NEWPAGE statement are no longer optional, but required. With Natural 2.2, the shortest possible forms are: NEWPAGE EVEN NEWPAGE operand1 With Natural 3.1, they are: NEWPAGE EVEN TOP NEWPAGE LESS operand1
NEE Impact	Natural Engineer will identify all NEWPAGE statements without a TOP or LESS clause.
NEE Modification Type	3y GSL05
NEE Modification	Automatic. The TOP or LESS clause will get inserted into the NEWPAGE statement.

24. LS parameter and PRINT statement

Description	It is no longer possible to specify the LS parameter with the PRINT statement (as it has no effect anyway). With Natural 2.2, this does not lead to an error. With Natural 3.1, it leads to error NAT0934.
NEE Impact	Natural Engineer will identify all PRINT statements with the LS parameter specified.
NEE Modification Type	3z GSL06
NEE Modification	Automatic. The LS parameter will be removed from the PRINT statement.

25. MOVE RIGHT JUSTIFIED where target field is shorter than source field

Description	If the target field in a MOVE RIGHT JUSTIFIED statement is smaller than the sending field length, the resulting #value in the target field is truncated from the start of the sending field data. Example : 01 #A(A10) INIT <'ABCDEFGHIJKL'> 01 #B(A05) * MOVE RIGHT JUSTIFIED #A TO #B * Result under Natural 2.2, #B = ABCDE Result under Natural 3.1, #B = HIJKL
NEE Impact	Natural Engineer will identify all MOVE RIGHT JUSTIFIED statements where the target field is shorter than the source.
NEE Modification Type	3l GSL07
NEE Modification	Manual.

26. BEFORE BREAK within IF condition

Description	At compile time, it is no longer possible to code a BEFORE BREAK statement within an IF condition. This syntax compiles under OS390 for Natural 2.2, 2.3 and 3.1. However, there is a ZAP (NA44082) to make Natural 3.1.4 compatible with PC Natural 4.1.2. Compilation error NAT0309 – Invalid positioning of AT BREAK/END condition, will be returned during compilation.
NEE Impact	Natural Engineer will identify all BEFORE BREAK statements within an IF condition.
NEE Modification Type	31 GSL08
NEE Modification	Manual.

27. Invalid settings for SUBSTRING

Description	Since Natural 3.1, Natural checks at compile time that the SUBSTRING options are valid. The value of the offset plus the length of the sub-string must be less than or equal to string length. If this is not the case, then compilation error 'NAT0471 Invalid operands in SUBSTRING option' will be returned during compilation. Under Natural 2.2, the user would receive a runtime error.
NEE Impact	Natural Engineer will identify where the offset plus the length used in a SUBSTRING clause, exceed the length of the field. This is applicable to EXAMINE, MOVE, EXAMINE TRANSLATE, COMPRESS, COMPUTE, ASSIGN and SEPARATE statements. <i>Note: If the offset is a variable, no checking is carried out. Also, if the length is a variable, then the check is the offset against the field length.</i>
NEE Modification Type	32 GSL09
NEE Modification	Manual

28. MOVE BY NAME with numeric redefinition

Description	<p>If a MOVE BY NAME statement references fields which have been redefined from alpha to numeric and both the source and target fields are the same length, then you will receive different results under Natural 3.1.</p> <p>Example:</p> <pre> DEFINE DATA LOCAL 01 #GROUP1 02 #ALPHA (A10) 02 REDEFINE #ALPHA 03 #ALPHA1 (A1) 03 #NUMERIC (N9) 01 #GROUP2 02 #ALPHA (A10) 02 REDEFINE #ALPHA 03 #ALPHA1 (A1) 03 #NUMERIC (N9) END-DEFINE MOVE BY NAME #GROUP1 TO #GROUP2 WRITE 'RESULT:' #GROUP1 #GROUP2 END </pre> <p>Result under Natural 2.2, RESULT: Result under Natural 3.1, RESULT: 000000000 <i>(Note: the numeric redefinition now contains zeros.)</i></p>
NEE Impact	<p>Natural Engineer will identify any MOVE BY NAME statements if the source and target fields are:</p> <ul style="list-style-type: none"> ▪ Both part of a redefine of an alpha field. ▪ Both have a format of 'N' (numeric). ▪ Both have the same length.
NEE Modification Type	33 GSL10
NEE Modification	Manual

PORTING

The combination search keyword PORTING is used to identify any statements that may affect an application being migrated to alternate platforms.

This search keyword uses a sub-set of criteria, which are specified using the options provided by the PFkey '**PF6**' (Optns) from the Impact Criteria screen.

*Note: For more information on the PFkey '**PF6**' (Optns) refer to the section [Impact Criteria screen](#)*

No automatic modification is available for this search keyword.

Specifying PORTING

To use the Porting criteria, you must first select the search keyword 'PORTING' from the Search Keyword Selection pop-up window on the Impact Criteria screen. This will enable the PFkey '**PF6**' (Optns) on the Impact Criteria screen.

Note: Only one set of PORTING criteria is allowed per Impact Version.

The following Figure 3-24 illustrates the specification of search keyword PORTING on the Impact Criteria screen.

```

                                     - Impact Criteria -      Application: HOSPITAL
                                                                Version: 10
Search Keyword...: PORTING_____
Object Name.....: _____

Enter-PF1---PF2---PF3---PF4---PF5---PF6---PF7---PF8---PF9---PF10--PF11--PF12---
      Help  Types Exit          Add  Optns                                Main
```

Figure 3-24 The specification of search keyword PORTING

Using '**PF6**' (Optns) will invoke the Porting Preferences screen where each of the options can be selected / de-selected.

SCREEN ITEMS	DESCRIPTION
Porting Preferences	<p>Each Porting option is listed</p> <p>A 'Y' in the selection column next to each option indicates that the option will be checked for. If a selection column is blank then that option will not be referenced during Impact execution.</p> <p>Available selections are:</p> <p>Alpha Redefinitions with Binary, Integer or Packed Format Fields Impact will look for any alpha variables that have redefinition variables defined using format of Binary, Integer or Packed. No automatic modification is available.</p> <p>Numeric Fields being moved to Alpha Impact will look for any numeric variables that are being moved to alpha variables. No automatic modification is available.</p>

PFKEYS	DESCRIPTION
PF1	Activates the help function.
PF3	Exit from the current function and return to previous screen.
PF10	Selects all the Porting sub-criteria.
PF11	Deselects all the Porting sub-criteria.
PF12	Returns to the Natural Engineer Main Menu.

REFACTORING

The combination search keyword REFACTORING can be used to locate certain key situations that may need to be addressed when reviewing the organization of a Natural application.

This search keyword uses a sub-set of criteria, which are specified using the options provided by the PFkey '**PF6**' (Optns) from the Impact Criteria screen.

*Note: For more information on the PFkey '**PF6**' (Optns) refer to the section [Impact Criteria screen](#)*

Once impacted, then for some key situations it may be possible to modify the code using the Modification process.

Specifying Refactoring

To use the Refactoring criteria, you must first select the search keyword 'REFACTORING' from the Search Keyword Selection pop-up window on the Impact Criteria screen. This will enable the PFkey 'PF6' (Optns) on the Impact Criteria screen.

Note: Only one set of REFACTORING criteria is allowed per Impact Version.

The following Figure 3-26 illustrates the specification of search keyword REFACTORING on the Impact Criteria screen.

```

                                     - Impact Criteria -           Application: HOSPITAL
                                                                    Version: 11
Search Keyword...: REFACTORING_____
Object Name.....: _____

Enter-PF1---PF2---PF3---PF4---PF5---PF6---PF7---PF8---PF9---PF10--PF11--PF12---
      Help  Types Exit          Add  Optns                                Main
```

Figure 3-26 The specification of search keyword REFACTORING

Using 'PF6' (Optns) will invoke the Refactoring Preferences screen where each of the options can be selected / de-selected.

Refactoring Options Screen

The following Figure 3-27 illustrates the Refactoring Options screen.

```
                - Refactoring Options -      Application: HOSPITAL
                                                Version: 11

Mandatory Tasks
- Convert Back References to Labels

Optional Tasks
- Check for Redundant Code
- Check for Conversational DB Loops
- Check for Unused Variables

Enter-PF1---PF2---PF3---PF4---PF5---PF6---PF7---PF8---PF9---PF10--PF11--PF12---
      Help      Exit                               SelA ADel Main
```

Figure 3-27 Refactoring Options screen

SCREEN ITEMS	DESCRIPTION
Refactoring Options	<p>Each Refactoring option is listed</p> <p>A 'Y' in the selection column next to each option indicates that the option will be checked for. If a selection column is blank then that option will not be referenced during Impact execution.</p> <p><i>Note: At least one Refactoring option must be selected.</i></p> <p>Available selections are:</p> <ul style="list-style-type: none"> ▪ Convert Back References to Labels ▪ Check for Redundant Code ▪ Check for Conversational DB Loops ▪ Check for Unused Variables <p><i>Note: For more information on each option refer to the section Refactoring Preferences Explained.</i></p> <p><i>Note: The group titles 'Mandatory Tasks' and 'Optional Tasks' are used as guidance when using the Refactoring Workflow function found under the Utilities menu.</i></p>

PFKEYS	DESCRIPTION
PF1	Activates the help function.
PF3	Exit from the current function and return to previous screen.
PF10	Selects all the Refactoring sub-criteria.
PF11	Deselects all the Refactoring sub-criteria.
PF12	Returns to the Natural Engineer Main Menu.

Refactoring Preferences Explained

The Refactoring Preferences help identify certain key situations within Natural objects that may need to be addressed when reviewing the organization of a Natural application.

The available Refactoring Preferences cater for the following key situations:

- Database and non-database loops with no labels and any numeric back references.
- Redundant code. Code that is no longer executable within an object.
- Conversational database loops. Database loops that contain any screen I/O statements.
- Unused variables.

Some of these situations can be modified using the Modification process, others will only have the Impact process available and manual modifications may need to be applied to each of these.

Convert Back References to Labels

Impact	<p>Impact will look for any database and non-database loops that do not have labels, and any numeric back references which can be converted to labels.</p> <p><u>Example:</u></p> <pre>0130 /* 0140 READ VEHICLES 0150 DISPLAY MAKE (0140) MODEL (0140) COLOR (0140) 0160 END-READ :::: 0220 REPEAT UNTIL #INDEX GT 12 0230 MULTIPLY #INDEX BY #MULTIPLY-2 GIVING #ANSWER 0240 ADD 1 TO #INDEX 0250 END-REPEAT ::::</pre> <p>Statement 0140 is impacted for a database loop with no label.</p> <p>Statement 0150 is impacted three times, once for each numeric back reference.</p> <p>Statement 0220 is impacted for a non-database loop with no label.</p>
Impact Type	<p>82 (Missing database labels.) 83 (Missing non-database labels.) 84 (Convert numeric back references to labels.)</p>
Modification	<p>Automatic.</p> <p>Modification will add labels for database and non-database loops without labels, and change any numeric back references to labels.</p> <p><u>Example:</u></p> <pre>0130 /* 0140 READ-0140. /* NEE MODIFIED 0150 READ VEHICLES 0160 /* DISPLAY MAKE (0140) MODEL (0140) COLOR (0140) /* NEE OLD CODE 0170 DISPLAY MAKE (READ-0140.) MODEL (READ-0140.) COLOR (READ-0140.) /* NEE MODIFIED 0180 END-READ :::: 0240 REP-0220. /* NEE MODIFIED 0250 REPEAT UNTIL #INDEX GT 12 0260 MULTIPLY #INDEX BY #MULTIPLY-2 GIVING #ANSWER 0270 ADD 1 TO #INDEX 0280 END-REPEAT ::::</pre>

3

Natural Engineer Application Analysis & Modification

Check for Redundant Code

Impact	<p>Impact will look for any unused source code lines within programming objects, across a whole application.</p> <p>Any source code that is driven by event rather than position is ignored. For example AT BREAK, AT END OF PAGE, WRITE TITLE.</p> <p>Unused source code within internal subroutines is included, but for external subroutines the Unused Objects report should be referenced.</p> <p><i>Note: Only Structured Mode objects will be impacted. For Reporting Mode objects, it is recommended that they are converted to Structured Mode first using the Mode Conversion function, and then impacted.</i></p> <p><u>Example:</u></p> <pre>0290 IF #CHOICE = 'X' 0300 MOVE 'COPTZP4S' TO #FIELD-A 0310 RESET #FIELD-N 0320 FETCH 'COPTZP4S' #FIELD-A #FIELD-N 0330 RESET #FIELD-N 0340 MOVE 'XYZ' TO #FIELD-A 0350 END-IF</pre>
Impact Type	85
Modification	Manual.

Check for Conversational DB Loops

Impact	<p>Impact will look for any screen I/O statements within database processing loops. If the screen I/O statements are located within an inline subroutine, then the PERFORM statement for that inline subroutine will also be impacted.</p> <p>Database processing loops are identified by the Natural keywords: BROWSE, FIND, HISTOGRAM and READ.</p> <p>Screen I/O statements are identified by the Natural keywords: DISPLAY, INPUT, PRINT, REINPUT and WRITE.</p> <p><u>Example:</u></p> <pre> ::: 0100 READ VEHICLES 0110 DISPLAY MAKE MODEL 0120 END-READ 0130 /* 0140 FIND PERSONNEL WITH NAME = 'ADKINSON' 0150 PERFORM ##WRITE-DETAILS 0160 PERFORM ##PRINT-DETAILS 0170 END-FIND 0180 /* 0190 DEFINE SUBROUTINE ##WRITE-DETAILS 0200 WRITE PERSONNEL-NUMBER NAME 0210 END-SUBROUTINE 0220 /* 0230 DEFINE SUBROUTINE ##PRINT-DETAILS 0240 PRINT PERSONNEL-NUMBER NAME 0250 END-SUBROUTINE ::: </pre>
Impact Type	85
Modification	Manual.

3

Natural Engineer Application Analysis & Modification

Check for Unused Variables

Impact	<p>Impact will look for any unused variables. These can be user-defined variables or logical view variables.</p> <p><u>Example:</u></p> <pre>0010 #A (A5) 0020 #B (A5) 0030 #C (A5) 0040 MOVE 'ABCDE' TO #A 0050 MOVE #A TO #B 0060 WRITE #B 0070 END</pre>
Impact Type	86
Modification	<p>Automatic.</p> <p>Modification will comment out any unused variables.</p> <p><u>Example:</u></p> <pre>0010 #A (A5) 0020 #B (A5) 0030 /* #C (A5) /* UNUSED DATA ITEM /* NEE OLD CODE 0040 /* UNUSED */ #C (A5) /* UNUSED DATA ITEM /* NEE MODIFIED 0050 MOVE 'ABCDE' TO #A 0060 MOVE #A TO #B 0070 WRITE #B 0080 END</pre> <p><i>Note: LDA and PDA objects with unused data items will not be modified.</i></p>

INDEX

C

- Combination Search Keywords, 121
 - ADJUST, 122
 - CODE IMPROVEMENT, 135
 - MULTI SEARCH, 166
 - MVSNAT22TO31, 176
 - NATRPC, 164
 - OBJECT BUILDER, 162
 - PORTING, 200
 - REFACTORING, 204

E

- Execute Modification for All Objects, 117
 - PAC Applications, 119

I

- Impact Analysis Inventory, 88
- Impact Criteria, 13
 - Cobol Keywords, 39
 - Combination Keywords, 42
 - Definition Options screen, 53
 - Forward/Backward Tracking, 46
 - Impact Criteria screen, 22
 - Impact Criteria Summary screen, 13
 - Incremental Impact Criteria Preferences, 19
 - Keyword Options pop-up window, 48
 - Miscellaneous Keywords, 42
 - Search Keyword Selection pop-up window, 33

- Search Keywords, 35
- Impact Data Preparation, 57
 - Impact Sets, 58
 - Object Builder Processing, 62
- Impact Element Maintenance, 73
 - Field Context List screen, 81
 - Impact Element Categorization screen, 79
 - Impact Object Categorization screen, 77
 - Impact Object Selection screen, 74
 - Impact Types, 83
- Impact Execution, 71
- Impact Version, 10
 - Impact Version screen, 10

M

- Modification Element Maintenance, 102
 - Field Context List screen, 111
 - Modification Categories, 114
 - Modification Element Categorization screen, 109
 - Modification Object Categorization screen, 106
 - Modification Object Selection screen, 103
 - User Exit Modification, 115
- Modification Inventory, 120
- Modification Preferences, 90
 - Dynamic Operand replacement in TLMs, 95
 - Modification Preferences screen, 98
 - Supplied Sample Text Logic Members, 91

