

# Defaults > SAP Spool

SAP-Spool, among other spooling systems, can serve as source for the output data to be processed. Here you can define whether the SAP-Spool interface should be active or not. Reports can be transferred via SAP exits to Entire Output Management for further processing, instead of being printed by the SAP Spooling System. The data are stored in the specified Adabas file (Entire Output Management container file) and an entry is created for each Report in an internal queue. These jobs are run if SAP-Spool interface is activated.

This section covers the following topics:

- Modifying SAP Spool Defaults
  - Displaying SAP Spool Defaults
- 

## Modifying SAP Spool Defaults

With this function, you can change the system-wide SAP Spool parameter default settings.

### To change the SAP Spool parameters:

1. Select the System Administration > Defaults > SAP Spool node in the object workspace.
2. Invoke the context menu and choose **Open**.
3. The **SAP-SPOOL Defaults** are displayed, and you can change them.

The fields are described under *SAP-Spool Defaults* in the *System Administration* documentation.

4. When you have finished making changes, choose the **OK** button to save them.

## Displaying SAP Spool Defaults

With this function, you can view the system-wide SAP Spool default settings.

### To display the SAP Spool defaults:

1. Select the System Administration > Defaults > SAP Spool node in the object workspace.
2. Invoke the context menu and choose **Display**.
3. The SAP Spool defaults are displayed. The fields are described under *SAP-Spool Defaults* in the *System Administration* documentation.
4. Select **Cancel** to close the window.