

NaturalONE

NaturalONE in a Nutshell

Version 8.2.7

March 2013

This document applies to NaturalONE Version 8.2.7.

Specifications contained herein are subject to change and these changes will be reported in subsequent release notes or new editions.

Copyright © 2009-2013 Software AG, Darmstadt, Germany and/or Software AG USA, Inc., Reston, VA, United States of America, and/or their licensors.

Detailed information on trademarks and patents owned by Software AG and/or its subsidiaries is located at <http://documentation.softwareag.com/legal/>.

Use of this software is subject to adherence to Software AG's licensing conditions and terms. These terms are part of the product documentation, located at <http://documentation.softwareag.com/legal/> and/or in the root installation directory of the licensed product(s).

This software may include portions of third-party products. For third-party copyright notices and license terms, please refer to "License Texts, Copyright Notices and Disclaimers of Third-Party Products". This document is part of the product documentation, located at <http://documentation.softwareag.com/legal/> and/or in the root installation directory of the licensed product(s).

Document ID: ONE-FIRSTSTEPS-827-20130320

Table of Contents

Preface	v
1 NaturalONE and the Eclipse Workspace	1
Advantage of Using the Eclipse Workspace	2
Local Mode Versus Natural Server Mode	2
Offloading your Sources from the Natural Server into the Workspace	2
Cataloged Objects on the Server	3
Application Parameters in the Project Properties	3
The Natural Builder	4
Project Structure on the Disk	4
Project References	4
2 All About Natural Projects	5
How to Create a Natural Project?	6
Defining a Project from Scratch	6
Adding Natural Libraries/Objects to a New Project	8
Checking Out an Existing Project from a Versioning Repository	10
Importing an Existing Project from another Location	10
Deploying a Project	10
3 Working in a Team	11
Key Requirement: A Versioning Tool	12
Private-mode Libraries	12
Separating Natural Projects into Logical Parts	13
Keeping the Development Environments Separate	14
Storing the Project Settings	14
4 The Local Natural Runtime	15

Preface

This documentation explains the basic concept of NaturalONE and helps you get started. It is organized under the following headings:

NaturalONE and the Eclipse Workspace	What is the advantage of using the workspace? Why is it recommended that you use local mode instead of Natural server mode? How do you get your sources from the Natural server into your Eclipse workspace? And other useful information.
All About Natural Projects Working in a Team	Describes the different possibilities of creating Natural projects. About versioning tools, private-mode libraries, and other information which is helpful when more than one developer works on one and the same application.
The Local Natural Runtime	About the local Natural runtime which can be used for testing and debugging purposes, without having to access a Natural server.

If you are not yet familiar with Eclipse, it is recommended that you first read *Eclipse: A Brief Introduction* in the *Introduction* before you proceed with this documentation.

1 NaturalONE and the Eclipse Workspace

▪ Advantage of Using the Eclipse Workspace	2
▪ Local Mode Versus Natural Server Mode	2
▪ Offloading your Sources from the Natural Server into the Workspace	2
▪ Cataloged Objects on the Server	3
▪ Application Parameters in the Project Properties	3
▪ The Natural Builder	4
▪ Project Structure on the Disk	4
▪ Project References	4

Advantage of Using the Eclipse Workspace

NaturalONE is based on the concepts of Eclipse. It uses of a number of Eclipse features, which make up the product NaturalONE.

Eclipse makes use of a workspace into which you put your development work. NaturalONE and other tools downloaded from the Internet also make use of this workspace. The workspace acts as an interface between the different tools. In the Eclipse context, the tools are called “plug-ins” because they extend the functionality of Eclipse far beyond the default installation of Eclipse.

You maximize the productivity in your development lifecycle when your development work is done using the Eclipse workspace. This also provides the opportunity for many developers to work on the same application at the same time, without interfering each other.

Local Mode Versus Natural Server Mode

NaturalONE has a special name for working in the workspace. This is called “local mode”. In local mode, it is possible, for example, to store your sources in a version control system or to make use of other Eclipse-based Software AG products. Developers who are familiar with Java development in Eclipse can easily make use of the Natural tools and are therefore able to develop Natural-based applications within a very short time.

There is another mode, the so-called “Natural server mode”, which is very similar to Natural Studio. It offers a GUI environment for direct development on a Natural server. Keep in mind that this mode is *not* the preferred mode of NaturalONE, and that it is by far not as powerful as the local mode. Why? As mentioned above, when working in local mode, it is possible to use additional tools and functionality from other vendors. This is not the case when working in Natural server mode. In addition, in Natural server mode, each developer working on a library directly affects other developers working on the same library.

See also *Different Modes for Developing Natural Applications* in the *Introduction*.

Offloading your Sources from the Natural Server into the Workspace

The local mode is the preferred mode. When developing in Eclipse, the major difference between the local mode and the Natural server mode is that with local mode your sources have to be in the workspace. Compared to Natural development as it was done before the release of NaturalONE, this is very much of a “paradigm shift”.

When your applications are currently stored on a Natural server, you locate them in the **Natural Server** view and then add them either to a new project or an existing project in your workspace using the corresponding command in the context menu. This is only done once. When your applications are in the workspace, you may close the **Natural Server** view because it is literally no longer needed. From now on, you develop your applications in the workspace (in the **Navigator** view).

Cataloged Objects on the Server

In Natural, a cataloged object is the executable (compiled) form of a Natural source. Cataloged objects are not stored in the Eclipse workspace. When you build, rebuild or update your project, your sources are uploaded to the Natural environment and are compiled there.

With NaturalONE, you can manage the Natural environment directly from the workspace. For example, you can execute a program out of the workspace (even if just the Natural source is physically stored there). In this context, the term “Natural environment” includes the local Natural runtime which is installed with NaturalONE and the Natural server environment which is located on another computer. Since the local Natural runtime belongs directly to NaturalONE, it is not visible as a mapped environment in the **Natural Server** view. NaturalONE keeps the “link” between the source in the workspace and the cataloged Natural object. It knows in which Natural environment (local Natural runtime or Natural server) the appropriate Natural objects are stored and in which library the cataloged Natural objects are located. You may even start a debugging session without having the cataloged object in the workspace. The Natural source itself is sufficient for this purpose.

Application Parameters in the Project Properties

When you download an application from the **Natural Server** view to a project in the workspace, the application parameters are also downloaded. You will find them in the project properties. For example, there is information about the server connection itself (such as host name and port number). And there is also information, for example, on the regional settings, parser parameters or steplib which are associated with the application. Therefore, if you develop or maintain Natural applications in the workspace, you use the same settings as in the Natural environment. When you build your project in the workspace, the sources are transferred to the Natural environment onto the appropriate Natural system file. The Natural environment is “configured” using the previously downloaded parameters and the sources are cataloged.

The Natural Builder

The workspace is managed by the so-called Natural builder which keeps the information about the application in the workspace. The builder recognizes whether a source has been changed and whether it needs to be cataloged on the server. The builder is able to distinguish between identically named objects which are located in different libraries. It knows the search sequence for any defined steplibs and thus knows where to find the Natural objects that are used by a Natural program.

If you change, for example, a copycode, the builder knows which Natural objects make use of this copycode. When you build your project, only the changed copycode is transferred to the server and only the dependent objects are cataloged. In this case, the builder acts like a very intelligent `CATALL` since it includes all steplibs. This is different from the `CATALL` system command as it is used on the server which only processes the objects in the current library.

Project Structure on the Disk

There is always the need to have an anchor for an application in the workspace. Regardless of whether you develop Java clients, Ajax pages or Natural applications, this anchor is the project. Because the workspace is located somewhere on your PC's disk, the workspace is also the root node of your project structure. What you see in the project can also be found on the disk, with the identical structure and naming. It is important to understand this because the versioning tools, for example, need to know the physical representation of the workspace on the disk.

Project References

Eclipse provides the possibility to reference projects. This means that project A may make use of objects in project B. The Natural builder understands this Eclipse functionality and treats each linked project as a different set of steplibs. Therefore, it is very handy to put common Natural application parts (such as data areas, DDMs or API subprograms) into one project and the application parts on which you are working into a separate project.

2 All About Natural Projects

- How to Create a Natural Project? 6
- Defining a Project from Scratch 6
- Adding Natural Libraries/Objects to a New Project 8
- Checking Out an Existing Project from a Versioning Repository 10
- Importing an Existing Project from another Location 10
- Deploying a Project 10

How to Create a Natural Project?

As already mentioned in the previous chapter, the anchor of a Natural application is the Natural project. Without a project, it is not possible to create new Natural objects or to add objects from the Natural server to the Eclipse workspace.


How are projects created? NaturalONE offers several possibilities for this purpose. The most common are:

- Define a project from scratch on your own.
- Add existing Natural libraries and objects which are stored on a Natural server to a new project which is automatically created for the download.
- Check out an existing project from a versioning repository.
- Import an existing project from another location (for example, from another workspace or versioning repository).


This is described in the topics below.

Defining a Project from Scratch

What is a Natural project all about? A Natural project is defined in the Eclipse workspace.



The folders and files that you create for a project in the workspace can also be found in the file system, with the identical structure and naming. Therefore, the project is the root directory entry of your Natural application.



Information about the project is kept in the project properties. To see the current project settings, you select the project and choose the **Properties** command.

The project is used for two different purposes: to develop Natural applications in the workspace and to configure the associated Natural environment.

A project consists of the project node itself, the project properties, the Natural libraries and Natural objects, and several project-related configuration files.

Within the Natural libraries, you may have different subfolders in which specific components of the application are stored:

- Natural objects such as programs or subprograms are stored in the *SRC* folder.
- Application-related error messages are stored in the *ERR* folder.
- Resources required by the Natural application (for example, images or HTML files) are stored in the *RES* folder.

The naming conventions for Natural libraries also apply for NaturalONE libraries.

Depending on the type of project, whether the project is intended to be used for developing Ajax applications or web services, additional project entities are available.

If you want to define a new application, defining a project from scratch is the matter of choice. Using the New Natural Project wizard which can be invoked from the Eclipse menu bar, you define all required information for your Natural project. You create the required library and Natural objects, edit the objects in the corresponding Natural editors, prepare the API documentation with NATdoc, and then you are ready to test (that is, execute, test and debug) and to deploy your new application.

If you create a second library (let us call this library `LIB2`) which uses objects from the first library (`LIB1`), you have to define `LIB1` as a `steplib` for `LIB2`. This is done in the library properties.

Adding Natural Libraries/Objects to a New Project

If you have existing Natural applications that are stored on a Natural server, this possibility is the matter of choice.

With the **Natural Server** view, you can directly access a Natural server. In this view, you “open” (map) your Natural environment to NaturalONE. The connection between NaturalONE and the runtime environment is TCP/IP-based. Therefore, you need TCP/IP access to the runtime environment (host name and related port number). On the server, a Natural Development Server (NDV) environment is required. Natural Development Server provides an API for NaturalONE which establishes the communication, understands the commands from NaturalONE and transfers data to NaturalONE. The underlying technology gives you seamless access to different Natural environments (mainframe, UNIX, Linux, Windows and Open VMS) at the same time. With a single NaturalONE environment, you are able to develop applications for different Natural platforms.

And you also have the advantage to use Eclipse for developing applications with different programming languages (such as Java).

To access a Natural server, you map this Natural server environment in the **Natural Server** view. You have to specify the host name, the port number and a user ID for this purpose. When you open the top-level node that is shown for the mapped server, you can see folders for your existing user libraries, Natural system libraries, and - depending on the platform or configuration - DDMs (see also *Contents of the Natural Server View* in *Using NaturalONE*). If you have a huge number of Natural libraries and Natural objects, you may define filters for both items. With an active filter, you gain performance when you expand the related nodes in the **Natural Server** view. You can easily detect the nodes for which a filter has been set: the icon for such a node contains an additional plus sign.

To download an existing library or object from the Natural server to your workspace, you use the **Add to New Project** command. You are asked to define a name for the Natural project. The Natural libraries and objects that you have selected are then downloaded to a new Natural project which is automatically created in the workspace. In addition to the Natural objects, a number of required Natural profile parameter settings is also downloaded to the project. This is necessary to “configure” the NaturalONE parser, for example, with the appropriate decimal character (DC), programming mode (SM) or code page setting (CP) - just to mention a few. You may check the parameter settings by opening the project properties. If you are going to change a profile parameter in the project properties, this change also influences the Natural server environment which is defined for this project. This functionality ensures that specific parameter settings are only defined once: in the right place, in the project.

If you are adding Natural objects from an environment which is not protected by Natural Security (NSC), the steplib information of your runtime environment is also downloaded and saved in the project properties. In this case, it is not possible to assign steplib information on library level because this would not be taken into account in the Natural runtime environment. In an environment which is protected by Natural Security and where each secured library may have up to eight steplibs, the steplib information is stored in the workspace, in the library properties. The first download from the server defines the type of environment (protected or unprotected) for which you are developing. In the case of a protected environment, there is no possibility to define steplibs on project level (in contrast to an unprotected environment).

Working with a protected Natural environment requires specific Natural Security settings. For detailed information, see *Protecting the Natural Development Environment in Eclipse* in the *Natural Security* documentation, which is part of the Natural documentation. If the Natural runtime environment is not set up correctly, you may not be able, for example, to add objects to the workspace.

Regardless of where the steplib information is defined, NaturalONE makes use of this information. In the **Dependency** view, you can always see the libraries from which the objects are taken.

Checking Out an Existing Project from a Versioning Repository

In the following example, it is assumed that you are already an experienced NaturalONE user and that your Natural project is stored in the repository of a version control system. You are currently working on one PC (let us call it PC1), but now you want to work with your project on a different PC (PC2).

On PC2, you switch to the appropriate versioning perspective - in our example, Subversion (SVN) is used. Select the appropriate repository location and navigate within the source tree to the appropriate project. When you invoke the context menu command for checking out the project, the project is read from the versioning repository and is placed in your NaturalONE workspace.

When NaturalONE is used to store the application in the versioning repository, NaturalONE will ensure that specific configuration files are versioned as well. For this purpose, it is important that you check out the entire project as such from the repository, and not just parts of the project.

Importing an Existing Project from another Location

You may add parts of applications to your Natural project using the import feature of Eclipse. When you invoke the **Import** command, the import wizard is started.

If you want to import from Subversion (SVN), see [Checking Out an Existing Project from a Versioning Repository](#).

But you may also import an existing project from a different workspace.

Deploying a Project

After finalizing a development step, it may be necessary to put the project back into the commonly-used Natural environment. The deployment wizard is used to read the project from the versioning repository, to upload the source to the Natural environment and to catalog (compile) it in the Natural environment. Using the deployment wizard, you can generate a deployment package which can be executed without the use of Eclipse. For detailed information, see *Deploying Applications* in *Using NaturalONE*.

3 Working in a Team

- Key Requirement: A Versioning Tool 12
- Private-mode Libraries 12
- Separating Natural Projects into Logical Parts 13
- Keeping the Development Environments Separate 14
- Storing the Project Settings 14

Key Requirement: A Versioning Tool

The major advantage of NaturalONE is that it supports out-of-the-box development in a team. Using the local mode, several developers may work on the same application at the same time. They do not interfere each other because each developer has his own workspace. But how do you synchronize the work of each developer? A versioning tool is required for this purpose. The versioning tool allows you to check out a project into the workspace, work on the project, and merge the changes back into the versioning repository. Team support is based on such versioning tools. It is key. Without a versioning tool, it is almost impossible to work with many developers synchronously on one and the same application at the same time.

Examples of versioning tools that are easy to use in Eclipse are CVS and Subversion (SVN). Eclipse supports versioning tools via the **Team** menu and support for CVS is already built in. See also *Using a Version Control System* in the *Introduction*.

You must also set up a team repository server which stores the versioned items. For more information, see the documentation of your preferred versioning system.

Private-mode Libraries

The versioning tool solves the problem of synchronizing several developers when working on the Natural source. But what about the cataloged objects (also called “generated programs” or “GPs”)?

Just to remind you: The application was downloaded from specific libraries in the Natural environment into the workspace (either into a new project or an existing project, depending on the command that was used in the **Natural Server** view). The same libraries as in the Natural environment are also used in the workspace. When an application in the workspace is built, the sources are cataloged in the Natural environment, in the same libraries as in the workspace. If many developers are working on the same library, it is possible that one developer overwrites (recatalogs) the changes made by another developer. You avoid this problem by switching on “private mode” in the properties of the Natural project. What does this mean?

Let us assume the following:

Two developers are working on the same application which is mapped to a Natural server environment (very similar to the local Natural runtime of NaturalONE). Each developer is changing the application in his own workspace. For testing purposes, each developer builds the project on the server. The Natural builder always checks whether a so-called “private-mode library” for a developer exists on the server (that is, whether there is a separate library for each developer). The naming convention for such a private-mode library can be defined in the Natural preferences. When private mode has been switched on, the source is cataloged in the private-mode library. When a developer invokes the **Execute** command for a source in the workspace, the builder ensures

that the appropriate cataloged object is executed on the Natural server. Thus, both developers may test their changes without interfering each other. In a Natural Security environment, the private-mode library inherits the same credentials as the original library by default. There is no need for a system administrator to define this private-mode library in Natural Security. However, the administrator can set so-called "development mode options" in Natural Security. These options determine how Natural Security controls the use of Natural server actions triggered by **Navigator** view actions. For detailed information, see *Protecting the Natural Development Environment in Eclipse* in the Natural Security documentation, which is part of the Natural documentation.



Note: The private-mode libraries are created automatically when building projects in private mode. It is not possible to change a private-mode library in the **Natural Server** view, and it is not possible to change any object in a private-mode library (for example, it is not possible to edit such an object). The corresponding commands in the context menu are unavailable (gray). For further information, see the description for **Private Mode** in *Changing the Project Properties*.

When all tests have been completed, each developer has to merge his changes into the versioning repository. Based on the final repository contents, the application has to be deployed to the Natural server. NaturalONE provides a deployment tool for this purpose. As a result of merging the changes, each developer has the same revision of the application in his own workspace (after an update from the repository). And, via deployment, the related cataloged objects are now available on the Natural server. By default, the objects are deployed to the application libraries, not to the private-mode libraries.

Experience shows that about 60 to 70 percent of changes on an existing application can be merged to some extent automatically, *without* user interaction. The remaining portion of merging the sources has to be done by the developer manually, but the versioning tools provide functionality which supports manual merging of sources.

Separating Natural Projects into Logical Parts

Referencing of projects is a good way to separate logical parts of an application. For example, you can define a project which contains just the DDM and data area sources. Assuming that these sources are not changed very often in an existing application, the separation gives the development team a better overview of the different parts of the application. Each developer can just use his own parts in a project and does not need to store these common parts in his own project.

Referencing of projects requires that the steplib chain is set accordingly.

Keeping the Development Environments Separate

There is always a 1:1 relationship between an Eclipse instance and a workspace. It is not possible to share one workspace among different Eclipse instances. This concept ensures that one developer is not disturbed by the work of any other developer. NaturalONE also follows this concept. If you look at your workspace on disc, you will see a directory named *.naturalone*. Within this directory, you will find the *fuser* directory which contains all Natural objects of the local runtime.

In the NaturalONE context, *fuser* is the root directory entry for the Natural environment. “FUSER” is a Natural term which stands for “Natural system file for user programs”. On Open Systems platforms (UNIX, Windows and Linux), the FUSER is located on disc. On mainframes, the FUSER is located in a database called Adabas. This is the reason why it is called a system file.

Having the FUSER located in your own workspace supports the idea of separating the development environments (that is, the workspaces in the Eclipse world). If you make use of a Natural server, you should work in private mode (see above). This also ensures that the development works of different developers are kept in separate places.

Storing the Project Settings

As mentioned earlier, NaturalONE keeps the Natural parameters that are used in the Natural environment also locally in the workspace. This ensures that the Eclipse environment and the Natural environment are configured identically. When the project on which you are working has been checked out from a versioning repository, you will also get the parameter settings for this application from the repository (provided that the corresponding files have been checked in). You can imagine that it would be dangerous to commit your own parameter changes to the repository (for example, if you change the DC parameter for some testing reasons) and then make them available for the entire development group, where no one knows (and does not expect) that, for example, DC has been changed.

To circumvent this issue, NaturalONE makes use of the temporary store of Eclipse. You may change any Natural parameter settings locally in your workspace. By default, they are not committed to the versioning repository with the changed Natural sources. After you have tested the changed parameter settings and they work fine, you have to make your parameter settings globally available. To do so, invoke the project properties, select **Natural** in the tree of the resulting dialog box, and then choose the **Store new Defaults** button. The next time you commit source changes to the repository, the changed parameter settings are also stored in the repository.

If you are working with a Natural environment, the locally stored parameters are used to configure the Natural environment (see also [Application Parameters in the Project Properties](#)).

4 The Local Natural Runtime

NaturalONE is a preconfigured development environment which is able to assist you during the entire development lifecycle. Out of the box, NaturalONE provides the necessary application development tools, testing capabilities, automated documentation generation capabilities (NATdoc) and a Natural execution environment. As soon as you start NaturalONE, the local Natural runtime is available to you. You can use it to execute and debug Natural applications, without interfering other developers working on the same application. The NaturalONE workspace keeps the sources of your application, and the local Natural runtime is used for cataloging and executing objects. The major benefit of the local Natural runtime is that you can start with your local development shortly after installing NaturalONE.

However, if you already have a Natural server environment in use, then you can connect to this Natural server environment using the **Map** command of the **Natural Server** view. After offloading the application to your local workspace, you can start to develop this application offline. After finishing the development, you can put the developed parts of your application back to the Natural server to make them available to other developers. See also [Deploying a Project](#).

