

Natural for Ajax

Version 9.3.1

February 2025

This document applies to Natural for Ajax Version 9.3.1 and all subsequent releases.

Specifications contained herein are subject to change and these changes will be reported in subsequent release notes or new editions.

Copyright © 2007-2025 Software GmbH, Darmstadt, Germany and/or its subsidiaries and/or its affiliates and/or their licensors.

The name Software AG and all Software GmbH product names are either trademarks or registered trademarks of Software GmbH and/or its subsidiaries and/or its affiliates and/or their licensors. Other company and product names mentioned herein may be trademarks of their respective owners.

Detailed information on trademarks and patents owned by Software GmbH and/or its subsidiaries is located at <https://softwareag.com/licenses>.

Use of this software is subject to adherence to Software GmbH's licensing conditions and terms. These terms are part of the product documentation, located at <https://softwareag.com/licenses> and/or in the root installation directory of the licensed product(s).

This software may include portions of third-party products. For third-party copyright notices, license terms, additional rights or restrictions, please refer to "License Texts, Copyright Notices and Disclaimers of Third-Party Products". For certain specific third-party license restrictions, please refer to section E of the Legal Notices available under "License Terms and Conditions for Use of Software GmbH Products / Copyright and Trademark Notices of Software GmbH Products". These documents are part of the product documentation, located at <https://softwareag.com/licenses> and/or in the root installation directory of the licensed product(s).

Use, reproduction, transfer, publication or disclosure is prohibited except as specifically provided for in your License Agreement with Software GmbH.

Document ID: NJX-NATNJX-INTRO-931-20250213

Table of Contents

Preface	vii
1 About this Documentation	1
Document Conventions	2
Online Information and Support	2
Data Protection	3
I	5
2 Introduction	7
What is a Rich Internet Application?	8
Rich Internet Applications with Natural	8
Natural Maps in Rich Internet Applications	9
3 System Requirements	11
Supported Operating Systems	12
Supported Application Servers and Web Containers	12
Supported Web Browsers	12
Java	13
Natural for Mainframes	13
Natural on Linux and Cloud	13
Natural for Windows	14
Natural Development Server	14
Development Clients	14
License Key File	14
4 Installation	15
Installing the Natural for Ajax Distributables with the Software AG Installer	16
Installing Natural for Ajax on WildFly	17
Installing Natural for Ajax on IBM WebSphere Application Server	19
Installing Natural for Ajax on Apache Tomcat	22
Verifying the Installation	24
5 Setting Up Your Environment	25
Setting Up Your Development Environment	26
Setting Up Your Runtime Environment for Natural	27
Setting Up the Natural for Ajax Web Application	28
II First Steps	31
6 About this Tutorial	33
7 Starting the Development Workplace	37
8 Creating a Project	39
9 Getting Started with the Layout Painter	41
Creating a New Layout	42
Elements of the Layout Painter Screen	44
Previewing the Layout	45
Viewing the XML Code	46
10 Writing the GUI Layout	49
Specifying the Properties for the Natural Page	50

Specifying a Name for the Title Bar	51
Using the Property Editor	52
Specifying a Name and Method for the Button	54
Adding the Input and Output Areas	54
Adding the Image	57
Adding a Horizontal Distance	58
Adding an Instructional Text	59
Adding a Vertical Distance	59
Saving Your Layout	60
11 Setting Up Your Development and Runtime Environment for Natural	61
12 Creating the Natural Code	63
Importing the Adapter into Natural	64
Creating the Main Program	65
Testing the Completed Application	68
13 Some Background Information	71
Name Binding between Controls and Adapter	72
Data Exchange at Runtime	72
Files and their Locations	73
III First Steps Responsive Pages	75
14 About this Tutorial	77
15 Prepare your NaturalONE Workspace	81
Perspective Settings	82
Create a Natural Project with a User Interface Component	84
16 PART1: Develop the Main Application Page	93
The Application Template	94
The Application Bar	96
The Data Grid	100
Adding Responsive Spacing and Visibility	107
17 PART2: Develop the Pop-Up Page	115
Create a Responsive Form	116
Add Placeholders, Validators and Displayonly Behavior	123
Add Submit and Cancel Button	124
Running a Quick Test	127
18 PART3: Put it All Together	129
Create the Natural Subprogram for the tutorial_popup Page	130
Add Controls to Open the Pop-Up (tutorial_main)	131
Adapt the Natural code (TUTMAIN-P)	135
19 Tutorial Reference Implementation	141
IV First Steps Java Pages	143
20 About this Tutorial	145
21 Starting the Development Workplace	149
22 Creating a Project	151
23 Getting Started with the Layout Painter	153
Creating a New Layout	154
Elements of the Layout Painter Screen	155

Previewing the Layout	156
Viewing the XML Code	157
24 Writing the GUI Layout	159
Specifying a Name for the Title Bar	160
Using the Property Editor	161
Specifying a Name and Method for the Button	163
Adding the Input and Output Areas	163
Adding the Image	166
Adding a Horizontal Distance	167
Adding an Instructional Text	168
Adding a Vertical Distance	168
Saving Your Layout	169
25 Setting Up Your Environment	171
26 Writing the Adapter Code	173
Defining the Class Name	174
Generating the Code	174
Programming the Method	176
Testing the Completed Application	177
Viewing the Page Outside the Layout Painter	178
27 Some Background Information	179
If you Change the Adapter	180
Name Binding between Controls and Adapter	180
Data Exchange at Runtime	181
Files and their Locations	182
Application Project Management	182

Preface

This documentation explains how to create rich internet applications which use the Ajax (Asynchronous JavaScript and XML) technology.

This documentation is organized under the following headings:

Using Natural for Ajax	
Introduction	What is Natural for Ajax?
System Requirements	Supported operating systems, application servers and web containers, browsers, and other prerequisites.
Installation	How to install Natural for Ajax on the supported application servers and web containers.
Setting Up Your Environment	How to make specific definitions in your environment.
First Steps	How to create a “Hello World!” application.
First Steps Responsive Pages	How to build a responsive application.
First Steps Java Pages	How to build a “Hello World” application with Natural for Ajax, based on Java.



Note: This documentation describes the Application Designer controls that are mapped to Natural and are verified for the use with Natural. Application Designer controls that are not contained here have either no mapping to Natural or their usability with Natural is not verified.

If you want to develop your own custom controls, see *Natural Custom Controls* and *Java Custom Controls*.

See also *Configuration and Administration*. There, you can learn how to

- start a Natural application from the logon page or with a URL,
- manage the configuration file for the session using the configuration tool,
- modify the style sheet which controls the font, the color and the representation of the PF keys,
- activate the preconfigured security settings of Natural for Ajax and adapt them to your requirements,
- create your own trust files for a secure connection between the Natural Web I/O Interface server and Natural for Ajax,
- enable logging in the case of problems with Natural for Ajax.

1 About this Documentation

▪ Document Conventions	2
▪ Online Information and Support	2
▪ Data Protection	3

Document Conventions

Convention	Description
Bold	Identifies elements on a screen.
Monospace font	Identifies service names and locations in the format <i>folder.subfolder.service</i> , APIs, Java classes, methods, properties.
<i>Italic</i>	Identifies: Variables for which you must supply values specific to your own situation or environment. New terms the first time they occur in the text. References to other documentation sources.
Monospace font	Identifies: Text you must type in. Messages displayed by the system. Program code.
{ }	Indicates a set of choices from which you must choose one. Type only the information inside the curly braces. Do not type the { } symbols.
	Separates two mutually exclusive choices in a syntax line. Type one of these choices. Do not type the symbol.
[]	Indicates one or more options. Type only the information inside the square brackets. Do not type the [] symbols.
...	Indicates that you can type multiple options of the same type. Type only the information. Do not type the ellipsis (...).

Online Information and Support

Product Documentation

You can find the product documentation on our documentation website at <https://documentation.softwareag.com>.

Product Training

You can find helpful product training material on our Learning Portal at <https://learn.software-ag.com>.

Tech Community

You can collaborate with Software GmbH experts on our Tech Community website at <https://tech-community.softwareag.com>. From here you can, for example:

- Browse through our vast knowledge base.
- Ask questions and find answers in our discussion forums.
- Get the latest Software GmbH news and announcements.
- Explore our communities.
- Go to our public GitHub and Docker repositories at <https://github.com/softwareag> and <https://containers.softwareag.com/products> and discover additional Software GmbH resources.

Product Support

Support for Software GmbH products is provided to licensed customers via our Empower Portal at <https://empower.softwareag.com>. Many services on this portal require that you have an account. If you do not yet have one, you can request it at <https://empower.softwareag.com/register>. Once you have an account, you can, for example:

- Download products, updates and fixes.
- Search the Knowledge Center for technical information and tips.
- Subscribe to early warnings and critical alerts.
- Open and update support incidents.
- Add product feature requests.

Data Protection

Software GmbH products provide functionality with respect to processing of personal data according to the EU General Data Protection Regulation (GDPR). Where applicable, appropriate steps are documented in the respective administration documentation.

I

■ 2 Introduction	7
■ 3 System Requirements	11
■ 4 Installation	15
■ 5 Setting Up Your Environment	25

2 Introduction

- What is a Rich Internet Application? 8
- Rich Internet Applications with Natural 8
- Natural Maps in Rich Internet Applications 9

Using Natural for Ajax, you can create rich internet applications using Ajax (Asynchronous JavaScript and XML) technology.

Natural for Ajax enables Natural users on Windows, Linux and mainframe platforms to develop and operate Natural applications with a browser-based user experience, similar to GUI desktop applications.

Adding to flexibility, Natural for Ajax also allows building browser-based user interfaces driven by Java applications or a mix of Natural and Java.

In contrast to many other tools for building browser-based applications, Natural for Ajax requires no in-depth knowledge of HTML and/or JavaScript.

Natural for Ajax can convert existing Natural maps to Natural for Ajax pages. Or, just run existing Natural maps in the browser without conversion.

What is a Rich Internet Application?

Classical HTML- and browser-based applications suffer from known disadvantages: The server's response time increases with each user interaction, rendering a new page in the browser, thus discontinuing the user's workflow. In contrast, classical GUI applications suffer from the prerequisite of installing an application's client component on each client machine.

Rich internet applications based on Ajax technology overcome such disadvantages as they combine the browser-based application's accessibility with the rich user interface of GUI applications.

Rich Internet Applications with Natural

At runtime, a rich internet application with Natural has the following structure:

- A Natural host session on a Windows, Linux, or mainframe server runs the application code. Other than with a map application, the application does not deal with user interface issues. It contains only the application logic and communicates with the user interface layer by sending and receiving data. The data displays as a page in a web browser. Events, such as button clicks raised by the user in the web browser, are passed back to the application code. The application code receives the data modified by the user in the web browser along with such an event. The event and the data are processed and returned to the web browser page.
- Natural for Ajax, running on an application server, receives data from the Natural application and merges it into an HTML page, delivered to the web browser. In the inverse direction, Natural for Ajax forwards events that the user raised in the web browser along with the modified data to the Natural application.

- A web browser renders the HTML page. JavaScript code on the page processes local user interaction and exchanges data with Natural for Ajax as needed. It uses Ajax technology to exchange data with the Natural application in the background without re-rendering the complete page.

At development time, creating a rich internet application with Natural proceeds as follows:

- Ajax Developer of NaturalONE is used to develop the user interface layout of a web page and to bind the controls on the page to data elements in the application.
- When the user saves the page layout, a Natural module of type "Adapter" is generated. The adapter serves as an interface between the application code and the page layout. It contains:
 - a data structure that describes the data that the Natural application has to deliver to the application server to populate the web page.
 - the Natural code necessary to transfer the data structure to the user interface and to receive modified data back.
 - a code skeleton in the form of comment lines that provide handlers for the expected events. The application programmer can copy this code skeleton into the main program to implement the event handlers.
- Then a main program is implemented that exchanges data with the web page using the adapter and handles the events. The event handler code is not aware of the web page's layout and operates exclusively on the page data sent and received through the adapter.
- Finally, the navigation between different pages is implemented: A rich internet application navigates between pages just as a map application would navigate between maps.

Natural Maps in Rich Internet Applications

With the support of Unicode, Natural has introduced the Natural Web I/O Interface that renders Natural maps in a web browser. Rendering is based on HTML elements. However, rich internet pages contain much more advanced HTML elements that provide a much better user experience.

When coming from map-oriented applications and planning to switch to rich internet pages, such projects happen gradually: In certain parts of an application, rich internet pages may replace maps, and other parts of an application will possibly be left unchanged. To support such gradually conducted projects, Natural can run "mixed" applications consisting of both, maps as well as rich internet pages. Seamless navigation between Natural maps and rich internet pages is supported.

3 System Requirements

- Supported Operating Systems 12
- Supported Application Servers and Web Containers 12
- Supported Web Browsers 12
- Java 13
- Natural for Mainframes 13
- Natural on Linux and Cloud 13
- Natural for Windows 14
- Natural Development Server 14
- Development Clients 14
- License Key File 14

Supported Operating Systems

The following operating systems are supported:

Microsoft Windows 10 (deprecated) and 11 64bit
Microsoft Windows Server 2016 (x64) (deprecated)
Microsoft Windows Server 2019 (x64)
Microsoft Windows Server 2022 (64bit)
Red Hat Enterprise Linux 8 and 9
SUSE Linux Enterprise Server 15
z/OS 2.5
z/OS 2.4

Supported Application Servers and Web Containers

The following application servers are supported. The application servers are not delivered with Natural for Ajax. They can be obtained from the locations indicated below, according to their respective license terms.

- WildFly 17 and 26 (see <http://www.wildfly.org/>).
- JBoss EAP 6 and 7
- IBM WebSphere 9.0.5 Liberty, Java11 required
- IBM WebSphere Liberty 21 and 22
- Apache Tomcat 9 and 10 (see <http://tomcat.apache.org/>).

Supported Web Browsers

Supported browsers in this version are:

Internet Explorer 11 (deprecated)
Microsoft Edge (Chromium)
Mozilla Firefox Extended Support Release 91⁽¹⁾
Google Chrome⁽²⁾

Notes:

⁽¹⁾ Only the Extended Support Releases of Mozilla Firefox are explicitly supported. Due to frequent upgrades of the Mozilla Firefox consumer release, the compatibility of Natural for Ajax with future

versions of Mozilla Firefox cannot be fully guaranteed. Possible incompatibilities will be removed during the regular maintenance process of Natural for Ajax.

⁽²⁾ The Google Chrome support is based on Google Chrome Version 115. Due to frequent version upgrades of Google Chrome, compatibility of Natural for Ajax with future versions of Google Chrome cannot be fully guaranteed. Possible incompatibilities will be removed during the regular maintenance process of Natural for Ajax.



Important: Cookies and JavaScript must be enabled in the browser.

Java

Java 11 and 17.

Natural for Mainframes

If you want to use Natural for Ajax with Natural for Mainframes, the following must be installed:

- Natural for Mainframes Version 8.2.5 or above, and
- the Natural Web I/O Interface server.

For detailed information, see:

- the *Installation* documentation which is provided with Natural for Mainframes;
- the section *Installing and Configuring the Natural Web I/O Interface Server* in the version of the *Natural Web I/O Interface* documentation which is provided for Natural for Mainframes.

Natural on Linux and Cloud

Natural for Ajax is tested with Natural on Linux and Cloud Version 9.3.1. The Natural Web I/O Interface server and daemon must be installed.

For detailed information, see:

- the *Installation* documentation which is provided for Natural on Linux and Cloud;
- the section *Installing and Configuring the Natural Web I/O Interface Server* in the version of the *Natural Web I/O Interface* documentation which is provided for Natural on Linux and Cloud.

Natural for Windows

Natural for Ajax is tested with Natural for Windows Version 9.2.1. The Natural Web I/O Interface server and service must be installed:

For detailed information, see:

- the *Installation* documentation which is provided for Natural for Windows;
- the section *Installing and Configuring the Natural Web I/O Interface Server* in the version of the *Natural Web I/O Interface* documentation which is provided for Natural for Windows.

Natural Development Server

Remote development of Natural for Ajax applications requires a supported Natural Development Server and has been tested with:

- Natural Development Server for Mainframes Version 8.2.5
- Natural Development Server on Linux and Cloud Version 9.3.1
- Natural Development Server for Windows Version 9.3.1

Development Clients

Remote development of Natural for Ajax applications requires a supported NaturalONE version and has been tested with:

- NaturalONE Version 9.3.1

License Key File

A valid license key file is required during the installation. The license key file is an XML file which is usually supplied along with the product. Alternatively, you can obtain a license key file from Software AG via your local distributor.

4 Installation

- Installing the Natural for Ajax Distributables with the Software AG Installer 16
- Installing Natural for Ajax on WildFly 17
- Installing Natural for Ajax on IBM WebSphere Application Server 19
- Installing Natural for Ajax on Apache Tomcat 22
- Verifying the Installation 24

Natural for Ajax uses the Software AG Installer, which you download from the Software AG Empower website at <https://empower.softwareag.com/>, to copy the distributables for the supported application servers and web containers to your machine. You can then install the distributables on your application server or web container as described in this chapter. On application servers and web containers, Natural for Ajax consists of a web application (*cisnatural.war*).

This chapter provides product-specific instructions for installing Natural for Ajax. It is intended for use with *Using the Software AG Installer*. That guide explains how to prepare your machine to use the Software AG Installer, and how to use the Software AG Installer and Software AG Uninstaller to install and uninstall your products. The most up-to-date version of *Using the Software AG Installer* is always available at <https://documentation.softwareag.com/> (Empower login required).



Note: This chapter does not describe the installation of the additionally required Natural components on a Windows, Linux or mainframe host, but refers to the corresponding installation documents.

For important last-minute information, see the readme file that is provided with Natural for Ajax. You can find it in the Natural for Ajax product documentation at <https://documentation.software-ag.com/> (Empower login required).

For information on how to activate the preconfigured security settings of Natural for Ajax and how to adapt them to your requirements, see *Configuring Container-Managed Security in Configuration and Administration*.

You may find additional technical papers dealing with advanced configuration topics in the Knowledge Center at <https://empower.softwareag.com/> (for registered users only).

Installing the Natural for Ajax Distributables with the Software AG Installer

This section provides just a brief description on how to install the Natural for Ajax distributables directly on the target machine using the Software AG Installer GUI. For detailed information on the Software AG Installer, see *Using the Software AG Installer*.

» To install the Natural for Ajax distributables

- 1 Start the Software AG Installer GUI as described in *Using the Software AG Installer*.
- 2 When the first page of the Software AG Installer GUI (the so-called Welcome panel) is shown, choose the **Next** button repeatedly (and specify all required information on the shown panels as described in *Using the Software AG Installer*) until the panel containing the product selection tree appears. This tree lists the products you have licensed and which can be installed on the operating system of the machine on which you are installing.
- 3 To install the Natural for Ajax distributables, expand the **Natural Products** node and select **Natural for Ajax**.

- 4 Choose the **Next** button.
- 5 Read the license agreement, select the check box to agree to the terms of the license agreement, and choose the **Next** button.
- 6 On the last panel, review the list of products and items you have selected for installation. If the list is correct, choose the **Next** button to start the installation process.

When the Software AG Installer has completed the installation, you can find the distributables in the `<install-dir>/NaturalAjax/AppServer` directory. You can now install them on your application server or web container as described below.

Installing Natural for Ajax on WildFly

The distributables for WildFly are contained in the directory `<install-dir>/NaturalAjax/AppServer/WildFly`.

The following is assumed:

- `<host>` is the name of the machine on which WildFly is installed.
- `<port>` is the name of the port where WildFly is installed. In a default installation, this is port 8080.
- `<adminport>` is the name of the port where the Administration Console is installed. In a default installation, this is port 9990.
- `<wildfly_home>` is the path to the directory in which WildFly is installed.

The following topics are covered below:

- [First-time Installation](#)
- [Update Installation](#)

First-time Installation

» To install Natural for Ajax

- 1 Stop WildFly.
- 2 Extract the contents of the file `cisnatural.war` into a new directory `<wildfly_home>/standalone/deployments/cisnatural.war`.
- 3 Add your license file to the directory `<wildfly_home>/standalone/deployments/cisnatural.war/cis/licensekey`.
- 4 Add the following security domain definition in the file `standalone.xml`, under `<security-domains>`. This file is contained in `<application-server-install-dir>/standalone/configuration`.

```
<security-domain name="NaturalWebIOAndAjaxRealm" cache-type="default">
</security-domain> ↵
```

- 5 Start WildFly.
- 6 To trigger the actual deployment, create a file named *cisnatural.war.dodeploy* in `<wildfly_home>/standalone/deployments`.

Update Installation

> To update Natural for Ajax

- 1 Start WildFly.
- 2 Create a backup copy of your *sessions.xml* file, which is located in `<wildfly_home>/standalone/deployments/cisnatural.war/WEB-INF`.
- 3 Create a backup copy of your license file, which is located in `<wildfly_home>/standalone/deployments/cisnatural.war/cis/licensekey`.
- 4 Create backup copies of all modified configuration files, which are located in `<wildfly_home>/standalone/deployments/cisnatural.war/cis/config`.
- 5 Create backup copies of previously created projects, which are located in `<wildfly_home>/standalone/deployments/cisnatural.war`.

- 6 Open your web browser and enter the following URL:

```
http://<host>:<adminport>/console
```

This opens the Administration Console.

- 7 Select *cisnatural.war* in the list of installed applications.
- 8 Choose **Remove**.
- 9 Deploy the *cisnatural.war* file for the new version of Natural for Ajax as in a first-time installation.
- 10 Restore the files that you have backed up in steps 2, 3, 4 and 5.
- 11 Open your web browser and enter the following URL:

```
http://<host>:<port>/cisnatural/index.html
```

- 12 Regenerate the HTML pages.

We recommend using the Ant generation script to regenerate the HTML pages. See *Generating HTML Pages Using the Command Line*. Alternatively, you can use the Layout Manager and Style Sheet Editor tools to manually regenerate the files.

Installing Natural for Ajax on IBM WebSphere Application Server

The distributables for IBM WebSphere Application Server are contained in the directory `<install-dir>/NaturalAjax/AppServer/WebSphere`.

Natural for Ajax is installed using the Administration Console of IBM WebSphere Application Server.

The following is assumed:

- `<host>` is the name of the machine on which the application server is installed.
- `<port>` is the name of the port where the application server is installed. In a default installation, this is port 9080.
- `<adminport>` is the name of the port where the Administration Console is installed. In a default installation, this is port 9060.

The following topics are covered below:

- [First-time Installation](#)
- [Update Installation](#)

First-time Installation

➤ To install Natural for Ajax

- 1 Make sure the application server is running.
- 2 Open your web browser and enter the following URL:

```
http://<host>:<adminport>/ibm/console
```

This opens the Administration Console.

- 3 Deploy the web application `cisnatural.war`.
 1. Open the tree node **Applications > Application Types > WebSphere enterprise applications**.
 2. On the **Enterprise applications** page, choose **Install**.
 3. Select `WebSphere/cisnatural.war` as the path to the new application. Then choose **Next**.
 4. Choose **Next**. If additional information is required, you will be prompted.
 5. On the **Select installation options** page, choose **Next**. You will then install with the default options.

6. On the **Map modules to servers** page, select a cluster and server, select Natural for Ajax and choose **Apply**. Then choose **Next**.
 7. On the **Map virtual hosts for Web modules** page, select a virtual host, select Natural for Ajax and choose **Next**.
 8. On the **Map context roots for Web modules** page, enter "cisnatural" as context root and choose **Next**.
 9. On the **Summary** page, choose **Finish**.
 10. On the next page, choose **Save**.
- 4 Configure the application.
1. Open the tree node **Applications > Application Types > WebSphere enterprise applications**.
 2. Select **cisnatural.war**.
 3. On the **Configuration** page, select **Class loading and update detection**.
 4. On the **General Properties** page, enter a value for **Polling interval for updated files** (for example, 300 seconds).
 5. On the **General Properties** page under **Class loader order**, select **Classes loaded with local class loader first (parent last)**.
 6. On the **General Properties** page under **WAR class loader policy**, select **Single class loader for application**.
 7. Choose **OK**.
 8. On the next page, choose **Save**.
 9. Back on the **Enterprise applications** page, select **cisnatural.war**.
 10. On the **Configuration** page under **Modules**, select **Manage Modules**.
 11. On the **Manage Modules** page, click the **Natural for Ajax** link.
 12. On the **General properties** page under **Class loader order**, select **Classes loaded with local class loader first (parent last)**.
 13. Choose **OK**.
 14. On the next page, choose **Save**.
- 5 Deploy the license file.
1. Open the tree node **Applications > Application Types > WebSphere enterprise applications**.
 2. On the **Enterprise applications** page, select **cisnatural.war** and choose **Update**.
 3. On the **Preparing for the application update** page, choose **Replace or add a single file**.

4. In the **Specify the path beginning...** field, enter "cisnatural.war/cis/licensekey/<licensekey-filename>".
 5. In the **Specify the path to the file** field, browse for your license key file.
 6. Choose **Next**.
 7. On the **Updating application** page, choose **OK**.
 8. On the next page, choose **Save**.
- 6 Start the application.
1. Open the tree node **Applications > Application Types > WebSphere enterprise applications**.
 2. On the **Enterprise applications** page, select **cisnatural.war** and choose **Start**.

Update Installation

➤ To update Natural for Ajax

- 1 Create a backup copy of the Natural for Ajax application and the contained user projects.
 1. Open the tree node **Applications > Application Types > WebSphere enterprise applications**.
 2. On the **Enterprise applications** page, select **cisnatural.war** and choose **Export**. The application is exported as the file *cisnatural_war.ear*.
 3. On the **Export Application EAR files** page, choose *cisnatural_war.ear* to download it from the application server.
 4. Extract the web application *cisnatural.war* from the exported archive.
- 2 Copy user projects and modified configuration files from the exported old version of *cisnatural.war* to the new version.
 1. Unpack the exported old *cisnatural.war* using a zip tool.
 2. Unpack the new *cisnatural.war* using a zip tool.
 3. Copy the *sessions.xml* file, which is located in *cisnatural.war/WEB-INF*, from the old version to the new version.
 4. Copy the license file, which is located in *cisnatural.war/cis/licensekey*, from the old *cisnatural.war* to the new *cisnatural.war*.
 5. Copy all modified configuration files, which are located in *cisnatural.war/cis/config*, from the old *cisnatural.war* to the new *cisnatural.war*.

6. Copy all user projects, which are located in *cisnatural.war*, from the old *cisnatural.war* to the new *cisnatural.war*.
 7. Repack the new *cisnatural.war* to a web application using a zip tool.
- 3 Uninstall the old version of Natural for Ajax.
1. Open the tree node **Applications > Application Types > WebSphere enterprise applications**.
 2. On the **Enterprise applications** page, select **cisnatural.war** and choose **Uninstall**.
 3. On the **Uninstall Application** page, choose **OK**.
 4. On the next page, choose **Save**.
- 4 Install the new version of Natural for Ajax as in a first installation.

Installing Natural for Ajax on Apache Tomcat

The distributables for Apache Tomcat are contained in the directory *<install-dir>/NaturalAjax/AppServer/Tomcat*.

Natural for Ajax is installed using the Tomcat Manager.

The following is assumed:

- *<host>* is the name or IP address of the machine on which Apache Tomcat is installed.
- *<port>* is the name of the port where Apache Tomcat is installed. In a default installation, this is port 8080.
- *<tomcat>* is the path to the directory in which Apache Tomcat is installed.



Note: In Apache Tomcat 7 and 8, the Tomcat Manager limits the size of a web application to be deployed by default to 50MB. Before installing on Apache Tomcat 7 or 8, increase the values of *<max-file-size>* and *<max-request-size>* in the configuration file *<tomcat>/webapps/manager/WEB-INF/web.xml* to at least 80MB.

The following topics are covered below:

- [First-time Installation](#)

- [Update Installation](#)

First-time Installation

› To install Natural for Ajax

- 1 Start Apache Tomcat.
- 2 Open your web browser and enter the following URL:

```
http://<host>:<port>/manager/html
```

This opens the Tomcat Manager.

- 3 Deploy the web application file *cisnatural.war*:
 - Under **Select WAR file to upload** select the path to the file *cisnatural.war*.
 - Choose **Deploy**.
- 4 Copy the license file into the directory *<tomcat>/webapps/cisnatural/cis/licensekey* (you have to create the directory if it does not yet exist).
- 5 In the Tomcat Manager, look for the application **Natural for Ajax** and choose **Reload**.

Update Installation

› To update Natural for Ajax

- 1 Shut down Apache Tomcat.
- 2 Create a backup copy of your *sessions.xml* file, which is located in *<tomcat>/webapps/cisnatural/WEB-INF*.
- 3 Create a backup copy of your license file, which is located in *<tomcat>/webapps/cisnatural/cis/licensekey*.
- 4 Create backup copies of all modified configuration files, which are located in *<tomcat>/webapps/cisnatural/cis/config*.
- 5 Create backup copies of previously created projects, which are located in *<tomcat>/webapps/cisnatural*.
- 6 Start Apache Tomcat.
- 7 Open your web browser and enter the following URL:

```
http://<host>:<port>/manager/html
```

This opens the Tomcat Manager.

- 8 Select *cisnatural.war* in the list of installed applications.

- 9 Choose **Undeploy**.
- 10 Deploy the new version of Natural for Ajax as in a first-time installation.
- 11 Shut down Apache Tomcat.
- 12 Restore the files that you have backed up in steps 2, 3, 4 and 5.
- 13 Start Apache Tomcat.
- 14 Open your web browser and enter the following URL:

```
http://<host>:<port>/cisenatural/index.html
```

- 15 Regenerate the HTML pages.

We recommend using the Ant generation script to regenerate the HTML pages. See *Generating HTML Pages Using the Command Line*. Alternatively, you can use the Layout Manager and Style Sheet Editor tools to manually regenerate the files.

Verifying the Installation

It is assumed that `http://<host>:<port>` is the URL of your application server or web container.

» To verify the installation

- 1 Enter the following URL in your web browser:

```
http://<host>:<port>/cisenatural/index.html
```

This opens a page from where you can access the logon page, the development workplace and the configuration tool.

- 2 Click on the link for the logon page.

This opens the Natural logon page. The installation is now complete.

5

Setting Up Your Environment

- Setting Up Your Development Environment 26
- Setting Up Your Runtime Environment for Natural 27
- Setting Up the Natural for Ajax Web Application 28

Before you start developing and executing Natural for Ajax applications, you have to make specific definitions in your environment.

Setting Up Your Development Environment

The recommended development Environment for Natural and Natural for Ajax is NaturalONE.

- [Setting Up your Development Environment with NaturalONE](#)
- [Setting Up your Development Environment with Natural Studio \(deprecated\)](#)

Setting Up your Development Environment with NaturalONE

NaturalONE supports the development of both:

Natural programs and Natural for Ajax user interface layouts.

Java programs if you want to use the Natural for Ajax Java support for extensions or layout pages.

For information on how to start with Natural and Natural for Ajax development in NaturalONE see the *NaturalONE documentation*, particularly the chapters *Using NaturalONE* and *Ajax Developer*.

With NaturalONE, the development of the user interface layouts, does not require anything to be installed or configured. However ...

The development of Natural programs in Natural Server Mode requires corresponding Natural Development Servers on your remote machines.

The development of Natural programs in Local Mode requires no additional Natural systems to be installed or configured.

For more information, see the *NaturalONE* and *Natural* documentation.



Tip:

Install the Natural for Ajax demos from the Welcome Page of NaturalONE. After installation, run the program *MENU.NSP*. Each sample shows a documentation page on which you see the names of the layout file and the Natural program. You can open the sample layouts in the Layout Painter editor and edit and debug the Natural code.

Setting Up your Development Environment with Natural Studio (deprecated)

For practicing remote development with Natural's Single Point of Development (SPoD), a Natural Development Server must be installed and activated on the remote machine.

■ Mainframe

When the Natural Development Server runs on a mainframe, see the *Natural Development Server* documentation.

■ Linux

When the Natural Development Server runs on Linux, see *Activating the Natural Development Server on Linux* in the Installation documentation provided for Natural on Linux and Cloud.

■ Windows

When the Natural Development Server runs on Windows, the *Web I/O Interface service* option, with setup type *Custom*, must be selected when installing Natural. See the *Installation* documentation provided for Natural for Windows.

> To set up Natural Studio

- 1 Ask your administrator for the hostname and port number of the Natural Development Server.
- 2 Connect to the Natural Development Server. See *Accessing a Remote Development Environment in the Remote Development Using SPoD* documentation provided for Natural for Windows.
- 3 Creating a new Natural library for each Application Designer project is recommended.

Setting Up Your Runtime Environment for Natural

Running Natural for Ajax applications outside of NaturalONE in production and/or test environments requires installation of a Natural server.

Prerequisites:

■ Mainframe

The Natural Web I/O Interface server must be installed and started. For detailed information, see *Installing and Configuring the Natural Web I/O Interface Server* in the *Natural Web I/O Interface* documentation provided for Natural for Mainframes.

■ Linux

On Linux, the Natural Web I/O Interface server runs as a daemon. This Natural Web I/O Interface daemon must be installed and activated. For detailed information, see *Installing and Configuring*

the Natural Web I/O Interface Server in the *Natural Web I/O Interface* documentation provided for Natural on Linux and Cloud.

■ Windows

On Windows, the Natural Web I/O Interface server runs as a service. The Web I/O Interface service must be installed. See the Installation documentation provided for Natural for Windows.

See also *Installing and Configuring the Natural Web I/O Interface Server* in the *Natural Web I/O Interface* documentation provided for Natural for Windows.

Setting Up the Natural for Ajax Web Application

The Natural for Ajax Runtime package is a web application archived in a *.war* file. The basic *cisnatural.war* file contains tools for configuration and monitoring and login pages connecting to remotely running Natural servers.

The *cisnatural.war* file provides everything for applications based exclusively on Natural Web I/O.

For customized rich internet pages, NaturalONE generates an extended *.war* file, containing the Natural for Ajax runtime and the customized rich internet pages. To get started, the basic *cisnatural.war* file includes a rich internet sample application – the NaturalAjaxDemos.

The setup of the basic *cisnatural.war* file requires an application server or web container - see the chapter *System Requirements*.

Deploy the *cisnatural.war* file into your application server or web container using the deployment tools of these servers/containers. See also the chapter *Installation*.

After the deployment of the *cisnatural.war* file, you can immediately run the NaturalAjaxDemos and Natural Web I/O applications. Depending on your Natural environment, you may have to adapt the default session configuration. To do so, invoke the configuration tool. See *Natural Client Configuration Tool* in the *Configuration and Administration* documentation. Ask your administrator for the host name and port number of the Natural Web I/O Interface server.

- [For Natural for Mainframes](#)
- [For Natural on Linux and Cloud](#)

- For Natural for Windows

For Natural for Mainframes

➤ To set up the NaturalAjaxDemos for Natural for Mainframes

- 1 In the configuration tool, duplicate the **Natural for Ajax Example (Windows)**.

This session starts the Natural for Ajax examples delivered with Natural in the library *SYSEXNJX*. Adapt the settings as follows:

Option	Description
Session ID	Enter the name to be available for selection in the logon page.
Host name	The host name of the Natural Web I/O Interface server. Enter the value that you have received from your administrator.
Port number	The port number of the Natural Web I/O Interface server. Enter the value that you have received from your administrator.
Application	Remove the script-name (<i>nwo.bat/nwo.sh</i>).

Options of the Natural for Ajax Examples - Mainframe

- 2 Press **Ok** and then **Save Configuration**.
- 3 Click **Natural for Ajax Login** and select your newly created Session ID.

For Natural on Linux and Cloud

➤ To set up the NaturalAjaxDemos for Natural on Linux and Cloud

- 1 In the configuration tool, open the **Natural for Ajax Example (UNIX)**. This session starts the Natural for Ajax examples delivered with Natural in the library *SYSEXNJX*. Adapt the settings as follows:

Option	Description
Session ID	Enter the name to be available for selection in the logon page.
Host name	The host name of the Natural Web I/O Interface server. Enter the value that you have received from your administrator.
Port number	The port number of the Natural Web I/O Interface server. Enter the value that you have received from your administrator.

Option	Description
Application	The name of the script that is used to start up Natural sessions. With Natural on Linux and Cloud a default shell script for starting Natural (<i>nwo.sh</i>) is delivered. See also <i>nwo.sh - Shell Script for Starting Natural</i> in the <i>Natural Web I/O Interface</i> documentation.

Options of the Natural for Ajax Examples - Linux

- 2 Press **Ok** and then **Save Configuration**.
- 3 Click **Natural for Ajax Login** and select your newly created Session ID.

For Natural for Windows

➤ **To set up the NaturalAjaxDemos for Natural for Windows**

- 1 In the configuration tool, open the **Natural for Ajax Example (Windows)**. This session starts the Natural for Ajax examples delivered with Natural in the library *SYSEXNjX*. Adapt the settings as follows:

Option	Description
Session ID	Enter the name to be available for selection in the logon page.
Host name	The host name of the Natural Web I/O Interface server. Enter the value that you have received from your administrator.
Port number	The port number of the Natural Web I/O Interface server. Enter the value that you have received from your administrator.
Application	The name of the script that is used to start up Natural sessions. With Natural for Windows a default batch file for starting Natural (<i>nwo.bat</i>) is delivered. See also <i>Batch File for Starting Natural</i> in the <i>Natural Web I/O Interface</i> documentation.

Options of the Natural for Ajax Examples - Windows

- 2 Press **Ok** and then **Save Configuration**.
- 3 Click **Natural for Ajax Login** and select your newly created Session ID.

II

First Steps

This part is organized under the following headings:

[About this Tutorial](#)

[Starting the Development Workplace](#)

[Creating a Project](#)

[Getting Started with the Layout Painter](#)

[Writing the GUI Layout](#)

[Setting Up Your Development and Runtime Environment for Natural](#)

[Creating the Natural Code](#)

[Some Background Information](#)


It is important that you work through the exercises in the same sequence as they appear in this tutorial. Problems may occur if you skip an exercise.

6

About this Tutorial

This tutorial provides an introduction to working with Natural for Ajax. It explains how to create a “Hello World!” application. This covers all basic steps you have to perform when creating pages with Natural for Ajax: you create a layout file, you create an adapter and a main program, and you run the application.


When you have completed all steps of this tutorial, the page for your “Hello World!” application will look as follows:



Your application will act in the following way: When you enter a name in the **Your Name** field and choose the **Say Hello** button, the **Result** field displays "Hello World" and the name you have entered.

To reach this goal, you will proceed as follows:

1. You will first create a new Application Designer project.
2. You will then use Application Designer's Layout Painter to create the following layout:



This corresponds to the following XML layout:

```
<?xml version="1.0" encoding="UTF-8"?>
<natpage natsource="HELLO-A" natsinglebyte="true" natkcheck="true"
xmlns:njx="http://www.softwareag.com/njx/njxMapConverter">
<titlebar name="Hello World!">
</titlebar>
<header withdistance="false">
<button name="Say Hello" method="sayHello">
</button>
</header>
<pagebody>
<itr takefullwidth="true">
<hdist width="100%">
</hdist>
<icon image="../../../cisemos/images/hello.gif">
</icon>
</itr>
<rowarea name="Input Area">
<itr>
<label name="Your Name" width="100">
</label>
<field valueprop="name" width="200">
</field>
</rowarea>
<rowarea name="Output Area">
<itr>
<label name="Result" width="100">
</label>
<field valueprop="result" width="200">
</field>
</rowarea>
<vdist width="100">
</vdist>
<itr>
<label name="Input your name and press the 'Say Hello' button.">
</label>
</itr>
<statusbar>
</statusbar>
</natpage>
```

```
</itr>
</rowarea>
<rowarea name="Output Area">
<itr>
<label name="Result" width="100">
</label>
<field valueprop="result" width="200" displayonly="true">
</field>
</itr>
</rowarea>
<vdist height="100">
</vdist>
<itr>
<label name="Input your name and press the 'Say Hello' button." ↵
asplaintext="true">
</label>
</itr>
</pagebody>
<statusbar withdistance="false">
</statusbar>
</natpage>
```

3. When you save your layout for the first time, an intelligent HTML page and the Natural adapter for this page are generated.
4. Before you can start coding, you have to make specific definitions in your development environment (this tutorial assumes that you are using Natural Studio as your development environment).
5. You will import the generated Natural adapter into your Natural library.
6. You will then create the main program which will use the adapter to display the page and which will handle the events that occur on the page, for example, when you choose the **Say Hello** button of your application.

You can now proceed with your first exercise: [Starting the Development Workplace](#).

7 Starting the Development Workplace

This tutorial assumes that you have installed Natural for Ajax as described in the [Installation](#) section.

> To start the development workplace

- 1 Make sure that your application server is running.
- 2 Invoke your browser and enter the following URL:

```
http://<host>:<port>/cisenatural/index.html
```


where *<host>* is the name of the machine on which your application server is installed and *<port>* is the port number of your application server.



Note: If you have not defined another port number during installation, the default port number is "8080".

- 3 On the resulting page, click the **Development Workplace** link.


The development workplace is now shown in your browser.



You can now proceed with the next exercise: *Creating a Project*.

8 Creating a Project

In the Application Designer environment, layouts are structured in so-called application projects. In the development workplace, you see the existing projects on the left. For each project, there is a tree of layout definitions that you can display when you choose the button containing the project name. For example:



For this tutorial, you will now create a project with the name "cisnatfirst".

> **To create a project**

- 1 Choose **Tools & Documentation** to display the list of development tools.
- 2 Choose **Project Manager** in the tree.

A list of existing application projects is now shown on the right.

- 3 Choose the **New** button which is located below the list of application projects.

The following is now shown:



- 4 Enter "cisnatfirst" as the name of your project and choose the **Create** button.

Your new project is now shown in the list of existing application projects on the right.

The left side, which shows buttons for all existing projects, now also shows a button for your new project.

You can now proceed with the next exercise: [Getting Started with the Layout Painter](#).

9 Getting Started with the Layout Painter

- Creating a New Layout 42
- Elements of the Layout Painter Screen 44
- Previewing the Layout 45
- Viewing the XML Code 46

The Layout Painter, which can be accessed from the development workplace, is used to write the page layout. This is an Application Designer application itself.


Creating a New Layout

You will now create a layout which is stored in the project you have previously created.

> To choose a layout template


- 1 Choose the button for the project **cisnatfirst**.

The list of layout nodes inside the tree will be empty at the beginning:




- 2 Choose **New Layout...** in the tree.

The following dialog appears.




- 3 Enter "helloworld.xml" in the **Name** text box.
This is the name of your layout definition.
- 4 Select the **Natural Page** tab at the bottom of the dialog.



- 5 Select the template for the Natural page (when you move the mouse over this template, the tool tip "Natural Page" appears).

The main screen of the Layout Painter appears:



Note: The file *helloworld.xml* is stored in the */xml* directory of your project.

Elements of the Layout Painter Screen

The Layout Painter screen is divided into several areas:

■ Layout Area (left side)

This area consists of a layout tree and a properties area.

The layout tree contains the controls that represent the XML layout definition. You drag these controls from the controls palette into the layout tree. Each node in the layout tree represents an XML tag.

In the properties area below the layout tree, you specify the properties for the control which is currently selected in the layout tree.

- **Preview Area (middle)**

The preview area shows the HTML page which is created using the controls in the layout area. This page is refreshed each time, you choose the preview button (see below).

- **Controls Palette (right side)**

Each control is represented by an icon. A tool tip is provided which appears when you move the mouse pointer over the control. This tool tip displays the XML tag which will be used in the XML layout. The palette is structured into sections, where each section represents certain types of controls.

Previewing the Layout

The layout tree inside the Layout Painter already contains some nodes that were copied from the template that you chose in the dialog in which you specified the name of the page. To see what the page looks like, preview the layout as described below.


The preview area is a sensitive area. When you select a control in the preview area (for example, the title bar), this control is automatically selected in the layout tree.

➤ **To preview the layout**

- Choose the following button which is shown at the top of the Layout Painter.



The preview area is updated and you see the page. The page already contains a title bar, a header containing an **Exit** button, the page body and a status bar.



Viewing the XML Code

When creating the layout, you can view the currently defined XML code.

➤ **To view the XML code**

- From the **Edit** tab of the Layout Painter, choose **XML**.

A dialog box appears. At this stage of the tutorial, it contains the following XML layout definition for the nodes which were copied from the template.

```
<?xml version="1.0" encoding="UTF-8"?>
<natpage natsource="HELLO-A" natkcheck="true" natsinglebyte="true"
xmlns:njx="http://www.softwareag.com/njx/njxMapConverter">
<titlebar name="New Natural Page">
</titlebar>
<header withdistance="false">
<button name="Exit" method="onExit">
</button>
</header>
<pagebody>
</pagebody>
<statusbar withdistance="false">
```

```
</statusbar>  
</natpage>
```

You can now proceed with the next exercise: *Writing the GUI Layout*.

10 Writing the GUI Layout

▪ Specifying the Properties for the Natural Page	50
▪ Specifying a Name for the Title Bar	51
▪ Using the Property Editor	52
▪ Specifying a Name and Method for the Button	54
▪ Adding the Input and Output Areas	54
▪ Adding the Image	57
▪ Adding a Horizontal Distance	58
▪ Adding an Instructional Text	59
▪ Adding a Vertical Distance	59
▪ Saving Your Layout	60

You will now create the layout for your “Hello World!” application. When you have completed all exercises in this chapter, the layout should look as shown below and the **XML code** should be the same as shown in the section *About this Tutorial*.

```

natpage
├── titlebar (Hello World!)
├── header
│   └── button (Say Hello)
├── pagebody
│   ├── itr
│   │   ├── hdist (100%)
│   │   ├── icon
│   │   └── rowarea (Input Area)
│   │       ├── itr
│   │       │   ├── label (Your Name, 100)
│   │       │   └── field (name, 200)
│   │       └── rowarea (Output Area)
│   │           ├── itr
│   │           │   ├── label (Result, 100)
│   │           │   └── field (result, 200)
│   │           └── vdist (100)
│   └── itr
│       └── label (Input your name and press the 'Say Hello' button.)
└── statusbar
    
```



Tip: **Preview the layout** and **view the XML code** each time you have completed an exercise. If the system finds some wrong or missing definitions while generating the preview page, there will be a corresponding message in the status bar. From the **Home** tab of the Layout Painter, choose **Protocol** to get more information about these problems.

Specifying the Properties for the Natural Page

You will now specify the following for the Natural page:

- Name for the Natural Adapter (natsource)**
 The value in the property `natsource` defines the name of the adapter. The adapter is a Natural object that your application will use to communicate with the page. It will be generated when you save the page layout.

If you do not specify a value for `natsource`, the name that you have specified for the layout (without the extension ".xml") will be used as the name for the Natural adapter. If you want to use the adapter in a development environment other than NaturalONE, you must make sure that the resulting name matches the naming conventions for Natural object names.

■ Handling of Strings (`natsinglebyte`)

Using the property `natsinglebyte`, you can specify how the strings displayed on this page are to be handled in the Natural application. Natural knows two types of strings: Unicode strings (format U) and code page strings (format A). By default, the strings displayed in web pages are mapped to Unicode strings in Natural. For this tutorial, you will specify that code page strings are to be used. Therefore, you will set the property `natsinglebyte` to "true".

If you do not specify a value for `natsinglebyte` or when you set it to "false", Unicode strings will be used.

➤ To specify the properties for the Natural page

- 1 In the layout tree, select the node **natpage**.

The properties for this control are now shown in the properties area at the bottom.

- 2 Make sure that the following properties are specified:

Property	Value
<code>natsinglebyte</code>	<code>true</code>
<code>natsource</code>	HELLO-A

Specifying a Name for the Title Bar

You will now specify the string "Hello World!" which is to appear in the title bar of your application.

➤ To specify the name for the title bar

- 1 In the layout tree, select the node **titlebar (New Natural Page)**.

The properties for this control are now shown in the properties area at the bottom. You can see the default entry "New Natural Page" for the `name` property.

- 2 Specify the following property:

Property	Value
name	Hello World!

When you click on the layout tree, the node in the layout tree changes to **titlebar (Hello World!)**.


 **Note:** Properties that are left blank are not shown in the XML code.

Using the Property Editor

You can also specify the property values using the Property Editor. In this case, you can access detailed help information on each property.


> To use the Property Editor

- 1 Select the control in the layout tree for which you need help, for example, the **titlebar (Hello World!)** node.



- 2 From the **Edit** tab of the Layout Painter, choose **Property Editor**.

The following dialog appears.



The properties of the control are listed.

- 3 Click on the name of a property to display detailed information on this property. This information is shown below the list of properties.
- 4 Choose the **Finish** button to close the dialog.

Any changes you have applied in the dialog will be saved.

Specifying a Name and Method for the Button

You will now specify the string "Say Hello" which is to appear on the button. And you will specify the name of the method that is to be invoked when the user chooses this button.

➤ To specify the name and the method for the button

- 1 In the layout tree, open the **header** node.



Note: By clicking the icon of a node, you hide or expand the node's subnodes.

You can now see the entry for the button with the default name "Exit".

- 2 Select the node **button (Exit)**.
- 3 Specify the following properties:

Property	Value
method	sayHello
name	Say Hello

The method needs to be programmed in the adapter. This will be explained later in this tutorial.

Adding the Input and Output Areas

The input and output areas in this tutorial are created using **Row Area** controls. These controls can be found in the **Container** section of the controls palette.


Each row area will contain an **Independent Row** control which in turn contains a **Label** and a **Field** control. These controls can be found in the **Controls** section of the controls palette.

For adding controls to your layout, you drag them from the controls palette onto the corresponding tree node in the layout tree. This is explained below.

➤ To create the input area

- 1 Open the **Container** section of the controls palette.

When you move the mouse over a control, a tool tip appears which also displays the control name which will be used in the XML layout. For example:



- 2 Drag the **Row Area** control from the controls palette onto the **pagebody** node in the layout tree.


The row area is added as a subnode of the **pagebody** node. The new subnode is automatically selected so that you can maintain the properties of the row area directly in the properties area.

- 3 Specify the following property:

Property	Value
name	Input Area

- 4 Drag the **Independent Row** control from the controls palette onto the **rowarea (Input Area)** node in the layout tree.

When you drop information into the tree, the system will sometimes respond by offering a context menu with certain options about where to place the control. In this case, the following context menu appears.



Note: When you move the mouse outside the context menu, the context menu disappears. The control is not inserted in this case.


- 5 Choose the **Add as Subnode** command.

The control is now inserted below the **rowarea (Input Area)** node. The new node is shown as **itr**.

- 6 Open the **Controls** section of the controls palette.
- 7 Drag the **Label** control from the controls palette onto the **itr** node you have just inserted and specify the following properties:

Property	Value
name	Your Name
width	100

- 8 Drag the **Field** control from the controls palette onto the **itr** node you have previously inserted. A context menu appears and you have to specify where to place the control.



- 9 From the context menu, choose the **Add as last Subnode** command.
- 10 Specify the following properties for the field:

Property	Value
valueprop	name
width	200

➤ **To create the output area**

- Create the output area in the same way as the input area (add it as the last subnode of the **pagebody** node), with the following exceptions:

Row Area

Specify a different value for the following property:

Property	Value
name	Output Area

Label

Specify a different value for the following property:

Property	Value
name	Result

Field

Specify different values for the following properties:

Property	Value
valueprop	result
displayonly	true



Note: To display the `displayonly` property, choose the **Appearance** tab at the bottom of the properties area. You can then select the required value from a drop-down list box.

Adding the Image

You will now add the image which is to be shown above the input area. To do so, you will use the **Icon** control which can be found in the **Controls** section of the controls palette.



Note: The image is provided in Application Designer's `/cisdemo/images` directory.

> To add the image

- 1 Drag the **Icon** control from the controls palette onto the **pagebody** node in the layout tree.

The icon is added as the last subnode of the **pagebody** node. It is automatically placed into an **itr** (independent row) node.

- 2 Specify the following property for the icon:

Property	Value
image	../cisdemos/images/hello.gif

- 3 Select the **itr** node containing the icon and choose the following button below the layout tree:



The selected node is now moved up so that it appears as the first subnode of the **pagebody** node.

- 4 Specify the following property for the **itr** node containing the icon:

Property	Value
takefullwidth	true

Adding a Horizontal Distance

When you preview the layout, you will see that the image you have just added appears centered.

You will now move the image to the right side of the page. To do so, you will use the **Horizontal Distance** control which can be found in both the **Controls** section and the **Container** section of the controls palette.

> To add the horizontal distance

- 1 Drag the **Horizontal Distance** control from the controls palette onto the **itr** node containing the icon.
- 2 From the resulting context menu, choose the **Add as first Subnode** command.

The node **hdist** is inserted into the tree.

- 3 Specify the following property:

Property	Value
width	100%

Adding an Instructional Text

You will now enter a text which is to appear below the output area and which tells the user what to do.

To do so, you will once again use the **Independent Row** control into which you will insert a **Label** control.



Note: The **Independent Row** control can be found in both the **Controls** section and the **Container** section of the controls palette.

➤ To add the independent row with the label

- 1 Drag the **Independent Row** control from the controls palette onto the **pagebody** node in the layout tree.
- 2 From the resulting context menu, choose the **Add as last Subnode** command.

The node **itr** is inserted into the tree.

- 3 Drag the **Label** control from the controls palette onto the **itr** node you have just created.
- 4 Specify the following properties for the label:

Property	Value
name	Input your name and press the 'Say Hello' button.
asplaintext	true



Note: Go to the **Appearance** tab to display the property `asplaintext`.

Adding a Vertical Distance

When you preview the layout, you will see that the text you have just added appears directly below the output area. You will now move the text 100 pixels to the bottom.

To do so, you will use the **Vertical Distance** control which can be found in both the **Controls** section and the **Container** section of the controls palette.

➤ To add the vertical distance

- 1 Drag the **Vertical Distance** control from the controls palette onto the **itr** node containing the label.

- 2 From the resulting context menu, choose the **Add as preceding Node** command.

The node **vdist** is inserted into the tree.

- 3 Specify the following property:

Properties	Value
height	100

Saving Your Layout

If you have not already done so, you should now save your layout.

When you save a layout for the first time, an HTML file is generated (in addition to the XML file) which is placed into the root directory of your application project. This HTML file is updated each time you save the layout.

The Natural adapter is also created when you save your layout for the first time. Later in this tutorial, you will import this adapter into your Natural library. Your application program will use the adapter to communicate with the page.

> To save the layout

- Choose the following button which is shown at the top of the Layout Painter.



You can now proceed with the next exercise: [Setting Up Your Development and Runtime Environment for Natural](#).

11 Setting Up Your Development and Runtime Environment for Natural

Before you start coding, you have to make specific definitions in your Natural environment.

➤ To set up your Natural environment

- Set up your Natural development and runtime environment for the required platform as described in [Setting Up Your Environment](#) previously in this documentation.

This tutorial assumes that you use Natural Studio as your development environment.

Make sure to use the names mentioned below.

■ Development Environment

Create a new Natural library with the name CISHELLO.

■ Runtime Environment

When you add the new entry to the configuration file, specify "Execute samples" as the session name:

```
<session id="Execute samples" trace="false">
```

"Execute samples" is the entry that will later be available for selection in the logon page.

You can now proceed with the next exercise: [Creating the Natural Code](#).

12

Creating the Natural Code

- Importing the Adapter into Natural 64
- Creating the Main Program 65
- Testing the Completed Application 68

Importing the Adapter into Natural

You will now import the generated adapter into Natural to make it available to your application.

When you saved your page layout, Application Designer created the Natural adapter HELLO-A for your page. This is the name that you have specified earlier in this tutorial. Your application program will use the adapter to communicate with the page. The adapter has been generated into the following directory:

```
<installdir>/cisnatfirst/nat
```



Note: The location of `<installdir>` depends on your application server environment.

> To import the adapter

- 1 Import the adapter source into the Natural library CISHELLO which you have created earlier in this tutorial. To do so, use either drag-and-drop or the import function of the SYSMAIN utility.

The adapter code looks as follows:

```
* PAGE1: PROTOTYPE      --- CREATED BY Application Designer --- /*<R0>>
* PROCESS PAGE USING 'XXXXXXXX' WITH
* NAME RESULT
DEFINE DATA PARAMETER
1 NAME (U) DYNAMIC
1 RESULT (U) DYNAMIC
END-DEFINE
*
PROCESS PAGE U'/cisnatfirst/helloworld' WITH
PARAMETERS
NAME U'name'
VALUE NAME
NAME U'result'
VALUE RESULT
END-PARAMETERS
*
* TODO: Copy to your calling program and implement.
/*/*( DEFINE EVENT HANDLER
* DECIDE ON FIRST *PAGE-EVENT
* VALUE U'nat:page.end',U'nat:browser.end'
* /* Page closed.
* IGNORE
* VALUE U'sayHello'
* /* TODO: Implement event code.
* PROCESS PAGE UPDATE FULL
* NONE VALUE
```



```

*      /* Unhandled events.
*      PROCESS PAGE UPDATE
*      END-DECIDE
/*/*) END-HANDLER
*
END /*<<RO>

```

- 2 Stow the adapter.

Creating the Main Program

You will now create the main program which uses the adapter to display the page and which handles its events. The name of the program will be HELLO-P and you will store it in the library CISHELLO.

This description assumes that you are working with Natural Studio.

➤ To create the main program

- 1 Make sure that the library CISHELLO is selected.
- 2 From the **Object** menu, choose **New > Program**.
- 3 Enter a `DEFINE DATA` statement:

```

DEFINE DATA LOCAL
END-DEFINE

```

- 4 Import the adapter interface into the `DEFINE DATA` statement:
 1. Place the cursor in `END-DEFINE`.
 2. From the **Program** menu, choose **Import**.
 3. In the resulting dialog box, select the **Adapter** option button.
 4. Select the object HELLO-A.
 5. Select all importable data fields.
 6. Choose the **Import** button.

The result is your completed `DEFINE DATA` statement:

```
DEFINE DATA LOCAL
1 NAME (A) DYNAMIC
1 RESULT (A) DYNAMIC
END-DEFINE
```

- 5 Enter the `PROCESS PAGE` statement. The statement uses the page adapter to display the page in the web browser and to pass data to the controls on the page:

```
DEFINE DATA LOCAL
1 NAME (A) DYNAMIC
1 RESULT (A) DYNAMIC
END-DEFINE
*
PROCESS PAGE USING 'HELLO-A'
WITH NAME RESULT
```

- 6 Initialize the page data. In the page layout definition, the property `name` has been bound to the `FIELD` control with the label **Your Name**. For the property `name`, a parameter `NAME` has been generated into the parameter data area of the adapter. Thus, in order to preset the `FIELD` control, we will preset the variable `NAME` with the value "Application Designer".

```
DEFINE DATA LOCAL
1 NAME (A) DYNAMIC
1 RESULT (A) DYNAMIC
END-DEFINE
*
NAME := 'Application Designer'
PROCESS PAGE USING 'HELLO-A'
WITH NAME RESULT
```

- 7 Handle the events that can occur on the page. A template for the event handler code has been generated as a comment block into the page adapter `HELLO-A`. List the adapter `HELLO-A` and copy this comment block into your main program and terminate the program with an `END` statement:

```
DEFINE DATA LOCAL
1 NAME (A) DYNAMIC
1 RESULT (A) DYNAMIC
END-DEFINE
*
NAME := 'Application Designer'
PROCESS PAGE USING 'HELLO-A'
WITH NAME RESULT
*
DECIDE ON FIRST *PAGE-EVENT
VALUE 'nat:page.end',U'nat:browser.end'
/* Page closed.
IGNORE
VALUE 'sayHello'
```

```

/* TODO: Implement event code.
PROCESS PAGE UPDATE FULL
NONE VALUE
/* Unhandled events.
PROCESS PAGE UPDATE
END-DECIDE
*
END

```

After the page has been displayed, the user raises events on the page by using the controls. The name of the raised event is then contained in the system variable `*PAGE-EVENT`. Depending on the event, the program modifies the page data, resends it to browser with a `PROCESS PAGE UPDATE FULL` statement and waits for the next event to occur.

The predefined events `nat:page.end` and `U'nat:browser.end'` are raised when the user closes the page or closes the browser. The event `sayHello` is raised when the user chooses the **Say Hello** button. Previously in this tutorial, you have bound the event `sayHello` to this button while designing the page. The `NONE VALUE` block should always be defined as above. It contains the default handling of all events that are not handled explicitly.

- 8 When the event `sayHello` occurs, we want to display a greeting in the `FIELD` control with the label **Result**. Therefore, we modify the variable `RESULT` (which is bound to the corresponding `FIELD` control in the page layout) accordingly before we resend the page data.

```

DEFINE DATA LOCAL
1 NAME (A) DYNAMIC
1 RESULT (A) DYNAMIC
END-DEFINE
*
NAME := 'Application Designer'
PROCESS PAGE USING 'HELLO-A'
WITH NAME RESULT
*
DECIDE ON FIRST *PAGE-EVENT
VALUE 'nat:page.end',U'nat:browser.end'
/* Page closed.
IGNORE
VALUE 'sayHello'
/* TODO: Implement event code.
COMPRESS 'Hello, ' NAME '!' TO RESULT
PROCESS PAGE UPDATE FULL
NONE VALUE
/* Unhandled events.
PROCESS PAGE UPDATE
END-DECIDE
*
END

```

The main program is now complete.

If you have not yet saved the program, save or stow it now with the name "HELLO-P".

- 9 Catalog all modules in the library CISHELLO.

Testing the Completed Application

You will now run the application in your web browser and check whether it provides the desired result.

The generated HTML file *helloworld.html* (which is updated each time you save your layout) can be found within the root of your application project, that is in `<installdir>/cisnatfirst`.

This HTML page has some prerequisites concerning the browser workplace in which it is running. Therefore, it is per se not usable as a directly accessible page but needs to be embedded into a frame providing a defined set of functions.

It is necessary to logon to Natural before starting an application. Therefore, Natural applications are started using a logon page.

➤ To test the application

- 1 Enter the following URL inside your browser:

```
http://localhost:8080/cisnatural/servlet/StartCISPage?PAGEURL=/cisnatural/NatLogon.html
```

The logon page should now appear.

Connection details

Session ID:

Host name: Port:

User name: Password:

Natural application:

Natural parameter:

Language:

Change Password

New password:

Repeat new password:

If the logon page is not displayed, check the following:

- URLs are case-sensitive. Double-check your input.
 - Check whether the file *NatLogon.html* is available in the directory *cisnatural*.
- 2 On the logon page, select the entry **Execute samples** from the **Session ID** drop-down list box. You have prepared this entry earlier in this tutorial when you have set up the runtime environment.
 - 3 Provide your user ID and password valid for the machine on which the Natural application will be running.
 - 4 In the **Natural application** text box, enter the following information, depending on your Natural platform:
 - **Natural for Mainframes**
Enter the name of the Natural program that is to be started. In our case, this is HELLO-P.
 - **Natural on Linux and Cloud**
Enter the name of the Linux shell script that is used to start Natural. By default, this is *nwo.sh*.
 - **Natural for Windows**
Enter the name of the Windows command file (*.bat*) that is used to start Natural. By default, this is *nwo.bat*.
 - 5 In the **Natural parameters** text box, enter the following information, depending on your Natural platform:

■ **Natural for Mainframes**

Enter the dynamic Natural profile parameters that are necessary to start your application:

```
STACK=(LOGON CISHELLO)
```



Note: With Natural for Mainframes, is recommended to specify the Natural program that starts the application in the **Natural application** text box instead of passing it with the profile parameter `STACK`.

■ **Natural on Linux and Cloud and Natural for Windows**

Enter the Natural command line that is necessary to start your application:

```
STACK=(LOGON CISHELLO;HELLO-P)
```

6 Choose the **Connect** button.

Your application should be started now.

7 Enter your name and choose the **Say Hello** button.

The page should now successfully “talk” to your adapter.

The screenshot shows a web application interface with two main sections: 'Input Area' and 'Output Area'. The 'Input Area' has a label 'Your Name' and a text input field containing the text 'Jo'. The 'Output Area' has a label 'Result' and a text output field containing the text 'Hello, Jo !'. Both sections have a dropdown arrow on the right side of their headers.

You have now completed this tutorial. See the remaining section of these *First Steps* for [some background information](#).

13

Some Background Information

- Name Binding between Controls and Adapter 72
- Data Exchange at Runtime 72
- Files and their Locations 73

Name Binding between Controls and Adapter

Which are the critical parts when building the “Hello World!” application?

- The NATPAGE control in the layout points to the name of the adapter object (property `natsource`).
- The FIELD control in the layout points to the property name of the adapter (property `valueprop`).
- The BUTTON control in the layout points to the event `sayHello()` of the adapter (property `method`).

There is a name binding between the layout definition and its corresponding adapter. This is the simple and effective approach of the development process: The adapter represents a logical abstraction of what the page displays. All layout definitions are kept in the page - all the logic is kept in the adapter. (Or better: behind the adapter. The adapter itself should only be a facade to the “real” application logic.)

Data Exchange at Runtime

What happens at runtime?

- When the user starts a Natural session from the logon page, the Natural program that the user specified in the command line is started.
- The Natural program executes a `PROCESS PAGE` statement, using an adapter.
- The `PROCESS PAGE` statement passes the name of the HTML page to be used and the initial page data to the browser.
- The browser displays the page. JavaScript code on the page distributes the initial data to the controls.
- The user provides some input, for example, enters the name. The content change is stored inside the page. The Natural program is not yet involved.
- The user does something which causes a flush of the changes (for example, the user chooses a button). Therefore, all registered data changes are packaged and are sent through the adapter to the Natural program, including the information which event has been raised.
- The Natural program receives the modified data.
- The system variable `*PAGE-EVENT` receives the name of the raised event.
- The event handler in the Natural program modifies the data and resends it to the page using a `PROCESS PAGE UPDATE` statement.
- And so forth.

With a standard HTTP connection, only the changed content of the screen is passed when operating on one page. The layout is kept stable in the browser. Consequently, there is no flickering of the page due to page reloading.

All steps described in the list above are done completely transparent to your adapter; i.e. you do not have to cope with session management, stream parsing, error management, building up HTML on the server, etc. You just have to provide an intelligent HTML page by defining it in the Layout Painter and an adapter object.

Files and their Locations

Have a look at the files created for your “Hello World!” application and take notice of the directory in which they are located.

All files are located in the directory `<installdir>/cisenatural/cisnatfirst`. The `<installdir>/cisenatural` directory is the directory of the web application instance. The `<installdir>/cisenatural/cisnatfirst` directory is the directory that has been created for your new project.

- The XML layout definition is kept in the `<installdir>/cisenatural/cisnatfirst/xml` directory.
- The generated HTML page is kept directly in the project directory. There are possibly also some other files inside this directory that start with “ZZZZ”. These files are temporary files used when previewing pages inside the Layout Painter.
- The generated Natural adapters are kept in the directory `<installdir>/cisenatural/cisnatfirst/nat`.
- In the directory `<installdir>/cisenatural/cisnatfirst/accesspath`, “access restriction” files are generated. If you view these files inside a normal text editor (such as Notepad), you see that one file is maintained for each page; it holds the information about which properties are accessed by the page.

III

First Steps Responsive Pages

This tutorial explains how to build a responsive application and is organized under the following headings:

[About this Tutorial](#)

[Preparing your NaturalONE Workspace](#)

[PART1: Developing the Main Application Page](#)

[PART2: Developing the Pop-Up Page](#)

[PART3: Putting it All Together](#)

[Tutorial Reference Implementation](#)

14

About this Tutorial

In this tutorial you will build a responsive application with two pages. You will use NaturalONE and Natural for Ajax. It shows you how to use the responsive control set of Natural for Ajax.

Here you can see what your application will look like when you have completed all the steps in this tutorial:




Show entries

Search:

↕	Firstname	↕	Lastname	↕	E-Mail	↕
	First1		Last1		First.Last1@email.com	
	First2		Last2		First.Last2@email.com	
	First3		Last3		First.Last3@email.com	
	First4		Last4		First.Last4@email.com	
	First5		Last5		First.Last5@email.com	
	First6		Last6		First.Last6@email.com	
	First7		Last7		First.Last7@email.com	
	First8		Last8		First.Last8@email.com	
	First9		Last9		First.Last9@email.com	
	First10		Last10		First.Last10@email.com	

Showing 1 to 10 of 30 entries

Previous [1](#) [2](#) [3](#) Next



Your application will work as follows: When you click the pencil icon in the grid, a pop-up window will open to modify the item. When resizing the browser window, the grid page as well as the pop-up page will adapt to the size of the browser window in a responsive way.

The Tutorial is split into three parts. You can do Part 1 and/or Part 2 independently of the other parts. Part 3 requires that you have done Part 1 + 2.

	Learning	Estimated Time
Part 1	Develop a responsive page with an application bar and a grid.	20 min
Part 2	Develop a responsive page with input controls including validation, displayonly settings and submit buttons.	15 min
Part 3	Page navigation between two pages. Integrate a page as pop-up.	15 min

This tutorial assumes that you have started NaturalONE and switched to *The NaturalONE Perspective*. This Tutorial uses the **Project Explorer** view.


15 Prepare your NaturalONE Workspace

- Perspective Settings 82
- Create a Natural Project with a User Interface Component 84


Perspective Settings


Click Window > Preferences to apply the settings described below.

To run the responsive application, it is required to use an external web browser. The internal web browser of Eclipse does not fully support responsive rendering.




We want that the Natural adapters are always regenerated and compiled automatically whenever we change a responsive layout.






Create a Natural Project with a User Interface Component


In the File menu select **New > Natural Project**.




Set **NaturalAjaxResponsiveTutorial** as project and click the **Finish** button.




In the Project Explorer right click on the **Natural-Libraries** folder of the created project and select **New > Natural Library**.



Set **NJXTUTOR** as Library and click the **Finish** button.



In the Project Explorer right click on the **SRC** folder of the created library and select **New > User Interface Component**.



The dialog **Enable Project for Ajax Developer** is opened. Click the **Finish** button.

Enable Project for Ajax Developer

This wizard enables the project for Ajax Developer.

Path: /NaturalAjaxResponsiveTutorial

Runtime Version
Natural for Ajax 9.2.1

Web application configuration
Web applications: Development

Selected configuration details

Web server folder: C:\myworkspaces\workspace_responsive_tutorial\natural Browse...

Web server connection: localhost:28080

Web application folder: C:\myworkspaces\workspace_responsive_tutorial\natural Browse...

Web application name: cisenatural

Add webconfig folder
 Add webconfig folder


Layout display mode
 SWI (Deprecated) HTML

Layout refresh mode
 Off On

User interface component folder support
 Create root folder
 Use workspace relative paths

Finish Cancel

The wizard **Create a User Interface Component** is opened. Set **responsive_tutorial** as Component name and click the **Next** button.



The next wizard page appears. You can see that the correct Natural source folder for your Natural adapters is automatically selected. Click the **Finish** button.

New User Interface Component

Create a User Interface Component

This wizard creates a user interface component.

Natural adapter folder

Natural adapter folder:

Layout Painter configuration

Name validation:

Disable name validation


Layout direction

Left to right Right to left

Ajax configuration file

Use gisconfig.xml of User interface component

You have successfully created an Ajax enabled Natural project and a User Interface Component for this tutorial. In Project Explorer you will see:



16

PART1: Develop the Main Application Page

▪ The Application Template	94
▪ The Application Bar	96
▪ The Data Grid	100
▪ Adding Responsive Spacing and Visibility	107


Our main application page will contain:

- A responsive application bar
- A responsive data grid.


We will use a template which already contains a basic application bar.

The Application Template

Right click the folder responsive_tutorial in Project Explorer and select New > Page Layout



In the **Natural Page** tab scroll a little bit down and select the template **Natural Responsive Page - Application Bar**. Set **tutorial_main** in the **Page layout** field. Set **TUTMAIN-A** in the **Natural adapter** field. Click the **Finish** button.




The **tutorial_main** layout is opened in **Layout Painter Editor**. It contains an application bar with a text at the left-hand side and a drop-down button and an icon at the right.

The Application Bar

In this step the controls in the application bar will be explained and we will adapt the application bar.


You see a **BMOBILE:HORIZONTALBAR** control, which contains a **BMOBILE:BARTEXT**, a **BMOBILE:FORMINLINE** and a **BMOBILE:ICON** control.

Click on the text **Application Title** in the **Preview Area (middle)**. This will select the **BMOBILE:BARTEXT** control. You can now see and modify the properties of this control.




The **BMOBILE:BARTEXT** is a control to render texts in bars. In our example we want to add our application title as text here. You see that as **styleclasses** the css class **navbar-brand** is set. This increases the font-size and adds some shadow and padding. We keep this setting.

Our application name is "Natural for Ajax - Responsive Tutorial". Change the **name** property to **Natural for Ajax - Responsive Tutorial**.




Press **<ctrl s>** to save the change. This will refresh the **Preview Area**.

Click on the **About** button in the **Preview Area (middle)**. In the **Layout Area (left)** a **BMOBILE:DROPDOWN** control is selected and you can now see and modify the properties of this control in the **Properties v**.




The **BMOBILE:DROPDOWN** and the **BMOBILE:ICON** control are grouped in a **BMOBILE:FORMINLINE** container control. Use a **BMOBILE:FORMINLINE** container whenever you want to render several form controls – like buttons, texts, fields, icons,... – side by side on a single horizontal row or bar.

Have a look at the properties of the **BMOBILE:DROPDOWN**: As **menuclasses** the css class **dropdown-menu-right** is set. This aligns the opened dropdown on the right side of the dropdown button. As **buttonclasses** property you can set classes to change the rendering of the dropdown button itself. We keep the default rendering. As **styleclasses** the css class **mr-2** is set. Click on the small button right to the text “mr-2”. This will open the “Select styleclasses” dialog. In the lower half of this dialog there is a dropdown box. This dropdown contains the most frequently used responsive classes for this control. Select mr-*. Now you can see a help text below the dropdown which explains the class.




Click the **Cancel** button to close the dialog. In our example the mr-2 class puts a vertical distance between the dropdown button and the icon.


In the **Preview Area** click on the text **My Application** of the opened dropdown. This will select a **BMOBILE:FLABEL** control. In a **BMOBILE:DROPDOWN** control you can have rows with all kinds of controls. We simply apply a different text to the name attribute.



Press **<ctrl s>**. In the **Preview Area** click on the icon to the right of the dropdown. This will open a modal dialog in the **Preview Area** and will show the properties of the **BMOBILE:ICON** control in the **Properties** view.




The **iconurl** property sets the icon image. Natural for Ajax contains an icon library with SVG icons and icon fonts. Click on the small button next to the property value “./HTMLBasedGUI/bootstrapicons/icons/question-circle-fill.svg”. The dialog **Enter Image URL** opens.



When clicking the **SVG Icons** button you can select among more than 1300 SVG icons. Click the **Cancel** button.

The value of the **method** property defines which modal is opened. Each modal has a **modalid**. The method to open the modal is always “modal:<themodalid>”. To see the corresponding **BMOBILE:MODAL** control with its properties, select it in the **Layout Area**.

PART1: Develop the Main Application Page



Underneath the modalid is the **pageurl** property. Here you can set any URL to a valid page accessible as URL in your browser.

SUMMARY

We have built a simple application bar showing:


- Application Name
- Version Information (Dropdown)
- Help Icon with a Help Pop-Up.

We only had to adapt an existing template for this.

The Data Grid

We will use the controls palette to add a data grid with several different columns and behavior to our page.


In the **Controls Palette (right)** open the **Responsive Grids** section. Drag and drop the **Simple Grid** to the **bmobile:container** node in the **Layout Area (left)**.




Press **<ctrl s>**. Open all child nodes of the **bmobile:simplegrid** node.


The **BMOBILE :SIMPLEGRID** control contains a row with grid header columns (**BMOBILE:SIMPLEHEADERROW**) and a row with data columns (**BMOBILE:SIMPLEROW**). Click on the

bmobile:simpleheadercol node and change the value of the property name to Firstname. Press <ctrl s>.




Copy and paste the bmobile:simpleheadercol twice







Modify the property name so that you have three header columns: **Firstname**, **Lastname**, **E-Mail**. Press **<ctrl s>**. In the **Layout Area** click on the node `bmobile:simplecol`. The `colprop` property is the Natural fieldname for your data column. Change it to **firstname**.




Copy and paste the `bmobile:simplecol` twice and change the `colprop` correspondingly so that you see:




We now add an additional invisible id column. Drag and drop a **Simple Header Column** from the **Controls palette** and leave the **name** empty.




Drag and drop a **Simple Gridcolumn** from the **Controls palette** and apply the following properties:



Press **<ctrl s>**. Whenever a layout is saved, the corresponding Natural adapter is updated. We will now generate a Natural program from the adapter. In **Project Explorer** right click on **TUTMAN-A.NS8** and select **Generate Main Program**.



In the dialog add **TUTMAN-P** as **Object name** and click the **OK** button.




Fill some items into your grid. Example code:

```

...
1 #II (I2)
END-DEFINE
EXPAND ARRAY GRIDLINES TO (1:30)
FOR #II:=1 TO 30
COMPRESS 'First ' #II INTO GRIDLINES.FIRSTNAME(#II) LEAVING NO
COMPRESS 'Last ' #II INTO GRIDLINES.LASTNAME(#II) LEAVING NO
COMPRESS 'First.Last' #II '@email.com' INTO GRIDLINES.EMAIL(#II) LEAVING NO
COMPRESS 'User' #II INTO GRIDLINES.USERID(#II) LEAVING NO
END-FOR
PROCESS PAGE USING "TUTMAN-A"
...
    
```

Right click and select **Run As > Natural Application**



SUMMARY

We have developed a data grid with visible and invisible data columns and corresponding header columns, added the Natural code to fill the grid and ran our main application page.


Adding Responsive Spacing and Visibility

If you look at your running page in the browser, you will notice that some parts of the rendering do not look good. For instance, there is no space between the application bar and your grid. If you are not familiar with the Bootstrap grid system, take some minutes to read the chapter *Responsive Pages Basics*.


- [Adding Vertical Distance](#)
- [Adding Horizontal Distance](#)
- [Device Dependent Showing/Hiding of Controls](#)

Adding Vertical Distance


Open `tutorial_main.xml` in **Layout Painter**. In the **Layout Area (left)** select the **bmobile:container** node. Drag and drop a **Vertical Distance** control from the **Controls palette (right)** under the **bmobile:container** node as first sub node.



In the **Properties** view click the small button right to the styleclasses property. We will now add a device dependent vertical distance: For smaller devices we add a smaller distance than for larger devices. In the dropdown select **mt-2** and click the **Add** button. Now select **mt-md-*** and press the **Add** button.




In the field change **mt-md-*** to **mt-md-5** and click the **OK** button.




What we have done means the following: For all devices we set `mt-2` sets a distance of about 8px. For medium devices and up we overwrite this default setting with `mt-5` which sets a distance of about 48px.

Adding Horizontal Distance

In the **Layout Area (left)** select the `bmobile:col` node above the `bmobile:simplegrid` node. In **Properties view** click the small button right to the `styleclasses` property. We will now apply a device dependent width and horizontal distance for our grid. Remove the `col` in the field. In the dropdown select `col-*` and click the **Add** button. In the field modify `col-*` to `col-10`.



In the same way add **col-offset-1**, **col-md-8** and **col-offset-md-2**.




Click the **OK** button and press **<ctrl s>**.

What we have done means the following: For all devices our BMOBILE:SIMPLEGRID takes 10 of the 12 Bootstrap grid columns. We set a horizontal distance of 1 Bootstrap grid column. For medium devices and up we overwrite this default setting so that our BMOBILE:SIMPLEGRID takes 8 of the 12 Bootstrap grid columns and has a horizontal distance of 2 Bootstrap grid columns.

Device Dependent Showing/Hiding of Controls

On larger devices you can show more information than on smaller devices. For our application bar we only want to show the About button and the Help icon for larger devices. This makes sure that our application bar is not “wrapped”.

In the **Layout Area (left)** select the `bmobile:forminline` node. Apply the **styleclasses** `d-none d-md-block`.



Now the BMOBILE :FORMINLINE container with its sub controls is only shown for medium devices and up.

Be sure you pressed **<ctrl s>**. Run your **TUTMAN-P** program, resize your browser window and see how the rendering adapts to the size of the browser window.

SUMMARY

We have applied device dependent spaces (vertical and horizontal) and device dependent showing/hiding of controls by simply applying css styleclasses to our layout.

17


PART2: Develop the Pop-Up Page


- Create a Responsive Form 116
- Add Placeholders, Validators and Displayonly Behavior 123
- Add Submit and Cancel Button 124
- Running a Quick Test 127

In this part we will develop a page with a responsive form. We will prepare everything so that we can open the page also as a pop-up from our main application page.


Create a Responsive Form

In the File menu click New > User Interface Component, select the **Natural Responsive Page - Plain** template and enter layout and adapter name as shown below.






Click the **Finish** button. Drag and drop a **Form** container from the **Controls palette (right)** under the `bmobile:container` node.



We want a little bit spacing left and right of our form. In the **Properties** view set `mx-3` as **styleclasses** as described in PART1 of this tutorial. The “x” stands for “left and right”.


Drag and drop a **Vertical Distance** control from the **Responsive Grids** section of the **Controls palette (right)** under the `bmobile:container` node as first sub node. In the **Properties** view set `mt-3` as **styleclasses**.



Tip: Don't forget to press `<ctrl s>` after changes to refresh the Preview Area (middle).


A **Form** is a container for different types of input elements, such as: text fields, checkboxes, radio buttons, submit buttons, etc. Use Form Group containers inside a form to get some grouping of labels, inputs, validation etc.

Drag and drop a **Form Group** container from the **Controls palette (right)** under the `bmobile:form` node.




On larger devices we want to render the label and the input control for a value side by side. For smaller devices we want to render the label above the input control. To do so we set the property **renderasrow** to **true**. Then we can use the Bootstrap grid system with its **col*** classes to define when to render side-by-side and when to break the row.


Drag and drop a **Form Label** control from the **Controls palette (right)** under the **bmobile:formgroup** node.



Drag and drop a **Column** container from the **Controls palette (right)** under the bmobile:formgroup node – after the bmobile:label node.




Drag and drop a **Form Field** control from the **Controls palette (right)** under the bmobile:col node.




Select the bmobile:label node. In the **Properties** view apply **Firstname** for the **name** property.

Select the `bmobile:ffield` node. In the **Properties** view apply `firstname` for the `valueprop` property. This will be the name used for the corresponding Natural field. It must start with a lower-case character, but in your Natural program the field will be upper-case.


Select the `bmobile:flabel` node. In the **Properties** view apply `col-12 col-sm-2` for the `styleclasses` property. This means: It should span the complete row on very small devices. But it should only span 2 columns on a little bit larger devices and up.




Select the `bmobile:flabel` node. In the **Properties** view apply `col-12 col-sm-10` for the `styleclasses` property. This means: It should span the complete row on very small devices. But it should only span 10 columns on a little bit larger devices and up.




With this on a little bit larger devices, our form-group will be rendered in one row and on very small devices our form-group will break into two rows. Resize your Preview Area to see this effect.





In the same way add three more form groups. You can copy and paste the complete `bmobile:formgroup` node and adapt it correspondingly.



Add Placeholders, Validators and Displayonly Behavior

We want our firstname and lastname to be mandatory. Select the corresponding `bmobile:ffield` nodes. In **Properties** view set the property **required** to **true**.

Our userid should be displayonly. Select the corresponding `bmobile:ffield` node. In **Properties** view set the property **displayonly** to **true**.

We want that our email is validated for valid email values. Select the corresponding `bmobile:ffield` node. In **Properties** view set the property **email** to **true**.

For empty fields we want to show a placeholder text. For the `bmobile:ffield` nodes of `firstname`, `lastname` and `email`, set the property **placeholder** to **Your firstname**, **Your lastname**, **Optional: Your E-Mail**.

Add Submit and Cancel Button


Add another **Form Group** as last sub node of our `bmobile:form` node. This will contain our buttons. Add a Vertical Distance before our new `bmobile:formgroup` node and set the **styleclasses** property to **mt-1**. We want just a little bit space between our fields and the buttons.

Add a **Column** as sub node of the new `bmobile:formgroup` and set the **styleclasses** property to `mx-auto`. We want our buttons to be centered.

Add a **Button** under the `bmobile:col` node and set the following properties:

Properties ✕		
All	Property	Value
Events	▼ Appearance	
Props	invisiblemode	
	straighttext	
	style	
	styleclasses	btn-primary
	titlestraighttext	
	▼ Basic	
	comment	
	helpid	
	name	Save
	renderasicon	
	renderaslink	
	textid	
	title	
	type	
	▼ Binding	
	method	onSave
	nameprop	
	titleprop	
	visibleprop	
	▼ Miscellaneous	
	testtoolid	

The **method** is the name of the event, which will be forwarded to your Natural program when the button is clicked. Add a second Button under the bmobile:col node as last sub node and set the following properties:




The image shows a 'Properties' panel from a web development tool. It has a sidebar on the left with 'All', 'Events', and 'Props' tabs. The main area is a table with 'Property' and 'Value' columns. The 'type' property is highlighted in blue and set to 'button'. Other properties include 'styleclasses' set to 'btn-default' and 'name' set to 'Cancel'.

Property	Value
▼ Appearance	
invisiblemode	
straighttext	
style	
styleclasses	btn-default
titlestraighttext	
▼ Basic	
comment	
helpid	
name	Cancel
renderasicon	
renderaslink	
textid	
title	
type	button ▼
▼ Binding	
method	onCancel
nameprop	
titleprop	
visibleprop	
▼ Miscellaneous	
testtoolid	

Be sure to set the property **type** to **button**. In difference to **submit** buttons (=default) this button will not validate the form. This allows you to close the pop-up even in case of invalid field values.

Running a Quick Test

From the generated adapter TUTPOP-A you can simply generate a Natural program and run the generated program – without any modifications. In PART3 of this tutorial we will integrate the form as pop-up into our main application.



SUMMARY

We have created a responsive form with several fields, added validation and responsive rendering and we added a submit and a cancel button to the form. We generated a Natural program for it and could run it immediately without any programming.

18

PART3: Put it All Together

- Create the Natural Subprogram for the tutorial_popup Page 130
- Add Controls to Open the Pop-Up (tutorial_main) 131
- Adapt the Natural code (TUTMAIN-P) 135

We will now open our **tutorial_popup** page (PART2) from our **tutorial_main** page (PART1). We will create a Natural subprogram for our pop-up. When our TUTMAIN-P receives a specific event – an icon is clicked - it will call the Natural subprogram. This will open the pop-up window.

Create the Natural Subprogram for the tutorial_popup Page

Right click on the TUTPOP-A adapter and select **Generate Main Program**. In the opened dialog select **Subprogram** and enter TUTPOP-N as Object name.

We want to pass all values from our TUTMAIN-P program. To do so, apply the code in bold:

```

DEFINE DATA PARAMETER
1 P_EMAIL (A) DYNAMIC
1 P_FIRSTNAME (A) DYNAMIC
1 P_LASTNAME (A) DYNAMIC
1 P_USERID (A) DYNAMIC
LOCAL
1 ALERTTEXT (A) DYNAMIC
1 ALERTTYPE (A) DYNAMIC
1 EMAIL (A) DYNAMIC
1 FIRSTNAME (A) DYNAMIC
1 LASTNAME (A) DYNAMIC
1 USERID (A) DYNAMIC
END-DEFINE
*
```

```
EMAIL:=P_EMAIL
FIRSTNAME:=P_FIRSTNAME
LASTNAME:=P_LASTNAME
USERID:=P_USERID
*
...
```

We want that our **tutorial_popup** page is opened as pop-up (modal). To do so, apply the code in bold:

```
PROCESS PAGE MODAL
PROCESS PAGE USING "TUTPOP-A"
...
END-PROCESS
END
```

We want to close the pop-up when our **Cancel** button is clicked. When our **Save** button is clicked, we want to pass back the changed values. To do so, apply the code in bold:

```
VALUE U'onCancel'
IGNORE
VALUE U'onSave'
P_EMAIL:=EMAIL
P_FIRSTNAME:=FIRSTNAME
P_LASTNAME:=LASTNAME
P_USERID:=USERID
PROCESS PAGE UPDATE FULL
```

Add Controls to Open the Pop-Up (tutorial_main)

Open the **tutorial_main.xml** layout in Layout Painter. We will now add an icon column to our grid. When the icon is clicked, we want to pass an event to our Natural program so that it can open the pop-up.


- [Add an Icon Grid Column Control \(BMOBILE:ICONCOL\)](#)
- [Add a Natural Event Data Control \(NJX:EVENTDATA\)](#)

- [Add an Open Popup Features Control \(XCIEVENTDATA.XCIINDEX\)](#)


Add an Icon Grid Column Control (BMOBILE:ICONCOL)

In the **Layout Area (left)** select the **bmobile:simpleheaderrow** node. From the **Controls palette (right)** drag and drop a **Simple Header Column** as first sub node of the **bmobile:simpleheaderrow**.


From the **Controls palette (right)** drag and drop an **Icon Grid Column** as first sub node of the **bmobile:simplerow**.




In **Properties** view click on the small button right of the **iconurl** property. In the opened dialog click the **SVG Icons** button and select the **pencil-fill.svg** icon.



Set the following **method** and **styleclasses** property values:




The event **onEditItem** will be sent to our Natural program when the icon is clicked. The styleclass **ml-2** adds some space left of the icon. This is important for small devices because on small devices a plus icon to see all columns is automatically shown. The **ml-2** styleclass makes sure that there is enough space between our pencil icon and the plus icon.



The `icon-svg-primary` styleclass renders our pencil in our primary color (blue).

Add a Natural Event Data Control (NJX:EVENTDATA)


When our icon is clicked, we want to automatically know the index of the item for which the icon is clicked. To get this support, drag and drop a **Natural Event Data** control as sub node of the `natpage` node.



This is an invisible control. It generates Natural fields which will tell us the index of the item for which the icon is clicked.

Add an Open Popup Features Control (XCIEVENTDATA.XCIINDEX)

Drag and drop an **Open Popup Features** control as sub node of the **natpage** node.



This is an invisible control. It generates Natural fields which allow us to set the title, height, width, etc. of the pop-up dynamically at runtime. Be sure that you saved your layout (<ctrl-s>).

Adapt the Natural code (TUTMAIN-P)


We now adapt our TUTMAN-P to initialize the pop-up and call our subprogram TUTPOP-N.

- Adapt the TUTMAN-P to the Added Controls
- Initialize the Pop-Up
- Call the Natural Subprogram (TUTPOP-N)

- Run your Application

Adapt the TUTMAN-P to the Added Controls

Double-click the file **TUTMAN-P**. It will open in the Natural editor. You see that it has errors. In the editor select **TUTMAN-A** and press **F3**.



This will open the TUTMAN-A adapter in the Natural editor. You see that in the adapter some additional fields exist. The reason is that for the Natural Event Data and the Open Popup Features controls additional Natural fields were generated. We need to adapt our program. Select all the fields in the adapter.

```

- DEFINE DATA PARAMETER
/*( PARAMETER
- 1 GRIDLINES (1:*)
  2 EMAIL (A) DYNAMIC
  2 FIRSTNAME (A) DYNAMIC
  2 LASTNAME (A) DYNAMIC
  2 USERID (A) DYNAMIC
- 1 XCIEVENTDATA
  2 XCIINDEX (I4)
- 1 XCIOPENPOPOP
  2 FEATURES (A) DYNAMIC
  2 HEIGHT (I4)
  2 LEFT (I4)
  2 POPUPTYPE (A) DYNAMIC
  2 TITLE (A) DYNAMIC
  2 TOPPOS (I4)
  2 WIDTH (I4)
/*) END-PARAMETER
END-DEFINE

```


In the Natural program replace the old fields with these new fields. Also copy the lines for the **onEditItem** event. Your code should look like this:

```

DEFINE DATA LOCAL
1 GRIDLINES (1:*)
2 EMAIL (A) DYNAMIC
2 FIRSTNAME (A) DYNAMIC
2 LASTNAME (A) DYNAMIC
2 USERID (A) DYNAMIC
1 XCIEVENTDATA
2 XCIINDEX (I4)
1 XCIOPENPOPUP
2 FEATURES (A) DYNAMIC
2 HEIGHT (I4)
2 LEFT (I4)
2 POPUPTYPE (A) DYNAMIC
2 TITLE (A) DYNAMIC
2 TOPPOS (I4)
2 WIDTH (I4)
1 #II (I2)
END-DEFINE
EXPAND ARRAY GRIDLINES TO (1:30)
FOR #II:=1 TO 30
COMPRESS 'First ' #II INTO GRIDLINES.FIRSTNAME(#II) LEAVING NO
COMPRESS 'Last ' #II INTO GRIDLINES.LASTNAME(#II) LEAVING NO
COMPRESS 'First'#II '.Last' #II '@email.com' INTO GRIDLINES.EMAIL(#II) LEAVING NO
COMPRESS 'User' #II INTO GRIDLINES.USERID(#II) LEAVING NO
END-FOR
*
PROCESS PAGE USING "TUTMAN-A"
*
DECIDE ON FIRST *PAGE-EVENT
VALUE U'nat:page.end', U'nat:browser.end'
/* Page closed.
IGNORE
VALUE U'gridlines.onEditItem'
PROCESS PAGE UPDATE FULL
NONE VALUE
/* Unhandled events.
PROCESS PAGE UPDATE
END-DECIDE
*
END

```

Initialize the Pop-Up

We want to set a title for our pop-up. We also want to specify the pop-up size when it is opened. Add the following code to your Natural program before the PROCESS PAGE statement:

```
XCIOPENPOPUP.TITLE:='Edit User Information'  
XCIOPENPOPUP.FEATURES:='sizetocontent:true'  
*  
PROCESS PAGE USING "TUTMAN-A"
```

In the **XCIOPENPOPUP.FEATURES** field you can set several features – like height width, whether a close button should appear etc, - separated by a semicolon. We just set one feature (sizetocontent) which means that if possible our pop-up should automatically adapt to the size of the opened page (tutorial_popup).

The last setting we need to add is just a technical one: In the **XCIOPENPOPUP.POPUPTYPE** we need to set the opened popup should be rendered using the responsive controls set (bmobile:*). Add the line in bold:

```
XCIOPENPOPUP.TITLE:='Edit User Information'  
XCIOPENPOPUP.FEATURES:='sizetocontent:true'  
XCIOPENPOPUP.POPUPTYPE:='BMPOPUP'  
*  
PROCESS PAGE USING "TUTMAN-A"
```

Call the Natural Subprogram (TUTPOP-N)

When our new icon is clicked, we will receive the event gridlines.onEditItem. The field XCIINDEX will contain the index of the item, for which the icon is clicked. Add the line in bold:

```
VALUE U'gridlines.onEditItem'  
CALLNAT 'TUTPOP-N' EMAIL(XCIINDEX) FIRSTNAME(XCIINDEX) LASTNAME(XCIINDEX) ←  
USERID(XCIINDEX)  
PROCESS PAGE UPDATE FULL
```

Don't forget to press <ctrl-s>.

Run your Application

Right-click on TUTMAIN-P and select **Run As > Natural Application**.

SUMMARY

We have added an BMOBILE:ICON, an NJX:XCIOPENPOPUP and NJX:EVENTDATA control to the tutorial_main page. We have initialized the XCIOPENPOPUP fields for opening the pop-up. We have called our TUTPOP-N subprogram and passed the data of the selected item. We used

the XCIEVENTDATA.XCIINDEX field to know which item was clicked. We could run the completed application immediately.

19

Tutorial Reference Implementation

The application built in this tutorial is available as reference implementation. You can install it from the **Welcome** page of your NaturalONE installation.

IV

First Steps Java Pages

This documentation is organized under the following headings:

About this Tutorial	How the completed “Hello World!” application will appear to the user. An overview of the basic steps that are required to create this application.
Starting the Development Workplace	How to start the development workplace.
Creating a Project	How to create the project that is to be used for this tutorial.
Getting Started with the Layout Painter	How to create a layout for your project. General information on how to use the Layout Painter.
Writing the GUI Layout	How to use the Layout Painter in order to create the GUI layout for the “Hello World!” application.
Setting Up Your Environment	How to set up Application Designer in your development environment for Java.
Writing the Adapter Code	How to define the class and how to use the Code Assistant in order to generate most of the adapter code. How to program the adapter code for the method using your development environment for Java and how to test the completed application. How to view the generated HTML page directly from the browser.
Some Background Information	Information on changing the adapter code. About name binding between controls and adapter, data exchange at runtime, and files and their locations. Some information for real development and on some tools provided in the development workspace.

It is important that you work through the exercises in the same sequence as they appear in this tutorial. Problems may occur if you skip an exercise.

20

About this Tutorial

This tutorial provides an introduction to working with Application Designer's development workplace. It explains how to create a "Hello World!" application. This covers all basic steps you have to perform when creating pages with Application Designer: you create a layout file, you create an adapter class, and you run the application. This is about eighty percent of all you need to know. The remainder of the Application Designer documentation contains just details and some more sophisticated techniques, such as navigating between pages.


When you have completed all steps of this tutorial, the page for your "Hello World!" application will look as follows:



Your application will act in the following way: When you enter a name in the **Your Name** field and choose the **Say Hello** button, the **Result** field displays "Hello World" and the name you have entered.

To reach this goal, you will proceed as follows:

1. You will first create a new Application Designer project.
2. You will then use Application Designer's Layout Painter to create the following layout:



This corresponds to the following XML layout:

```

<?xml version="1.0" encoding="UTF-8"?>
<page model="DummyAdapter">
  <titlebar name="Hello World!">
  </titlebar>
  <header withdistance="false">
    <button name="Say Hello" method="sayHello">
    </button>
  </header>
  <pagebody>
    <itr takefullwidth="true">
      <hdist width="100%">
      </hdist>
      <icon image="../cisdemos/images/hello.gif">
      </icon>
    </itr>
    <rowarea name="Input Area">
      <itr>
        <label name="Your name" width="100">
        </label>
        <field valueprop="name" width="200">
        </field>
      </itr>
    </rowarea>
    <rowarea name="Output Area">
      <itr>

```

```
        <label name="Result" width="100">
        </label>
        <field valueprop="result" width="200" displayonly="true">
        </field>
    </itr>
</rowarea>
<vdist pixelheight="100">
</vdist>
<itr>
    <label name="Input your name and press the 'Say Hello' button." asplaintext="true">
    </label>
</itr>
</pagebody>
<statusbar withdistance="false">
</statusbar>
</page>
```

3. When you save your layout for the first time, an intelligent HTML page is generated.
4. Before you can start coding, you have to make specific definitions in Application Designer and in your development environment for Java (for example, Eclipse).
5. You will use Application Designer's Code Assistant to generate most of the adapter code.
6. You will then switch to your development environment in order to program the adapter code for the method `sayHello` which will be executed when you choose the **Say Hello** button of your application.

You can now proceed with your first exercise: [Starting the Development Workplace](#).

21 Starting the Development Workplace

This tutorial assumes that you are using the Tomcat servlet engine which comes with this installation.

> To start the development workplace


- Invoke your browser and start the development workplace with the following URL:

```
http://localhost:51000/cis/HTMLBasedGUI/workplace/ide.html
```



Note: If you have defined another port number during installation, enter this port number instead of the default port number 51000.


The development workplace is now shown in your browser.



You can now proceed with the next exercise: *Creating a Project*.

22 Creating a Project

In the Application Designer environment, layouts and classes are structured in so-called application projects. In the development workplace, you see the existing projects on the left. For each project, there is a tree of layout definitions that you can display when you choose the button containing the project name. For example:



For this tutorial, you will now create a project with the name "cisyourfirstproject".

> To create a project

- 1 Choose **Tools & Documentation** to display the list of development tools.
- 2 Choose **Project Manager** in the tree.

A list of existing application projects is now shown on the right.

- 3 Choose the **New** button which is located below the list of application projects.

The following is now shown:



- 4 Enter "cisyourfirstproject" as the name of your project and choose the **Create** button.

Your new project is now shown in the list of existing application projects on the right.

The left side, which shows buttons for all existing projects, now also shows a button for your new project.

You can now proceed with the next exercise: [Getting Started with the Layout Painter](#).

23

Getting Started with the Layout Painter

- Creating a New Layout 154
- Elements of the Layout Painter Screen 155
- Previewing the Layout 156
- Viewing the XML Code 157

The Layout Painter, which can be accessed from the development workplace, is used to write the page layout. This is an Application Designer application itself.


Creating a New Layout

You will now create a layout which is stored in the project you have previously created.

> To choose a layout template


- 1 Choose the button for the project **cisyourfirstproject**.

The list of layout nodes inside the tree will be empty at the beginning:



- 2 Choose **New Layout...** in the tree.

The following dialog appears.




- 3 Enter "helloworld.xml" in the **Name** field.

This is the name of your layout definition.

- 4 Select the first template (when you move the mouse over this template, the tool tip "HTML Page" appears).

The main screen of the Layout Painter appears:



 **Note:** The file *helloworld.xml* is stored in the */xml* directory of your project.

Elements of the Layout Painter Screen

The Layout Painter screen is divided into several areas:

- **Layout Area (left side)**

This area consists of a layout tree and a properties area.

The layout tree contains the controls that represent the XML layout definition. You drag these controls from the controls palette into the layout tree. Each node in the layout tree represents an XML tag.

In the properties area below the layout tree, you specify the properties for the control which is currently selected in the layout tree.

■ **Preview Area (middle)**

The preview area shows the HTML page which is created using the controls in the layout area. This page is refreshed each time, you choose the preview button (see below).

The Code Assistant, which will also be used in this tutorial, is also shown in the preview area.

■ **Controls Palette (right side)**

Each control is represented by an icon. A tool tip is also provided which appears when you move the mouse pointer over the control. This tool tip also displays the XML tag which will be used in the XML layout.

The palette is structured into sections, where each section represents a certain type of controls.

Previewing the Layout


The layout tree inside the Layout Painter already contains some nodes that were copied from the template that you chose in the dialog in which you specified the name of the page. To see what the page looks like, preview the layout as described below.

➤ **To preview the layout**

- Choose the following button which is shown at the top of the Layout Painter.



The preview area is updated and you see the page. The page already contains a title bar, a header containing a **Save** button, the page body and a status bar.



The preview area is a sensitive area. When you select a control in the preview area (for example, the title bar), this control is automatically selected in the layout tree.

Viewing the XML Code

When creating the layout, you can view the currently defined XML code.

> To view the XML code

- From the **Edit** tab of the Layout Painter, choose **XML**.

A dialog box appears. At this stage of the tutorial, it contains the following XML layout definition for the nodes which were copied from the template.

```
<page model="DummyAdapter">
  <titlebar name="Template">
  </titlebar>
  <header withdistance="false">
    <button name="Save">
    </button>
  </header>
  <pagebody>
  </pagebody>
```


```
<statusbar withdistance="false">  
  </statusbar>  
</page>
```

You can now proceed with the next exercise: *Writing the GUI Layout*.

24 Writing the GUI Layout

- Specifying a Name for the Title Bar 160
- Using the Property Editor 161
- Specifying a Name and Method for the Button 163
- Adding the Input and Output Areas 163
- Adding the Image 166
- Adding a Horizontal Distance 167
- Adding an Instructional Text 168
- Adding a Vertical Distance 168
- Saving Your Layout 169

You will now create the layout for your “Hello World!” application. When you have completed all exercises in this chapter, the layout should look as shown below and the **XML code** should be the same as shown in the section *About this Tutorial*.



Tip: **Preview the layout** and **view the XML code** each time you have completed an exercise. If the system finds some wrong or missing definitions while generating the preview page, there will be a corresponding message in the status bar. From the **Home** tab of the Layout Painter, choose **Protocol** to get more information about these problems.

Specifying a Name for the Title Bar

You will now specify the string "Hello World!" which is to appear in the title bar of your application.

> To specify the name for the title bar


- 1 In the layout tree, select the node **titlebar (Template)**.

The properties for this control are now shown in the properties area at the bottom. You can see the default entry "Template" for the `name` property.

- 2 Specify the following property:

Property	Value
name	Hello World!

When you click on the layout tree, the node in the layout tree changes to **titlebar (Hello World!)**.


 **Note:** Properties that are left blank are not shown in the XML code.

Using the Property Editor

You can also specify the property values using the Property Editor. In this case, you can access detailed help information on each property.


> To use the Property Editor

- 1 Select the control in the layout tree for which you need help, for example, the **titlebar (Hello World!)** node.



- 2 From the **Edit** tab of the Layout Painter, choose **Property Editor**.

The following dialog appears.



The properties of the control are listed.

- 3 Click on the name of a property to display detailed information on this property. This information is shown below the list of properties.
- 4 Choose the **Finish** button to close the dialog.

Any changes you have applied in the dialog will be saved.

Specifying a Name and Method for the Button

You will now specify the string "Say Hello" which is to appear on the button. And you will specify the name of the method that is to be invoked when the user chooses this button.

➤ To specify the name and the method for the button

- 1 In the layout tree, open the **header** node.



Note: By clicking the icon of a node, you hide or expand the node's subnodes.

You can now see the entry for the button with the default name "Save".

- 2 Select the node **button (Save)**.
- 3 Specify the following properties:

Property	Value
name	Say Hello
method	sayHello

The method needs to be programmed in the adapter class. This will be explained later in this tutorial.

Adding the Input and Output Areas

The input and output areas in this tutorial are created using **Row Area** controls. These controls can be found in the **Container** section of the controls palette.


Each row area will contain an **Independent Row** control which in turn contains a **Label** and a **Field** control. These controls can be found in the **Controls** section of the controls palette.

For adding controls to your layout, you drag them from the controls palette onto the corresponding tree node in the layout tree. This is explained below.

➤ To create the input area

- 1 Open the **Container** section of the controls palette.

When you move the mouse over a control, a tool tip appears which also displays the control name which will be used in the XML layout. For example:



- 2 Drag the **Row Area** control from the controls palette onto the **pagebody** node in the layout tree.


The row area is added as a subnode of the **pagebody** node. The new subnode is automatically selected so that you can maintain the properties of the row area directly in the properties area.

- 3 Specify the following property:

Property	Value
name	Input Area

- 4 Drag the **Independent Row** control from the controls palette onto the **rowarea (Input Area)** node in the layout tree.

When you drop information into the tree, the system will sometimes respond by offering a context menu with certain options about where to place the control. In this case, the following context menu appears.



Note: When you move the mouse outside the context menu, the context menu disappears. The control is not inserted in this case.


- 5 Choose the **Add as Subnode** command.

The control is now inserted below the **rowarea (Input Area)** node. The new node is shown as **itr**.

- 6 Open the **Controls** section of the controls palette.
- 7 Drag the **Label** control from the controls palette onto the **itr** node you have just inserted and specify the following properties:

Property	Value
name	Your Name
width	100

- 8 Drag the **Field** control from the controls palette onto the **itr** node you have just inserted. A context menu appears and you have to specify where to place the control.



- 9 From the context menu, choose the **Add as last Subnode** command.
- 10 Specify the following properties for the field:

Property	Value
valueprop	name
width	200



Note: As long as the adapter class is not defined, the field is dimmed and it is not possible to enter information in this field. The adapter class will be defined later in this tutorial.

> To create the output area

- Create the output area in the same way as the input area (add it as the last subnode of the **pagebody** node), with the following exceptions:

Row Area

Specify a different value for the following property:

Property	Value
name	Output Area

Label

Specify a different value for the following property:

Property	Value
name	Result

Field

Specify different values for the following properties:

Property	Value
valueprop	result
displayonly	true



Note: To display the `displayonly` property, choose the **Appearance** tab at the bottom of the properties area. You can then select the required value from a drop-down list box.

Adding the Image

You will now add the image which is to be shown above the input area. To do so, you will use the **Icon** control which can be found in the **Controls** section of the controls palette.



Note: The image is provided in Application Designer's `/cis demos/images` directory.

> **To add the image**

- 1 Drag the **Icon** control from the controls palette onto the **pagebody** node in the layout tree.

The icon is added as the last subnode of the **pagebody** node. It is automatically placed into an **itr** (independent row) node.

- 2 Specify the following property for the icon:

Property	Value
image	../cisdemos/images/hello.gif

- 3 Select the **itr** node containing the icon and choose the following button below the layout tree:



The selected node is now moved up so that it appears as the first subnode of the **pagebody** node.

- 4 Specify the following property for the **itr** node:

Property	Value
takefullwidth	true

Adding a Horizontal Distance

When you preview the layout, you will see that the image you have just added appears centered.

You will now move the image to the right side of the page. To do so, you will use the **Horizontal Distance** control which can be found in both the **Controls** section and the **Container** section of the controls palette.

> To add the horizontal distance

- 1 Drag the **Horizontal Distance** control from the controls palette onto the **itr** node containing the icon.
- 2 From the resulting context menu, choose the **Add as first Subnode** command.

The node **hdist** is inserted into the tree.

- 3 Specify the following property:

Property	Value
width	100%

Adding an Instructional Text

You will now enter a text which is to appear below the output area and which tells the user what to do.

To do so, you will once again use the **Independent Row** control into which you will insert a **Label** control.



Note: The **Independent Row** control can be found in both the **Controls** section and the **Container** section of the controls palette.

➤ To add the independent row with the label

- 1 Drag the **Independent Row** control from the controls palette onto the **pagebody** node in the layout tree.
- 2 From the resulting context menu, choose the **Add as last Subnode** command.

The node **itr** is inserted into the tree.

- 3 Drag the **Label** control from the controls palette onto the **itr** node you have just created.
- 4 Specify the following properties for the label:

Property	Value
name	Input your name and press the 'Say Hello' button.
asplaintext	true



Note: Go to the **Appearance** tab to display the property `asplaintext`.

Adding a Vertical Distance

When you preview the layout, you will see that the text you have just added appears directly below the output area. You will now move the text 100 pixels to the bottom.

To do so, you will use the **Vertical Distance** control which can be found in both the **Controls** section and the **Container** section of the controls palette.

➤ To add the vertical distance

- 1 Drag the **Vertical Distance** control from the controls palette onto the **itr** node containing the label.

- 2 From the resulting context menu, choose the **Add as preceding Node** command.

The node **vdist** is inserted into the tree.

- 3 Specify the following property:

Properties	Value
height	100

Saving Your Layout

If you have not already done so, you should now save your layout.

When you save a layout for the first time, an HTML file is generated (in addition to the XML file) which is placed into the root directory of your application project. This HTML file is updated each time you save the layout.

> To save the layout

- Choose the following button which is shown at the top of the Layout Painter.



You can now proceed with the next exercise: [Setting Up Your Environment](#).

25

Setting Up Your Environment

The recommendation is to use NaturalONE. Create a Java Project and enable it for AjaxDeveloper. For more information see the NaturalONE documentation.

You can now proceed with the next exercise: *Writing the Adapter Code*.

26

Writing the Adapter Code

- Defining the Class Name 174
- Generating the Code 174
- Programming the Method 176
- Testing the Completed Application 177
- Viewing the Page Outside the Layout Painter 178

Defining the Class Name

As a last step of your layout definition, you will now define the name of the class which is the logical counterpart of your page.

➤ **To define the class name**

- 1 In the layout tree, select the top node **page**.

You can see the default entry "DummyAdapter" for the `model` property.

- 2 Specify the following property:

Properties	Value
<code>model</code>	HelloWorldAdapter


Generating the Code

You use the Code Assistant, which is part of the Layout Painter, to generate code for the referenced properties and methods.

➤ **To generate code**

- 1 From the **Tools** tab of the Layout Painter, choose **Code Assistant**.

The following is shown in the preview area:



The properties and methods which cannot be found in the adapter code are indicated by red dots.

- 2 Select the property `name`.
- 3 Choose the **Generate Code** button.


The generated code appears below this button.

- 4 Select the position in the adapter code at which you want to insert the code.
- 5 Choose the **Take Over** button to insert the code at the selected position.

The color of the dot changes from red to green. This indicates that the property's `get` and `set` methods are now available in the adapter code.

- 6 Repeat the above steps for the `result` property and the `sayHello` method.

When you have finished all required steps, the page should look as follows:



- 7 Save your changes and close the Code Assistant.

Programming the Method

Now that the framework for the `sayHello` method has been generated in the adapter code, you have to program the method itself.

> To program the method

- 1 Go to your development environment for Java.
- 2 Open the file `HelloWorldAdapter.java` which is located in the project directory `/cis/yourfirstproject/src`.
- 3 Add the line which is indicated in bold:


```
/** */
public void sayHello()
{
    // TODO Auto-generated method stub
    m_result = "Hello World, " + m_name + "!";
}
```

- 4 Save your changes.

Testing the Completed Application

You will now check whether your application provides the desired result.

➤ To test the application

- 1 Go back to your layout in the Layout Painter.
- 2 Choose the following button which is shown at the top of the Layout Painter.



- 3 Enter your name and choose the **Say Hello** button.

The page should perform correctly now, and successfully “talk” to the adapter you have just created:

Input Area ▾	
Your Name	<input type="text" value="Jo"/>
Output Area ▾	
Result	<input type="text" value="Hello, Jo !"/>

Viewing the Page Outside the Layout Painter

The generated HTML file *helloworld.html* (which is updated each time you save your layout) can be found within the root of your application project, that is in `<installdir>/tomcat/webapps/cis/cisyourfirstproject`.

This HTML page has some prerequisites concerning the browser workplace in which it is running. Therefore, it is per se not usable as a directly accessible page but needs to be embedded into a frame providing a defined set of functions.

For viewing the page directly, enter the following URL inside your browser:

```
http://localhost:51000/cis/servlet/StartCISPage?PAGEURL=/cisyourfirstproject/helloworld.html
```

If the page is not displayed, check the following:

- URLs are case-sensitive. Double-check your input.
- Check whether the file *helloworld.html* is available in the directory *cisyourfirstproject*.

Inside the URL, a servlet `StartCISPage` is invoked. As parameter `PAGEURL`, a certain value is passed: this value is built from the application project name and the page name. Calling the servlet is the generic way of opening pages which are created with Application Designer directly inside the browser.

You have now completed this tutorial. See the remaining section of these *First Steps* for [some background information](#).

27

Some Background Information

- If you Change the Adapter 180
- Name Binding between Controls and Adapter 180
- Data Exchange at Runtime 181
- Files and their Locations 182
- Application Project Management 182

If you Change the Adapter

You can now add more functions to your “Hello World!” application by yourself. This means that you will both work with the layout description inside the Layout Painter as well as change the code of the adapter.

Changing the adapter's code requires that you replace your existing class files in the `<installdir>/tomcat/webapps/cis/cisyourfirstproject/appclasses/classes` directory by new ones. What does this mean for the runtime environment? The runtime does not see these recompiled classes because it already loaded the existing classes. So there is no difference how the application performs by default.

However, you can explicitly force the server to reload all application classes and to use the newest class version. The server is clever enough to keep old classes for existing sessions, which means that users who are already logged on will not be disturbed. But new sessions will get the newest classes.

The task to update the classes is directly triggered from the Layout Painter by choosing the save button. This tells the runtime to use new classes for new sessions. Since the preview area always opens a new session, it will be up-to-date whenever you choose the preview button.

Therefore, you can develop continuously, without restarting the GUI-server Tomcat environment.

For fast readers:

The class loader management mentioned above is designed to be used at design time. At runtime, especially if running in non-Tomcat environments, you should use the application server's web class loader to load the adapter classes. Details are provided in other sections of the Application Designer documentation.

Name Binding between Controls and Adapter

Which are the critical parts when building the “Hello World!” application?

- The PAGE control in the layout points to the class name of the adapter (property `model`).
- The FIELD control in the layout points to the property name of the adapter (property `valueprop`).
- The BUTTON control in the layout points to the method `sayHello()` of the adapter (property `method`).

There is a name binding between the layout definition and its corresponding adapter. This is the simple and effective approach of the Application Designer's development process: The adapter represents a logical abstraction of what the page displays. All layout definitions are kept in the

page - all the logic is kept in the adapter. (Or better: behind the adapter. The adapter itself should only be a facade to the “real” application logic.)

Data Exchange at Runtime

What happens at runtime?

- The browser accesses (within the preview area of the Layout Painter) the intelligent HTML page generated from the XML layout description. The HTML page is loaded. Depending on the settings of your browser, the HTML page is picked from the page buffer of the browser after the first access.
- The page is loaded and JavaScript statements are executed to send a command to the server, requesting the data content of the page.
- The server's session management finds out that a new instance of the adapter class has to be created. It calls the default constructor - without any parameters - of the adapter class and registers it within its session management.
- The server calls all `get` methods of the adapter and collects the results in a streamed string. The string is sent back as a response to the browser.
- The page inside the browser receives the response and distributes the new content to the controls. The controls are updated using JavaScript statements working with the DOM interface.
- The user provides some input, for example, enters the name. The content change is registered inside the page.
- The user does something which causes a flush of the changes (for example, the user chooses a button). Therefore, all registered data changes are packaged as a streamed string and are sent to the server including the information that a method has to be called.
- The server receives the request and finds by its session management the corresponding adapter object. First, it pushes all data changes using the `set` methods into the adapter class and calls the method.
- The method changes the data inside the adapter.
- The server calls all `get` methods of the adapter and collects the result into a streamed string. The string is sent back as a response to the browser.
- And so forth.

With a standard HTTP connection, only the changed content of the screen is passed when operating on one page. The layout is kept stable in the browser. Consequently, there is no flickering of the page due to page reloading.

All steps described in the list above are done completely transparent to your adapter; i.e. you do not have to cope with session management, stream parsing, error management, building up HTML

on the server, etc. You just have to provide an intelligent HTML page by defining it in the Layout Painter and an adapter class.

Files and their Locations

Have a look at the files created for your “Hello World!” application and take notice of the directory in which they are located.

All files are located in the directory `<installdir>/tomcat/webapps/cis/cisyourfirstproject`. The `/cis` directory is the directory of the web application instance. The `/cisyourfirstproject` directory is the directory that has been created for your new project

- The XML layout definition is kept in the `/xml` directory.
- The generated HTML page is kept directly in the project directory. There are also some other files inside this directory that start with "ZZZZ". These files are temporary files used when previewing pages inside the Layout Painter.
- The Java class files are kept in the directory `/appclasses/classes`. There is also a directory `/appclasses/lib` where you can find `jar` files to be imported into your application.
- In the directory `/accesspath`, “access restriction” files are generated. If you view these files inside a normal text editor (such as Notepad), you see that one file is maintained for each page; it holds the information about which properties are accessed by the page.

The directory locations described in this section are the default locations.

Application Project Management

Use the project "cisyourfirstproject" only for your first steps. For real development, create your own projects. Working inside your own projects, you can be sure that your project files will never be touched by any Application Designer updates. Therefore, patches or enhancements to Application Designer can be installed by just copying them over the existing Application Designer installation.

Keep all your files inside the project directory during the development cycle. Even if this might work correctly: for example, do not put `jar` files into the server (Tomcat) directories, but place them into the corresponding `/appclasses/lib` directory of your project.

There are some rare cases in which you have to position `jar` files explicitly inside the Tomcat environment: for example, if classes of a `jar` file access native libraries (such as DLLs) by the JNI interface. They can only be loaded once by the class loader. Because both Tomcat and Application Designer have class loaders which may load a class multiple times, you have to position these classes, for

example, into the */tomcat/lib* directory. However, these are the exceptions. Do not put any classes outside of the Application Designer project directories unless there is a reason for it.

