

webMethods SWIFT FIN Module Installation and User's Guide

Version 6.1

September 2006

This document applies to webMethods SWIFT FIN Module Version 6.1 and to all subsequent releases.

Specifications contained herein are subject to change and these changes will be reported in subsequent release notes or new editions.

Copyright © 2005-2006 Software AG, Darmstadt, Germany and/or Software AG USA, Inc., Reston, VA, United States of America, and/or their licensors.

Detailed information on trademarks and patents owned by Software AG and/or its subsidiaries is located at <http://documentation.softwareag.com/legal/>.

Use of this software is subject to adherence to Software AG's licensing conditions and terms. These terms are part of the product documentation, located at <http://documentation.softwareag.com/legal/> and/or in the root installation directory of the licensed product(s).

This software may include portions of third-party products. For third-party copyright notices and license terms, please refer to "License Texts, Copyright Notices and Disclaimers of Third Party Products." This document is part of the product documentation, located at <http://documentation.softwareag.com/legal/> and/or in the root installation directory of the licensed product(s).

Contents

- About This Guide 9**
 - Document Conventions 10
 - Additional Information 10
- Chapter 1. Concepts 11**
 - What Is the SWIFT Network? 12
 - What Is a SWIFT FIN Message? 12
 - What Is the webMethods SWIFT FIN Module? 13
 - SWIFT FIN Message Support 14
 - webMethods SWIFT FIN Module Components 16
 - webMethods SWIFT FIN Module Packages 17
 - webMethods SWIFT FIN Module Features 18
 - webMethods SWIFT FIN Module Architecture 20
 - Design-Time Architecture/Components 21
 - Run-Time Architecture/Components 24
- Chapter 2. Installing the webMethods SWIFT FIN Module 27**
 - Overview 28
 - Requirements 28
 - Platform and Operating System Requirements 28
 - webMethods Software Requirements 29
 - Third-Party Software Requirements 29
 - Hardware Requirements 30
 - Installing the webMethods SWIFT FIN Module 30
 - Upgrading the webMethods SWIFT FIN Module 31
 - Upgrading from webMethods SWIFT FIN Module 6.0.1 or 6.0.1 SP2 31
 - Upgrading from webMethods SWIFT FIN Module 4.6 33
 - Uninstalling the webMethods SWIFT FIN Module 33
- Chapter 3. Getting Started 37**
 - How Do I Use the webMethods SWIFT FIN Module? 38
 - Step 1: Configure SWIFT Interfaces 38
 - Step 2: Import a SWIFT BIC or BIC+ List 39
 - Step 3: Create Message Records 39
 - Step 4: Define Trading Partner Profiles 39
 - Step 5: Modify Trading Partner Agreements 39
 - Step 6: Write Inbound and Outbound Mapping Services 40

Step 7: Manage SWIFT Message Execution	40
Executing Messages Using the PRT and Process Models	40
Executing Messages Using TN Processing Rules	41
Chapter 4. Sending and Receiving SWIFT Messages	43
Overview	44
Sending Outbound Messages to SWIFT	44
Sending Outbound Messages Using a Business Process	44
Sending Outbound Messages Using a Processing Rule	47
Receiving Inbound Messages from SWIFT	49
Receiving Inbound Messages Using a Business Process	49
Receiving Inbound Messages Using a Processing Rule	51
Chapter 5. Configuring SWIFT Interfaces	53
Overview	54
Using the webMethods WebSphere MQ Adapter to Communicate with SWIFT	54
Configuring the webMethods WebSphere MQ Adapter	55
Using the CASmf Adapter to Communicate with SWIFT	56
webMethods CASmf package Architecture	57
Configuring the CASmf Adapter	58
Using AFT to Communicate with SWIFT	62
Configuring AFT for Inbound Messages	62
Configuring AFT for Outbound Messages	63
Chapter 6. Working with BIC and BIC+ Lists	65
Overview	66
Importing BIC and BIC+ Lists	66
Searching for BICs	67
Chapter 7. Creating Message Records and Validation Rules	71
Overview	72
Creating Message Records	72
Installing SWIFT Message DFDs and Parsing Templates	72
Running the wm.fin.dev:importFINItems Service	73
Creating Validation Rules	75
Creating Network Validation Rules	76
Creating Usage Validation Rules	77
Chapter 8. Defining Trading Partner Profiles and TN Document Types	79
Overview	80
Defining Trading Partner Profiles	80
Why Are Trading Partner Profiles Important?	80

Defining Your Enterprise Profile	81
Defining Your Trading Partners' Profiles	81
Defining TN Document Types	82
Defining Your Own Internal TN Document Types	82
Chapter 9. Customizing Trading Partner Agreements	87
Understanding Trading Partner Agreements	88
How Does the webMethods SWIFT FIN Module Identify a TPA?	88
Modifying TPAs	88
Agreement Details Field Descriptions	90
TPA SWIFT-Specific Input Parameters	91
Chapter 10. Mapping a SWIFT FIN Module Process	97
What Is "Mapping" a Message?	98
Why Do You Create an Outbound Mapping Service?	98
Why Do You Create an Inbound Mapping Service?	98
Example of Mapping a Message	99
Creating an Outbound Mapping Service	100
Input/Output to Use	100
Flow Operations to Use	101
Example of an Outbound Mapping Service	101
Creating an Inbound Mapping Service	102
Example of an Inbound Mapping Service	103
Parsing to the Subfield Level	104
Reusing Mapping Services	104
Chapter 11. Creating or Modifying a Process Model	105
What Is a Process Model?	106
Working with Process Models	107
What Is a Role?	107
Using Process Model Samples	108
Chapter 12. Monitoring a Process	109
Why Monitor a Business Process?	110
Finding Business Process Information	110
Using Monitor	111
Chapter 13. Working with Market Practices	113
Overview	114
Creating Market Practices	114
Creating Market Practice Rules	117

Appendix A. webMethods SWIFT FIN Module Services	119
WmCASmf Package	120
WmFIN Package	122
WmFINDev Package	136
WmFINMarketPractice Package	137
WmFINTransport Package	138
WmIPCore Package	142
WmFINSamples Package	152
Appendix B. XML Parsing Templates	161
Overview	162
SWIFT Message Data	163
Sample SWIFT Message Definition	163
Parsing Template Structure	165
Sample Parsing Template	166
Block Syntax of a Parsing Template	168
Line Attribute Syntax of a Parsing Template	170
Miscellaneous Notes	173
Appendix C. webMethods SWIFT FIN Module Sample	175
Overview	176
Who Are the Trading Partners?	176
What Will Be Accomplished?	176
Before You Begin	177
How Do I Run the Sample?	178
Step 1: Set Up Partner Profiles	178
Create the Enterprise Profile for EuroClear	179
Create a Partner Profile for UBS Warburg	180
Step 2: Import TN Document Types and TPAs	182
Import the TN Document Types	182
Import the TPAs	183
Step 3: Run ImportFINItems for Each TN Document Type	184
Step 4: Import the Sample BIC List Database	185
Step 5: Import, Generate, and Enable the Process Models	186
Import the Process Models	186
Generate the Process Models	189
Enable the Process Models	190
Step 6: Run the Business Process	191
Step 7: View the Business Process	197
View Activity on the Monitor	197
View Transactions via the Trading Networks Console	200

Index 203

About This Guide

This guide describes how to install, configure, and use the webMethods SWIFT FIN Module.

To use this guide effectively, you should:

- Have a basic knowledge of SWIFT, SWIFT FIN, and SWIFT terminology. For more information, go to <http://www.swift.com>.
- Have installed all necessary SWIFT software. You must work with SWIFT to determine the appropriate software needs for your company.
- Have installed webMethods Integration Server, webMethods Developer, webMethods Trading Networks, webMethods Modeler, webMethods Monitor, and the webMethods SWIFT FIN Module. For more information about installing these components, see the *webMethods Integration Platform Installation Guide* and [Chapter 2, “Installing the webMethods SWIFT FIN Module”](#).
- Be familiar with the webMethods Integration Server, the Server Administrator, and webMethods Developer and understand the concepts and procedures described in the *webMethods Integration Server Administrator’s Guide* and the *webMethods Developer User’s Guide*.
- Be familiar with Trading Networks Console and understand the concepts and procedures described in the *webMethods Trading Networks Concepts Guide* and *webMethods Trading Networks User’s Guide*.
- Be familiar with webMethods Modeler and understand the concepts and procedures described in the *webMethods Modeler User’s Guide* and *Getting Started with webMethods Business Process Management*.
- Be familiar with webMethods Monitor and understand the concepts and procedures described in:
 - For webMethods Monitor 6.0.1, the *webMethods Monitor User’s Guide*
 - For webMethods Monitor 6.1, the *webMethods Integration Platform Installation Logging and Monitoring Guide*
- Be familiar with webMethods Workflow and understand the concepts and procedures described in the *webMethods Workflow Concepts Guide* and the *webMethods Workflow User’s Guide*.

Document Conventions

Convention	Description
Bold	Identifies elements on a screen.
<i>Italic</i>	Identifies variable information that you must supply or change based on your specific situation or environment. Identifies terms the first time they are defined in text. Also identifies service input and output variables.
Narrow font	Identifies storage locations for services on the webMethods Integration Server using the convention <i>folder.subfolder.service</i> .
Typewriter font	Identifies characters and values that you must type exactly or messages that the system displays on the console.
UPPERCASE	Identifies keyboard keys. Keys that you must press simultaneously are joined with the “+” symbol.
\	Directory paths use the “\” directory delimiter unless the subject is UNIX-specific.
[]	Optional keywords or values are enclosed in []. Do not type the [] symbols in your own code.

Additional Information

The webMethods Advantage Web site at <http://advantage.webmethods.com> provides you with important sources of information about your webMethods Integration Platform:

- **Troubleshooting Information.** The [webMethods Knowledge Base](#) provides troubleshooting information for various webMethods components.
- **Documentation Feedback.** To provide documentation feedback to webMethods, complete the [Documentation Feedback Form](#) on the [webMethods Bookshelf](#).
- **Additional Documentation.** All of the webMethods documentation is available on the [webMethods Bookshelf](#).

Concepts

- What Is the SWIFT Network? 12
- What Is a SWIFT FIN Message? 12
- What Is the webMethods SWIFT FIN Module? 13
- webMethods SWIFT FIN Module Components 16
- webMethods SWIFT FIN Module Packages 17
- webMethods SWIFT FIN Module Features 18
- webMethods SWIFT FIN Module Architecture 20

What Is the SWIFT Network?

SWIFT and its networks provide a secure, global financial IP-based messaging platform that enables financial institutions to exchange formatted financial information and transactional data. The SWIFT networks enable you to exchange SWIFT FIN messages using the original SWIFT Transport Network (STN) or the new SWIFT Secure IP Network (SIPN).

For more information about SWIFT, see the documentation provided by SWIFT or go to <http://www.swift.com>.

What Is a SWIFT FIN Message?

SWIFT FIN messages transmit financial information from one financial institution to another. These messages are classified into message categories. Each category contains a number of messages relating to a particular topic, such as Category 5, which contains messages related to Securities.

Each SWIFT message is represented by a three-digit number (for example, MT 541). The MT represents SWIFT's 'Message Type'. The first number (5) identifies the category to which the message belongs while the second and third numbers (41) identify the particular message.

All SWIFT FIN messages conform to a defined block structure. SWIFT FIN messages consist of a number of blocks, including one or more reference headers, the body text of the message, and one or more control trailers. Each block within a message contains data of a particular type, for a particular purpose, and begins and ends with a brace character '{' and '}'. All main blocks are numbered, and the block number, followed by a colon, is always the first character within any block (for example, 1:).

The body of each message consists of message tags (such as, 22F::MICO), each of which correspond to a business name (Method of Interest Computation Indicator). The values of a message tag follow the message tag itself (for example, 22F::MICO/A2C4E6G8/A2C4).

Sample SWIFT FIN Message, MT 541, Receive Against Payment

```
{1:F01CLSAHKHHXXX0116013185}{2:I541CLSAHKHHXXXN}
{3:{108:MT535 004 OF 006}}
{4:
:16R:GENL
:20C::SEME//01430
:23G:NEWM/CODU
:98C::PREP//19991231232359
:99B::SETT//123
:16R:LINK
:22F::LINK/A2C4E6G8/A2C4
:13A::LINK//513
:20C::PREV//x
```

```

:16S:LINK
:16S:GENL
:16R:TRADDET
:94B::TRAD//EXCH/30x
...
:97A::CASH//x
:97A::SAFE//x
:16S:OTHRPTY
-}

```

For more detailed information about SWIFT FIN messages, see the documentation provided by SWIFT or go to <http://www.swift.com>.

What Is the webMethods SWIFT FIN Module?

The webMethods SWIFT FIN Module enables the webMethods Integration Server to do the following:


- Receive inbound SWIFT FIN messages from other systems through one of SWIFT's networks.
- Convert SWIFT FIN messages into your back-end format and process according to your settings.
- Send SWIFT FIN messages to the SWIFT network with correct header information according to your settings.

The webMethods SWIFT FIN Module interfaces with SWIFT Alliance Access (SAA) software via MQSA, CASmf, or AFT. SAA, in turn, communicates with SWIFTNet Link. SWIFTNETLink, in turn, sends and receives messages securely via SWIFT Secure IP Network (SIPN). SAA and SNL software modules are provided by SWIFT and have to be installed and configured at a customer site by a SWIFT professional or by a trained expert.

The webMethods SWIFT FIN Module provides the ability to seamlessly integrate SWIFT FIN messages as webMethods documents into a solutions architecture and validate those messages at the syntax and network level. Messages sent and received by the webMethods SWIFT FIN Module are validated at the individual field level and across the fields using network validation rules. It also supports Market Practices among partners located in a particular market.

The following diagram presents the entire webMethods SWIFT solution as you might use it in conjunction with your back-end systems.

webMethods SWIFT Solution Architecture



SWIFT FIN Message Support

webMethods parses and validates all SWIFT FIN messages in version 2005. But webMethods supports network validation rules only for the following 2005 SWIFT FIN messages:

- *MT 101 Request for Transfer*
- *MT 103 Single Customer Credit Transfer*
- *MT 103STP Single Customer Credit Transfer*
- *MT 202 General Financial Institution Transfer*
- *MT 300 Foreign Exchange Confirmation*
- *MT 320 Fixed Loan/Deposit Confirmation*
- *MT 502 Order to Buy or Sell*
- *MT 515 Client Confirmation of Purchase or Sale*
- *MT 535 Statement of Holdings*

- *MT 536 Statement of Transactions*
- *MT 537 Statement of Pending Transactions*
- *MT 540 Receive Free*
- *MT 541 Receive Against Payment*
- *MT 542 Deliver Free*
- *MT 543 Deliver Against Payment*
- *MT 544 Receive Free Confirmation*
- *MT 545 Receive Against Payment Confirmation*
- *MT 546 Deliver Free Confirmation*
- *MT 547 Deliver Against Payment Confirmation*
- *MT 548 Settlement Status and Processing Advice*
- *MT 564 Corporate Action Notification*
- *MT 565 Corporate Action Instruction*
- *MT 566 Corporate Action Confirmation*
- *MT 567 Corporate Action Status and Processing Advice*
- *MT 568 Corporate Action Narrative*
- *MT 900 Confirmation of Debit*
- *MT 910 Confirmation of Credit*
- *MT 940 Customer Statement Message*
- *MT 942 Interim Transaction Report*
- *MT 950 Statement Message*

You also may create additional network validation rules for other SWIFT FIN messages and versions. For steps to create validation rules, see [“Creating Validation Rules”](#) on page 75 of [Chapter 7, “Creating Message Records and Validation Rules”](#) in this guide.

webMethods SWIFT FIN Module Components

The following components comprise and support the webMethods SWIFT FIN Module:

- **SWIFT FIN Packages.** The webMethods SWIFT FIN Module includes a number of packages containing services, mappings, records, and samples for using the webMethods SWIFT FIN Module with the webMethods Integration Server. For a complete list of packages, see [“webMethods SWIFT FIN Module Packages” on page 17](#) in this chapter.
- **SWIFT Interfaces.** You can connect to SWIFT using one of the following interfaces:
 - **MQSA (MQSeries Interface for SWIFTAlliance)** To communicate with SWIFT using the MQSA, you use the webMethods WebSphere MQ Adapter. For more information about using the WebSphere MQ Adapter with the webMethods SWIFT FIN Module, see [“Using the webMethods WebSphere MQ Adapter to Communicate with SWIFT” on page 54](#)
 - **CASmf (Common Application Server message format)** To communicate with SWIFT using CASmf, you use the webMethods CASmf Adapter. For more information about using the webMethods CASmf Adapter, see [“Using the CASmf Adapter to Communicate with SWIFT” on page 56](#).
 - **AFT (Automated File Transfer)** To communicate with SWIFT using AFT, you use the File Polling Listener and File Drop capabilities. For more information about using AFT with the webMethods SWIFT FIN Module, see [“Using AFT to Communicate with SWIFT” on page 62 of Chapter 5, “Configuring SWIFT Interfaces”](#) in this guide.

For more information about these interfaces, see [Chapter 5, “Configuring SWIFT Interfaces” on page 53](#).

- **Integration Server.** This is the underlying server of the webMethods Integration Platform. You use the web-based user interface, the Server Administrator, to manage, configure, and administer all aspects of the Integration Server, such as users, security, packages, and services. For more information, see the *webMethods Integration Server Administrator’s Guide*.
- **webMethods Trading Networks.** webMethods Trading Networks enables your enterprise to link with other financial institutions and marketplaces to form a business-to-business trading network. For more information, see the *webMethods Trading Networks Concepts Guide* and the *webMethods Trading Networks User’s Guide*.
- **webMethods Modeler.** You use webMethods Modeler to create visual models of business processes using process models. For more information, see the *webMethods Modeler User’s Guide* and *Getting Started with webMethods Business Process Management*.
- **webMethods Monitor.** You use webMethods Monitor to manage and monitor business processes. The Monitor displays information about a business process by retrieving information from the Process Logging Database. For more information about using

webMethods Monitor 6.0.1, see the *webMethods Monitor User's Guide*. For more information about using webMethods Monitor 6.1, see the *webMethods Integration Platform Installation Logging and Monitoring Guide*.

- **webMethods Workflow.** You use webMethods Workflow as the natural extension of webMethods Modeler. Modeler enables you to create Workflow steps that define the tasks that require human intervention. When you generate your process models, Modeler generates Workflow components for you. For more information, see the *webMethods Workflow User's Guide*.

webMethods SWIFT FIN Module Packages

The webMethods SWIFT FIN Module contains several packages (sets of webMethods services and related files) that you install on the webMethods Integration Server. The following table describes the contents of each package. For detailed information about the contents of a package, see [Appendix A, “webMethods SWIFT FIN Module Services”](#) in this guide.

Package	Description
WmCASmf	Contains support services used to send and receive SWIFT FIN messages using CASmf.
WmFIN	Contains services used to implement and support the SWIFT FIN-compliant functionality of the webMethods SWIFT FIN Module.
WmFINDev	Contains the records and services that enable users to create message records, TPAs, TN document types, validation rules, and processing rules.
WmFINMarketPractice	Contains 16 common services that support Market Practices for some Category 5 SWIFT FIN messages.
WmFINSamples	Contains services that demonstrate how to send and receive SWIFT FIN messages using the webMethods SWIFT FIN Module.
WmFINTransport	Contains the services needed to send and receive SWIFT FIN messages using Automated File Transfer (AFT) and MQSeries.
WmIPCore	Contains generic services for using the webMethods SWIFT FIN Module with the webMethods Integration Server.

webMethods SWIFT FIN Module Features

The webMethods SWIFT FIN Module, which runs on top of the webMethods Integration Server, provides the following functionality:

- **Current Messages.** The webMethods SWIFT FIN Module always supports the latest release of SWIFT FIN messages. The current SWIFT FIN Module supports May 2005 (which is the latest), November 2002, and November 2003 messages.
- **Data Field Dictionary.** The SWIFT FIN Module provides a data field dictionary (DFD) based on the ISO 15022 standards for SWIFT FIN messages. This enables translation of a message tag number (for example, `22F::SFRE`) into a meaningful business name (for example, `Statement Frequency Indicator`). In addition, the SWIFT FIN Module enables you to choose how you want to display each message in webMethods Developer:
 - Tag number only (for example, `22F::SFRE`)
 - Equivalent message business name only (for example, `Statement Frequency Indicator`)
 - Both the tag number and the equivalent message business name (for example, `"22F::SFRE_Statement Frequency Indicator"`)
 - XML data tag (for example, `F22FSFRE`)
- **Archiving messages.** All SWIFT FIN messages can be archived in webMethods Trading Networks.
- **SWIFT Interfaces.** The webMethods SWIFT FIN Module provides out-of-box support to interface to SWIFT using MQSA, CASmf, and AFT. For this purpose, webMethods provides the webMethods WebSphere MQ Adapter, the webMethods CASmf Adapter, and the File Polling Listener. For more information, see [Chapter 5, "Configuring SWIFT Interfaces"](#) on page 53.
- **BIC and BIC+ Validation and Searching.** A Bank Identification Code (BIC) is a unique code assigned to a financial institution or one of its specific departments. The BIC for the sender and receiver of a message appears in SWIFT FIN messages in the B1 (Basic Header). SWIFT provides a list of valid BICs for all existing SWIFT financial institutions. All SWIFT FIN messages are validated against the BIC or BIC+ list to make sure the sender and receiver BICs are valid. In some SWIFT FIN messages, the BIC appears in the B4 block. In these cases, the BIC code is validated against the BIC or BIC+. You also can search for bank information based on the BIC code and bank description. For more information, see [Chapter 6, "Working with BIC and BIC+ Lists"](#) on page 65.
- **Syntax and Network Validation.** The SWIFT FIN Module enables you to validate the message structure, field formats, and network rules of inbound and outbound SWIFT FIN messages. webMethods provides network validation rules for a few commonly used message types. In addition to these rules, the webMethods SWIFT FIN Module

enables you to create network, Market Practice, and usage validation rules for additional messages as well. For more information, see [Chapter 7, “Creating Message Records and Validation Rules”](#) on page 71 and [Chapter 13, “Working with Market Practices”](#) on page 113.

- **Market Practices.** Market Practices are specific requirements for individual markets. Using Trading Partner Agreements (TPAs), the webMethods SWIFT FIN Module supports the customization of SWIFT FIN messages based on specific trading partner pairs. For more information about SWIFT-related Market Practices and TPAs, see [Chapter 9, “Customizing Trading Partner Agreements”](#) on page 87 and [Chapter 13, “Working with Market Practices”](#) on page 113.
- **Processing rule support.** You can use the webMethods Trading Networks processing rules that you can choose to create along with each SWIFT message record instead using the Process Run Time and process models to manage the execution of SWIFT FIN messages. For information about creating processing rules, see the *webMethods Trading Networks User’s Guide*.
- **Process Modeling.** This feature enables webMethods Modeler users to construct complex, end-to-end processes depicting various document exchanges using the Process Run Time. For more information about creating and modifying process models for SWIFT, see [Chapter 11, “Creating or Modifying a Process Model”](#) on page 105 or see the *webMethods Modeler User’s Guide*.
- **SWIFT Error Codes.** The webMethods SWIFT FIN Module supports SWIFT error codes for field level and network validation. The webMethods SWIFT FIN Module also supplies resource bundles so that all error codes can be localized.
- **Integration Server and SWIFTNet Clustering.** The webMethods SWIFT FIN Module supports multiple instances of the webMethods SWIFT FIN Module talking to one instance of SWIFTNet, as well as multiple instances of SWIFTNet talking to multiple instances of the webMethods SWIFT FIN Module.
- **Subfield Parsing.** The webMethods SWIFT FIN Module automatically parses messages into blocks and fields. You can configure the SWIFT FIN Module to further parse the fields into subfields using the *subfieldFlag* variable, which is included in the following services:
 - `wm.fin.dev:importFINItem` This service creates all items needed in a SWIFT FIN Message transaction, including the TPA with the **SubfieldFlag** parameter set to true.
 - `wm.fin.dfd:convertTagFormat` This service converts FIN IData from TAGONLY to a specified format.
 - `wm.fin.dfd:convertBizNameFormat` This service converts FIN IData from a specified format to TAGONLY.


For inbound SWIFT FIN messages, setting the *subfieldFlag* variable to true causes the webMethods SWIFT FIN Module to automatically parse messages to the subfield level and then remove the SWIFT delimiter (/) from between subfields. For outbound

SWIFT FIN messages, setting the *subfieldFlag* variable to true causes the webMethods SWIFT FIN Module to add the SWIFT delimiter (/) between subfields.

webMethods SWIFT FIN Module Architecture

The webMethods SWIFT FIN Module uses either the publish and subscribe Process Run Time (PRT) functionality of the webMethods Integration Server, or webMethods Trading Networks processing rules to send and receive SWIFT FIN messages. It leverages the archiving, TPA, and document type components of the webMethods Trading Networks to work with your enterprise to exchange SWIFT FIN messages.

webMethods SWIFT FIN Module Architecture




The webMethods SWIFT FIN Module consists of a set of design-time and run-time components, both of which are discussed in this chapter. For information about design-time components, see [“Design-Time Architecture/Components” on page 21](#). For information about run-time components, see [“Run-Time Architecture/Components” on page 24](#).

When the webMethods SWIFT FIN Module creates an outbound document, it formats, validates, and publishes the SWIFT message. When the webMethods SWIFT FIN Module receives an inbound document, it parses, formats, validates, and publishes the message

for a back-end application. To communicate with SWIFT using the SAA (SWIFT Alliance Access), you use the webMethods WebSphere MQ Adapter to interface with MQSA, the webMethods CASmf Adapter to interface with CASmf, or the File Polling Listener and File Drop capabilities to interface with AFT. The following diagram illustrates the end-to-end architecture of the webMethods SWIFT FIN Module FIN messaging solution.


webMethods SWIFT FIN Messaging Architecture



Design-Time Architecture/Components

The following figure illustrates the design-time architecture, components, and component relationships of the webMethods SWIFT FIN Module, and the component relationships. For further explanation, see the table that follows the next figure.

Design-Time Architecture/Components




Component	Description
webMethods SWIFT FIN Module	The webMethods SWIFT FIN Module enables you to manage the execution of SWIFT FIN messages using either process models or Trading Networks processing rules. It contains sample process models that you can use to define new process models using Modeler, and enables you to install processing rules.
webMethods Trading Networks	Trading Networks enables your enterprise to link to financial institutions with whom you want to exchange SWIFT FIN messages. During design time, you define your trading partner profiles in the Trading Networks Console. The profiles contain the information that your system needs to exchange messages with other financial institutions. In addition to defining trading partner profiles in the Trading Networks Console during design time, you also can customize the TPAs and view the TN document types that are created when you create your message records. For more information about Trading Networks, trading partner profiles, TN document types, and TPAs, see the <i>webMethods Trading Networks User's Guide</i> . You also can find information about trading partner profiles and TN XML document types in Chapter 8, "Defining Trading Partner Profiles and TN Document Types" , and information about TPAs in Chapter 9, "Customizing Trading Partner Agreements" in this guide.
TN Database	Trading Networks saves trading partner profiles, TN document types, and TPA information, among other things, to its database and retrieves this information when needed.

Component	Description
webMethods Modeler	<p>Modeler is a Java GUI. You use Modeler to create process models, which you can base on the samples provided by webMethods. You create a process model by specifying how the process model is to interact with your back-end systems, specifying the services that are invoked by the steps of the process model, and using TN document types as inputs, among other things. When you generate a process model, the system generates the run-time elements (services, triggers, and process fragments). For more information about Modeler, see the <i>webMethods Modeler User's Guide</i>. For information about customizing a process model, see Chapter 11, "Creating or Modifying a Process Model" in this guide.</p> <hr/> <p>Note: You can use webMethods Trading Networks processing rules installed with each SWIFT message record instead of the Process Run Time and process models to manage the execution of SWIFT FIN messages. For information about creating processing rules, see Chapter 4, "Sending and Receiving SWIFT Messages" in this guide.</p>
Modeler Database	<p>The Modeler database is a storage area that Modeler uses to save process model and run-time information. For more information about the Modeler database, see the <i>webMethods Modeler User's Guide</i>.</p>
webMethods Integration Server	<p>The Integration Server contains the documents, services, and IS documents that you will want to access when creating your process models.</p>

Run-Time Architecture/Components

The following figure illustrates the run-time architecture, components, and component relationships of the webMethods SWIFT FIN Module. For further explanation, see the table that follows the next figure.

Run-Time Architecture/Components



Component	Description
webMethods SWIFT FIN Module	During run time, the webMethods SWIFT FIN Module receives a message from a back-end system. It invokes a Trading Networks service to recognize the message. The webMethods SWIFT FIN Module may pass the message to the Process Run Time (PRT). For more information about the PRT, see the Process Run Time row in this table and the <i>webMethods Modeler User's Guide</i> .
	Note: You can use webMethods Trading Networks processing rules installed with each SWIFT message record instead of the Process Run Time and process models to manage the execution of SWIFT FIN messages. For information about creating processing rules, see Chapter 4, "Sending and Receiving SWIFT Messages" in this guide.

Component	Description
webMethods Trading Networks	<p>Trading Networks enables your institution to link to the financial institutions with whom you want to exchange messages.</p> <p>During run time, the webMethods SWIFT FIN Module uses Trading Networks services and TN document types to recognize messages that it receives, create BizDocEnvelopes, and save BizDocEnvelopes to the Trading Networks database. The webMethods SWIFT FIN Module uses the trading partner profiles in Trading Networks to identify, for example, the method by which to send messages to other financial institutions.</p> <p>You can find information about trading partner profiles and TN document types in Chapter 8, “Defining Trading Partner Profiles and TN Document Types”, and information about TPAs in Chapter 9, “Customizing Trading Partner Agreements” in this guide. For more information about Trading Networks, trading partner profiles, TN document types, and TPAs, see the <i>webMethods Trading Networks User’s Guide</i>.</p>
TN Database	<p>The Trading Networks database stores TN document types, TPA, and trading partner profile information, among other things.</p>
webMethods Monitor	<p>You use Monitor to manage and monitor processes. Monitor displays information about a process by retrieving information from the Process Logging Database. You manage a process by performing such commands as suspend, resume, restart, and terminate.</p>

Component	Description
Process Run Time	<p>The Process Run Time (PRT) is a facility of the Integration Server that manages the execution of SWIFTNet processes. The PRT ensures the integrity, traceability, observability, and controllability of SWIFTNet processes by performing the following functions:</p> <ul style="list-style-type: none">■ Accepting messages from Trading Networks.■ Determining which process model to use for a given message.■ Processing a message based on the type of message received and who sent it.■ Recording the status of the message to the Process Logging Database. <hr/> <p>Note: You can use webMethods Trading Networks processing rules that you can install with each SWIFT message record instead of the Process Run Time and process models to manage the execution of SWIFT FIN messages. For information about creating processing rules, see Chapter 4, “Sending and Receiving SWIFT Messages” in this guide.</p> <hr/>
Process Logging Database	webMethods Monitor and the PRT log and retrieve audit data about running processes to and from the Process Logging Database.
webMethods Integration Server	The Integration Server contains the run-time elements (services, triggers, and process fragments) that were generated by the automated controlled steps within the process model.

Installing the webMethods SWIFT FIN Module

■ Overview	28
■ Requirements	28
■ Installing the webMethods SWIFT FIN Module	30
■ Upgrading the webMethods SWIFT FIN Module	31
■ Uninstalling the webMethods SWIFT FIN Module	33

Overview

This guide provides system requirements for the webMethods SWIFT FIN Module 6.1 (SWIFT FIN Module) and provides installation, upgrade, and uninstallation instructions.



Important! The information in this chapter might have been updated since the guide was published. Go to the webMethods Advantage Web site at <http://advantage.webmethods.com> for the latest version of the guide.

If you are installing the SWIFT FIN Module 6.1 with other webMethods components such as the webMethods Integration Server, see the *webMethods Installation Guide* for instructions on installing those components.

Requirements

This section describes the requirements that must be met before you can install the webMethods SWIFT FIN Module.

Platform and Operating System Requirements

The following table lists the supported platforms for the webMethods SWIFT FIN Module. For each platform, the webMethods SWIFT FIN Module supports the same Java Runtime Environments (JREs) as the version of the webMethods Integration Server on which you are installing the SWIFT FIN Module.

Platform and Operating System
Hewlett-Packard HP-UX 11i and 11.0
Microsoft Windows NT 4.0 SP4
Microsoft Windows 2000 and XP Professional
Sun Solaris 2.8, 2.7
Red Hat Enterprise Linux 4.0

webMethods Software Requirements

The following table lists the webMethods components you must install before you can install the webMethods SWIFT FIN Module:

Component	Version
webMethods Integration Server	6.0.1, 6.1, or 6.5
webMethods Developer	6.0.1, 6.1, or 6.5
webMethods Trading Networks	6.0.1, 6.1, or 6.5

Because the webMethods SWIFT FIN Module requires a method of communicating with SWIFT, it is recommended that in addition to the above components, you also install one of the following webMethods components:

Component	Version
webMethods CASmf package [†]	6.1
webMethods WebSphere MQ Adapter	6.0 or 6.5

[†]webMethods CASmf package is currently only supported on the Windows platforms that the Integration Server you are running supports.

For more information about the webMethods CASmf Adapter and the webMethods WebSphere MQ Adapter, see [Chapter 5, “Configuring SWIFT Interfaces”](#) in this guide.

The following table lists the webMethods components you should install if you plan to use process models to manage the execution of SWIFT FIN messages.

Component	Version
webMethods Modeler	6.1.5 or 6.5
webMethods Monitor	6.1.5 or 6.5
Process Runtime [†]	6.5

[†]Process Runtime 6.5 is only required when you are running Integration Server 6.5. Starting with 6.5, the Process Runtime is installed separately. With previous versions of the Integration Server (i.e., versions 6.0.1 and 6.1), the Process Runtime was included with the Integration Server.

Third-Party Software Requirements

If you are using CASmf as the interface to SWIFT, you must install a CASmf client (provided by SWIFT) on your Integration Server. For more information, see your SWIFT documentation or go to <http://www.swift.com>.

Hardware Requirements

The webMethods SWIFT FIN Module does not have any requirements beyond those of its host Integration Server.

Installing the webMethods SWIFT FIN Module



Important! This section provides instructions that are specific to installing the webMethods SWIFT FIN Module. For complete instructions on using the using the webMethods Installer, see the *webMethods Installation Guide*.

Install webMethods SWIFT FIN Module 6.1 and the needed SWIFT message records on the same machine as Integration Server. The installer will automatically install the webMethods SWIFT FIN Module in the Integration Server installation directory.



Important! You must have administrator privileges on the webMethods Integration Server to execute these procedures. If you do not have administrator privileges, have your webMethods Integration Server administrator perform these procedures.

To install the webMethods SWIFT FIN Module

- 1 Download the latest webMethods Installer from the webMethods Advantage Web site at <http://advantage.webmethods.com>.
- 2 If you are going to install the webMethods SWIFT FIN Module on an already installed Integration Server, shut down the Integration Server.
- 3 Start the installer.
- 4 Select the webMethods platform on which to install the webMethods SWIFT FIN Module. If you are going to install it on an existing Integration Server, select the platform that matches the release of that Integration Server. For example, if you are going to install webMethods SWIFT FIN Module on a 6.1 Integration Server, select the 6.1 platform.
- 5 Specify the SWIFT FIN Module installation directory as the webMethods installation directory (by default, webMethods6).
- 6 In the component selection list, navigate to **webMethods Integration Platform** ▶ **eStandards** ▶ **webMethods webMethods SWIFT FIN Module 6.1**. Select the components you want to install:
 - **Documentation (Optional)**. Contains the documentation for webMethods SWIFT FIN Module.
 - **Program Files (Required)**. Contains the program files for this package.

- **Samples (Optional).** Contains the services that demonstrate how to send and receive SWIFT FIN messages over SWIFTNet.
- 7 If the Integration Server is not yet installed, also select to install the Integration Server, as well as any other required webMethods components that are not already installed.
- 8 The installer installs the webMethods SWIFT FIN Module packages in the *Integration Server_directory/packages* directory. For more information about the packages that are installed, see “webMethods SWIFT FIN Module Packages” on page 17.
- 9 Click Next until the installer displays the Installation Complete panel.
- 10 Click Close.
- 11 If you are using the webMethods Broker with the webMethods Integration Server:
 - a Navigate to and open the following file:


```
webMethods6\IntegrationServer\packages\WmFIN\transport\config\
fintransport.cnf
```

where *webMethods6\IntegrationServer* is the location of the webMethods Integration Server.
 - b Change the *fin.message.publishLocal* parameter to *false* to enable publication of messages to the Broker.

The webMethods SWIFT FIN Module starts automatically when you start the webMethods Integration Server.

Upgrading the webMethods SWIFT FIN Module

This section describes how to upgrade from previous versions of the webMethods SWIFT FIN Module to webMethods SWIFT FIN Module Version 6.1.

Upgrading from webMethods SWIFT FIN Module 6.0.1 or 6.0.1 SP2

When you want to upgrade from the webMethods SWIFT FIN Module 6.0.1 or 6.0.1 Service Pack 2, you need to complete the following steps:

- 1 Download the latest webMethods Installer from the webMethods Advantage Web site at <http://advantage.webmethods.com>.
- 2 If you are going to install webMethods SWIFT FIN Module on an already installed Integration Server, shut down the Integration Server.
- 3 Start the installer.
- 4 Select the webMethods platform on which to install the webMethods SWIFT FIN Module. If you are going to install it on an existing Integration Server, select the

platform that matches the release of that Integration Server. For example, if you are going to install webMethods SWIFT FIN Module on a 6.1 Integration Server, select the 6.1 platform.

- 5 Specify the SWIFT FIN Module installation directory as the webMethods installation directory (by default, webMethods6).
- 6 In the component selection list, navigate to **webMethods Integration Platform** ▶ **eStandards** ▶ **webMethods webMethods SWIFT FIN Module 6.1**. Select the components you want to install:
 - **Documentation (Optional)**. Contains the documentation for webMethods SWIFT FIN Module.
 - **Program Files (Required)**. Contains the program files for this package.
 - **Samples (Optional)**. Contains the services that demonstrate how to send and receive SWIFT FIN messages over SWIFTNet.

The installer installs the webMethods SWIFT FIN Module packages in the *Integration Server_directory/packages* directory. For more information about the packages that are installed, see [“webMethods SWIFT FIN Module Packages” on page 17](#).

- 7 Click **Next** until the installer displays the **Installation Complete** panel.
- 8 Click **Close**.
- 9 After the installation, remove the following:
 - The *Integration Server_directory/packages/WmFINDev/ns/wm/fin/migration* directory
 - The *Integration Server_directory/packages/WmFINDev/import/mapTemplates* directory
 - The following files from the *Integration Server_directory/packages/WmFINDev/import* directory:
 - *finConvMT520ToMT540.xml*
 - *finConvMT521ToMT54.xml*
 - *finConvMT522ToMT542.xml*
 - *finConvMT523ToMT543.xml*
 - The *Integration Server_directory/packages/WmFINDev/ns/wm/fin/dev/updateBizName* directory
 - The *Integration Server_directory/packages/WmFIN/ns/wm/fin/mappingFunctions* directory

- The *Integration*
Server_directory\packages\WmFIN\code\classes\wm\fin\mappingFunctions.class
file
- The *Integration*
Server_directory\packages\WmFINDev\code\classes\wm\fin\migration.class
file

Upgrading from webMethods SWIFT FIN Module 4.6

When you want to upgrade from the webMethods SWIFT FIN Module 4.6 to webMethods SWIFT FIN Module 6.1, you need to complete the following steps:

- 1 Uninstall your webMethods Integration Server 4.6 as described in [“Uninstalling the webMethods SWIFT FIN Module” on page 33](#).
- 2 Install a version of webMethods Integration Server that webMethods SWIFT FIN Module 6.1 supports. To see a list of Integration Server versions, see [“webMethods Software Requirements” on page 29](#). For more information about upgrading from webMethods Integration Server 4.6 to a later version, see the appropriate upgrade procedures, which are on the webMethods Advantage Bookshelf.
- 3 Install the webMethods SWIFT FIN Module 6.1 as described in [“Installing the webMethods SWIFT FIN Module” on page 30](#).

Uninstalling the webMethods SWIFT FIN Module



Important! This section provides instructions that are specific to uninstalling the webMethods SWIFT FIN Module using the webMethods Uninstaller. For complete instructions on using the webMethods Uninstaller, see the *webMethods Installation Guide*.

You can completely uninstall the webMethods SWIFT FIN Module or only selected portions. Both procedures are explained below.

To completely uninstall the webMethods SWIFT FIN Module

- 1 Uninstalling the webMethods SWIFT FIN Module will remove all components in the SWIFT FIN Module packages. If you want to keep certain records or services that you use with the existing SWIFT FIN Module packages on your webMethods Integration Server, export them to a new package:
 - a From webMethods Developer, select the package to export.
 - b Select File ► Export.
- 2 Shut down the Integration Server that hosts the SWIFT FIN Module 6.1

- 3 Start the webMethods Uninstaller, as follows:


System	Instructions
Windows	In the Add or Remove Programs window, select webMethods <i>release installation_directory</i> as the program to uninstall, where <i>release</i> and <i>installation_directory</i> are the release and installation directory of the Integration Server on which the SWIFT FIN Module is installed.
UNIX	Navigate to the <i>webMethods_directory/bin</i> directory of the installation that includes the Integration Server on which the SWIFT FIN Module is installed and enter <code>uninstall (wizard)</code> or <code>uninstall -console (console mode)</code> .

- 4 In the component selection list, navigate to **webMethods Integration Platform** ▶ **eStandards** ▶ **webMethods SWIFT FIN Module**.
- 5 The uninstaller removes all webMethods SWIFT FIN Module-related files that were installed into the *Integration Server_directory/packages* directory. The uninstaller does not delete files created after you installed the webMethods SWIFT FIN Module (for example, user-created or configuration files), nor does it delete the directory structure that contains the files.
- 6 If you want to delete the files that the uninstaller did not delete, navigate to the *Integration Server_directory/packages* directory and delete the WmFIN-related folders.

To uninstall selected portions of the webMethods SWIFT FIN Module

- 1 Start the webMethods Integration Server and the Server Administrator that hosts the webMethods SWIFT FIN Module.
- 2 Under the Packages menu in the Server Administrator navigation area, click **Management**.
- 3 From the Package list, locate the following packages:
 - WmFIN
 - WmFINDev
 - WmFINMarketPractice
 - WmFINMessages
 - WmFINSamples
 - WmFINTransport
 - WmIPCore
- 4 Select one of the following options for each of the desired packages you want to delete:

- Select **Delete** to delete the package without keeping a backup copy.
 - Select **Safe Delete** to remove the package and keep a backup copy. (Backup copies are stored in the *ServerDirectory*\replicate\salvage directory on the server.)
- 5 Refresh your Web browser. The selected packages are removed.

 **To uninstall the webMethods SWIFT FIN Module Service Pack**

- 1 The instructions in the *webMethods Installation Guide* say to shut down all webMethods components and applications that are running on your machine. For webMethods SWIFT FIN Module, you need to shut down only the Integration Server.
- 2 Select the **Service Pack** in the webMethods SWIFT FIN Module as the program to uninstall.
- 3 The uninstaller removes all webMethods SWIFT FIN Module-related files that were installed into the *Integration Server_directory*\packages directory. The uninstaller does not delete files created after you installed the webMethods SWIFT FIN Module (for example, user-created or configuration files), nor does it delete the directory structure that contains the files.

Getting Started

■ How Do I Use the webMethods SWIFT FIN Module?	38
■ Step 1: Configure SWIFT Interfaces	38
■ Step 2: Import a SWIFT BIC or BIC+ List	39
■ Step 3: Create Message Records	39
■ Step 4: Define Trading Partner Profiles	39
■ Step 5: Modify Trading Partner Agreements	39
■ Step 6: Write Inbound and Outbound Mapping Services	40
■ Step 7: Manage SWIFT Message Execution	40

How Do I Use the webMethods SWIFT FIN Module?

This chapter describes how to configure your webMethods Integration Server to prepare to send and receive SWIFT FIN messages using the services in the webMethods SWIFT FIN Module. The subsequent chapters in this guide provide more detailed information about each of these steps.

After you have completed the steps in this chapter, see [Chapter 4, “Sending and Receiving SWIFT Messages”](#) in this guide for detailed information about sending and receiving SWIFT FIN messages.

For a sample of how to use the webMethods SWIFT FIN Module to send and receive SWIFT FIN messages, see [Appendix C, “webMethods SWIFT FIN Module Sample”](#) in this guide.



Important! The following steps assume that you already have installed the webMethods Integration Server, webMethods Trading Networks, webMethods Modeler, webMethods Monitor, the necessary SWIFT software, the webMethods SWIFT FIN Module packages, and the appropriate software for the SWIFT interface that you want to use. For more information about what SWIFT software you need, work with SWIFT to determine your software needs. For more information about installing the webMethods SWIFT FIN Module, see [Chapter 2, “Installing the webMethods SWIFT FIN Module”](#) on [page 27](#).

Step 1: Configure SWIFT Interfaces

Use the instructions in the following section to configure the SWIFT interface you are using:

To configure this SWIFT interface...	Use instructions in this section...
MQSA	“Using the webMethods WebSphere MQ Adapter to Communicate with SWIFT” on page 54
CASmf	“Using the CASmf Adapter to Communicate with SWIFT” on page 56
AFT	“Using AFT to Communicate with SWIFT” on page 62

Step 2: Import a SWIFT BIC or BIC+ List

To uniquely identify each financial institution or one of its specific departments, SWIFT assigns a Bank Identification Code (BIC) to a each entity. SWIFT publishes a list of valid BICs for all existing SWIFT financial institutions in the SWIFT BIC and BIC+ directories. All SWIFT FIN messages are validated against the BIC or BIC+ list to make sure the sender and receiver are valid.

To import a list, you first must create a database table to hold the BIC or BIC+ list. For steps to create a BIC or BIC+ database table and import a BIC or BIC+ list into webMethods Integration Server, see [“Importing BIC and BIC+ Lists”](#) on page 66.

Step 3: Create Message Records

For each SWIFT message that you want to exchange with your partner financial institutions, you must do the following to create a message record:

- Install the SWIFT message DFD for the message (which includes a parsing template) into the webMethods SWIFT FIN Module.
- Run the `wm.fin.dev:importFINItems` service for the message DFD.

For more information about creating message records, see [Chapter 7, “Creating Message Records and Validation Rules”](#) on page 71.

Step 4: Define Trading Partner Profiles

In the Trading Networks Console, you define the trading partner profiles for yourself and all financial institutions with which you want to exchange SWIFT FIN messages.

For more information about defining trading partner profiles for use with the webMethods SWIFT FIN Module, see [Chapter 8, “Defining Trading Partner Profiles and TN Document Types”](#) on page 79.

Step 5: Modify Trading Partner Agreements

When running the `wm.fin.dev:importFINItems` service for a message DFD to create a record, you can select to create a corresponding trading partner agreement (TPA), which is a set of parameters that governs how you exchange this SWIFT message with a trading partner.

Before you can use a TPA, you must modify its parameters to process the message according to your company's needs, and then set the TPA's status to "Agreed".



Important! The `SubfieldFlag` input parameter in the TPA supports the parsing of SWIFT messages to the subfield level. If you change the value of the `SubfieldFlag` after creating the message records, you must delete the message records pertaining to the TPA and recreate them.

For information about modifying TPAs for use with SWIFT FIN messages, see [Chapter 9, "Customizing Trading Partner Agreements"](#) on [page 87](#).

Step 6: Write Inbound and Outbound Mapping Services

To send and receive messages, you create inbound and outbound mapping services that define how each message will be handled. These services are used in the management of SWIFT message execution, which you define in the next step.

- You create an *outbound* mapping service to map an internal message received from the back-end to a SWIFT message that you want to send to another financial institution.
- You create an *inbound* mapping service to map a SWIFT message received from another financial institution to an internal message that is then sent to a back-end system.

For more information about mapping business documents, see [Chapter 10, "Mapping a SWIFT FIN Module Process"](#) on [page 97](#).

Step 7: Manage SWIFT Message Execution

To manage the execution of SWIFT FIN messages, you can use either the Process Run Time (PRT) and a process model, or the webMethods Trading Networks processing rule that you can choose to create when creating the SWIFT message record.

Executing Messages Using the PRT and Process Models

Based on the SWIFT FIN messages you are using, you can use or modify one of the sample process models provided by webMethods in the `webMethods6\IntegrationServer\packages\WmFINSamples\data` directory, where `webMethods6\IntegrationServer` is the location of the webMethods Integration Server, or you can create your own process models from scratch.

To begin using the webMethods SWIFT FIN Module to send and receive SWIFT FIN messages using the Process Run Time to manage the execution of SWIFT FIN messages, you must run the process models that you create.

- For information about sending and receiving SWIFT FIN messages using the PRT and process models, see [Chapter 4, “Sending and Receiving SWIFT Messages”](#) on page 43.
- For information about working with process models and SWIFT FIN messages, see [Chapter 11, “Creating or Modifying a Process Model”](#) on page 105.
- For information about starting and monitoring a SWIFT business process, see [Chapter 12, “Monitoring a Process”](#) on page 109.
- For general information about the webMethods Modeler, see the *webMethods Modeler User’s Guide* and *Getting Started with webMethods Business Process Management*.

Executing Messages Using TN Processing Rules

A webMethods Trading Networks processing rule enables you to manage the execution of SWIFT FIN messages without using the PRT. If you choose to create a processing rule for a SWIFT FIN messages, the rule is created in the WmFINMessages package in the appropriate version folder (for example, *webMethods6\IntegrationServer\packages\WmFINMessages\may05*).

For information about sending and receiving SWIFT FIN messages using processing rules, see [Chapter 4, “Sending and Receiving SWIFT Messages”](#) on page 43. For general information about using processing rules, see the *webMethods Trading Networks User’s Guide*.

Sending and Receiving SWIFT Messages

- Overview 44
- Sending Outbound Messages to SWIFT 44
- Receiving Inbound Messages from SWIFT 49

Overview

The webMethods SWIFT FIN Module enables you to send and receive a SWIFT message using either a business process (which uses the Process Run Time) or a Trading Networks processing rule.

Sending Outbound Messages to SWIFT

You can send outbound messages to SWIFT using either a business process or a service that is invoked by a Trading Networks processing rule.

Sending Outbound Messages Using a Business Process

When you use a business process, you are using the Process Run Time (PRT), which is a facility of the Integration Server that manages the execution of business processes. To use a business process (also called a conversation) to send outbound SWIFT FIN messages, you use webMethods Modeler to create a process model that defines the steps that you want to take in your business process. As a guideline, see the sample process model (*CorpActions_Account Servicer*) provided in the SWIFT FIN Module sample. For more information, see [Appendix C, “webMethods SWIFT FIN Module Sample”](#) on [page 175](#).

After designing the process model, use webMethods Modeler to generate it. When you generate a process model, webMethods Modeler generates the run-time elements (for example, triggers, flow services, etc.) that are executed for the business process.

The first step of a business process is a step that waits for a document. At run time, you send a back-end document to the Integration Server. The Integration Server passes the document to the PRT, which determines the process model to use for the document and either instantiates a new instance of the process model to start the business process, or when subsequent documents aimed at the business process arrive, the PRT delivers them to the appropriate business process to rejoin a running process.

The PRT uses the Conversation ID to determine whether documents belong to the same instance of a business process. All documents that belong to the same instance of a business process use the same Conversation ID.

Before You Can Send Outbound Messages

- Define a TN document type for the back-end format document that you will convert to a SWIFT FIN message. For instructions to create TN document types, see the *webMethods Trading Networks User's Guide*.

When you create this TN document type, be sure to extract the `SenderID` and `ReceiverID` system attributes. The values you extract for the `SenderID` and `ReceiverID` should be the sender's and receiver's BIC, respectively.

- Create two TPAs as described in the following tables:

TPA One -- Used by first step of the business process

Sender	The sender of the back-end document -OR- Unknown. If you specify a specific partner for Sender , you must specify a specific partner for Receiver . Likewise, if you specify Unknown for Sender , you must specify Unknown for Receiver .
Receiver	The receiver of the SWIFT FIN message that is to be sent to SWIFT.
AgreementID	Name of the TN document type for the back-end system format document.
IS Document Type	<code>wm.fin.doc:UserParameters</code>

TPA Two -- Used to govern the creation and sending of the outbound SWIFT FIN message

Sender	The sender of the back-end document -OR- Unknown. If you specify a specific partner for Sender , you must specify a specific partner for Receiver . Likewise, if you specify Unknown for Sender , you must specify Unknown for Receiver .
Receiver	The receiver of the SWIFT message that is to be sent to SWIFT.
AgreementID	User-defined. You might want to specify a name that identifies the type of SWIFT FIN message that the TPA governs, for example, MT564.
IS Document Type	<code>wm.fin.doc:UserParameters</code>

Designing the Process Model

Your process model will typically contain the following steps:

- 1 Wait for the document from the back-end system -and- invoke the `wm.ip.cm:waitStepInit` service. This service takes the actions necessary to prepare for the business process. During processing, it retrieves the TPA associated with the `AgreementID` set to the name of the TN document type. Processing will fail if the first step does *not* invoke this service -or- if the service fails to retrieve the TPA.
- 2 Invoke a mapping service to map to the SWIFT FIN message.
 - a Map data from the back-end system document to webMethods DFD format, which represents the {B4} block of the SWIFT FIN message.
 - b Add the *payload* variable to the existing *documents* variable in the pipeline, and then set the *documents/payload* variable to the IData object that represents the

webMethods DFD format document. For an example of how to do this, see the outbound map service provided in the WmFINSamples package.

- c Add the *tpaAgreementID* variable to the existing *documents* variable in the pipeline, and then set the *documents/tpaAgreementID* variable to the AgreementID associated with the second TPA, which governs the creation and sending of the outbound SWIFT FIN message.
- 3 Invoke the `wm.fin.trp:send` service to send the SWIFT FIN message to SWIFT. This service:
 - a Creates the header blocks {B1-B3} and {B5} using information from the second TPA that you created.
 - b Determines whether to validate the SWIFT message using the `Validate...` parameters in the second TPA. If any of the `Validate...` parameters for example, `ValidateContent`) are set to `yes`, the service performs the appropriate validation.
 - c Sends the SWIFT FIN message using the transport specified in the message TPA (for example, MQ, CASmF, AFT).

Executing the Business Process

To run the business process, send the back-end system document that starts the business process to the Integration Server by invoking the `wm.ip.cm:processDocument` service. The `wm.ip.cm:processDocument` service performs the following actions:

- Recognizes the back-end system document using TN document types.
- Forms a BizDocEnvelope for the back-end system document.
- Sets the Conversation ID for the back-end system document.
 - If this is the first document of a business process, the `processDocument` service sets the Conversation ID to the `<Sender's BIC>-<Unique Identifier>`. This unique identifier is mapped into the MUR section in {B3} block of the outgoing SWIFT FIN message.
 - If this document is to join a running business process, you must supply the Conversation ID and pass it as input to the `processDocument` service.
- Saves the content of the back-end system document to the Trading Networks database.

- Passes the back-end system document to the PRT. When the PRT receives the back-end system document, it determines whether this is the first document for a business process, or whether it is a document that is rejoining a running business process. If it is the first document of a business process, the PRT instantiates a new instance of the process model. Otherwise, it sends the document to rejoin a running business process.



Note: When you use the `wm.ip.cm:processDocument` service, the document does *not* go through typical Trading Networks processing. This service invokes the Trading Networks services it needs to accomplish the tasks described above. The document does *not* go to Trading Networks processing rules.

Sending Outbound Messages Using a Processing Rule

To use a processing rule to send outbound SWIFT FIN messages, you define a processing rule in Trading Networks that invokes a service to send the message.

Before You Can Send Outbound Messages

- Define a TN document type for the back-end format document that you will convert to a SWIFT message. For instructions to create TN document types, see the *webMethods Trading Networks User's Guide*.

When you create this TN document type, be sure to extract the `SenderID` and `ReceiverID` system attributes. The values you extract for the `SenderID` and `ReceiverID` should be the sender's and receiver's BICs, respectively.

- Create a TPA as described in the following table:

TPA used to govern the creation and sending of the outbound SWIFT message

Sender	The sender of the back-end document -OR- Unknown . If you specify a specific partner for Sender , you must specify a specific partner for Receiver . Likewise, if you specify Unknown for Sender , you must specify Unknown for Receiver .
Receiver	The receiver of the SWIFT message that is to be sent to SWIFT.
AgreementID	Name of the TN document type for the back-end system format document.
IS Document Type	<code>wm.fin.doc:UserParameters</code>

Defining the Processing Rule

For instructions to define processing rules, see the *webMethods Trading Networks User's Guide*. The following sections describe specific settings that you should use when defining your processing rule for use with SWIFT messages.

Processing Rule Criteria

Set the following criteria on the Criteria tab of the processing rule.

Criteria tab field	Set to...
Document Type	The TN document type for the back-end format document.

Setting Processing Actions

On the Action tab, select **Perform the following actions**, and then set the following fields on the Action tab of the processing rule.

Action tab field	Set to...
Execute a service	<p>A service you created that maps the back-end format document to webMethods DFD format. For more information about creating this service, see “Creating a Service to Map the Back-end Document to webMethods DFD Format” on page 48.</p> <hr/> <p>Important! You <i>must</i> select to invoke this service synchronously by selecting synchronous.</p>
Deliver Document By	<p>Immediate Delivery and select FINTransport</p> <p>The FINTransport delivery service uses variables specified in the TPA to govern the creation and sending of the outbound SWIFT message.</p>

Creating a Service to Map the Back-end Document to webMethods DFD Format

The service you create should contain logic to do the following:

- 1 Get the content of the back-end system document from the BizDocEnvelope to an IData object by invoking the `wm.tn.doc.xml:bizdocToRecord` service.
- 2 Map data from the back-end system document to webMethods DFD format, which represents the {B4} block of the SWIFT FIN message.
- 3 Convert the webMethods DFD format IData object to an XML String by invoking the `pub.xml:documentToXMLString` service.

- 4 Convert the XML String to bytes by invoking the `pub.string:stringToBytes` service.
- 5 Invoke the `wm.tn.doc:addContentPart` service to add the bytes to the `BizDocEnvelope` as a new content part. When you add the content part, you must name the content part `DFD Data`.

Using the Processing Rule at Run Time

At run time, to submit the back-end system document to the Trading Networks, invoke the `wm.tn:receive` service.

Receiving Inbound Messages from SWIFT

You can process inbound messages from SWIFT using either a business process or a service that is invoked by a Trading Networks processing rule.

Receiving Inbound Messages Using a Business Process

To use a business process (also called a conversation), you use `webMethods Modeler` to create a process model that defines the steps that you want to take in your business process. For a guideline, see the sample process model (*CorpActions_Account Owner*) provided in the SWIFT FIN Module sample. For more information, see [Appendix C, “webMethods SWIFT FIN Module Sample”](#) on page 175.

After designing the process model, use `webMethods Modeler` to generate it. When you generate a process model, `webMethods Modeler` generates the run-time elements (for example, triggers, flow services, etc.) that are executed for the business process.

The first step of a business process is a step that waits for a document. At run time, you receive a SWIFT message via a SWIFT interface (MQSA, CASmf, or AFT). The message is recognized as a TN document type and submitted to the PRT. The PRT determines which process model to use for the document and either instantiates a new instance of the process model to start the business process, or when subsequent documents aimed at the business process arrive, the PRT delivers them to the appropriate business process to rejoin a running process.

The PRT uses the Conversation ID to determine whether documents belong to the same instance of a business process. All documents that belong to the same instance of a business process use the same Conversation ID.

Before You Can Receive Inbound Messages

- When creating message records (using the `wm.fin.dev:importFINItems` service) for the SWIFT FIN messages you will be receiving, you must set the following parameters to `true`:
 - `createDocType`. Creates the TN document type for the message record.
 - `createTPA`. Creates the TPA for the message record.
- Edit the message TPA parameters as necessary. For example, set the `Validate...` parameters such as `ValidateContent`.

Designing the Process Model

Your process model will typically contain the following steps:

- 1 Wait for the SWIFT message from the sender -and- invoke the `wm.ip.cm:waitStepInit` service. This service takes necessary actions to prepare for the business process. During the processing, it retrieves the TPA with the `AgreementID` set to the name of the TN document type. Processing will fail if the first step does *not* invoke this service -or- if the service fails to retrieve the TPA.
- 2 Invoke the `wm.fin.validation:validateFinMsg`, which validates the incoming message based on the parameters specified in the message TPA. The output of this service includes the `finIData` and `convertedFinIData` variables.
- 3 Map data from the inbound SWIFT message into a back-end format document using the following variables available in the pipeline.
 - `finIData`. This is the message in TAG format.
 - `convertedFinIData`. This is the format specified in the message TPA (for example, `TAG_BIZNAME`).

Executing the Business Process

When an inbound SWIFT message is received by the `wm.fin.trp:receive` service, Integration Server completes the following processing automatically:

- Recognizes the SWIFT message using TN document types.
- Forms a `BizDocEnvelope` for the SWIFT message.
- Sets the Conversation ID for the SWIFT message. The Conversation ID is created in the following format: *Sender BIC-Unique Identifier*. The Unique Identifier is retrieved from the inbound message's MUR section in the {B3} block.
- Saves the content of the SWIFT message to the Trading Networks database.

- Passes the SWIFT message to the PRT. When the PRT receives the SWIFT message, it determines whether this is the first document for a business process or whether it is a document that is rejoining a running business process. If it is the first document of a business process, the PRT instantiates a new instance of the process model. Otherwise, it sends the document to rejoin a running business process.

Receiving Inbound Messages Using a Processing Rule

To use a processing rule to receive inbound SWIFT FIN messages, you define a processing rule in Trading Networks that invokes a service to validate and process the inbound message.

Before You Can Receive Inbound Messages

- When creating message records (using the `wm.fin.dev:importFINItems` service) for the SWIFT FIN messages you will be receiving, you must set the following parameters to true:
 - `createDocType`. Creates the TN document type for the message record.
 - `createProcessingRule`. Creates the processing rule for the message record.
 - `createTPA`. Creates the TPA for the message record.
- Edit the message TPA parameters as necessary. For example, set the `Validate...` parameters such as `ValidateContent`.

Creating the Service to Map the webMethods DFD Format to the Back-end Document

Create a mapping service using the following variables available in the pipeline.

- `finIData`. This is the message in TAG format.
- `convertedFinIData`. This is the format specified in the message TPA (for example, `TAG_BIZNAME`).

Then specify the name of this service in the message TPA `InboundProcessingRulesService` parameter.

Defining the Processing Rule

For instructions to define processing rules, see the *webMethods Trading Networks User's Guide*. The following sections describe specific settings that you should use when defining your processing rule for use with a SWIFT message.

Processing Rule Criteria

On the Criteria tab of the processing rule, set the following criterion.

Criteria tab field	Set to...
Document Type	The TN document type for the SWIFT message.

Setting Processing Actions

On the Action tab of the processing rule, select **Perform the following actions**, and then set the following criterion.

Action tab field	Set to...
Execute a service	wm.fin.validate:validateFINMessage

Important! You *must* select to invoke this service synchronously by selecting **synchronous**.

Using the Processing Rule at Run Time

When an inbound SWIFT message is received by the `wm.fin.trp:receive` service, the Integration Server does the following automatically:

- Recognizes the SWIFT message using TN document types.
- Forms a BizDocEnvelope for the SWIFT message.
- Sets the Conversation ID for the SWIFT message.
- Sets the Conversation ID for the SWIFT message. The Conversation ID is created in the following format: *Sender BIC-Unique Identifier*. The Unique Identifier is retrieved from the inbound message's MUR section in the {B3} block.
- Saves the content of the SWIFT message to the Trading Networks database.
- Submits the SWIFT message to the Trading Networks processing rules engine, which validates the message. If validation succeeds, the output of the validation includes the *finIDData* and *convertedFinIDData* variables. Trading Networks then invokes the service specified in the message TPA `InboundProcessingRulesService` parameter.

Configuring SWIFT Interfaces

■ Overview	54
■ Using the webMethods WebSphere MQ Adapter to Communicate with SWIFT	54
■ Using the CASmf Adapter to Communicate with SWIFT	56
■ Using AFT to Communicate with SWIFT	62

Overview

The SWIFT interfaces you use with the webMethods SWIFT FIN Module enable you to send outbound messages to SWIFT as well as receive inbound messages from SWIFT. You can connect to SWIFT using one of the following SWIFT interfaces:

- **MQSA.** If you are connecting to SWIFT through MQSA, you must install the webMethods WebSphere MQ Adapter on the Integration Server. For more information about configuring and using the adapter with the webMethods SWIFT FIN Module, see [“Using the webMethods WebSphere MQ Adapter to Communicate with SWIFT” on page 54.](#)
- **CASmf.** If you are connecting to SWIFT through CASmf, you must install the WmCASmf package on the Integration Server. For more information about configuring and using CASmf with the webMethods SWIFT FIN Module, see [“Using the CASmf Adapter to Communicate with SWIFT” on page 56.](#)
- **AFT.** If you are using Automated File Transfer (AFT), you must configure the File Polling Listener and AFT settings in the message TPA. For more information about configuring and using the File Polling Listener with the webMethods SWIFT FIN Module as well as using File Drop for outbound messages, see [“Using AFT to Communicate with SWIFT” on page 62.](#)

Using the webMethods WebSphere MQ Adapter to Communicate with SWIFT

The webMethods WebSphere MQ Adapter enables the Integration Server to exchange information with other systems through an IBM WebSphere MQ message queue. This capability lets you route documents, or any piece of information, from the Integration Server to systems that use WebSphere MQ message queuing as their information interface. The WebSphere MQ Adapter enables you to connect to SWIFT through MQSA. For detailed information about using the WebSphere MQ Adapter, see the *webMethods WebSphere MQ Adapter User’s Guide*.



Important! The following procedure assumes that you already have configured your WebSphere MQ system and SWIFT Alliance Access (SAA) to communicate with one another, and have installed the webMethods WebSphere MQ Adapter. For more information about installing the WebSphere MQ Adapter, see the *webMethods WebSphere MQ Adapter Installation Guide*.

Configuring the webMethods WebSphere MQ Adapter

To configure the webMethods WebSphere MQ Adapter for the webMethods SWIFT FIN Module

1 Configure the WebSphere MQ Adapter connections. You will need to configure at least two connections:

- A connection to send messages to MQ Series
- A connection to receive messages from MQ Series

For information about configuring WebSphere MQ Adapter connections, see Chapter 3 in the *webMethods WebSphere MQ Adapter User's Guide*.

2 Set up to deliver outbound messages from SWIFT FIN Module to SWIFT via WebSphere MQ Adapter.

a Configure a WebSphere MQ Adapter Put service to deliver SWIFT messages to an MQ Series queue. When configuring the Put service, identify the connection that *sends* messages to MQ Series, which you configured [step 1](#).

For information about configuring the WebSphere MQ Adapter Put service, see Chapter 4 in the *webMethods WebSphere MQ Adapter User's Guide*.

b Create a service (e.g., Java or flow) that invokes the Put service you just configured in [step 2a](#). When you create the service:

- The input variables must include the variable *msgBody* with data type byte[] (or Object for a flow service).
- Before invoking the Put service that you configured in [step 2a](#), the logic of the service must map the data in the input in the *msgBody* variable to the input of the Put service; that is, map the value to the *putServiceInput/msgBody* variable of the generated Put adapter service.
- The logic must invoke the Put service that you configured in [step 2a](#).

c Update the TPA for SWIFT messages to identify the correct method to deliver outbound SWIFT messages. To do so, update the following in the TPA:

In this section of the TPA data...	Set this parameter...	To...
FINProcessInfo	Transport	MQ
MQSeriesInfo	putMessageHandlerService	The name of the service that you created in step 2b .

For more information about TPAs, see [Chapter 9, "Customizing Trading Partner Agreements"](#) in this guide.

- 3 Set up to receive inbound messages from SWIFT via WebSphere MQ Adapter.
 - a Configure WebSphere MQ Adapter listeners and listener notifications. When configuring the listener, identify the connection that *receives* messages from MQ Series, which you configured [step 1](#).

When you create a listener notification, you must specify a service to invoke when WebSphere MQ Adapter retrieves a message from MQ Series. For more information about this service, see the next step, [step 3b](#), below.

For information about configuring the WebSphere MQ Adapter listeners and listener notifications, see Chapter 5 in the *webMethods WebSphere MQ Adapter User's Guide*.

- b Create a service (e.g., Java or flow) that will be invoked when the WebSphere MQ Adapter retrieves a message from MQ Series. The last action that this service takes must be to invoke the `wm.fin.transport.MQSeries:getListenerService` service. This service processes the received FIN message. For more information about this service, see "[wm.fin.transport.MQSeries:getListenerService](#)" on page 140.

How the service you create is invoked is based on the type of listener notification you created in [step 3a](#):

- If you create an asynchronous listener notification, you must create a trigger that subscribes to the notification. When you create the trigger, set it up to invoke this service.
- If you create a synchronous listener notification, you specify the name of this service when you configure the synchronous listener notification.


Using the CASmf Adapter to Communicate with SWIFT

The `webMethods CASmf` package enables the `webMethods Integration Server` to send and receive messages through the `CASmf` interface. A `CASmf` client and Adapter enable the `Integration Server` to exchange information with other systems. This capability lets you route documents—or any piece of information—from the `Integration Server` to systems that use `CASmf` as their information interface. The `webMethods CASmf Adapter` enables you to connect to SWIFT using the `CASmf Adapter`.

webMethods CASmf package Architecture

The following diagram illustrates how the webMethods CASmf package fits into the webMethods Integration Platform architecture.

webMethods CASmf package Architecture



The following table describes the components that interact with the webMethods CASmf package.

Component	Description
FIN Packages	The FIN packages included in the webMethods SWIFT FIN Module.
WmCASmf Package	Product described in this guide that transfers SWIFT FIN messages to and from SAA system using CASmf.
CASmf Client	The CASmf client enables the CASmf Package to interface with the CASmf server.
CASmf Server	The CASmf server enables communication between the CASmf client and SAA.
SWIFT Alliance Access (SAA)	SWIFT software configured to access the SWIFT Transport Network (STN), SWIFT's original network accessed using x.25 transport technologies.
SWIFT Transport Network (STN)	The existing SWIFT interface, a computer system provided and operated by the user, which enables communication with the SWIFT network.

Configuring the CASmf Adapter



Important! The following procedure assumes that you already have configured your CASmf server and SAA to communicate with one another. For more information, see your CASmf server and SWIFT documentation.

To configure the webMethods CASmf Adapter for the webMethods SWIFT FIN Module

- 1 Install a CASmf client on the same machine as webMethods Integration Server. For more information, see your CASmf documentation.
- 2 Install the webMethods CASmf package on the same machine as webMethods Integration Server. This package can be installed with the webMethods SWIFT FIN Module. For more information, see [Chapter 2, “Installing the webMethods SWIFT FIN Module”](#) in this guide.
- 3 Configure the webMethods CASmf package to work with the SWIFT FIN Module by updating the properties in the following configuration file:

```
webMethods6\IntegrationServer\packages\WmCASmf\config\wmcasmf.cnf
```

Property	Description
wm.casmf.send.mapid	The sending and receiving map IDs that you have defined for SAA.
wm.casmf.receive.mapid	<p>These mapIDs must match exactly the two <code>l_mapid</code> fields in the CASmf client <code>dmapid.dat</code> file. Typically, this file is located in the following directory:</p> <pre><code>\$CASmfInstallationFolder\dat</code></pre> <p>where <code>\$CASmfInstallationFolder</code> is the directory in which the CASmf client is installed. You also can locate this file using the folder listed in your DATTOP environment variable.</p>
wm.casmf.send.message.folder	The folder in which all outbound SWIFT FIN messages will be queued before being sent to SWIFT via the CASmf Adapter. You do not need to change this location, but you may do so at your discretion.


Property	Description
wm.casmf.authentication.type	<p>Type of authentication that you want the webMethods CASmf package to perform. Specify one of the following:</p> <ul style="list-style-type: none"> ■ AUTH_ACCESS to have webMethods CASmf package perform session authentication with SAA. ■ AUTH_DATA to have webMethods CASmf package perform data authentication with SAA. ■ AUTH_BOTH to have webMethods CASmf package perform session and data authentication with SAA. ■ AUTH_NONE to have webMethods CASmf package perform no authentication with SAA.
wm.casmf.authentication.sendKey	The send and receive keys that you have defined for SAA.
wm.casmf.authentication.receiveKey	<hr/> <p>Important! Be sure to reverse the keys when you specify them for the property. For example, the value you specify for the sendKey in SAA use for the wm.casmf.authentication.receiveKey property.</p> <hr/>
wm.casmf.authentication.localSendKey	
wm.casmf.authentication.localReceiveKey	
wm.casmf.receive.timeout	<p>The number of seconds that you want the webMethods CASmf package to maintain an active connection with SAA for receiving messages. If no messages are received within the specified time, the connection is closed. The default is 300 seconds.</p> <p>For example, assume the timeout value is set to 300 seconds and that there are 10 messages that will take 2 seconds to receive. The connection will remain open for the 2 seconds to receive the 10 messages, then remain idle for the next 298 seconds before the connection is closed.</p>

- 4 In the TPA for each SWIFT message you will be sending and receiving using CASmf, set the following field:

Set this field...	To...
Transport	CASmf

For more information about TPAs, see [Chapter 9, “Customizing Trading Partner Agreements”](#) in this guide.

- 5 In the Server Administrator, create a scheduling service to run the `wm.casmf.tpr:casmfSendReceiveSchedule` service on intervals:
 - a Under Server, click Scheduler. The Scheduler screen appears.



- b Click Create a scheduled task. The Service Information screen appears.

Service Information

folder.subfolder:service

Run As User Administrator

Persistence Persist after restart

Clustering Not in cluster.

Schedule Type and Details

One-Time Tasks

Run Once

Date YYYY/MM/DD

Time HH:MM:SS

Repeating Tasks With a Simple Interval

Repeating

Interval seconds

Repeating Repeat from end of invocation

Repeating Tasks with Complex Schedules

Complex Repeating

Start Date YYYY/MM/DD (optional)

Start Time HH:MM:SS (optional)

End Date YYYY/MM/DD (optional)

End Time HH:MM:SS (optional)

- c Set the fields in the **Service Information** section according to the instructions in the *webMethods Integration Server Administrator's Guide*.
- d In the **Schedule Type and Details** section, under **Repeating Tasks With a Simple Interval**, set the fields as follows:
 - Select **Repeating**.
 - In the **Interval** field, webMethods recommends that you set this service to run at intervals of at least 15-20 minutes.
 - Select the **Repeat from end of invocation** check box.
- e Click **Save Tasks**.

For more information about this service, see [Appendix A, “webMethods SWIFT FIN Module Services”](#) in this guide.

Using AFT to Communicate with SWIFT



Important! To use Automated File Transfer (AFT), you must have the WmFlatFile package installed, which is installed by default with the webMethods Integration Server.

AFT enables the webMethods Integration Server to exchange information with other systems. If you are using AFT to receive inbound SWIFT FIN messages through the File Polling Listener, and File Drop capabilities to send outbound SWIFT FIN messages, the File Polling Listener and the message TPA must be configured properly.

Configuring AFT for Inbound Messages

To configure the webMethods File Polling Listener for the webMethods SWIFT FIN Module

- 1 In the Server Administrator, click Security ► Ports ► Add Port.
- 2 Select webMethods/FilePolling and click Go to Step 2.
- 3 Configure the File Polling Listener's general fields as described in the "Configuring Ports" section of the "Configuring the Server" chapter in the *webMethods Integration Server Administrator's Guide*.
- 4 Set the following fields so that the File Polling Listener handles SWIFT FIN messages properly.

Set this field...	To...
Content Type	application/x-wmflatfile
Folder location	The fully qualified path of the folder in which SAA will be sending SWIFT FIN messages. The folder must be accessible to both SAA and the webMethods Integration Server.
Processing Service	wm.fin.transport.AFT:processInboundFile

Configuring AFT for Outbound Messages

To configure AFT using File Drop capabilities to send outbound SWIFT FIN messages using the webMethods SWIFT FIN Module, you must complete the following procedure.

To configure File Drop for the webMethods SWIFT FIN Module

- 1 Map a network directory in which you want to drop files to be picked up by SAA, which can be any directory in the webMethods Integration Server.
- 2 In the TPA for the SWIFT message, set the following parameters:

<u>Set this field...</u>	<u>To...</u>
Transport	AFT
Folder location	The fully qualified path of the folder in which the webMethods Integration Server will be dropping SWIFT FIN messages. The folder must be accessible to both SAA and the Integration Server.
FileExtension	.inp

Working with BIC and BIC+ Lists

■ Overview	66
■ Importing BIC and BIC+ Lists	66
■ Searching for BICs	67

Overview

The webMethods SWIFT FIN Module home page in the Server Administrator enables you to import and search BIC and BIC+ lists.

Importing BIC and BIC+ Lists

A BIC list provides a list of valid BICs for all existing SWIFT financial institutions. All SWIFT FIN messages are validated against this BIC list to make sure the sender and receiver are valid.

Before you can import a BIC or BIC+ list into the webMethods Integration Server, you must create a database table to hold the BIC data. webMethods provides database scripts in multiple formats to create the empty database table(s) to hold the BIC information that you import.

After you have created the BIC table(s) in your database, you then can import the most recent list of SWIFT BIC or BIC+ codes into your database table from the CD provided to you by SWIFT. To do so, you use the **Import BIC List** tool on the webMethods SWIFT FIN Module home page in the Server Administrator.



Important! SWIFT provides BIC lists in fixed-length ASCII format. SWIFT provides BIC+ lists to you in Access database format. To import a BIC+ list into the webMethods SWIFT FIN Module, you first must convert the list into fixed-length ASCII format.

To create a BIC database table

- 1 With your database server running, make sure you have a database in which to add a BIC table.
- 2 Import the following file into your selected database to create an empty BIC table in your database:

```
webMethods6 \IntegrationServer \packages \WmFIN \config \bic \create_BIC_db.sql
```

where *db* is the type of database sever you are using, such as Oracle. webMethods provides scripts for SQL Server, Oracle, and Sybase databases.

For the procedure to complete this step, see your database server documentation.

To import a BIC or BIC+ List

- 1 In the Server Administrator, on SWIFT home page, click **Import BIC List**.

SWIFT Import BIC List Screen

Import BIC List	
Note: Everytime BIC import process is initiated the previous BIC list from the database is deleted and a new list is inserted.	
BIC Type:	<input type="text" value="BIC"/>
FileName:	<input type="text"/> <input type="button" value="Browse..."/>
Example Paths	C:/folder/bic.dat //server/folder/bic.dat folder/bic.dat (relative to install directory)
<input type="button" value="Import BIC List"/>	

- In the BIC Type list, select BIC or BIC+ to indicate the type of BIC list you are importing.



Important! If you are importing a BIC+ list, you first must convert the list into fixed-length ASCII format.

- In the File Name box, type the full directory path and name of the BIC or BIC+ list file that you want to import. To locate the file, you can click **Browse**.
- Click **Import BIC List**. The new BIC list is imported into your BIC database table and made available to your webMethods SWIFT FIN Module. This process might take a few minutes.



Note: A sample BIC+ database is located in the *webMethods6\IntegrationServer\packages\WmFINSamples\data* directory. Unzip the *bicpluz.zip* file and import the *bicplus.txt* file.

Searching for BICs

Using the **Search BIC List** tool on the webMethods SWIFT FIN Module home page in the Server Administrator, you can import the most recent SWIFT Bank Identification Code (BIC) lists provided by webMethods into the webMethods SWIFT FIN Module.

A BIC list provides a list of valid BICs for all existing SWIFT financial institutions. All SWIFT FIN messages are validated against this BIC list to make sure the sender and receiver BICs are valid.

To search a BIC list

- In the Server Administrator, on webMethods SWIFT FIN Module home page, click **Search BIC List**.

SWIFT Search BIC List Screen

Search BIC List

Note: For partial search, enter '%partial search string%'.

Code:

Institution:

Branch:

City:

Modified Flag:

Location:

Country Name:

- On the Search BIC List screen, provide the information on which you want to search. You must enter information in at least one field, but to limit your search, you can enter information in as many fields as necessary.



Note: All fields on this screen are case-sensitive.

Field Name	Description
Code	The institution's BIC code. For example, type ABCDEFGHIJK.
Institution	The institution's name. For example, type Citibank.
Branch	The institution's branch name. For example, type Main.
City	The institution's city. For example, type Miami.
Modified Flag	From the drop-down list, select the modification flag for which you want to search: <ul style="list-style-type: none"> ■ New. Identifies a new BIC entry. ■ Update. Identifies a BIC entry currently being updated. ■ Modified. Identifies a modified BIC entry. ■ Deleted. Identifies a deleted BIC entry.
Location	The institution's location. For example, type Mall.
Country Name	The institution's country. For example, type USA.

- Click Search. The Search BIC List screen displays up to the first 50 matching BICs.

SWIFT Search BIC List Results Screen

Search criteria					
Code					
Institution	%Citi%				
Branch					
City					
Modified Flag					
Location					
Country Name					
Documents Retrieved	50				
Received documents					
Code	Institution	Branch	City	Modified Flag	Location
BHWAPLPWBIA	BANK HANDLOWY W WARSZAWIE SA A MEMBER OF CITIGROUP(FORMERLY BANK HANDLOWY W WARSZAWIE S.A.)		BIALYSTOK	D	15213 BIALYSTOK
BHWAPLPWBIE	BANK HANDLOWY W WARSZAWIE SA A MEMBER OF CITIGROUP(FORMERLY BANK HANDLOWY W WARSZAWIE S.A.)		BIELSKO BIALA	D	43300 BIELSK BIALA

Creating Message Records and Validation Rules

■ Overview	72
■ Creating Message Records	72
■ Creating Validation Rules	75

Overview

To send and receive SWIFT FIN messages, you first must create a message record for each SWIFT message that you will be sending and receiving. You also can use network and usage validation rules in your maps to validate your messages.

You use SWIFT message records to create inbound and outbound maps that define how this particular message will be handled. For information about mapping, see [Chapter 10, “Mapping a SWIFT FIN Module Process”](#) in this guide.

Creating Message Records

To create a message record for a SWIFT message, you must do the following:

- Install the SWIFT message DFD (which includes the message parsing template) into the webMethods SWIFT FIN Module. For more information, see [“Installing SWIFT Message DFDs and Parsing Templates”](#) on page 72.
- Run the `wm.fin.dev:importFINItems` service located in the `WmFINDev` package. For more information, see [“Running the `wm.fin.dev:importFINItems` Service”](#) on page 73 in this chapter.



Note: SAA sends SWIFT Acknowledgements (ACKs) and Negative Acknowledgements (NACKs) to the webMethods SWIFT FIN Module. However, you do not need to manually install and import DFDs for SWIFT ACKs and NACKs. These are automatically installed for you the first time you initialize the Integration Server after installing the webMethods SWIFT FIN Module.

The SWIFT templates for ACKs and NACKs are located in `webMethods6\IntegrationServer\packages\WmFIN\config\dfd` directory. During initialization of the Integration Server, the TN document type for ACKs and NACKs are inserted into Trading Networks database if they are not already present. The corresponding IS document types ACKs and NACKs are located in `wm.fin.doc.catF` folder of the `WmFIN` package.

Installing SWIFT Message DFDs and Parsing Templates

To create a message record for a SWIFT message, you must install the message DFD (which includes its parsing template) using webMethods Installer. For more information about installing message DFDs using the webMethods Installer, see [Chapter 2, “Installing the webMethods SWIFT FIN Module”](#) in this guide.

For more information about parsing templates, see [Appendix B, “XML Parsing Templates”](#) in this guide.

Running the `wm.fin.dev:importFINItems` Service

When you run the `wm.fin.dev:importFINItems` service located in the `WmFINDev` package for a particular SWIFT message DFD, the service will create the following items for each message:


- IS Document Type
- Network validation rules (if available)
- Market Practice rules (if available)
- TN document type
- Trading Partner Agreement (in “Proposed” status)
- Processing rule to process an inbound SWIFT message

The SWIFT message parsing template and DFD is copied from the `WmFINDev` package into the `WmFIN` package. For example, for `may05` version, the parsing template and DFD files from `WmFINDev\import\may05` are copied into `WmFIN\config\dfd\may05`. The IS document types are stored in the `WmFINMessages` package in the appropriate version folder and message category (for example, `wm.fin.doc.may05.cat5`).

To run the `wm.fin.dev:importFINItems` service

- 1 In the Developer, navigate to the `wm.fin.dev:importFINItems` service located in the `WmFINDev` package, and then click . The Input dialog box appears.

Input dialog box



Input dialog box

msgType

version

format TAG_BIZNAME

subfieldFlag true

createDocType true

createProcessingRule true

createTPA true

Include empty values for String Types

OK Cancel Load Save Help

2 Complete the following fields, and then click OK:

Field	Description
msgType	FIN message type. For example, 564.
version	FIN version. For example, may05.
format	<p>The format of the generated blocks and fields for the input FIN message. Valid values:</p> <ul style="list-style-type: none"> ■ TAG_BIZNAME (default). SWIFT Message tag followed by the business name specified in the message DFD. For example, 23G_Function of the Message. This format provides the best balance between readability and performance. It provides DFD business names while retaining the field tag. This format causes half of the performance penalty of BIZNAMEONLY because lookups are used only when receiving a message. ■ TAGONLY. SWIFT Message tag only. For example, 23G:. This is the simplest format and is suited to those already familiar with SWIFT and specific messages. This format provides the best performance. ■ BIZNAMEONLY. Business name specified in the message DFD only. For example, Function of the Message. Although this format is the most readable, it also carries the largest performance penalty. ■ XMLTAG. XML-compatible tag name. For example, F23G. This format cannot contain colons or tags that begin with a number. This format enables you to take advantage of the XML-specific services and functionality provided by the Integration Server, such as pub.xml:documentToXMLString, etc.
subfieldFlag	<p>Indicates whether the IS Document Type generated for this FIN Message is parsed to the field or subfield level. Valid values:</p> <ul style="list-style-type: none"> ■ true. Parse to the subfield level. ■ false. Parse to the field level. <p>Note: For inbound SWIFT FIN messages, setting the subfieldFlag variable to true causes the webMethods SWIFT FIN Module to automatically parse messages to the subfield level and then remove the SWIFT delimiter (/) from between subfields. For outbound SWIFT FIN messages, setting the subfieldFlag variable to true causes the webMethods SWIFT FIN Module to add the SWIFT delimiter (/) between subfields.</p>

Field	Description
createDocType	<p>Indicates whether to create and insert a TN document type for this message. The TN document type is used to recognize an incoming message.</p> <ul style="list-style-type: none"> ■ true (default). Create and insert a TN document type. ■ false. Do not create and insert a TN document type. <hr/> <p>Important! You should always set this field to true.</p>
createProcessing Rule	<p>Indicates whether to create a Trading Networks processing rule for this message. After the message is recognized, the processing rule specifies how the message should be processed.</p> <ul style="list-style-type: none"> ■ true (default). Create a processing rule. ■ false. Do not create a processing rule. <hr/> <p>Important! If you will be using the processing rules to manage the execution of SWIFT FIN messages, you should always set this field to true.</p>
createTPA	<p>Indicates whether to create a Trading Networks trading partner agreement (TPA) for this message. A TPA is a set of parameters that you use to govern how SWIFT FIN messages are exchanged between two trading partners.</p> <ul style="list-style-type: none"> ■ true (default). Create and insert a TPA. ■ false. Do not create and insert a TPA. <hr/> <p>Important! You should always set this field to true.</p>

Creating Validation Rules

webMethods provides network validation rules for a number of commonly used message types. In addition to these rules, the webMethods SWIFT FIN Module enables you to create network validation rules for additional messages as well as create usage validation rules.



Note: Although Market Practice rules function in much the same way as validation rules, the configuration of Market Practice rules differs from that of validation rules. For more information about Market Practice rules, see [Chapter 13, “Working with Market Practices”](#) on page 113.

Creating Network Validation Rules

When the webMethods SWIFT FIN Module sends and receives a SWIFT message, it validates the message at the individual field level or across the fields using network validation rules as specified by SWIFT. The webMethods SWIFT FIN Module sends a message only when the message structure, syntax, and validation rules are applied.

webMethods provides network validation rules for version may05, as flow services, for you to use with the SWIFT FIN messages that you import. When you create a message record, the corresponding network rule (as a flow service) is imported into the Integration Server and will be placed in the WmFINMessages package along with the message record.

After the webMethods SWIFT FIN Module syntactically validates a message, it executes the corresponding network rule. Any validation errors will be aggregated and reported in the webMethods Integration Server and Process Run Time (PRT) error logs, if you are using process models.

webMethods provides network validation rules for the following SWIFT FIN messages:

- *MT 101 Request for Transfer*
- *MT 103 Single Customer Credit Transfer*
- *MT 103STP Single Customer Credit Transfer*
- *MT 202 General Financial Institution Transfer*
- *MT 300 Foreign Exchange Confirmation*
- *MT 320 Fixed Loan/Deposit Confirmation*
- *MT 502 Order to Buy or Sell*
- *MT 515 Client Confirmation of Purchase or Sale*
- *MT 535 Statement of Holdings*
- *MT 536 Statement of Transactions*
- *MT 537 Statement of Pending Transactions*
- *MT 540 Receive Free*
- *MT 541 Receive Against Payment*
- *MT 542 Deliver Free*
- *MT 543 Deliver Against Payment*
- *MT 544 Receive Free Confirmation*
- *MT 545 Receive Against Payment Confirmation*
- *MT 546 Deliver Free Confirmation*

- *MT 547 Deliver Against Payment Confirmation*
- *MT 548 Settlement Status and Processing Advice*
- *MT 564 Corporate Action Notification*
- *MT 565 Corporate Action Instruction*
- *MT 566 Corporate Action Confirmation*
- *MT 567 Corporate Action Status and Processing Advice*
- *MT 568 Corporate Action Narrative*
- *MT 900 Confirmation of Debit*
- *MT 910 Confirmation of Credit*
- *MT 940 Customer Statement Message*
- *MT 942 Interim Transaction Report*
- *MT 950 Statement Message*

You can create additional network validation rules for particular messages by writing individual services based on the SWIFT message documentation (pdf), which is provided by SWIFT. To use a new validation rule, you must specify the service you created in the `ValidationRule` parameter in the TPA for the particular SWIFT message.

For more information about TPAs, see [Chapter 9, “Customizing Trading Partner Agreements”](#) on page 87.

Creating Usage Validation Rules

Usage rules exist only for certain messages when being exchanged between two specific partners. webMethods does not provide built-in usage rules because they vary by trading partner pairs, but you can create usage rules for particular messages by writing individual services based on the message documentation (pdf) provided by SWIFT. To implement a usage rule, you must specify the service you created in the `UsageRule` parameter in the TPA for the particular SWIFT message.

For more information about TPAs, see [Chapter 9, “Customizing Trading Partner Agreements”](#) on page 87.

Defining Trading Partner Profiles and TN Document Types

■ Overview	80
■ Defining Trading Partner Profiles	80
■ Defining TN Document Types	82

Overview

Trading partner profiles help define how you and your trading partners exchange SWIFT FIN messages. TN document types enable webMethods Trading Networks to identify a type of business document and specify what to extract from the business document.

This chapter provides you with information about defining trading partner profiles and TN document types in webMethods Trading Networks.

Defining Trading Partner Profiles

A trading partner is any person or organization with whom you want to conduct business electronically. In the webMethods SWIFT FIN Module, a trading partner is defined by several criteria that you specify in a trading partner profile, including company name and identifying information, contact information, and preferred delivery methods.

In addition to specifying trading partner profiles for all of your trading partners, you must specify a profile for your own organization.

Why Are Trading Partner Profiles Important?

Your trading partner profiles, used in conjunction with trading partner agreements (TPAs), and process models, define how you and your trading partners exchange SWIFT FIN messages. For example, a process model defines what actions your company takes in certain transactions, as well as the actions you expect your trading partners to perform during those transactions. In fact, the concise definition of profiles, the configuration of process models, and the application of TPAs are what enable you to interact successfully with your trading partners.

For the webMethods SWIFT FIN Module, you define a single trading partner profile for yourself (**Enterprise**) and then create a process model to support each role you will perform in exchanging messages with your trading partners. You also must define a trading partner profile for each trading partner with whom you will be exchanging messages. When you create a process model, you will use the various trading partner profiles to help define the sender and receiver of the message.

For information about creating process models, see [Chapter 11, “Creating or Modifying a Process Model”](#) on [page 105](#). For general information about process models, see the *webMethods Modeler User’s Guide*.

Defining Your Enterprise Profile

Before defining your trading partner profiles in Trading Networks and exchanging messages with your trading partners, you first must define your enterprise (Enterprise) profile by completing the fields in the Profile Assistant in the Trading Networks Console.

For procedural information about defining your enterprise profile as well as descriptions of all the fields you must complete when defining your enterprise profile, see the *webMethods Trading Networks User's Guide*. The following section provides you with the fields that you are required to complete when defining your enterprise profile for use with the webMethods SWIFT FIN Module.

Required Profile Fields

Profile information is displayed on the Trading Networks Console Profile Assistant Corporate tab. The following table lists and describes the required fields you must complete when defining your enterprise profile for use with the webMethods SWIFT FIN Module.

Required Profile Field for Enterprise	Description
Corporation Name	The name of your enterprise.
External ID Type	BIC
External ID Type Value	Your enterprise's BIC.



Note: The BIC External ID Type is added to the webMethods Trading Networks database when you start the webMethods SWIFT FIN Module for the first time.

For descriptions of other fields you must complete when you defining your enterprise profile, see the *webMethods Trading Networks User's Guide*.

Defining Your Trading Partners' Profiles

Each trading partner with whom you want to exchange SWIFT FIN messages must have a trading partner profile in Trading Networks. After you have defined your enterprise profile, you are ready to define your trading partners' profiles.

You define a trading partner profile by completing the fields in the Profile Assistant in the Trading Networks Console.

For procedural information about defining a trading partner profile as well as descriptions of the fields you must complete when defining a trading partner profile, see the *webMethods Trading Networks User's Guide*. The following section provides you with the fields that you are required to complete when defining your trading partner profiles for use with the webMethods SWIFT FIN Module.

Required Profile Fields

Profile information displays on the Trading Networks Console Profile Assistant **Corporate** tab. The following table lists and describes the required fields you must complete when defining a trading partner profile.

Required Profile Field for Trading Partner	Description
Corporation Name	The name of the trading partner.
External ID Type	BIC
External ID Type Value	Your trading partner's BIC.

For descriptions of other fields you must complete when you define a trading partner profile, see the *webMethods Trading Networks User's Guide*.

Defining TN Document Types

TN document types are definitions that tell webMethods Trading Networks how to identify a type of business document and specify the attributes that Trading Networks is to extract from the business document.

When you run the `wm.fin.dev:importFINItems` service, which is located in the `WmFINDev` package, to create a record for a particular SWIFT message DFD, you can specify that the service also create the external TN document types for this message. For more information about creating message records, see [Chapter 7, "Creating Message Records and Validation Rules"](#) on page 71.

When the webMethods SWIFT FIN Module receives a message, it invokes a Trading Networks service to recognize the type of business document by using the TN document types that were created along with your message records or that you created yourself. When Trading Networks recognizes the TN document type of the business document, Trading Networks extracts specific pieces of information from the business document based on the attributes specified in the TN document type.

For more information about TN document types, see the *webMethods Trading Networks User's Guide*.

Defining Your Own Internal TN Document Types

You might want to create your own internal TN document types or customize one of the TN document types created using the `wm.fin.dev:importFINItems` service in the `WmFINDev` package.




Important! Do not modify any of the provided external TN document types. If you do, the incoming SWIFT message will not join the business process (also called a conversation).


When you define an internal TN document type, you specify the root tag from within the SWIFT message that the TN document type is to match, as well as the XML queries that Trading Networks uses to extract the SenderID and ReceiverID attributes from the message.


To define an internal TN document type

- 1 Start the Trading Networks Console.
- 2 If you are using Trading Networks 6.0.1, in the Selector Panel, click **My Enterprise**.
- 3 Select **View ▶ Document Types**.
- 4 Select **Types ▶ New**.
- 5 In the **Create New DocType** dialog box, select the **XML** document type category from the list, and click **OK**.
- 6 In the **Document Type Details** screen, in the **Name** field, type the name you want to give to the internal TN document type (for example, `Internal Corporate Action`).
- 7 In the **Description** field, type a description for the internal TN document type.
- 8 In the **Root Tag** field, type the value of the root tag of your internal document (for example, `InternalCorporateAction`).
- 9 Click **OK**.

The following figure illustrates the **Identify** tab of the **Document Type Details** screen with the necessary fields completed.




 **Note:** You can tell whether a TN document type is internal or external because an external TN document type always has a pipeline matching variable of *processVersion*. The TN document type in the preceding figure has *no* pipeline matching variable, so it is an internal TN document type.

- 10 Trading Networks uses the extracted attributes to determine who is sending the message and to whom to send the message. On the **Extract** tab, specify *SenderID* as one of the attributes to extract.
 - a Click **Add an Attribute** .
 - b In the **Add an Attribute** dialog box, in the **Name** list, select *SenderID*.
 - c Select the **Required** check box.
 - d In the **Description** field, enter a description for the attribute.

- e In the Query field, enter the query to extract the SenderID attribute, which is illustrated in the following figure.


Completed Add Attribute Dialog Box



- f In the Detail list, select BIC.
 - g Click OK.
- 11 Repeat [step 10](#) for the *ReceiverID*.

The following figure illustrates the Extract tab of the Document Type Details screen with the necessary fields completed.

Completed Extract Tab of the Document Type Details Screen



Customizing Trading Partner Agreements

- Understanding Trading Partner Agreements 88
- How Does the webMethods SWIFT FIN Module Identify a TPA? 88
- Modifying TPAs 88

Understanding Trading Partner Agreements

A *Trading Partner Agreement (TPA)* is a set of parameters that you use to govern how SWIFT FIN messages are exchanged between two trading partners. TPAs also enable you to define Market Practice requirements for individual markets. Using Trading Partner Agreements (TPAs), the webMethods SWIFT FIN Module supports customization of SWIFT FIN messages based on specific trading partner pairs.

You modify and view TPAs in the Trading Networks Console **Agreement Details** screen. For detailed information about working with TPAs in the Trading Networks Console, see the *webMethods Trading Networks User's Guide*.

How Does the webMethods SWIFT FIN Module Identify a TPA?

Every SWIFT message in the webMethods SWIFT FIN Module is associated with a TPA. Every TPA is uniquely identified by a Sender, Receiver, and Agreement ID. During a business process between trading partners, the webMethods SWIFT FIN Module uses this information to retrieve the TPA for a specific sender-receiver pair and to process the messages exchanged.

When using a business process to manage the execution of SWIFT FIN messages, the Agreement ID is *always* the first TN document type name used to start the process. For the sender of a SWIFT message in a business process, the first TN document type name is typically the TN document type name representing the internal back-end document, such as `InternalCorporateAction`. For the receiver of a SWIFT message in a business process, the first TN document type name is typically the TN document type name of the first SWIFT message received, such as `MT541`.



Important! To process messages according to a TPA, both sender and receiver TPAs must have an Agreement Status of "Agreed".

Modifying TPAs

When the webMethods SWIFT FIN Module creates a message record, it automatically creates the TPA for the particular SWIFT message. You can view and modify the TPA by double-clicking to open the selected "Proposed" TPA on the Trading Networks **Agreement** tab to display the **Agreement Details** screen.



Important! The `SubfieldFlag` input parameter in the TPA supports the parsing of SWIFT messages to the subfield level. If you change the value of the `SubfieldFlag` after creating the message records, you must delete the message records pertaining to the TPA and recreate them.

In the Agreement Details screen, the Sender and Receiver fields initially display a default value of “Unknown”.

In the SWIFT TPA for each message that you created, you must specify the Sender, Receiver, and Agreement ID. The Agreement ID is a placeholder for the TN document type name of the internal business document received from the back-end system (for example, “InternalCorporateAction”) or of the SWIFT message received from a partner (for example, “MT541”). After the webMethods SWIFT FIN Module recognizes and associates an incoming SWIFT message with a particular TN document type, it uses the TN document type name in the business document, such as “MT541”, to find a TPA matching that sender-receiver pair. Although your TPA identifies the business names of the sender and receiver, the webMethods SWIFT FIN Module identifies the sender and receiver using their BIC.

Agreement Details Screen

The screenshot displays the 'Agreement Details Screen' with the following fields and values:

- Sender: Bank of America (Bank of America)
- Receiver: CLSA Limited (CLSA Limited)
- Agreement ID: MT541
- IS Document Type: wm.fin.doc:UserParameters
- Control Number: 0
- Data Status: Non-modifiable
- Export Service: (empty)
- Initialization Service: (empty)

Under the 'IS Document Type' field, a tree view is expanded showing the following folders:

- FINProcessInfo
- MQSeriesInfo
- AFT

The 'Description' field is empty. At the bottom, the status is 'Agreement Status: Proposed / Last Modified: 2003-07-03 13:21:45.629'. There are 'OK' and 'Cancel' buttons at the bottom right.

Annotations on the left side of the screenshot:

- A line points to the Sender, Receiver, and Agreement ID fields with the text: "Sender, Receiver, and Agreement ID".
- A line points to the tree view with the text: "Double-click a heading to view the parameters that fall under that heading."

In the preceding figure, the Agreement ID value of MT541 indicates that the TPA is for a receiver because the starting business document for a receiver’s TPA is always a SWIFT message. If this TPA were for a sender, the Agreement ID would be the name an internal business document from a back-end system such as `InternalCorporateAction`.



Important! The webMethods SWIFT FIN Module does **not** support a TPA in which either the Sender is known (for example *Company1*) and the Receiver is *Unknown* or in which the Sender is *Unknown* and the Receiver is known (for example, *Company2*). The webMethods SWIFT FIN Module supports only those TPAs in which either both the Sender and Receiver are known (for example, *Company1* and *Company2*, respectively) or *Unknown*.

Agreement Details Field Descriptions

The following table lists and describes the basic TPA information at the top of the Agreement Details screen that you need to understand.

TPA Information	Description
Sender	The name of the trading partner that has the sender role in the TPA. You select the sender from the profiles defined on your Trading Networks system, including your own profile.
Receiver	The name of the trading partner that has the receiver role in the TPA. You select the receiver from the profiles defined on your Trading Networks system, including your own profile.
Agreement ID	An application-specific field that uniquely identifies the type of agreement between two partners. For example, <i>MT541</i> or <i>InternalCorporateAction</i> .
IS Document Type	The IS document type <code>wm.fin.doc:UserParameters</code> specifies the parameters that you define for a SWIFT TPA. It is located in the <code>WmFINTransport</code> package.

For step-by-step instructions about how to create or modify a TPA, see the *webMethods Trading Networks User's Guide*.

TPA SWIFT-Specific Input Parameters

To modify TPA input parameters, click  on the Agreement Details screen.

TPA Input Screen

Input for 'wm.fin.doc:UserParameters'

FINProcessInfo

Transport

MessageType

ISDocumentName

Version

MessageFormat

SubfieldFlag

InboundProcessingRuleService

ValidateContent

ValidateBICPlus

ValidateNetworkRules

NetworkValidationService

ValidateMarketPracticeRules

MarketPracticeRules Service

ValidateUsageRules

UsageRules Service

MessageHeader

LogicalTerminal

ApplicationIdentifier

ServiceIdentifier

Priority

OK Cancel Load Save Help

The following table describes the TPA input parameters for a SWIFT-specific TPA that you need to complete.

TPA Section	Parameter	Description
FINProcessInfo	Transport	Name of the SWIFT interface used to send and receive SWIFT FIN messages. Select one of the following values: <ul style="list-style-type: none"> ■ MQ (Default). Use webMethods WebSphere MQ Adapter to transport SWIFT FIN messages. ■ CASmf. Use CASmf to transport SWIFT FIN messages. ■ AFT. Use Automated File Transfer to transport SWIFT FIN messages. ■ TEST. Enables you to test the processing of your FIN message without sending the message to SWIFT.
	MessageType	SWIFT FIN message type identifier, such as 541, which identifies MT 541, Receive Against Payment.
	ISDocumentName	The IS document type name for this particular message. You can find the IS document type for each message record you have created in the WmFINMessages package. For example, <code>wm.fin.doc.may05.cat5:MT541</code> .
	Version	Version number of the SWIFT message record being used. For example <code>may05</code> .
	MessageFormat	The format of the generated blocks and fields for the input FIN message. Valid values: <ul style="list-style-type: none"> ■ TAG_BIZNAME (default). SWIFT Message tag followed by the business name specified in the message DFD. For example, <code>23G_Function of the Message</code>. ■ TAGONLY. SWIFT Message tag only. For example, <code>23G:.</code> ■ BIZNAMEONLY. Business name specified in the message DFD. For example, <code>Function of the Message</code>. ■ XMLTAG. XML-compatible tag name. This format cannot contain colons or tags that begin with a number. For example, <code>F23G</code>.
	SubfieldFlag	Indicates whether to parse SWIFT messages to the field or subfield level. Select one of the following values: <ul style="list-style-type: none"> ■ true (default). Parse to subfield level. ■ false. Parse to field level.

TPA Section	Parameter	Description
	InboundProcessingRuleService	Optional - Indicates whether to manage the execution of this SWIFT message using a processing rule you have created. To do so, type the name of the service you created. For more information, see “Receiving Inbound Messages Using a Processing Rule” on page 51 of Chapter 4, “Sending and Receiving SWIFT Messages” in this guide.
	ValidateContent	Optional - Indicates whether to validate the SWIFT message.
	ValidateBICPlus	Optional - Indicates whether to validate the BIC+ information included in the message.
	ValidateNetworkRules	Optional - Indicates whether to validate the SWIFT message against the network rules for this message.
	NetworkValidationService	Optional - Name of the network validation service to validate the network rules for this message.
	ValidateMarketPracticeRules	Optional - Indicates whether to validate the SWIFT message against the Market Practice rules for this message.
	MarketPracticeRulesService	Optional - Name of the Market Practice Rules service to validate the Market Practice rules for this message.
	ValidateUsageRules	Optional - Indicates whether to validate the SWIFT message against the usage rules for this message.
	UsageRulesService	Optional - Name of the usage validation service to validate the usage rules for this message.
Message Header	This section contains information to be populated in blocks {B1}, {B2}, and {B3} of the outbound SWIFT message.	
	Logical Terminal	The logical terminal identifier defined in SAA.
	ApplicationIdentifier	Identifies the application within which the message is being sent or received. Select one of the following values: <ul style="list-style-type: none"> ■ F. SWIFT FIN - Use this setting for all FIN user-to-user, FIN system, and FIN service messages. ■ A. GPA - Use for GPA system and GPA service messages. ■ L. GPA - Use for certain GPA service messages. For example, LOGIN, LAK, ABORT.

TPA Section	Parameter	Description
	ServiceIdentifier	Identifies the type of data being sent or received. Select one of the following values: <ul style="list-style-type: none"> ■ 01. Identifies user-to-user messages. ■ 21. Identifies message acknowledgements.
	Priority	Indicates the priority with which the message is being delivered to the receiver. Select one of the following values: <ul style="list-style-type: none"> ■ N. Delivered with Normal priority. ■ U. Delivered with Urgent priority. ■ S. Delivered with System priority.
	DeliveryMonitoring	Optional - Enables the sender to request one of the following levels of delivery monitoring: <ul style="list-style-type: none"> ■ None. Do not perform delivery monitoring. ■ 1. Non-delivery warning - Requesting automatic MT010 non-delivery warning if message is not delivered within the obsolescence period, which is 15 minutes for U Priority, 100 minutes for N Priority. ■ 2. Delivery notification - Requesting automatic MT011 delivery notification after the message is delivered. ■ 3. Both - Requesting both automatic non-delivery warning and delivery notification.
	FINCopyServiceIdentifier	Optional - (Used with FINCopy messages only.) Three-character system ID used to support access to multiple services with the same CBT.
	BankingPriority	Optional - Four-character field agreed upon by two or more parties to indicate priority.
	ValidationFlag	Optional - Flag indicating whether special validation needs to be completed at SWIFT. For more information, see SWIFT documentation.
	AddresseeInformation	Optional - Information from the central institution to the receiver of the payment message. This information is used in the input of <i>MT097, FIN Copy Message Authorization Refusal Notification</i> .
	Training	Indicates whether a message is sent to or received from a test and training logical terminal.

TPA Section	Parameter	Description
MQSeriesInfo	putMessageHandlerService	The name of the service that you generated when creating a message handler service for your IS-to-WebSphere MQ transport. For more information, see “Using the webMethods WebSphere MQ Adapter to Communicate with SWIFT” on page 54.
AFT	folder	Fully qualified path of the folder you want the File Polling Listener to poll for this SWIFT message. For example, <code>c:\folder\bic.dat</code> . Important! This folder must be accessible by both Integration Server and SAA.
	extension	Optional - File extension of the files to be received from the AFT folder. The default is <code>inp</code> .

Mapping a SWIFT FIN Module Process

■ What Is "Mapping" a Message?	98
■ Creating an Outbound Mapping Service	100
■ Creating an Inbound Mapping Service	102
■ Parsing to the Subfield Level	104
■ Reusing Mapping Services	104

What Is “Mapping” a Message?

Mapping a message refers to the process of assigning the structure, values, or content of the message to a new message; that is, mapping the values, data, and information into a new message. You need to map messages because, typically, your back-end systems have different message formats than the format of a SWIFT message.

Why Do You Create an Outbound Mapping Service?

You create an outbound mapping service to translate an outbound back-end proprietary message format (for example, Oracle Financials) to SWIFT message format. Elements of the proprietary message need to be mapped to corresponding elements of a SWIFT message (for example, *MT 541, Receive Against Payment*). Extra elements in the back-end message are ignored; however, you must map values to *all* elements in the SWIFT message.

Examples of outbound mapping services are located in the WmFINSample package.


Why Do You Create an Inbound Mapping Service?

You create an inbound mapping service to map each element of an inbound SWIFT message to a corresponding element in your back-end proprietary message format. For example, if you use Oracle Financials and you want to receive a SWIFT message via the webMethods SWIFT FIN Module, you create an inbound mapping service that maps each element of the SWIFT message to a corresponding element in the Oracle Financials format.

Examples of inbound mapping services are located in the WmFINSample package.

Example of Mapping a Message

The following figure illustrates the process of mapping a message. For further explanation, see the text that follows the figure.



Step	Description
1	Trading Partner A uses an outbound mapping service to map an internal message from a back-end format to SWIFT format.
2	Trading Partner A sends the SWIFT message to Trading Partner B.
3	Trading Partner B receives the SWIFT message and uses an inbound mapping service to map the SWIFT message to an internal message. After the internal message is mapped, it is in a format that Trading Partner B's back-end system can process.
4	Trading Partner B responds by using an outbound mapping service to map an internal message from a back-end format to SWIFT format.
5	Trading Partner B sends the SWIFT message to Trading Partner A.
6	Trading Partner A receives the SWIFT message and uses an inbound mapping service to map the SWIFT message to an internal message. After the SWIFT message is mapped, it is in a format that Trading Partner A's back-end system can process.

Creating an Outbound Mapping Service

In webMethods Developer, you create an outbound mapping service by creating a service that contains one or more MAP entities, which do the actual mapping from your back-end message, through any desired intermediate steps, to the IS document type for the appropriate outbound SWIFT message.

Input/Output to Use

The input to the outbound mapping service is a TN document type representing your back-end document in a variable named *bizEnv*.



Note: For information about retrieving your back-end document from the *bizEnv* variable, refer to the outbound mapping services in the WmSamples package.

The output of the outbound mapping service is the SWIFT message in the *documents\payload* IData object in the pipeline. For example, if you are mapping your back-end message to the MT 564, the output of the mapping service would be *MT564* in the *documents\payload* IData object. See the figure in [“Example of an Outbound Mapping Service” on page 101](#).

The output of the outbound mapping service *must* be placed in the *documents\payload* IData object. Because the webMethods SWIFT FIN Module has to convert an IData object into an XML string before sending the SWIFT message to the trading partner, it must know the precise location of the IData object.

Also, you *must* place the Agreement ID for this TPA in the *documents\tpaAgreementID* IData object. For more information about Agreement IDs, see [Chapter 9, “Customizing Trading Partner Agreements” on page 87](#).




Note: If the documents for your back-end system have DTDs, you can automatically import an external DTD in webMethods Developer to provide a starting point for mapping. To do so, create an external record and specify the source as *XML*, *DTD*, or *XML Schema*.

Flow Operations to Use


In the flow service, you insert a MAP operation and use the service pipeline to map elements of the IS document type from your back-end message to all elements of the IS document type for the appropriate SWIFT message. Built-in IS document types for all versions of the SWIFT FIN messages that you imported are located in the WmFINMessages Package in `wm\fin\doc\version\category` folders as illustrated in the following figure.

Records Available for Mapping



Example of an Outbound Mapping Service

If you are the sender in a business process and are implementing a version of MT 564, an outbound mapping service converts your back-end business document to a DFD and then to a SWIFT message. One of these outbound mapping services might look like the following figure. For further explanation, see the text that follows the figure.



Under the **Pipeline Out** heading, in the *documents\payload* IData object, the *MT564* not in parentheses is the IData object, or SWIFT message, being sent to the trading partner and the *MT564* in parentheses is the IS document type that defines the SWIFT message. The name of the IData object is case sensitive.

Creating an Inbound Mapping Service

In webMethods Developer, just as with outbound mapping services, you create an inbound mapping service by creating a new service that contains one or more MAP entities, which do the actual mapping from the received SWIFT FIN messages, through


any intermediate steps, to the format of your back-end messages. The inputs to any inbound mapping service include the following variables:

- *finIData*. This is the message in TAG format.
- *convertedFinIData*. This is the format specified in the message TPA (for example, *TAG_BIZNAME*).

Example of an Inbound Mapping Service

If you are the receiver in a business process and are implementing a version of MT 564, the inbound mapping service might look like the following figure.

Inbound Mapping Service



Note: The *finIData* object that contains information from the inbound SWIFT message is mapped to the *InternalCorporateAction* IData object representing your back-end document.

Parsing to the Subfield Level

You can configure the webMethods SWIFT FIN Module to parse to the subfield level in your outbound and inbound mapping services. To do so, you set the *subfieldFlag* variable to `true` when invoking the following services:

- `wm.fin.dev:importFINItem`
- `wm.fin.dfd:convertTagFormat`
- `wm.fin.dfd:convertBizNameFormat`

For information about these services, see [Appendix A, “webMethods SWIFT FIN Module Services”](#) on page 119.

For inbound messages, if you want to manually parse messages to the subfield level (without using subfield option), you must manually remove the SWIFT delimiter (/) from between subfields. For outbound messages, if you want to manually identify subfields (without using the subfield option), you must add the SWIFT delimiter.



Note: The DFDs files provided in `webMethods6\IntegrationServer\packages\WmFIN\dfd\version` directory and `webMethods6\IntegrationServer\WmFINDev\import\version` directory do not define subfields for some compound fields. If you require subfields for a tag where they are not provided, you can edit the DFD files; be sure to follow the SWIFT documentation when adding subfields. The DFD files located in the `WmFINDev` package take precedence over the DFD files located in the `WmFIN` package.

Reusing Mapping Services


In the webMethods SWIFT FIN Module, you can reuse mapping services for trading partners that submit the same business document format. For example, you can use the same mapping services for Trading Partner A and Trading Partner B if they both always submit business documents in the same document format to the webMethods SWIFT FIN Module. As the receiver of those documents, you need to define only one inbound mapping service for both trading partners because the message format versions are the same.

Creating or Modifying a Process Model

- What Is a Process Model? 106
- Working with Process Models 107
- Using Process Model Samples 108

What Is a Process Model?

A *process model* is a diagram that represents a business process. The following figure illustrates a sample process model. For further explanation, see the text that follows the figure.



A process model consists of:

- **Steps.** The basic unit of work in a process model.
- **Transitions.** The lines between steps that indicate the execution order of steps within the process model.
- **Groups.** Clustering steps to represent different organizational boundaries within a process model.
- **Annotations (notes or text).** The labels, notes, and explanatory text in a process model.

For more information about steps, transitions, groups, and annotations, see the *webMethods Modeler User's Guide*.

Working with Process Models

The steps in a process model determine how the Process Run Time (PRT) conducts a business process, which includes how the Process Run Time processes a SWIFT message. For information about the Process Run Time, see [“Run-Time Architecture/Components” on page 24](#), the *webMethods Modeler User’s Guide*, and *Getting Started with webMethods Business Process Management*.

webMethods provides process model samples that you can use to create your own process models. You specify how the process model is to interact with your back-end systems by editing the services that are invoked by the steps of the process model, identifying the TN document types that you have created for steps that are waiting for messages, and specifying inbound and outbound mapping services. When creating a process model, you also assign TN roles to TN document types and a focal role to the process model.

You use webMethods Modeler to create the process models based on the messages you are using. For more information about process models and Modeler, see the *webMethods Modeler User’s Guide*.



Note: You can use webMethods Trading Networks processing rules instead of the Process Run Time to manage the execution of SWIFT FIN messages. For information about creating processing rules, see [Chapter 4, “Sending and Receiving SWIFT Messages” on page 43](#).

What Is a Role?

In webMethods Modeler, you assign roles to TN document types that are associated with steps that wait to receive a message, such as an *MT 564*.

TN Roles



When you identify a TN document type that you created for a particular wait step, Modeler prompts you to enter the **Sender Role** and **Receiver Role** in the **Set Roles** dialog box. For example, if you are identifying a TN document type for a particular wait step with the name of a *MT 564* that you are sending to a trading partner, you would enter “Bank” as the **Sender Role** and “Broker” as the **Receiver Role**.

Focal Role

When you create a process model, you also assign a focal role to the process model. A *focal role* specifies the role of the user for a particular business process. You assign a focal role for your enterprise in the **Properties** dialog box in Modeler.

Using Process Model Samples

webMethods provides the following process model samples to assist you in creating your process models:

- CorpAction_AccountOwner.model
- CorpAction_AccountServices.model

You can find the process model samples in the following location:

`webMethods6\IntegrationServer\packages\WmFINSample\data`

where `webMethods6\IntegrationServer` is the directory in which the webMethods Integration Server is installed.

Creating or modifying a process model consists of such tasks as specifying the TN document type for a particular wait step, assigning inbound and outbound mapping services to invoke during the respective mapping steps, and so on. When you modify or create a process model, you must generate and update your process model in webMethods Modeler to create a business process, and then enable that business process in webMethods Monitor.

To see these process models used in a sample, see [Appendix C, “webMethods SWIFT FIN Module Sample”](#) in this guide. For more information about creating process models, see the *webMethods Modeler User’s Guide* and *Getting Started with webMethods Business Process Management*.

Monitoring a Process

- Why Monitor a Business Process?110
- Finding Business Process Information110

Why Monitor a Business Process?

You monitor a webMethods SWIFT FIN Module business process to track the state of a particular SWIFT transaction. For example, suppose that you send a message to a trading partner. The next day, the trading partner calls to say that they did not receive your message. In the webMethods SWIFT FIN Module, you can view the activity of the business process to determine what the current status is and what activity has occurred during the progress of the business process.

Following the same example, a reason why the trading partner did not receive the message could be because the transaction encountered an error, such as a timeout error. By monitoring the business process, you can determine whether this was the cause. You can see whether your message was resent, how many times, and with what success. By viewing the current status of and the progress of a transaction, you can take appropriate action, which might include retrying the business process, editing your trading partner profiles, or editing your process models.

Finding Business Process Information

To monitor business processes, you have a number of sources from which you can draw information to determine the status of your business processes and the activity of the various involved software entities. The following table lists and describes the primary sources.

Source	Description
webMethods Monitor	Use this tool to monitor and manage business processes. For information about using webMethods Monitor, see “Using Monitor” on page 111 . For more information about using webMethods Monitor 6.0.1, see the <i>webMethods Monitor User’s Guide</i> . For more information about using webMethods Monitor 6.1, see the <i>webMethods Integration Platform Installation Logging and Monitoring Guide</i> .
webMethods Trading Networks Transaction Analysis screen	Use this log to query and analyze results of documents that are sent or received by Trading Networks. For information about transaction analysis, see the <i>webMethods Trading Networks User’s Guide</i> .
webMethods Integration Server error log	Use this log to retrieve server-related error and exception messages that occur during an invocation of a service directly or indirectly from a business process.

Using Monitor

Monitor is a web-based user interface that you can use to examine instances of your process models. Monitor displays information about instances of your process models by accessing data from the Process Logging Database. For information about the Process Logging Database, see [“Run-Time Architecture/Components” on page 24](#).

Using Monitor, you can:

- Search for a business process by name, status, or date range.
- Search specifically for a business process that ended in error.
- See a graphical overview of a business process.
- Examine information about a business process and its execution, for example, status of the business process, status and iteration of process model steps, and so on.
- View services used in the business process.
- Perform control tasks to affect the state of a business process:
 - Suspend and resume a business process.
 - Enable and disable a business process.
 - Start and stop a business process.
 - Edit and resubmit process model steps.

For more information about Monitor and for procedures to perform the aforementioned tasks, see one of the following:

- If you are using webMethods Monitor 6.0.1, see the *webMethods Monitor User's Guide*.
- If you are using webMethods Monitor 6.1, see the *webMethods Integration Platform Installation Logging and Monitoring Guide*.

Working with Market Practices

- Overview114
- Creating Market Practices114
- Creating Market Practice Rules117

Overview

Market Practices are specific requirements for individual markets. Using Trading Partner Agreements (TPAs), the webMethods SWIFT FIN Module supports customization of SWIFT FIN messages based on specific trading partner sender-receiver pairs. For example, two partners trading within France might have different processing requirements for their SWIFT FIN messages than two trading partners within Austria.

SWIFT FIN messages that are exchanged between two partners may have additional fields and/or a subset of key words. The webMethods SWIFT FIN Module enables you to maintain multiple versions of a given message that conform to different Market Practices.

Creating Market Practices

You create a Market Practice by creating an alternate version of the SWIFT message based on an original message record. Doing so maintains the original content of the message record.

To create a Market Practice


- 1 On your file system, create identically named folders (for example, `FrenchMarket`) in the following directories:
 - `webMethods6\IntegrationServer\packages\WmFINDev\import` directory
 - `webMethods6\IntegrationServer\packages\WmFIN\config\dfd`
- 2 Copy `dfd000.xml` from `WmFIN\config\dfd\may05` to `WmFIN\config\dfd\FrenchMarket`, where `may05` is the SWIFT message version, for example `may05`.
- 3 Copy the `dfd*.xml` file (for example, `dfd541.xml`) for your message from `WmFINDev\import\may05` to `WmFINDev\import\FrenchMarket`.
- 4 Open your `French Market\dfd*.xml` and edit as necessary by deleting or changing existing information.

Sample of `dfd541.xml` File

```
<?xml version="1.0" ?>
- <constraints>
  <!-- Text Block for MT541 -->
- <field name="11A::DENO" type="PatternType">
  <bizName>Currency A - Currency of the Denomination</bizName>
  <pattern>//<CUR></pattern>
</field>
```

- 5 In the webMethods Developer, run the `wm.fin.dev:importFINItems` service for the message. The **Input** screen appears.

importFINItems Service Input Screen

- 6 On the **Input** screen for the `importFINItems` service, set the `version` field to the name of the new folder (for example, `FrenchMarket`). Set the remaining fields as desired.
- 7 In the Trading Networks Console, click the **Agreements** tab, open the TPA for the particular SWIFT message, and then click  on the **Agreement Details** screen to display the **Inputs** screen.
- 8 On the **Input** screen, set the `ISDocumentName` parameter to the location the new message record (for example, `wm.fin.doc.FrenchMarket.cat1:MT103`).
- 9 Set the `Version` parameter to a new Market Practice version name (for example, `FrenchMarket`).

- 10 Set the `MarketPracticeRulesService` parameter to the Market Practice rule for this SWIFT message.

Completed Market Practice TPA Input Screen

The screenshot shows a dialog box titled "Input for 'wm.fin.doc:UserParameters'". The dialog is divided into two main sections: "FINProcessInfo" on the left and a larger configuration area on the right. The "FINProcessInfo" section contains the following fields:

- Transport: MQ
- MessageType: 303
- ISDocumentName: wm.fin.doc.FrenchMarket.cat1:MT103
- Version: FrenchMarket
- MessageFormat: TAG_BIZNAME
- SubfieldFlag: true
- InboundProcessingRuleService*: (empty)
- ValidateContent: Yes
- ValidateBICPlus: No
- ValidateNetworkRules: No
- NetworkValidationService*: wm.fin.doc.FrenchMarket.cat1:MT103NetworkValidate
- ValidateMarketPracticeRules: No
- MarketPracticeRulesService*: (empty)
- ValidateUsageRules: No
- UsageRulesService*: (empty)

The "MessageHeader" section contains the following fields:

- LogicalTerminal: X
- ApplicationIdentifier: F
- ServiceIdentifier: 01
- Priority: N
- DeliveryMonitoring: None
- FINCopyServiceIdentifier*: (empty)

At the bottom of the dialog, there are five buttons: OK, Cancel, Load, Save, and Help.

For more information about TPAs, see [Chapter 9, "Customizing Trading Partner Agreements"](#) in this guide.

Creating Market Practice Rules

The webMethods SWIFT FIN Module provides 16 common Market Practice rules for Category 5 SWIFT FIN messages. You can create additional Market Practice rules by writing services based on message documentation (pdf) provided by SWIFT.

To use a new Market Practice rule, you must specify the service you created in the `MarketPracticeRulesService` parameter in the TPA for the particular SWIFT message. For more information about TPAs, see [Chapter 9, “Customizing Trading Partner Agreements”](#) on [page 87](#).

webMethods SWIFT FIN Module Services

■ WmCASmf Package	120
■ WmFIN Package	122
■ WmFINDev Package	136
■ WmFINMarketPractice Package	137
■ WmFINTransport Package	138
■ WmIPCore Package	142
■ WmFINSamples Package	152

WmCASmf Package

The WmCASmf Package contains support services used to send and receive messages from CASmf.

wm.casmf.init

The services in this folder perform initialization routines for CASmf.

wm.casmf.init:shutdown

This service unregisters the application with CASmf.

wm.casmf.init:startup

This service registers the application with CASmf Input Name.

wm.casmf.trp

This folder contain services to send and receive messages from CASmf.

wm.fin.transport.casmf:SendReceiveSchedule

This is the service to be run as a scheduled job by the user. This service will first send all the outbound messages to CASmf using the value specified for `wm.casmf.send.mapid` in `wmcasmf.cnf` file located in `webMethods6\IntegrationServer\packages\WmCASmf\config` folder. Then incoming messages are retrieved from CASmf using the value specified for `wm.casmf.receive.mapid` in `wmcasmf.cnf` file. The messages received are then published to the Integration Server/Broker for processing by `wm.fin.trp:receive` service in WmFIN package.

wm.casmf.trp:processOutboundMessage

This service is invoked when publishing an outbound message with the `Transport` parameter in the message TPA is set to CASmf. This service writes the SWIFT message to a unique file name located in the folder specified by the `wm.casmf.send.message.folder` property in the file `webMethods6\IntegrationServer\packages\WmCASmf\config\wmcasmf.cnf`.

Input Variables	Type	Description
<code>wm.fin.doc:FIN OutboundMessage</code>	Document	Document subscribed by this service when the <code>Transport</code> parameter in the message TPA is set to CASmf.

wm.casmf.trp:sendAndReceive

Service to send and receive messages from CASmf. This service is invoked by the `wm.casmf.trp:casmfSendReceiveSchedule` service. Messages received from CASmf are accumulated into a `String []`.

<u>Output Variables</u>	<u>Type</u>	<u>Description</u>
<i>receivedFINMessages</i>	String List	List of messages received from CASmf.

wm.casmf.trp:CASmfOutboundTrigger

Trigger to process outbound SWIFT FIN messages to sent via CASmf. This trigger then invokes `wm.casmf.trp:processOutboundMessage` to process the outbound SWIFT message.

wm.casmf.util

This folder contains utility services for retrieving property values specified in `webMethods6\IntegrationServer\packages\WmCASmf\config\wmcasmf.cnf` file.

wm.casmf.util:getOutboundMessageFolder

This service retrieves the value for the `wm.casmf.send.message.folder` property specified in `webMethods6\IntegrationServer\packages\WmCASmf\config\wmcasmf.cnf` file. This is the folder to which all outbound SWIFT FIN messages to CASmf are stored prior to actually sending them to CASmf.

<u>Output Variables</u>	<u>Type</u>	<u>Description</u>
<i>folder</i>	String	Value specified for the <code>wm.casmf.send.message.folder</code> property in the <code>wmcasmf.cnf</code> file.

WmFIN Package

The WmFIN Package contains services used to implement and support the SWIFT FIN-compliant functionality of the webMethods SWIFT FIN Module.

wm.fin.bic

This folder contains BIC-related services. They are used in inserting and retrieving BIC information.

wm.fin.bic:getBICInfo

Retrieves BIC information from database based on specified criteria.

<u>Input Variables</u>	<u>Type</u>	<u>Description</u>
<i>code</i>	String	BIC code of the financial institution. You may specify a partial String specified using <code>%partial string%</code> .
<i>bicKey</i>	String	BIC+ key of the financial institution.
<i>institution</i>	String	Name of the financial institution.
<i>branch</i>	String	Name of the financial institution's branch.
<i>city</i>	String	City in which the financial institution is located.
<i>modFlag</i>	String	BIC modifier flag for the financial institution, which identifies additions, updates, and deletions of BIC records since the last update. Valid Values: <ul style="list-style-type: none">■ A. Addition.■ U. Unchanged.■ M. Modified.
<i>location</i>	String	Location of the financial institution.
<i>countryName</i>	String	Country in which the financial institution is located.
<u>Output Variables</u>	<u>Type</u>	<u>Description</u>
<i>count</i>	String	Specifies the number of BIC records returned in the search.
<i>bicInfo</i>	Document List	BIC records specifying the search criteria.

wm.fin.bic:insertBICList

Imports BIC list into database.

<u>Input Variables</u>	<u>Type</u>	<u>Description</u>
<i>filename</i>	String	Fully qualified path and file name of the BIC list you want to import. For example, <code>c:\folder\bic.dat</code> .
<i>bicInfo</i>	String	Specify the type of BIC list you are importing. Valid values: BIC or BIC+.

<u>Output Variables</u>	<u>Type</u>	<u>Description</u>
<i>errorMessage</i>	String	Specifies the error message if one occurs.
<i>error</i>	String	Specifies whether an error occurred. Valid values: <i>yes</i> and <i>no</i> .

wm.fin.bic:BICInfo

Record structure identifying BIC record retrieved from the database. This specifies the result of the `wm.fin.bic.getBICInfo` service.

wm.fin.dfd

This folder contains services related to the loading and use of the FIN Data Field Dictionary (DFD).

wm.fin.dfd:convertBizNameFormat

Converts FIN IData from specified format to TAGONLY format and merges subfields into a FIN field.

<u>Input Variables</u>	<u>Type</u>	<u>Description</u>
<i>finIData</i>	Document	FIN IData in the format specified in the <i>fromFormat</i> input string.
<i>msgType</i>	String	SWIFT message type identifier. For example, <code>541</code> .
<i>version</i>	String	Version number of the SWIFT message record being used. For example, <code>nov03</code> .

Input Variables	Type	Description
<i>fromFormat</i>	String	The format of the generated blocks and fields for the input SWIFT message. Valid values: <ul style="list-style-type: none"> ■ TAG_BIZNAME (default). SWIFT Message tag followed by the business name specified in the message DFD. ■ TAGONLY. SWIFT Message tag only. ■ BIZNAMEONLY. Business name specified in the message DFD. ■ XMLTAG. XML-compatible tag name. This format cannot contain colons or tags that begin with a number. For example, F23G.
<i>subfieldFlag</i>	String	Specifies whether the fields in the input FIN IData are parsed to the subfield level. Valid values: <ul style="list-style-type: none"> ■ true (default). Parse to the subfield level. ■ false. Parse to the field level.

Output Variables	Type	Description
<i>convertedFinIData</i>	Document	Converted FIN IData in the format of TAGONLY.

wm.fin.dfd:convertTagFormat

Converts FIN IData from TAGONLY to the specified format and parses whole fields into subfields.

Input Variables	Type	Description
<i>finIData</i>	Document	FIN IData in the format specified in the <i>fromFormat</i> input string.
<i>msgType</i>	String	SWIFT message type identifier. For example, 541.
<i>version</i>	String	Version number of the SWIFT message record being used. For example, may05.

<u>Input Variables</u>	<u>Type</u>	<u>Description</u>
<i>toFormat</i>	String	The format of the generated blocks and fields for the output FIN IData. Valid values: <ul style="list-style-type: none"> ■ TAG_BIZNAME (default). SWIFT Message tag followed by the business name specified in the message DFD. ■ TAGONLY. SWIFT Message tag only. ■ BIZNAMEONLY. Business name specified in the message DFD. ■ XMLTAG. XML-compatible tag name. This format cannot contain colons or tags that begin with a number. For example, F23G.
<i>subfieldFlag</i>	String	Specifies whether the generated fields in the output FIN IData are parsed to the subfield level. Valid values: <ul style="list-style-type: none"> ■ true (default). Parse to the subfield level. ■ false. Parse to the field level.

<u>Output Variables</u>	<u>Type</u>	<u>Description</u>
<i>convertedFinIData</i>	Document	Converted FIN IData in the format specified in the <i>fromFormat</i> input string.

wm.fin.dfd:getDFDList

Displays a list of DFDs loaded into the system.

<u>Output Variables</u>	<u>Type</u>	<u>Description</u>
<i>dfdList</i>	String List	List of DFDs loaded into the system in <dfd name>_<dfd version> format. For example, 541_may05.

wm.fin.dfd:loadDFD

Loads a FIN DFD into memory.

<u>Input Variables</u>	<u>Type</u>	<u>Description</u>
<i>msgType</i>	String	SWIFT message type identifier. For example, 541.
<i>version</i>	String	Version number of the SWIFT message record being used. For example, may05.

wm.fin.dfd:unloadDFD

Unloads a FIN DFD from memory.

<u>Input Variables</u>	<u>Type</u>	<u>Description</u>
<i>msgType</i>	String	SWIFT message type identifier. For example, 541.
<i>version</i>	String	Version number of the SWIFT message record being used. For example, may05.

wm.fin.dfd:unloadDFDs

Unloads all FIN DFDs from memory.

wm.fin.doc

This folder contains the document structures used to represent particular sections of SWIFT FIN messages, such as the header and trailer structures and their fields. Also within this folder are the generic structure definitions for incoming and outgoing SWIFT FIN messages, where the data record structure (known as Block 4 in SWIFT FIN messages) is left as an open record. These are generated by the `wm.fin.dev:importFINItems` service in the `WmFINDev` package.

wm.fin.doc:FINIData_Input

Record structure defining the fields of an incoming SWIFT message. B4 is left as open record and can be created based on the particular message type and version.

wm.fin.doc.header:FINIData_Outgoing

Record structure defining the fields of an outgoing SWIFT message. B4 is left as open record and can be created based on the particular message type and version.

wm.fin.doc.catF

The record definitions within this folder describe the record structures used to represent the body of the FIN Acknowledgement

wm.fin.doc.catF:MTF21

Record structure defining the fields of the body of the FIN Acknowledgement (F21).

wm.fin.doc.header

The record definitions within this folder describe the record structures used to represent the three header sections of a SWIFT message; the Basic Header (known as Block 1 in SWIFT FIN messages), the Application Header (Block 2, in both incoming and outgoing message format), and User Header (Block 3).

wm.fin.doc.header:ApplicationHeader_Input

Record structure defining the fields of the Application Header (Block 2) on an incoming SWIFT message.

wm.fin.doc.header:ApplicationHeader_Outgoing

Record structure defining the fields of the Application Header (Block 2) on an outgoing SWIFT message.

wm.fin.doc.header:BasicHeader

Record structure defining the fields of the Basic Header (Block 1) of a SWIFT message.

wm.fin.doc.header:UserHeader

Record structure defining the fields of the User Header (Block 3) of a SWIFT message.

wm.fin.doc.trailer

The record definitions within this folder describe the record structures used to represent the trailer section of a SWIFT message, known as Block 5.

wm.fin.doc.trailer:Trailer

Record structure defining the fields representing the Trailer section (Block 5) of a SWIFT message.

wm.fin.format

This folder contains format-related services. They are used in converting formats such as a SWIFT message format into a FIN IData.

wm.fin.format:conformFINIData

Conforms (rearranges) FIN IData into correct structure based on B4 IS Document.

<u>Input Variables</u>	<u>Type</u>	<u>Description</u>
<i>inputFINIData</i>	Document	Input <i>bound</i> FIN IData. (Must include B4 block.)
<i>isDocument</i>	String	Fully-qualified is document name to conform inputFINIData B4 block to. For example, <code>wm.fin.doc.may05.cat5:MT502</code> .

Output Variables	Type	Description
<i>outputFINIData</i>	Document	Output <i>bound</i> conformed FIN IData.

wm.fin.format:conformIData

Conforms (rearranges) IData into correct structure. Incorrect IData structure will not yield conformed data.

Input Variables	Type	Description
<i>finIData</i>	Document	Input <i>bound</i> FIN IData.
<i>isDocument</i>	String	Fully-qualified IS document name to conform input <i>finIData</i> to. For example, <code>wm.fin.doc.may05.cat5:MT502</code> .

Output Variables	Type	Description
<i>finIData</i>	Document	Output <i>bound</i> conformed IData.

wm.fin.format:convertFINToIData

Converts a SWIFT Message into a FIN IData. This will load a 'parse' template into memory to create the correct structure.

Input Variables	Type	Description
<i>finMsg</i>	String	Valid SWIFT message.
<i>msgType</i>	String	SWIFT message type identifier. For example, 541.
<i>version</i>	String	Version number of the SWIFT message record being used. For example, <code>may05</code> .

Note: When using this service to convert a SWIFT Acknowledgement (ACK) or Negative Acknowledgement (NACK) to an IData object, do not specify the *version* input variable because ACKs and NACKs are version neutral.

Output Variables	Type	Description
<i>finIData</i>	Document	FIN IData in the format specified.

wm.fin.format:convertIDataToFIN

Converts a FIN IData into a SWIFT Message.

<u>Input Variables</u>	<u>Type</u>	<u>Description</u>
<i>finIData</i>	Document	FIN IData in the format specified.

<u>Output Variables</u>	<u>Type</u>	<u>Description</u>
<i>FINmsg</i>	Document	Output SWIFT message.

wm.fin.format:flushTemplateCache

Clears 'parse' templates from memory.

wm.fin.format:xmlToIData

Converts a XML-formatted SWIFT message into an IData.

<u>Input Variables</u>	<u>Type</u>	<u>Description</u>
<i>xmlString</i>	String	XML string.

<u>Output Variables</u>	<u>Type</u>	<u>Description</u>
<i>outputIData</i>	Document	Output FIN IData.

wm.fin.init

The services found in this folder are used to either initialize or de-initialize FIN packages on startup and shutdown of webMethods Integration Server.

wm.fin.init:startup

Initializes DSP user interface and resource bundles and configures the WmFIN package for run-time.

wm.fin.map

Services found in this folder provide easy frameworks for creating the header and trailer sections of SWIFT FIN messages, for use in outbound (to be sent to SWIFT) messages. All services have as their input the mandatory fields required in each appropriate header or trailer section.

wm.fin.maps.outbound:mapApplicationHeader

Maps the input variables into a default FIN Application Header.

<u>Input Variables</u>	<u>Type</u>	<u>Description</u>
<i>userVariable</i>	Document	FIN transport user variables.
<i>TPA</i>	Document	The TPA for SWIFT message.

<u>Output Variables</u>	<u>Type</u>	<u>Description</u>
<i>B2</i>	Document	Application header IData.

wm.fin.maps.outbound:mapBasicHeader

Maps the input variables into a default Basic Header.

<u>Input Variables</u>	<u>Type</u>	<u>Description</u>
<i>userVariable</i>	Document	FIN transport user variables.
<i>TPA</i>	Document	The TPA for SWIFT message.

<u>Output Variables</u>	<u>Type</u>	<u>Description</u>
<i>B2</i>	Document	Basic header IData.

wm.fin.maps.outbound:mapTrailer

Creates a Trailer record. When creating an outbound SWIFT message, this record does not need to be populated, so this service currently creates an empty Trailer record.

<u>Input Variables</u>	<u>Type</u>	<u>Description</u>
<i>userVariable</i>	Document	FIN transport user variables.

<u>Output Variables</u>	<u>Type</u>	<u>Description</u>
<i>B5</i>	Document	Trailer IData.

wm.fin.maps.outbound:mapUserHeader

Maps a default User Header.

<u>Input Variables</u>	<u>Type</u>	<u>Description</u>
<i>userVariable</i>	Document	FIN transport user variables.
<i>TPA</i>	Document	The TPA for SWIFT message.

<u>Output Variables</u>	<u>Type</u>	<u>Description</u>
<i>B3</i>	Document	User header IData.

wm.fin.rules

The services found within this folder provide utility functions that are used in the implementation of network validation rules.

wm.fin.rules:checkCodeOrder

Specifies whether codes are in correct order.

<u>Input Variables</u>	<u>Type</u>	<u>Description</u>
<i>codeList</i>	String List	Input code list.
<i>codeOrder</i>	String List	Correct order of codes.

<u>Output Variables</u>	<u>Type</u>	<u>Description</u>
<i>isCodeOrderValid</i>	String	Specifies whether the code list is valid. Valid values: <code>true</code> or <code>false</code> .

wm.fin.rules:contains

Specifies whether key is contained in code list.

<u>Input Variables</u>	<u>Type</u>	<u>Description</u>
<i>codeList</i>	String List	Input code list.
<i>key</i>	String	Key that may be in the code list.

Output Variables	Type	Description
<i>keyExists</i>	String	Specifies whether the key exists in the code list. Valid values: true or false.

wm.fin.rules:getDuplicateCodeList

Returns all codes that are duplicates in code list.

Input Variables	Type	Description
<i>codeList</i>	String List	Input code list.

Output Variables	Type	Description
<i>duplicateCodeList</i>	String List	All duplicate codes in the input <i>codeList</i> .

wm.fin.rules:setErrorDocument

Returns correct error document from specified variables.

Input Variables	Type	Description
<i>key</i>	String	Error message key. This is usually a FIN error message code.
<i>path</i>	String	Path of error in message. For example, B4/SBB/57D:.
<i>data</i>	String	Data where error occurs.

Output Variables	Type	Description
<i>errors</i>	Document List	Error array with error appended to end.

wm.fin.trp

These two core services are used in conjunction with Trading Networks, to provide single-point access to send and receive SWIFT FIN messages.

wm.fin.trp:receive

Triggered by the *FINInboundMessageTrigger*, this service receives an incoming *FINInboundMessage* IData, parses it into a record, and sends it to Trading Networks to be recognized and routed.

Input Variables	Type	Description
<i>FINInboundMessage</i>	Document	IData containing raw SWIFT message to be processed.

wm.fin.trp:send

Formats an IData into a SWIFT message and send it to the appropriate delivery service.

Input Variables	Type	Description
<i>TPA</i>	Document	IP TPA containing specified configuration variables.
<i>documents</i>	Document	IData containing FIN IData to process.
<i>bizEnv</i>	Document	TN business envelope containing document.

wm.fin.trp:FINInboundMessageTrigger

This Trigger subscribes to the wm.fin.doc:FINInboundMessage service. When a document is received, the wm.fin.trp:receive service is invoked.

wm.fin.utils

The services found within this folder are generic utility services providing various functionality.

wm.fin.utils:getFINMessageAndIDs

From a raw SWIFT message, this service will recognize and extract the sender, receiver and message type.

Input Variables	Type	Description
<i>rawFINMessage</i>	String	Raw SWIFT message.

Output Variables	Type	Description
<i>finMessage</i>	Document	Contains SWIFT Message and whether message is an acknowledgement.
<i>internalSenderID</i>	String	Trading Networks Internal Sender ID.
<i>internalReceiverID</i>	String	Trading Networks Internal Receiver ID.
<i>msgType</i>	String	SWIFT message type.

wm.fin.validation

This folder contains validation-related services. They are used to facilitate the validation of a SWIFT message.

wm.fin.validation:getErrorMessage

Return appropriate SWIFT message for that key.

<u>Input Variables</u>	<u>Type</u>	<u>Description</u>
<i>key</i>	String	Error key.

<u>Output Variables</u>	<u>Type</u>	<u>Description</u>
<i>errorMessage</i>	String	FIN error message.

wm.fin.validation:validationFinMsg

Parses and validates a SWIFT message.

<u>Input Variables</u>	<u>Type</u>	<u>Description</u>
<i>bizdoc</i>	Document	Trading Networks BizDocEnvelope containing SWIFT message.

<u>Output Variables</u>	<u>Type</u>	<u>Description</u>
<i>finIData</i>	Document	SWIFT message as an IData in TAGONLY format.
<i>convertedFinIData</i>	Document	SWIFT message as an IData in specified format.

wm.fin.validation:validateIData

Provides Content Validation, Network Rule Validation, Market Practice Rule Validation, and Usage Rule validation of a FIN IData.

<u>Input Variables</u>	<u>Type</u>	<u>Description</u>
<i>finIData</i>	Document	FIN IData.
<i>userVariables</i>	Document	User variables providing configuration information for message.

Output Variables	Type	Description
<i>isValid</i>	String	Specifies whether FIN IData passes validation according to the message configuration.
<i>errorArray</i>	Document	Errors occurring if FIN IData doesn't pass validation.

wm.fin.validation:validateDataUtil

Validates content and structure of a FIN IData.

Input Variables	Type	Description
<i>finIData</i>	Document	FIN IData.
<i>userVariables</i>	Document	User variables providing configuration information for message.
<i>msgType</i>	String	SWIFT message type identifier. For example, 541.
<i>version</i>	String	Version number of the SWIFT message record being used. For example, may05.
<i>isDocument</i>	String	Fully-qualified name of the TN document type to validate FIN IData structure. For example, <code>wm.fin.doc.may05.cat5:MT502</code> .
<i>fromFormat</i>	String	The format of the generated blocks and fields for the input SWIFT message. Valid values: <ul style="list-style-type: none"> ■ TAG_BIZNAME (default). SWIFT Message tag followed by the business name specified in the message DFD. ■ TAGONLY. SWIFT Message tag only. ■ BIZNAMEONLY. Business name specified in the message DFD. ■ XMLTAG. XML-compatible tag name. This format cannot contain colons or tags that begin with a number. For example, F23G.
<i>mapServiceName</i>	String	The migration map's fully-qualified service name. For example, <code>wm.fin.migration.maps:map520To540</code> .
<i>validateHeaders</i>	String	Specifies whether service should validate headers. Valid values: true or false.

Output Variables	Type	Description
<i>isValid</i>	String	Specifies whether FIN IData passes validation according to the message configuration.
<i>errors</i>	Document	Errors occurring if FIN IData does not pass validation.

WmFINDev Package

The WmFINDev Package contains the records and services that enable users to create message records, TPAs, TN document types, validation rules, and processing rules.

wm.fin.dev

This folder contains design-time services. They are used in the install and configuration of new SWIFT FIN messages.

wm.fin.dev:importFINItems

Imports, configures and creates all items needed in a SWIFT Message transaction. This includes the IS document, DFD, parse template, TN doc type, TN processing rule, and TN TPA.

Input Variables	Type	Description
<i>msgType</i>	String	SWIFT message type. For example, 502.
<i>version</i>	String	FIN version. For example, nov03.
<i>format</i>	String	The format of the generated blocks and fields for the input SWIFT message. Valid values: <ul style="list-style-type: none"> ■ TAG_BIZNAME (default). SWIFT Message tag followed by the business name specified in the message DFD. For example, 23G_Function of the Message. ■ TAGONLY. SWIFT Message tag only. For example, 23G:. ■ BIZNAMEONLY. Business name specified in the message DFD. For example, Function of the Message. ■ XMLTAG. XML-compatible tag name. This format cannot contain colons or tags that begin with a number. For example, F23G.

Input Variables	Type	Description
<i>subfieldFlag</i>	String	Specifies whether the fields in the IS Document Type generated for this FIN Message are parsed to the subfield level. Valid values: <ul style="list-style-type: none"> ■ <code>true</code> (default). Parse to the subfield level. ■ <code>false</code>. Parse to the field level.
<i>createDocType</i>	String	Indicates whether to create and insert a TN document type for this message. The TN document type is used to recognize an incoming message. Valid values: <code>true</code> or <code>false</code> .
<i>createProcessing Rule</i>	String	Indicates whether to create a Trading Networks processing rule for this message. After the message is recognized, the processing rule specifies how the message should be processed. Valid values: <code>true</code> or <code>false</code> .
<i>createTPA</i>	String	Indicates whether to create a Trading Networks TPA for this message. This specifies specific variables used in WmFIN for processing and validation. Valid values: <code>true</code> or <code>false</code> .

WmFINMarketPractice Package

The WmFINMarketPractice Package contains common services that support Market Practices for some Category 5 messages. The services in this package are for internal use only.

WmFINtransport Package

This package contains the services needed to exchange messages with SWIFT using Automated File Transfer (AFT) and MQSeries.

wm.fin.doc

This folder contains publishable IS document types that are used to send and receive SWIFT FIN messages. It also contains IS document types which will be used to populate values for a given TPA.

Document	Publishable	Description
FINInboundMessage	Yes	SWIFT FIN messages received via AFT or MQ Series are mapped into this document. This document is then published to the Broker or the Integration Server where it is processed by the <code>wm.fin.trp:FINInboundMessageTrigger</code> service and the <code>wm.fin.trp:receive</code> service.
FINOutboundMessage	Yes	SWIFT FIN messages to be sent via AFT or MQSeries are mapped into this document and published to the Broker or the Integration Server. If <code>wm.fin.doc:FINOutboundMessage/Transport = MQ</code> , this document is subscribed and processed by the <code>wm.fin.transport.MQSeries:MQSeriesPutTrigger</code> . If <code>wm.fin.doc:FINOutboundMessage/Transport = AFT</code> , this document is subscribed and processed by the <code>wm.fin.transport.AFT:AFTOutboundTrigger</code> service.
MessageHeader	No	Data used to populate to header blocks (B1,B2,B3 and B5) in the outgoing SWIFT message.
UserParameters	No	TPA information to be used while sending and receiving SWIFT FIN messages.

wm.fin.transport.AFT

This folder contains services to send and receive messages using Automated File Transfer.

`wm.fin.transport.AFT:generateUniqueFileName`

This service generates a unique file name.

Input Variables	Type	Description
<i>folder</i>	String	The folder in which the file needs to be created.
<i>extension</i>	String	Optional - The extension to use for the generated file name. If no extension has been specified, the default extension is “.inp”.

Output Variables	Type	Description
<i>fileName</i>	String	Generated unique file name.

wm.fin.transport.AFT:processInboundFile

Flat File Listener invokes this service to process incoming SWIFT FIN messages received via AFT.

Input Variables	Type	Description
<i>ffdata</i>	java.io.InputStream	InputStream to the file received via AFT.

wm.fin.transport.AFT:processIncomingMessage

This service parses incoming SWIFT FIN messages separated with special characters and outputs the SWIFT FIN messages as a String array with the special characters stripped.

Input Variables	Type	Description
<i>ffdata</i>	java.io.InputStream	InputStream to the file received via AFT.

Output Variables	Type	Description
<i>finMessage</i>	String List	A string list containing the individual SWIFT FIN messages with the special characters stripped.

wm.fin.transport.AFT:processOutboundFile

Generates a unique file name and writes the outbound SWIFT message to the file to the folder specified in the TPA.

Input Variables	Type	Description
<i>ffdata</i>	java.io.InputStream	InputStream to the file received via AFT.
<i>wm.fin.doc:FIN OutboundMessage</i>	Document	Document subscribed by this service when the Transport parameter in the message TPA is set to AFT .

wm.fin.transport.AFT:AFTOutboundTrigger

Trigger to subscribe for outbound SWIFT FIN messages when the **Transport** parameter in the message TPA is set to "AFT". The trigger then invokes the `wm.fin.transport.AFT:processOutboundFile` service to process the outbound SWIFT message.

wm.fin.transport.MQ

This folder contains services to send and receive SWIFT FIN messages from MQ Series.

wm.fin.transport.MQSeries:getListenerService

This is the service to be specified by the user when getting SWIFT FIN messages from a specified MQSeries queue. This service strips out extraneous information in the SWIFT message and publishes the actual SWIFT message to be processed further by services in WmFIN package. More specifically, `wm.fin.trp:receive` service subscribes to, processes, and validates the message, after which the service will either pass the resulting TN document type to the Process Run Time or to the specified Trading Networks processing rule. The user must specify this service as the Message Service when creating the WebSphere MQ-to-IS message handler.

<u>Input Variables</u>	<u>Type</u>	<u>Description</u>
<i>msgbody</i>	String	SWIFT message retrieved off the specified WebSphere MQ queue.

wm.fin.transport.MQSeries:put

This service puts the outbound SWIFT message in a MQ Series queue by invoking the 'put' message handler service created by the user and specified in the message TPA.

<u>Input Variables</u>	<u>Type</u>	<u>Description</u>
<i>wm.fin.doc:FIN OutboundMessage</i>	Document	Document subscribed to by this service when the Transport parameter in the message TPA is set to "MQ".

wm.fin.transport.MQSeries:MQSeriesPutTrigger

Trigger to subscribe to outbound SWIFT FIN messages when the Transport parameter in the message TPA is set to "MQ". The trigger then invokes the `wm.fin.transport.MQSeries:put` service to put the outbound SWIFT message into the specified WebSphere MQ queue.

wm.fin.transport.Test

This folder contains services, triggers and publishable documents to be used with WmFINSamples package.

wm.fin.transport.Test:processFinMsg

Service to receive an outbound SWIFT message and simulate a round-trip by publishing the same message as an inbound SWIFT message. This service is invoked by the `wm.fin.transport.Test:FINSampleOutboundMessageTrigger` service when the `Transport` parameter in the message TPA is set to "Test".

Input Variables	Type	Description
<i>wm.fin.doc:FIN OutboundMessage</i>	Document	Document subscribed to by this service when the <code>Transport</code> parameter in the message TPA is set to "Test".

wm.fin.transport.Test:FINSampleInboundMessageTrigger

Trigger to subscribe to the `FINSampleInboundMessage` document published by the `wm.fin.transport.Test:processFinMsg` service. This trigger then invokes the `wm.fin.sample:receive` service to process the incoming SWIFT message.

wm.fin.transport.Test:FINSampleOutboundMessageTrigger

Trigger to subscribe to outbound SWIFT FIN messages when the `Transport` parameter in the message TPA is set to "Test". The trigger then invokes the `wm.fin.transport.Test:processFinMsg` service to process the outbound SWIFT message.

wm.fin.transport.Test:FINSampleInboundMessage

Publishable IS Document representing an inbound SWIFT message to be used WmFINSamples package.

wm.fin.transport.property

This folder contains services to retrieve properties defined for publishing SWIFT FIN messages.

wm.fin.transport.property:getProperty

Outputs the property value specified in `webMethods6\IntegrationServer\packages\WmFINTransport\config\finTransport.cnf` file.

Input Variables	Type	Description
<i>propertyName</i>	String	Property name specified in <code>finTransport.cnf</code> file

<u>Output Variables</u>	<u>Type</u>	<u>Description</u>
<i>value</i>	String	Value of the property specified in <code>finTransport.cnf</code> file

wm.fin.transport.property:listProperties

Outputs all the properties specified in `webMethods6\IntegrationServer\packages\WmFINTransport\config\finTransport.cnf` file.

<u>Output Variables</u>	<u>Type</u>	<u>Description</u>
<i>properties</i>	Document	List of all the properties and their values specified in <code>finTransport.cnf</code> file

WmIPCore Package

The WmIPCore Package contains generic services for using the webMethods SWIFT FIN Module with the webMethods Integration Server.

wm.ip.bizdoc

The services in this folder are used to deal with Trading Networks bizdoc envelope.

wm.ip.bizdoc:addErrorContentPart

Add/update errors content part of the bizdoc and set the User Status of the bizdoc

<u>Input Variables</u>	<u>Type</u>	<u>Description</u>
<i>errors</i>	Document List	Error to be added as content part to the bizdoc.
<i>bizdoc</i>	Document	Bizdoc envelope to which errors must be added as content part.
<i>errorType</i>	String	User status to be set for the bizdoc.

<u>Output Variables</u>	<u>Type</u>	<u>Description</u>
<i>bizdoc</i>	Document	Updated bizdoc envelope.

wm.ip.bizdoc:decodeErrorContentPart

Decodes a byte [] into an document List object.

<u>Input Variables</u>	<u>Type</u>	<u>Description</u>
<i>bytes</i>	byte []	Bytes to be decoded into a Document List object.

<u>Output Variables</u>	<u>Type</u>	<u>Description</u>
<i>errors</i>	Document List	Errors returned.

wm.ip.bizdoc:getBizDocFromEvent

Retrieve latest bizdoc envelope submitted to PRT (Process Run Time).

<u>Input Variables</u>	<u>Type</u>	<u>Description</u>
<i>variables</i>	Document	An IData object that contains the variables related to the current business process.
<i>document</i>	Document	An IData object that contains the document related to the current business process.
<i>lastEvents</i>	String	Optional - The events associated with the BizDocEnvelopes that you want to retrieve.
<i>getContent</i>	String	Whether you want to retrieve the content. valid values: <code>true</code> or <code>false</code> .

<u>Output Variables</u>	<u>Type</u>	<u>Description</u>
<i>bizenv</i>	Document	Bizdoc envelope retrieved from TN database.

wm.ip.cm

This folder contains services used to manage processes, such as start a process, unhandled documents, etc.

wm.ip.cm.handlers:defaultHandler

This service is a place holder for the service that is invoked by a handler step in a process model. You should replace this service with a handler service that you code, and update the process model to reflect your service.

<u>Input Variables</u>	<u>Type</u>	<u>Description</u>
<i>ProcessData</i>	Document	An IData object that contains run-time process information for the process.

wm.ip.cm.handlers:done

Sets the current business process to a done (completed) state.

<u>Input Variables</u>	<u>Type</u>	<u>Description</u>
<i>ProcessData</i>	Document	An IData object that contains run-time process information for the process.

wm.ip.cm.handlers:error

Sets the current business process to an error state.

<u>Input Variables</u>	<u>Type</u>	<u>Description</u>
<i>ProcessData</i>	Document	An IData object that contains run-time process information.

wm.ip.cm:getConversationID

Construct a Conversation ID in the format <OriginalReceiverID>-<UniqueIdentifier>.

<u>Input Variables</u>	<u>Type</u>	<u>Description</u>
<i>bizdoc</i>	Document	Bizdoc envelope associated with the current business process.
<i>cid</i>	String	Unique identifier to be used as part of the generated Conversation ID.

<u>Output Variables</u>	<u>Type</u>	<u>Description</u>
<i>convID</i>	String	Generated Conversation ID.

wm.ip.cm:getConversationScript

Finds the first matching process run-time script for a given bizdoc (a BizDocEnvelope). Generates the Conversation ID for the process run-time script that is going to be initiated.

<u>Input Variables</u>	<u>Type</u>	<u>Description</u>
<i>bizdoc</i>	Document	Bizdoc envelope used to find matching process run-time.
<i>finID</i>	String	A unique identifier to be used as part of the Conversation ID.
<i>direction</i>	String	Whether the message is inbound or outbound. Valid values: Inbound or Outbound.

<u>Output Variables</u>	<u>Type</u>	<u>Description</u>
<i>name</i>	String	Specifies the first matching process run-time script for a given bizdoc.

wm.ip.cm:processDocument

This service performs the following tasks:

- Recognizes the incoming document.
- Finds the matching process run-time script if the value you specify for cid is null.
- Saves the incoming document to the Trading Networks database.
- Submits the recognized bizdoc to PRT.

<u>Input Variables</u>	<u>Type</u>	<u>Description</u>
<i>node</i>	Object	Optional - XML node to be recognized as a bizdoc.
<i>input</i>	Document	Optional - IData object to be recognized as a bizdoc to be eventually used to start a new business process or rejoin an existing business process. Either node or input must be present in the pipeline.
<i>nsDecls</i>	Document	Optional - Namespace prefixes to use for the conversion.
<i>cid</i>	String	Optional - The Conversation ID of the business process that the document, which is specified in input, is joining, if one exists. If the document is not currently part of a business process, leave <i>cid</i> null.

wm.ip.cm:startConversation

Starts a process model and passes it a matching process run-time script and assigns the business process the specified Conversation ID.

<u>Input Variables</u>	<u>Type</u>	<u>Description</u>
<i>matchResult</i>	Object	The process run-time script that matches the given bizdoc.
<i>cid</i>	String	The Conversation ID to assign to the business process you are starting.

wm.ip.cm:waitStepInit

Any step in the process that waits for a document can invoke this service. This service:

- Retrieves the BizDocEnvelope that is associated with the current document event.
- Retrieves the TPA that is associated with the business process if it does not already exist.

<u>Input Variables</u>	<u>Type</u>	<u>Description</u>
<i>ProcessData</i>	Document	The data associated with the current business process, such as the process instance ID, roles, etc.

<u>Input Variables</u>	<u>Type</u>	<u>Description</u>
<i>documents</i>	Document	An IData object that contains the documents associated with the business process.
<i>variables</i>	Document	An IData object that contains the variables associated with the business process.
<i>roles</i>	Document	The role information for the sender and receiver of the document.
<i>bizEnv</i>	Document	The BizDoc envelope that is associated with the most recent document event.
<i>TPA</i>	Document	An IData object that contains the trading partner profile information of the partners involved in the business process and process specific variables.

wm.ip.profile

This folder contains services that are used to retrieve information about trading partners and the retrieves the internal identifier of the sender and receiver for a business process.

wm.ip.profile:createCertChainList

Creates a certificate chain list with the user certificate as the first certificate in the list followed with the CA certificate chain.

<u>Input Variables</u>	<u>Type</u>	<u>Description</u>
<i>userCertBytes</i>	Byte []	User certified bytes.
<i>certChainBytes</i>	Byte []	CA certificate chain bytes.

<u>Output Variables</u>	<u>Type</u>	<u>Description</u>
<i>certChain</i>	Object List	User certified and CA certificate chain bytes.

wm.ip.profile:getInternalIDs

Retrieves the internal identifier of the sender and receiver for a business process.

<u>Input Variables</u>	<u>Type</u>	<u>Description</u>
<i>variable</i>	Document	An IData object that contains the variables related to current business process.
<i>focalRole</i>	String	The focal role associated with the current business process.

<u>Output Variables</u>	<u>Type</u>	<u>Description</u>
<i>senderID</i>	String	The Trading Networks internal identifier of the sender.
<i>receiverID</i>	String	The Trading Networks internal identifier of the receiver.
<i>tpaSenderID</i>	String	The Trading Networks internal ID of the partner that is associated with the focal role of the business process.
<i>tpaReceiverID</i>	String	The Trading Networks internal ID of the partner that is associated with the second role of the business process.
<i>secondRole</i>	String	The second role associated with the current business process.

wm.ip.profile:getTPA

This service retrieves the TPA for a given sender, receiver and agreement ID combination.

<u>Input Variables</u>	<u>Type</u>	<u>Description</u>
<i>docTypeName</i>	String	Agreement ID of the TPA.
<i>tpaSenderID</i>	String	The Trading Networks internal identifier of the sender.
<i>tpaReceiverID</i>	String	The Trading Networks internal identifier of the receiver.

<u>Output Variables</u>	<u>Type</u>	<u>Description</u>
<i>tpaData</i>	Document	IData object containing the retrieved TPA data.

wm.ip.profile:getTPAInfo

Retrieves an IData object that represents the trading partner profile and process information related to the current business process.

<u>Input Variables</u>	<u>Type</u>	<u>Description</u>
<i>senderID</i>	String	The Trading Networks internal identifier of the sender.
<i>receiverID</i>	String	The Trading Networks internal identifier of the receiver.
<i>docTypeName</i>	String	Name of the TN document type that was received.
<i>tpaSenderID</i>	String	The Trading Networks internal ID of the partner that is associated with the focal role of the business process.
<i>tpaReceiverID</i>	String	The Trading Networks internal ID of the partner that is associated with the second role of the business process.

<u>Output Variables</u>	<u>Type</u>	<u>Description</u>
<i>TPA</i>	Document	IData object containing sender, receiver profile information and process information related to the current business process.

wm.ip.rec

This folder contains the IS document types used when retrieving TPA information.

<u>IS Document Type</u>	<u>Description</u>
Address	Address information for a trading partner.
Contact	Contact information for trading partner.
Corporation	Company entity information for trading partner.
Delivery	Delivery method information for trading partner.
ExternalID	An external ID for trading partner.
TPAInfo	Trading partner profile information and process information.
TPInfo	Trading partner information for a trading partner.

wm.ip.ui

The services in this folder add submenus' to the specified link under Adapters in the Server Admin UI.

wm.ip.ui:addSubMenu

Add the specified submenu under the specified link in Adapters section of the Server Admin UI.

Input Variables	Type	Description
<i>name</i>	String	The name of the adapter link in Adapters section of the Server Admin UI to which the submenus need to be specified.
<i>tabs</i>	Document List	Information containing the submenus to be added

wm.ip.ui:removeSubMenu

Remove the specified submenu under the specified link in Adapters section of the Server Admin UI.

Input Variables	Type	Description
<i>name</i>	String	The name of the adapter link in Adapters section of the Server Admin UI to remove.
<i>tabs</i>	Document List	Information containing the submenus to be removed.

wm.ip.util

This folder contains utility services used by other packages such as generating unique ID, writing to a file, etc.

wm.ip.util:createFinID

Generates a unique 16 character identifier

Output Variables	Type	Description
<i>finID</i>	String	Generated unique 16-character identifier.

wm.ip.util:formatErrorMessage

Formatted string representation of error IData object.

Input Variables	Type	Description
<i>errorMessage</i>	Document	IData object containing the error information.
<i>tabs</i>	Document List	Information containing the submenus to be removed.

<u>Output Variables</u>	<u>Type</u>	<u>Description</u>
<i>formattedError</i>	String	Formatted string representation of error IData object.

wm.ip.util:getLastDocuments

Retrieves the bizdoc envelope(s) specified in the lastEvents variable from TN database.

<u>Input Variables</u>	<u>Type</u>	<u>Description</u>
<i>variables</i>	Document	IData object containing the variables related to the current business process.
<i>documents</i>	Document	IData object containing the documents related to the current business process.
<i>getContent</i>	String	Optional - Whether you want to retrieve the content for the bizdoc. Valid values: <code>true</code> or <code>false</code> .
<i>lastEvents</i>	String List	IDs of the bizdoc envelopes to be retrieved.

<u>Output Variables</u>	<u>Type</u>	<u>Description</u>
<i>recordCount</i>	String	Number of bizdoc envelopes retrieved from TN database.
<i>events</i>	Document List	IData[] containing the retrieved bizdoc envelope.

wm.ip.util:init

Startup service for WmIPCore package to perform needed initialization routines.

wm.ip.util:invokeService

Invoke the specified service synchronously or asynchronously.

<u>Input Variables</u>	<u>Type</u>	<u>Description</u>
<i>serviceName</i>	String	Service to be invoked.
<i>threadInvoke</i>	String	Optional - Whether service is invoked asynchronously. <code>true</code> . Invoked asynchronously. <code>false</code> . Invoked synchronously in the same thread.
<i>input</i>	Document	IData object containing data to be passed to the service being invoked.

<u>Output Variables</u>	<u>Type</u>	<u>Description</u>
<i>events</i>	Document	IData object containing the output from the service invoked synchronously.

wm.ip.util:removeEmptyStrings

Recursively remove any string variables that either have a null value or zero length in the given IData object.

<u>Input Variables</u>	<u>Type</u>	<u>Description</u>
<i>Record</i>	Document	IData object from which empty string variables need to be removed.

<u>Output Variables</u>	<u>Type</u>	<u>Description</u>
<i>Record</i>	Document	IData object from which empty string variables have been removed

wm.ip.util:writeLog

Write a message to Integration Server Log.

<u>Input Variables</u>	<u>Type</u>	<u>Description</u>
<i>message</i>	String	The detailed message to write to the Integration Server Log.
<i>briefMessage</i>	String	Optional - Brief message to write to the Integration Server Log.
<i>relatedConversationId</i>	String	Optional - The business process to which the log message relates.
<i>TNLevel</i>	String	Optional - Type of activity log entry to create. Valid values: OFF, MESSAGE, WARNING, or ERROR.

wm.ip.util:writeToFile

Writes the specified string or the specified bytes to the local file system.

<u>Input Variables</u>	<u>Type</u>	<u>Description</u>
<i>FileName</i>	String	Name of the file to which to write the specified the string or bytes. Either specify a file name relative to the Integration Server home folder or specify a fully-qualified path name.

<u>Input Variables</u>	<u>Type</u>	<u>Description</u>
<i>userdata</i>	String	Optional - String (in UTF-8 encoding) to write to the file system. You must specify either <i>userdata</i> or <i>bytesIn</i> .
<i>bytesIn</i>	Object	Optional - Bytes to be write to the file system. You must specify either <i>userdata</i> or <i>bytesIn</i> .

<u>Output Variables</u>	<u>Type</u>	<u>Description</u>
<i>errorStatus</i>	String	Optional - Error message when writing to the local file system.

WmFINSamples Package

The WmFINSamples package contains the services that are used by the sample.

wm.fin.mappingFunctions

The services found within this folder provide mapping functions that are used in SWIFT message migration; that is, conversion of a SWIFT message from one ISO message type to another (in this case, between ISO 7775 and ISO 15022). The functions are used in the services created by the `wm.fin.migration:templateToMap` service to transform field values during the mapping process.

wm.fin.mappingFunctions:AccruedInterestRemoveDays

Remove days from Accrued Interest Field.

<u>Input Variables</u>	<u>Type</u>	<u>Description</u>
<i>value</i>	String	Input string.

<u>Output Variables</u>	<u>Type</u>	<u>Description</u>
<i>output</i>	String	Output string.

wm.fin.mappingFunctions:BookValueToDealPriceIn15022

Convert from ISO 7775 Book Value field to ISO 15022 Deal Price (place //ACTU at the start of the value).

<u>Input Variables</u>	<u>Type</u>	<u>Description</u>
<i>value</i>	String	Input string.
<i>param</i>	String	Input variable. This is the fully-qualified name of the field within the target message where the party identifier will be placed.

<u>Output Variables</u>	<u>Type</u>	<u>Description</u>
<i>output</i>	String	Output string. This is the remainder section of the input string.

wm.fin.mappingFunctions:CrestStripPartyIdentifier

Strips party identifier from the value where the party identifier begins with '/CREST ', and returns both the party identifier and the remainder.

<u>Input Variables</u>	<u>Type</u>	<u>Description</u>
<i>value</i>	String	Input string.
<i>param</i>	String	Input variable. This is the fully-qualified name of the field within the target message where the party identifier will be placed.

<u>Output Variables</u>	<u>Type</u>	<u>Description</u>
<i>output</i>	String	Output string. This is the remainder section of the input string.

wm.fin.mappingFunctions:FullStripPartyIdentifier

Strips party identifier and returns both the party identifier and the remainder.

<u>Input Variables</u>	<u>Type</u>	<u>Description</u>
<i>value</i>	String	Input string.
<i>param</i>	String	Input variable. This is the fully-qualified name of the field within the target message where the party identifier will be placed.

<u>Output Variables</u>	<u>Type</u>	<u>Description</u>
<i>output</i>	String	Output string.

wm.fin.mappingFunctions:InsertSlashes

Insert two slashes at the beginning of a string.

<u>Input Variables</u>	<u>Type</u>	<u>Description</u>
<i>value</i>	String	Input string.

<u>Output Variables</u>	<u>Type</u>	<u>Description</u>
<i>output</i>	String	Output string. This is “//” followed by the input string.

wm.fin.mappingFunctions:QuantityOfSecurities

Converts to new Security Quantity string format (Starts with FMT, UNT, or other to FAMT//, UNIT// or AMOR// respectively).

<u>Input Variables</u>	<u>Type</u>	<u>Description</u>
<i>value</i>	String	Input string.

<u>Output Variables</u>	<u>Type</u>	<u>Description</u>
<i>output</i>	String	Output string. This is the converted <i>QuantityOfSecurities</i> value.

wm.fin.mappingFunctions:RemoveSlashes

Removes the slashes at the beginning of a string.

<u>Input Variables</u>	<u>Type</u>	<u>Description</u>
<i>value</i>	String	Input string.

<u>Output Variables</u>	<u>Type</u>	<u>Description</u>
<i>output</i>	String	Output string. This is input string without leading slashes.

wm.fin.mappingFunctions:StripPartyIdentifier

Strips party identifier and returns remainder.

<u>Input Variables</u>	<u>Type</u>	<u>Description</u>
<i>value</i>	String	Input string.

<u>Output Variables</u>	<u>Type</u>	<u>Description</u>
<i>output</i>	String	Output string. This is input string minus the party identifier (if present).

wm.fin.mappingFunctions:TaxesAdded

Returns only the Taxes Added subsection of the field.

<u>Input Variables</u>	<u>Type</u>	<u>Description</u>
<i>value</i>	String	Input string.
<i>param</i>	String	Optional - Input variable.

<u>Output Variables</u>	<u>Type</u>	<u>Description</u>
<i>output</i>	String	Output string.

wm.fin.mappingFunctions:call

Used primarily in conversion maps, this service will take the first available input, invoke the appropriate services, and return an output string.

<u>Input Variables</u>	<u>Type</u>	<u>Description</u>
<i>value</i>	Document	Input fields providing mapping information.

<u>Output Variables</u>	<u>Type</u>	<u>Description</u>
<i>output</i>	String	Results of input.

wm.fin.mappingFunctions:dateAndPlaceMapTo15022

Converts date format from YYMMDD to YYYYMMDD and maps place value.

<u>Input Variables</u>	<u>Type</u>	<u>Description</u>
<i>value</i>	String	Input string.

<u>Output Variables</u>	<u>Type</u>	<u>Description</u>
<i>output</i>	String	Output string.
<i>TRADDET.94B::TRAD</i>	String	Mapped place value (migration service will map to correct IS Document format).

wm.fin.mappingFunctions:dateMapTo15022

Converts date format from YYMMDD to YYYYMMDD.

<u>Input Variables</u>	<u>Type</u>	<u>Description</u>
<i>value</i>	String	Input string.

<u>Output Variables</u>	<u>Type</u>	<u>Description</u>
<i>output</i>	String	Output string. This is the converted date.

wm.fin.mappingFunctions:dateMapTo7775

Converts date format from YYYYMMDD to YYMMDD.

<u>Input Variables</u>	<u>Type</u>	<u>Description</u>
<i>value</i>	String	Input string.

<u>Output Variables</u>	<u>Type</u>	<u>Description</u>
<i>output</i>	String	Output string. This is the converted date.

wm.fin.mappingFunctions:replaceMT

Replace the three-character string describing message type with a new message type. Input string is assumed to be the Application Header (Block 2) raw string, without '{2:' at the start.

<u>Input Variables</u>	<u>Type</u>	<u>Description</u>
<i>value</i>	String	Input string.
<i>param</i>	String	Input variable.

<u>Output Variables</u>	<u>Type</u>	<u>Description</u>
<i>output</i>	String	Output string.

wm.fin.mappingFunctions:strip

Strips specified leading characters from string.

<u>Input Variables</u>	<u>Type</u>	<u>Description</u>
<i>value</i>	String	Input string.
<i>param</i>	String	Input variable. This is the number of characters to strip from the beginning of the input string.

<u>Output Variables</u>	<u>Type</u>	<u>Description</u>
<i>output</i>	String	Output string. This is the stripped input string.

wm.fin.mappingFunctions:truncate

Truncates string to specified size.

<u>Input Variables</u>	<u>Type</u>	<u>Description</u>
<i>value</i>	String	Input string.
<i>param</i>	String	Input variable. This is the number of characters to truncate the input string to.

<u>Output Variables</u>	<u>Type</u>	<u>Description</u>
<i>output</i>	String	Output string. This is the truncated input string.

wm.fin.migration

The services in this folder are used in the migration of SWIFT FIN messages from ISO 7775 to ISO 15022 and ISO 15022 to ISO 7775.

wm.fin.migration:mapIDataToMap

This service is for internal use only.

wm.fin.migration:templateToMap

Creates a webMethods Flow map from a template that can be used in the migration of ISO 7775 messages to ISO 15022 and ISO 15022 to ISO 7775.



Note: IS Documents for the input/output MUST be created first.

<u>Input Variables</u>	<u>Type</u>	<u>Description</u>
<i>templateFileName</i>	String	Path of migration template. For example, <code>packages/WmFINDev/import/templateName</code> .
<i>package</i>	String	IS package in which to generate the migration map. For example, <code>Default</code> .
<i>mapServiceName</i>	String	Fully qualified IS service name of the migration map. For example, <code>wm.fin.migration.maps: map520To540</code> .
<i>inputMsgType</i>	String	SWIFT message type of the input SWIFT message. For example, <code>502</code> .
<i>inputVersion</i>	String	FIN version of the input SWIFT message. For example, <code>may05</code> .
<i>inputFormat</i>	String	The format of the generated blocks and fields for the input SWIFT message. Valid values: <ul style="list-style-type: none"> ■ <code>TAG_BIZNAME</code> (default). SWIFT Message tag followed by the business name specified in the message DFD. ■ <code>TAGONLY</code>. SWIFT Message tag only. ■ <code>BIZNAMEONLY</code>. Business name specified in the message DFD. ■ <code>XMLTAG</code>. XML-compatible tag name. This format cannot contain colons or tags that begin with a number. For example, <code>F23G</code>.
<i>outputMsgType</i>	String	SWIFT message type of the output SWIFT message. For example, <code>502</code> .

<u>Input Variables</u>	<u>Type</u>	<u>Description</u>
<i>outputVersion</i>	String	SWIFT version of the output SWIFT message. For example, may05.
<i>outputFormat</i>	String	For the output SWIFT message. The format of the generated blocks and fields. Valid values: <ul style="list-style-type: none">■ TAG_BIZNAME (default). SWIFT Message tag followed by the business name specified in the message DFD.■ TAGONLY. SWIFT Message tag only.■ BIZNAMEONLY. Business name specified in the message DFD.■ XMLTAG. XML-compatible tag name. This format cannot contain colons or tags that begin with a number. For example, F23G.

`wm.fin.migration:templateToMapIData`

This service is for internal use only.

XML Parsing Templates

■ Overview	162
■ SWIFT Message Data	163
■ Parsing Template Structure	165

Overview



Important! XML parsing templates are used only when receiving messages in Integration Server.

webMethods provides XML parsing template files to define the structure of SWIFT FIN messages. Each parsing template describes the message using an XML syntax, and each parsing template defines a unique SWIFT message. The webMethods SWIFT FIN Module uses the parsing template when it receives a message of that type.

To fully define the entire set of SWIFT FIN messages, a parsing template is required for each type of SWIFT message. The parsing templates are installed in the appropriate category and version folder. The webMethods SWIFT FIN Module reads a parsing template as needed at run time.

The name of each parsing template is based on the definition of the message type it contains. Each message type has a unique ID, which is usually a three-digit number. Typically, the name of a parsing template follows a convention that indicates the MT defined in the parsing template. The following table shows the format used for the names of parsing templates:

Format of Parsing Template Name	Used for...
<code>swiftmtF21.xml</code>	Incoming ACK/NACK messages returned by the SWIFT system. Any service message will follow this file name format.
<code>swiftmtnnn.xml</code> where nnn is the unique id for the message type.	All other incoming messages types and all outgoing message. The webMethods SWIFT FIN Module looks for a specific parsing template file for the specific type of message. For example, <code>swiftmt101.xml</code> .

The parsing templates that webMethods provides are a mixture of messages that conform to the older SWIFT message standard (ISO 1775) and the new standard (ISO 15022). The webMethods SWIFT FIN Module can support both standards because of the flexible parsing template syntax. As a result, when SWIFT issues an update of their message standards, you can define new parsing templates for new SWIFT message formats or update existing parsing templates for updated SWIFT message formats.

The `wm.fin.trp:receive` service converts messages that are received from SWIFT into Integration Server document structures. Likewise, the `wm.fin.trp:send` service converts Integration Server documents into SWIFT FIN messages, so that the messages can be sent to SWIFT.

SWIFT Message Data

The following message is a sample of *MT 101*. Users unfamiliar with the SWIFT format should take time to study this data. Alternate blocks and repeating sequences within block 4 have been highlighted for clarity.

```

{1:F01PASOBEB0AXXX0071007172}{2:O1011509010306LRLRXXXX4A00000009622301
03061609N}
{3:{108:MT101 005 OF 007}}{4:
:20:00054
:50H:/12345-67891
WALT DISNEY COMPANY
:30:000228
:
:21:DP951101TRSGB
:32B:USD132546,93
:50L:WALT DISNEY PRODUCTION HOLLYWOOD CA
:57A:TESTGBVT
:59:/0010499
TRISTAN RECORDING STUDIOS
35 SURREY ROAD
BROMLEY, KENT
:71A:OUR
:21:WDC951101RPCUS
:32B:USD377250,
:50L:WALT DISNEY COMPANY LOS ANGELES, CA
:57A:TESTUSVT
:59:/26351-38947
RIVERS PAPER COMPANY
37498 STONE ROAD
SAM RAMON, CA
:71A:OUR
-}{5:{MAC:711DDD87}{CHK:A66AB15C6E3F}{TNG:}}{S:{SAC:}{COP:P}}

```

Sample SWIFT Message Definition

The following tables give the definition of block 4 in SWIFT message 101. Blocks 1, 2, 3 and 5 are not shown because they have a fixed definition for all message types.

Block 4, Mandatory Sequence A

Field Name	Mandatory
21R	No
50L	No
50H	No

Field Name	Mandatory
52A <i>or</i> 52C	No
51A	No
30	Yes
25	No

Block 4, Mandatory Repetitive Sequence B

Field Name	Mandatory	Notes
21	Yes	
21F	No	
23E	Yes	Field can repeat multiple times.
32B	Yes	
50L	No	
50H	No	
52A <i>or</i> 52C	No	
56A <i>or</i> 56C <i>or</i> 56D	Yes	
57A <i>or</i> 57C <i>or</i> 57D	No	
59	Yes	
70	No	
77B	No	
33B	No	
71A	Yes	
25A	No	
36	No	

Parsing Template Structure

All SWIFT FIN messages are essentially a sequence of fields that are contained within blocks. The message syntax allows for the fact that blocks and fields can be optional, and that blocks can be nested to any level, can repeat, or embed submessages. Every SWIFT message consists of one to five blocks as shown in the following table.

Block ID	Block Name	Mandatory	Description
1	Basic Header	Yes	Contains fixed length, untagged fields.
2	Application Header	No	Contains fixed length, untagged fields.
3	User Header	No	Contains tagged, delimited fields that are mapped to individual fields.
4	Text	No	Contains tagged, delimited fields that are mapped to individual fields within a sub structure. This block can contain nested blocks of fields that are mapped into further sub-structures. It also can contain repeating sequences of fields, which are mapped to a sequence of structures.
5	Trailers	No	Contains delimited, tagged fields that are mapped to individual fields within a sub structure.

Each of these five basic blocks is enclosed in braces {...} and is identified by a single digit. Although defined as an optional block, in practice block 4 is always present because it contains the actual message text.

Despite these complexities, the parsing templates use just two main elements: *block* and *lineAttribute*.

Sample Parsing Template

A sample parsing template is illustrated below:

Sample Parsing Template

```
<?xml version="1.0"?>
<block id="101" isMandatory="true" isList="false">
  <lineAttribute id="1:" isMandatory="true" extractHint="BR,{,},T,S"
  idHint="FL,0,2" B2BMap="" EAMap="B1" />
  <lineAttribute id="2:" isMandatory="false" extractHint="BR,{,},T,S"
  idHint="FL,0,2" B2BMap="" EAMap="B2" />
  <block id="3:" isMandatory="true" isList="false" termString=""
  extractHint="BR,{,},T,S" idHint="FL,0,2" EAMap="B3">
    <lineAttribute id="103:" isMandatory="false"
  extractHint="BR,{,},T,S" idHint="FL,0,4" B2BMap="" EAMap="O103" />
    <lineAttribute id="113:" isMandatory="false"
  extractHint="BR,{,},T,S" idHint="FL,0,4" B2BMap="" EAMap="O113" />
    <lineAttribute id="108:" isMandatory="false"
  extractHint="BR,{,},T,S" idHint="FL,0,4" B2BMap="" EAMap="O108" />
    <lineAttribute id="119:" isMandatory="false"
  extractHint="BR,{,},T,S" idHint="FL,0,4" B2BMap="" EAMap="O119" />
    <lineAttribute id="115:" isMandatory="false"
  extractHint="BR,{,},T,S" idHint="FL,0,4" B2BMap="" EAMap="O115" />
  </block>
  <block id="4:\r\n" isMandatory="false" isList="false"
  termString="\r\n" extractHint="BR,{,-},T,S" idHint="FL,0,4" EAMap="B4">
    <lineAttribute id=":20:" isMandatory="true"
  extractHint="DL,:,T,S" idHint="FL,0,4" B2BMap="" EAMap="M20" />
    <lineAttribute id=":21R:" isMandatory="false"
  extractHint="DL,:,T,S" idHint="FL,0,5" B2BMap="" EAMap="O21R" />
    <lineAttribute id=":50L:" isMandatory="false"
  extractHint="DL,:,T,S" idHint="FL,0,5" B2BMap="" EAMap="O50L" />
    <lineAttribute id=":50H:" isMandatory="false"
  extractHint="DL,:,T,S" idHint="FL,0,5" B2BMap="" EAMap="O50H" />
    <lineAttribute id=":52A,:,52C:" isMandatory="false"
  extractHint="DL,:,T,S" idHint="FL,0,5" B2BMap="" EAMap="O52A,O52C" />
    <lineAttribute id=":51A:" isMandatory="false"
  extractHint="DL,:,T,S" idHint="FL,0,5" B2BMap="" EAMap="O51A" />
    <lineAttribute id=":30:" isMandatory="true"
  extractHint="DL,:,T,S" idHint="FL,0,4" B2BMap="" EAMap="M30" />
    <lineAttribute id=":25:" isMandatory="false"
  extractHint="DL,:,T,S" idHint="FL,0,4" B2BMap="" EAMap="O25" />
    <block id="B4B" isMandatory="true" isList="true" termString="\r\n"
  EAMap="B4B">
      <lineAttribute id=":21:" isMandatory="true"
    extractHint="DL,:,T,S" idHint="FL,0,4" B2BMap="" EAMap="M21" />
      <lineAttribute id=":21F:" isMandatory="false"
    extractHint="DL,:,T,S" idHint="FL,0,5" B2BMap="" EAMap="O21F" />
      <block id="B423E" isMandatory="false" isList="true"
```

```

termString="\r\n" EAImap="B423E">
  <lineAttribute id=":23E:" isMandatory="true"
extractHint="DL, :,T,S" idHint="FL,0,5" B2BMap="" EAImap="O23E" />
  </block>
  <lineAttribute id=":32B:" isMandatory="true"
extractHint="DL, :,T,S" idHint="FL,0,5" B2BMap="" EAImap="M32B" />
  <lineAttribute id=":50L:" isMandatory="false"
extractHint="DL, :,T,S" idHint="FL,0,5" B2BMap="" EAImap="O50L" />
  <lineAttribute id=":50H:" isMandatory="false"
extractHint="DL, :,T,S" idHint="FL,0,5" B2BMap="" EAImap="O50H" />
  <lineAttribute id=":52A:,:52C:" isMandatory="false"
extractHint="DL, :,T,S" idHint="FL,0,5" B2BMap="" EAImap="O52A,O52C" />
  <lineAttribute id=":56A:,:56C:,:56D:" isMandatory="false"
extractHint="DL, :,T,S" idHint="FL,0,5" B2BMap="" EAImap="O56A,O56C,O56D"
/>
  <lineAttribute id=":57A:,:57C:,:57D:" isMandatory="false"
extractHint="DL, :,T,S" idHint="FL,0,5" B2BMap="" EAImap="O57A,O57C,O57D"
/>
  <lineAttribute id=":59:" isMandatory="true"
extractHint="DL, :,T,S" idHint="FL,0,4" B2BMap="" EAImap="M59" />
  <lineAttribute id=":70:" isMandatory="false"
extractHint="DL, :,T,S" idHint="FL,0,4" B2BMap="" EAImap="O70" />
  <lineAttribute id=":77B:" isMandatory="false"
extractHint="DL, :,T,S" idHint="FL,0,5" B2BMap="" EAImap="O77B" />
  <lineAttribute id=":33B:" isMandatory="false"
extractHint="DL, :,T,S" idHint="FL,0,5" B2BMap="" EAImap="O33B" />
  <lineAttribute id=":71A:" isMandatory="true"
extractHint="DL, :,T,S" idHint="FL,0,5" B2BMap="" EAImap="M71A" />
  <lineAttribute id=":25A:" isMandatory="false"
extractHint="DL, :,T,S" idHint="FL,0,5" B2BMap="" EAImap="O25A" />
  <lineAttribute id=":36:" isMandatory="false"
extractHint="DL, :,T,S" idHint="FL,0,4" B2BMap="" EAImap="O36" />
  </block>
</block>
  <block id="5:" isMandatory="false" isList="false" termString="\r\n"
extractHint="BR, {, },T,S" idHint="FL,0,2" EAImap="B5">
  <lineAttribute id="MAC" isMandatory="true"
extractHint="BR, {, },T,S" idHint="FL,0,3" B2BMap="" EAImap="MMAC" />
  <lineAttribute id="CHK" isMandatory="true"
extractHint="BR, {, },T,S" idHint="FL,0,3" B2BMap="" EAImap="MCHK" />
  <lineAttribute id="TNG" isMandatory="false"
extractHint="BR, {, },T,S" idHint="FL,0,3" B2BMap="" EAImap="OTNG" />
  <lineAttribute id="PDE" isMandatory="false"
extractHint="BR, {, },T,S" idHint="FL,0,3" B2BMap="" EAImap="OPDE" />
  <lineAttribute id="SYS" isMandatory="false"
extractHint="BR, {, },T,S" idHint="FL,0,3" B2BMap="" EAImap="OSYS" />
  <lineAttribute id="PDM" isMandatory="false"
extractHint="BR, {, },T,S" idHint="FL,0,3" B2BMap="" EAImap="OPDM" />
  <lineAttribute id="DLM" isMandatory="false"
extractHint="BR, {, },T,S" idHint="FL,0,3" B2BMap="" EAImap="ODLM" />

```

```

        <lineAttribute id="PAC" isMandatory="false"
extractHint="BR,{,},T,S" idHint="FL,0,3" B2BMap="" EAImap="OPAC" />
        <lineAttribute id="MRF" isMandatory="false"
extractHint="BR,{,},T,S" idHint="FL,0,3" B2BMap="" EAImap="OMRF" />
    </block>
</block>

```

Block Syntax of a Parsing Template

The `block` elements in the SWIFT parsing template define the blocks in the SWIFT message. The syntax of a `block` directive is shown below. (Note that optional parameters are shown in square braces [].)

```

<block id="id" isMandatory="true|false" isList="true|false"
 [termString="string"] [ EAImap="string" ] [[extractHint="hint"
idHint="hint" ] [ loadBlockHint="hint" blockPointer="pointer" ]]>

```

For the first (outer most) block directive, only the mandatory parameters are supplied. The first block directive identifies the entire message, which translates to the top level Enterprise document type. The syntax of the first block directive always takes the following syntax:

```

<block id="nnn" isMandatory="true" isList="false">

```

where *nnn* is the SWIFT message type number. This number must match the number in the parsing template file name, for example, for *MT 101*, the value of *nnn* must be 101 in the file `swiftmt101.xml`.

For all subsequent blocks, the `block` directive requires optional parameters. The full set of parameters are described below.

Elements	Values	Description
<code>id</code>	block id	The block number in the SWIFT message, including delimiting characters. For the first block directive this contains the message type id.
<code>isMandatory</code>	<code>true</code> <code>false</code>	<code>false</code> indicates that the block is optional and does not need to be present for the message to be considered valid. <code>true</code> indicates that the block must be present in an incoming message or the message will fail validation.
<code>isList</code>	<code>true</code> <code>false</code>	<code>false</code> indicates that only one instance of the block can occur. <code>true</code> indicates that the block can repeat one or more times.
<code>termString</code>	<code>\r</code> (carriage return) <code>\n</code> (line feed)	Characters that occur at the end of the block. Some blocks are terminated with a carriage return + line feed, while other blocks. For example blocks 1, 2 and 3, are not terminated with a carriage return + line feed and the value of <code>termString</code> should be an empty string (<code>termString=""</code>).

Elements	Values	Description
EAImap	document structure name	Represents the name of the structure in the document that the SWIFT message block is mapped to or from. By convention, the EAImap value for blocks is prefixed with 'B'.
extractHint	Parameter list	<p>he first member of which must be BR, block is enclosed in braces. The syntactical clue used to identify the beginning and end of blocks.</p> <ul style="list-style-type: none"> ■ For an incoming message, <code>extractHint</code> is used to strip block markers from the raw data. ■ For an outgoing message, <code>extractHint</code> specifies the padding characters to be applied to form a syntactically correct message block. <p>Note: The 'braces' used to enclose blocks can comprise <i>any characters</i>, such as <code>{.....blockdata.....-}</code></p> <p style="text-align: center;">or</p> <p><code>:16R:TRADE.....blockdata.....:16S:TRADE</code></p> <p>For a full explanation of this element, see "Hint Processing" on page 172.</p>
IdHint	Parameter list	<p>The first member of which must be FL, tag is fixed length or EH, tag is derived from the <code>extractHint</code>.</p> <p>Syntactical clue used to extract the tag that identifies the block extracted using the <code>extractHint</code>.</p> <ul style="list-style-type: none"> ■ FL is used in most cases, and is used to strip the first few characters from the remaining raw data. ■ EH is used to extract the first few characters from the block marker stripped by the extract hint. This is used where the block delimiters are themselves a string, such as, 16R:TRADE. <p>For the webMethods SWIFT FIN Module to identify the block correctly, the text returned by <code>idHint</code> <i>must match</i> the value in the block id element.</p> <p>For a full explanation of this element, see "Hint Processing" on page 172.</p>

Elements	Values	Description
loadBlockHint	Parameter list	<p>The first member of which must be FL, tag is fixed length. Used for embedded messages, such as in n92, n95 and n96. These messages embed block 4 of a message that was previously processed. The embedded message can be any of the SWIFT message types.</p> <p>loadBlockHint is used to determine the sub-template that must be embedded in the current parsing template whenever an embedded message is received. It extracts the message type number (100, 101, 521 etc.) from the data returned by a preceding lineAttribute.</p> <p>For a full explanation of this element, see “Hint Processing” on page 172.</p> <p>Note: loadBlockHint must be used in conjunction with blockPointer. If these elements are specified, extractHint and idHint are omitted.</p>
blockPointer	4:\r\n	<p>Used in conjunction with loadBlockHint.</p> <p>Specifies that block 4 is to be included from the embedded parsing template.</p>

Line Attribute Syntax of a Parsing Template

The lineAttribute elements typically define a single field in the message, although it also is used in the generic parsing template to include an entire block of fields. The syntax of the lineAttribute directive is shown below.

Note that optional parameters are shown in square braces [].

```
<block id="id" isMandatory="true|false"
EAImap="string" extractHint="hint" idHint="hint"
[ blockLoadField="true" ]>
```

Elements	Values	Description
id	field id or field id list	The field tag in the SWIFT message, including delimiting characters. Mutually exclusive fields are depicted as a comma separated list (see fields 52, 56 and 57 in the example parsing template above).
isMandatory	true / false	false indicates the <i>lineAttribute</i> is optional and need not be present for the message to be considered valid. true indicates the field represented by the <i>lineAttribute</i> must be present in an incoming message, or the message will fail validation. For an outgoing message, the corresponding field in the Enterprise document (specified by the EAImap element) must be populated, or the message will fail validation.
EAImap	document field name or document field name list	The name of the field in the Enterprise document that the <i>lineAttribute</i> is mapped to or from. By convention, the EAImap value for <i>lineAttributes</i> are prefixed with 'O' for optional fields or 'M' for mandatory fields. Mutually exclusive fields are depicted as a comma separated list that must match up with the field ID list.
extractHint	Parameter list	The first member of which must be BR , field is enclosed by braces, DL , field is delimited, or CK , field will contain the entire block data in a single chunk. <hr/> Note: CK is used for the generic parsing template only. <hr/> Syntactical clue used to identify the beginning and end of fields. For an incoming message, <i>extractHint</i> is used to identify the end of the field data and to strip any braces from the raw data. For a full explanation of this element, see “Hint Processing” on page 172 .

Elements	Values	Description
idHint	Parameter list	<p>The first member of which must be FL, ID is fixed length, or CK, ID will not be extracted as the field contains the entire block in a single chunk.</p> <p>Syntactical clue used to identify and strip the ID of the field extracted using the <code>extractHint</code>. The <code>idHint</code> is applied to the raw data line and typically uses a fixed length parameter to return the first few characters of the data.</p> <p>For the webMethods SWIFT FIN Module to identify the field correctly, the text returned by <code>idHint</code> using FL must match the value in the <code>lineAttribute</code> ID element. For a full explanation of this element, see “Hint Processing” on page 172.</p>
blockLoadField	true (if specified)	Optional element that causes the <code>lineAttribute</code> to be referenced by a subsequent <code>loadBlockHint</code> directive. <code>blockLoadField</code> must precede <code>loadBlockHint</code> in the parsing template.

Hint Processing

`ExtractHint`, `idHint`, and `loadBlockHint` are used in `block` and `lineAttribute` directives. The full syntax is provided in the following sections.

Braced fields

Used where the data is enclosed in one or more bracing characters BR, <open brace characters>, <close brace characters>, <tag flag>, <tag position>.

Delimited fields

Used where fields are delimited by a single character DL, <delimiting character>, <tag flag>, <tag position>

Chunk data

Used where data is treated as a single chunk, without further parsing CK, <tag flag>, <tag position> or `extractHint` CK[, <from position>, <to position>] for `idHint`.

Fixed length

Used where data occupies a fixed number of characters FL, <from position>, <to position>.

Extract hint

Used to extract a fixed number of characters from the extract hint EH, <from position>, <to position>.

The remaining parameters are given in the following table:

Parameter	Values	Description
open brace character	any sequence of characters	The character(s) used to identify the beginning of the block or field
close brace character	any sequence of characters	The character(s) used to identify the end of the block or field
delimiting character	any character	A single character that separates fields
from position	numeric character	Starting character position used to extract fixed length data from the raw data after the block characters have been stripped off. First character is position 0.
to position	numeric character	Last character position plus one used to extract fixed length data.
tag flag	T or N	T (tagged) – the field tag is included with the data. N (not tagged) – data does not include the tag field
tag position	S or E	S (start) – data tag precedes the data. E (end) – data tag follows the data.

Miscellaneous Notes

The following notes should be read and understood before attempting to maintain the webMethods SWIFT FIN Module parsing templates.

- While SWIFT defines block 1 as the only mandatory block, in general the parsing templates define blocks 1 through 4 as mandatory.
- Individual optional repeating fields must be defined as a mandatory field within an optional block.
- When loadBlockHint / blockPointer is used, isMandatory must be true and isList must be false.
- If extractHint uses chunk parameter (CK), idHint must also be CK.

- `loadBlockField` and associated `loadBlockHint / blockPointer` can only occur once in the parsing template.
- Block 3 must include field 108. This is required to correctly process ACK/NACK messages received from the SWIFT network.

webMethods SWIFT FIN Module Sample

■ Overview	176
■ Before You Begin	177
■ How Do I Run the Sample?	178
■ Step 1: Set Up Partner Profiles	178
■ Step 2: Import TN Document Types and TPAs	182
■ Step 3: Run ImportFINItems for Each TN Document Type	184
■ Step 5: Import, Generate, and Enable the Process Models	186
■ Step 6: Run the Business Process	191
■ Step 7: View the Business Process	197

Overview

This document provides a real-world example of sending SWIFT FIN messages using the webMethods SWIFT FIN Module. In this example, two financial institutions (trading partners) join in a SWIFT *business process* (also called a conversation) that adheres to the SWIFT standard. You will use various webMethods interfaces to simulate this business process. This document assumes that you are familiar with the webMethods Integration Server, the Server Administrator, webMethods Developer, webMethods Trading Networks, the Trading Networks Console, webMethods Modeler, and webMethods Monitor.


Who Are the Trading Partners?

The sender is EuroClear. EuroClear performs the role of the *initiating party* in this sample. The receiver is UBS Warburg. UBS Warburg performs the role of the *executing party* in this sample.

What Will Be Accomplished?

EuroClear, as the initiating party, will implement the SWIFT FIN messages *MT 564*, *568*, and *566*, with UBS Warburg, the executing party. The process is as follows:

- EuroClear sends an *MT 564, Corporate Action Notification*, to UBS Warburg. This is used to provide an account owner with the details of a corporate action event along with the possible elections or choices available to the account owner.
- UBS Warburg sends an *MT 565, Corporate Action Instruction*, to EuroClear. This message is used to provide the custodian with instructions on how the account owner wishes to proceed with a corporate action event. Instructions include investment decisions regarding the exercise of rights issues, the election of stock or cash when the option is available, and decisions on the conversion or tendering of securities.
- EuroClear sends an *MT 568, Corporate Action Narrative*, to UBS Warburg. This message is used to provide complex instructions or narrative details relating to a corporate action event.
- EuroClear sends an *MT 566, Corporate Action Confirmation*, to UBS Warburg. This message is used to confirm to the account owner that securities and/or cash have been credited/debited to an account as the result of a corporate action event.



Before You Begin

In this sample scenario, you will use the IS document types and services in the various folders of the packages that make up the webMethods SWIFT FIN Module. This guide assumes that you are familiar with the Integration Server, Trading Networks, Modeler, and Monitor.

Make sure that you have:

- Installed the Integration Server, Trading Networks, Modeler, and Monitor.

For information about installing these webMethods components, see the *webMethods Integration Platform Installation Guide*.

- Installed the webMethods SWIFT FIN Module and the nov03 Category 5 messages.

For information about installing the webMethods SWIFT FIN Module, see [Chapter 2, “Installing the webMethods SWIFT FIN Module”](#) on [page 27](#).



Note: You can run the entire sample on one computer running a single installation of the webMethods6 \IntegrationServer with Trading Networks, Modeler, Monitor, and the SWIFT FIN Module. While you can set up two separate machines to simulate an over-the-network connection to a trading partner, you do not need to do so to run the sample. This guide directs you to run the entire sample on a *single* machine.

How Do I Run the Sample?



Important! These steps assume that you already have created database tables for you BIC information and imported you BIC or BIC+ list. For more information, see [Chapter 6, “Working with BIC and BIC+ Lists”](#) on page 65.

To run the sample, you will need to perform the following steps after installation:

- [Step 1: Set Up Partner Profiles](#)
- [Step 2: Import TN Document Types and TPAs](#)
- [Step 3: Run ImportFINItems for Each TN Document Type](#)
- [Step 4: Import the Sample BIC List Database](#)
- [Step 5: Import, Generate, and Enable the Process Models](#)
- [Step 6: Run the Business Process](#)
- [Step 7: View the Business Process](#)



Note: For more information about installation requirements to run the webMethods SWIFT FIN Module sample, see the previous section, [“Before You Begin”](#) on page 177.

Step 1: Set Up Partner Profiles

Perform the following procedures to set up the trading partner profiles that the sample uses. You define in Trading Networks Console the profiles for EuroClear (Enterprise) and UBS Warburg.

In the sample, set up the Enterprise profile for EuroClear (the initiating party in this sample) and a partner profile for UBS Warburg (the executing party in this sample).


Create the Enterprise Profile for EuroClear

Perform the following steps to set up EuroClear as the Enterprise profile in the Trading Networks Console.

To create the Enterprise profile for EuroClear

- 1 Start the Integration Server, Server Administrator, and Trading Networks Console, if they are not already running.
- 2 In the Trading Networks Console, select **Tools** ▶ **Profile Assistant**. The Trading Networks Console displays the first page of the **Profile Assistant**.
- 3 Select **Create my profile**, if it is not already selected, and then click **Next**. The Trading Networks Console displays the next page of the **Profile Assistant**, which you use to supply the name of the corporation.

Note that the Trading Networks Console highlights required fields in blue and also marks the required fields with an asterisk.

- 4 Type `EuroClear` in the **Corporation Name** field. You also can enter information for the **Unit Name** and import an image file for the corporate logo, but you are only required to fill in the **Corporation Name**.
- 5 Click **Next** twice. The Trading Networks Console displays the next page of the **Profile Assistant**, which you use to supply the corporation's external ID, which is the BIC for EuroClear.
- 6 Click **Add New External ID** , select **BIC** from the **External ID Type** column, and type `MGTCBEBEECL` in the **Value** column.

Note: To run the sample using your own profile, enter your enterprise BIC in this field.

- 7 Click **Next** until you reach the last page of the **Profile Assistant**.
- 8 Click **Finish**.


Verifying and Enabling the EuroClear Profile

To verify that the Enterprise profile for EuroClear is configured correctly for the sample, view the profile. You also must enable the profile. Perform the following to verify and enable the profile.

To verify and enable the profile for EuroClear is configured correctly

- 1 In the Trading Networks Console, in the Selector panel, select the Enterprise radio button, if it is not already selected.
- 2 Select **View ▶ Profile**.
- 3 Click through the tabs of the profile to verify that the profile for EuroClear is configured as shown in the following figure, or using your Enterprise information.

Enterprise Profile

Corporation Name:	EuroClear		External ID Type	Value
Unit Name:			BIC	MGTCBEBEECL
Partner Type:	 webMethods Trading Networks			

- 4 To enable the profile, click **Enable**  to activate the EuroClear profile.

Create a Partner Profile for UBS Warburg


Perform the following steps to set up the partner profile for UBS Warburg in the Trading Networks Console.


To create a partner profile for UBS Warburg

- 1 In the Trading Networks Console, select **Tools ▶ Profile Assistant**. The Trading Networks Console displays the first page of the **Profile Assistant**.
- 2 Select **Create partner profile** and click **Next**. The Trading Networks Console displays the next page of the **Profile Assistant**.

Note that Trading Networks Console highlights required fields in blue and also marks the required fields with an asterisk.

- 3 Type `UBS Warburg` in the **Corporation Name** field. You also can enter information for the **Unit Name** and import an image file for the corporate logo, but you are only required to fill in the **Corporation Name**.
- 4 Click **Next** twice. The Trading Networks Console displays the next page of the **Profile Assistant**, which you use to supply the corporation's external ID, which is the BIC for UBS Warburg.

- Click **Add New External ID** , select **BIC** from the **External ID Type** column, and type **UBSWUS3NXXX** in the **Value** column.

 **Note:** To run the sample using your another partner, enter your partner's BIC in this field.

- Click **Next** until you reach the last page of the Profile Assistant.
- Click **Finish**.

Verifying and Enabling the UBS Warburg Profile

To verify that the Partner profile for UBS Warburg is configured correctly for the sample, view the profile. You also must enable the profile. Perform the following to verify and enable the profile.

 To verify and enable the profile for UBS Warburg is configured correctly

- In the Trading Networks Console, in the Selector panel, select the **Partner** radio button, if it is not already selected.
- Select **View ▶ Profile**.
- Click through the tabs of the profile to verify that the profile for UBS Warburg is configured as shown in the following figure, or using your Enterprise information.

Enterprise Profile

Corporation Name:	UBS Warburg		External ID Type	Value	
Unit Name:			BIC	UBSWUS3NXXX	
Partner Type:	 webMethods Trading Networks				

- To enable the profile, click **Enable**  to activate the UBS Warburg profile.

 **Note:** The default **External ID Type** is **DUNS**. You must set the **External ID Type** to **BIC**.


Step 2: Import TN Document Types and TPAs


You must import the TN document types and TPAs for the messages that the sample will be processing.

Import the TN Document Types

To import the TN Document Types

- 1 In the Trading Networks Console, click **File** ► **Import**.



- 2 To select the TN document type file, click .
- 3 Navigate to the `webMethods6\IntegrationServer\packages\WmFINSamples\data` directory and select one the following files:
 - If you are running Trading Networks 6.0.1, select `CorporateActionDocTypes_601.xml`
 - If you are running Trading Networks 6.1, select `CorporateActionDocTypes.dat`


After selecting the appropriate file, click **Open**. The TN document types are listed on the **Import Data** screen.


- 4 Click  to select all of the TN document types and then click OK. The TN document types are imported.

Import the TPAs

To import the TPAs

- 1 In the Trading Networks Console, click File ► Import.



- 2 To select the TPA file, click .
- 3 Navigate to `webMethods6\IntegrationServer\packages\WmFINSamples\data` directory and select one of the following files:
- If you are running Trading Networks 6.0.1, select `CorporateActionTPA_601.xml`
 - If you are running Trading Networks 6.1, select `CorporateActionTPA.dat`

After selecting the appropriate file, click **Open**. The TPAs are listed on the **Import Data** screen.

- 4 Click  to select all of the TPAs and then click OK. The TPAs are imported.

Step 3: Run ImportFINItems for Each TN Document Type



Important! This step assumes that you copied the may05 Category 5 DFDs when installing the webMethods SWIFT FIN Module.

You must run the `wm.fin.dev:importFINItems` service for the following message DFDs:

- MT 564
- MT 565
- MT 566
- MT 568



To run the `wm.fin.dev:importFINItems` service

- 1 In the Developer, navigate to the `wm.fin.dev:importFINItems` service, and then click . The Input dialog box appears.

Input dialog box

Input dialog box

Input for 'importFINItems'

msgType

version

format TAG_BIZNAME

subfieldFlag false

createDocType true

createProcessingRule true

createTPA true

Include empty values for String Types

OK Cancel Load Save Help

- 2 Complete the following fields, and then click OK:

In this field...	Specify...
msgType	564
version	may05
format	TAG_BIZNAME
subfieldFlag	false
createDocType	false
createProcessingRule	false
createTPA	false



Note: The createDocType, createProcessingRule, and createTPA fields should be set to false because you already have imported the elements that you need.

- 3 Repeat the previous step for MT 565, 566, and 568.
- 4 Reload the WmFINMessages package to view the service outputs in Developer.



Note: Refresh Developer to see the WmFINMessages package.

The output is stored in the WmFINMessages package in the *webMethods6 \IntegrationServer \packages \WmFINMessages \may05*).

Step 4: Import the Sample BIC List Database



To import the BIC List database

- 1 In the Server Administrator Navigation panel, under **Adapters**, click **SWIFT**.
- 2 On the SWIFT home page, click **Import BIC List**. The SWIFT Import BIC List screen appears.

SWIFT Import BIC List screen

Import BIC List	
Note: Everytime BIC import process is initiated the previous BIC list from the database is deleted and a new list is inserted.	
BIC Type:	BIC ▾
FileName:	<input type="text"/> Browse...
Example Paths	C:/folder/bic.dat //server/folder/bic.dat folder/bic.dat (relative to install directory)
Import BIC List	

- 3 In the BIC Type list, select BIC.
- 4 Navigate to the *webMethods6\IntegrationServer\packages\WmFINSamples\data* directory, and extract the files for the BIC List database (bicplus.zip). Select bicplus.txt file from the list.
- 5 Click Import BIC List.

Step 5: Import, Generate, and Enable the Process Models

You will use the sample process models in webMethods Modeler to define (execute steps for) the sample business processes.

When you import, generate, and enable these process models, you are setting up the process that EuroClear, as the initiating party (Account Owner), would run on their installation, and that UBS Warburg, as the executing party (Account Servicer) would run on their installation. In a real life situation, each company would set up only the process model that would run on their installation. Because you are simulating the entire business process on one installation, you must set up *both* process models.

Import the Process Models

Before you can use the sample process models, you must import the following process models into webMethods Modeler:

- *CorpActions_AccountOwner.model*
- *CorpActions_AccountServicer.model*

For more details about importing process models, see the *webMethods Modeler User's Guide*.


Importing the Account Owner Process Model

Perform the following steps in Modeler to import the sample EuroClear Account Owner process model.

To import the EuroClear Account Owner process model

- 1 Start the Integration Server, Server Administrator, and Modeler, if they are not already running.
- 2 In Modeler, select File ► Import.
- 3 Locate the sample process model named *CorpActions_AccountOwner.model* in:
`webMethods6\IntegrationServer\packages\WmFINSample\data\ProcessModels`
where `webMethods6\IntegrationServer` is the directory in which the Integration Server is installed.
- 4 Click **Open** to import the process model.
- 5 When the message “Imported items: Business Process: CorpActions_AccountOwner” appears, click **OK**.
- 6 The process model appears in Modeler.

Account Owner Process Model




Importing the Account Servicer Process Model

Perform the following steps in Modeler to import the sample UBS Warburg Account Servicer process model.

To import the UBS Warburg Account Servicer process model

- 1 In Modeler, select File ► Import.
- 2 Locate the sample process model named *CorpActions_AccountServicer.model* in:
`webMethods6\IntegrationServer\packages\WmFINSample\data\ProcessModels`
 where `webMethods6\IntegrationServer` is the directory in which the Integration Server is installed.
- 3 Click **Open** to import the process model.
- 4 When the message “Imported items: Business Process: CorpActions_AccountServicer.” appears, click **OK**.
- 5 The process model appears in Modeler.

Account Servicer Process Model




Generate the Process Models

After importing the process models into Modeler, use Modeler to generate the process models to create the run-time elements in the underlying webMethods platform. When you generate the process models, Modeler generates the run-time elements (that is, services, triggers, and process run-time fragments) that actually execute at run-time. Modeler displays messages in the **Implementation Generation Messages** dialog as it creates the run-time elements.

For more details about generating process models, see the *webMethods Modeler User's Guide*.

Generating the Account Owner Process Model

Perform the following steps in Modeler to generate the Account Owner process model.

 To generate the Account Owner process model

- 1 In Modeler, select the Account Owner model.
- 2 Select **Tools** ▶ **Generate Business Process**. Modeler begins to generate the run-time elements. The **Implementation Generation Messages** dialog appears.
- 3 When the message “CorpActions_AccountOwner Model generated successfully” appears in the dialog, click **Close**.
- 4 Update the model for monitoring by selecting **Tools** ▶ **Update Model for Monitoring**. A dialog appears confirming the process model is ready for monitoring.
- 5 Click **OK**.

Generating the Account Servicer Process Model

Perform the following steps in Modeler to generate the Account Servicer process model.

 To generate the Account Servicer process model

- 1 In Modeler, select the Account Servicer model.
- 2 Select **Tools** ▶ **Generate Business Process**. Modeler begins to generate the run-time elements. The **Implementation Generation Messages** dialog appears.
- 3 When the message “CorpActions_AccountServicer Model generated successfully” appears in the dialog, click **Close**.
- 4 Update the model for monitoring by selecting **Tools** ▶ **Update Model for Monitoring**. A dialog appears confirming the process model is ready for monitoring.
- 5 Click **OK**.

Enable the Process Models

After generating the process models and updating them for monitoring, the process models are disabled. The Process Run Time will not use the process models until you enable both of them. You enable the process models using Monitor.

For more details about enabling process models, see the generating process model chapter in the *webMethods Modeler User's Guide* and one of the following guides for webMethods Modeler:

- If you are using webMethods Modeler 6.0.1, see the chapter about monitoring processes in the *webMethods Monitor User's Guide*.
- If you are using webMethods Modeler 6.1, see the chapter about setting up process logging in the *webMethods Integration Platform Installation Logging and Monitoring Guide*.

Enabling the Account Owner Process Model

Perform the following steps in Monitor to enable the Account Owner process model.

To enable the Account Owner process model

- 1 Open Monitor, if it is not already running.
- 2 In the Monitor Navigation panel, under the Processes heading, click **Process Models**.
- 3 Locate the **CorpActions_AccountOwner Model** from the list of unused process models. Monitor lists the process model under **Unused Process Models** because no instances of this process model have been executed.
- 4 In the **CorpActions_AccountOwner Model** row, the **Enabled** column, click **No**.
- 5 When prompted to confirm your action, click **OK**, and refresh the page to see the enabled status of the process model.

Enabling the Account Servicer Process Model

Perform the following steps in Monitor to enable the Account Servicer process model.

To enable the Account Servicer process model

- 1 In the Monitor Navigation panel, under the Processes heading, click **Process Models**.
- 2 Locate the **CorpActions_AccountServicer Model** from the list of process models. Monitor lists the process model under **Unused Process Models** because no instances of this process model have been executed.

- 3 In the `CorpActions_AccountServicer Model` row, the **Enabled** column, click **No**.
- 4 When prompted to confirm your action, click **OK**, and refresh the page to see the enabled status of the process model.

Step 6: Run the Business Process

In webMethods SWIFT FIN Module, to start a business process on the initiating party's side, the initiating party's back-end system calls `wm.ip.cm:process Document`. To start a business process on the executing party's side, a service on the initiating party's side sends a SWIFT message to `wm.ip.fin:receive`. After you start a service, you can monitor its progress using Monitor. For more information about running a business process, see [Chapter 12, "Monitoring a Process" on page 109](#). For more information about monitoring process progress using Monitor, see ["Step 7: View the Business Process" on page 197](#).

Perform the following procedures to kick off the business process between EuroClear and UBS Warburg.

To run the sample SWIFT business process

- 1 Start the Integration Server, Server Administrator, and Trading Networks Console, if they are not already running.
- 2 In the Server Administrator navigation panel, under the **Adapters** heading, click **SWIFT**. The Integration Server displays the SWIFT Management page in a new browser window.
- 3 In Navigation panel, under the **SWIFT** heading, click **CA Account Servicer**.
- 4 EuroClear sends an *MT 564, Corporate Action Notification*, to UBS Warburg.

Click **Initiate New Corporate Action Notification**. The Corporate Action sample screen appears with the appropriate information already entered in the fields.



Note: If you used different BICs to define your profiles for this sample, you must enter those BICs in the **Sender's BIC** and **Receiver's BIC** fields.

Corporate Action Notification Sample

FIN > Corporate Action Sample			
Corporate Action Notification MT564 -- Cash Dividend			
Trading Parties			
Sender's BIC:	<input type="text" value="MGTCBEBEECL"/>	Receiver's BIC:	<input type="text" value="UBSWUS3NXXX"/>
General Information			
Reference Number:	<input type="text" value="CA000002345630"/>		
Euroclear Reference Number:	<input type="text" value="CA000002345630"/>		
Mandatory/Optional Indicator:	<input type="text" value="Mandatory"/>		
Financial Instrument Details			
Financial Instrument ISIN number:	<input type="text" value="ISIN US8765692038"/>	Financial Instrument Detail:	<input type="text" value="TATA TEA LTD (REGS G"/>
Denominated Currency:	<input type="text" value="USD"/>	Options:	<input type="text" value="Cash"/>
Eligible Securities:	<input type="text" value="14300"/>	Account Information:	<input type="text" value="90000"/>
Net Entitlement (USD per share):	<input type="text" value="0.1761"/>	Gross Entitlement (USD per share):	<input type="text" value="0.1911"/>
Record Date:	<input type="text" value="May 5, 2001"/>	Payment Date:	<input type="text" value="August 31, 2001"/>

- At the bottom of the page, click Send.

If the sample runs successfully, the Integration Server displays the following page.

Corporate Action Notification Confirmation Page

FIN > Corporate Action Account Servicer
<ul style="list-style-type: none"> Sent Corporate Action Notification Order with reference number CA000002345630

- 6 To view the message details, click the reference number.

Message Details

Corporate Action Notification -- Cash Dividend			
Trading Parties			
Sender's BIC:	MGTCBEBEECL	Receiver's BIC:	UBSWUS3NXXX
General Information			
Reference Number:	CA000002345630		
Euroclear Reference Number:	CA000002345630		
Mandatory/Optional Indicator:	MAND		
Financial Instrument Details			
Financial Instrument ISIN number:	ISIN US8765692038	Financial Instrument Detail:	TATA TEA LTD (REGS GDS)
Denominated Currency:	USD	Options:	CASH
Eligible Securities:	14300	Account Information:	90000
Net Entitlement(USD per share):	0.1761	Gross Entitlement(USD per share):	0.1911
Record Date:	May 5, 2001	Payment Date:	August 31, 2001
Additional Information:			
Corporate Action Notification SWIFT message			

- 7 To view the actual SWIFT message, click the Corporate Action Notification SWIFT message link at the bottom of the page.

SWIFT MT 564 Message

564 SWIFT Message

Date: Sat Jun 28 20:23:29 EDT 2003

```
{1:F01MGTCBEBEXECL0000000000}{2:I564UBSWUS3NXXXCN2020}{3:{108:20000000nc2oe8ou}}{4:
:16R:GENL
:20C::CORP//CA000002345630
:20C::SEME//CA000002345630
:23G:NEWM
:22E::CAEV//DVCA
:22E::CRMV//MAND
:98C::PREP//20010901093444
:25D::PROC//COMP
:16R:LINK
:20C::PREV//000002345630
:16S:LINK
:16S:GENL
:16R:VSECU
:35B:ISIN US8765692038
```

8 In Navigation panel, under the SWIFT heading, click CA Account Owner. You also can view the details for the MT 564 message by clicking the reference number of this screen.

9 UBS Warburg sends an *MT 565, Corporate Action Instruction*, to EuroClear.

Click Send Corporate Action Instruction with reference number CAxxxxxxxxxxxxx. The Corporate Action sample screen appears with the appropriate information already entered in the fields.

 Note: If you used different BICs to define your profiles for this sample, you must enter those BICs in the Sender's BIC and Receiver's BIC fields.

Corporate Action Instruction Sample

FIN > Corporate Action Sample > Corporate Action Narrative	
Corporate Action Instruction MT565 -- Cash Dividend	
Trading Parties	
Sender's BIC:	UBSWUS3NXXX
Receiver's BIC:	MGTCBEBEECL
General Information	
Reference Number:	CA000002345630
Account Owner's Reference Number:	00000876344
Financial Instrument Details	
Financial Instrument ISIN number:	ISIN US8765692038
Financial Instrument Detail:	TATA TEA LTD (REGS G
Account Information:	90000
Foreign Exchange transformation:	GBP
Send	

10 At the bottom of the screen, click Send.

If the sample runs successfully, the Integration Server displays the confirmation page.

11 To view the message details, click the reference number.


12 To view the actual SWIFT message, click the link at the bottom of the page.

13 In Navigation panel, under the SWIFT heading, click CA Account Servicer.

14 Click Resume the Last Corporate Action Notification, and then click Refresh.

- 15 EuroClear sends an *MT 568, Corporate Action Narrative*, to UBS Warburg.

Click **Send Corporate Action Narrative** with reference number *CAxxxxxxxxxxxx*. The Corporate Action sample screen appears with the appropriate information already entered in the fields.

 **Note:** If you used different BICs to define your profiles for this sample, you must enter those BICs in the **Sender's BIC** and **Receiver's BIC** fields.


Corporate Action Narrative Sample

FIN > Corporate Action Sample > Corporate Action Narrative	
Corporate Action Narrative MT568 -- Cash Dividend	
Trading Parties	
Sender's BIC:	MGTCBEBEECL
Receiver's BIC:	UBSWUS3NXXX
General Information	
Reference Number:	CA000002345630
Euroclear Reference Number:	CA000002345630
Financial Instrument Details	
Financial Instrument ISIN number:	ISIN US8765692038
Financial Instrument Detail:	TATA TEA LTD (REGS G
Account Information:	90000
Additional Information:	
Send	

- 16 At the bottom of the page, click **Send**.
- 17 To view the message details, click the reference number.
- 18 To view the actual SWIFT message, click the link at the bottom of the page.
- 19 In Navigation panel, under the **SWIFT** heading, click **CA Account Servicer**.
- 20 Click **Resume the Last Corporate Action Notification**, and then click **Refresh**.

21 EuroClear sends an *MT 566, Corporate Action Confirmation*, to UBS Warburg.

Click **Send Corporate Action Confirmation** with reference number *CAxxxxxxxxxxxx*. The Corporate Action sample screen appears with the appropriate information already entered in the fields.

 **Note:** If you used different BICs to define your profiles for this sample, you must enter those BICs in the **Sender's BIC** and **Receiver's BIC** fields.

Corporate Action Confirmation Sample

Corporate Action Confirmation MT566 -- Cash Dividend		
Trading Parties		
Sender's BIC:	MGTCBEBEECL	Receiver's BIC: UBSWUS3NXXX
General Information		
Reference Number:	CA000002345630	
Euroclear Reference Number:	CA000002345630	
Financial Instrument Details		
Financial Instrument ISIN number:	ISIN US8765692038	Financial Instrument Detail: TATA T
Denominated Currency:	USD	
Account Information:	90000	
Cash/Stock Entitlement:	Stock ▾	
Payment Date:	May 5, 2001	
Credit/Debit:	Credit ▾	
Payment Amount:	1676	
Value Date:	May 5, 2001	

22 At the bottom of the page, click **Send**.

23 To view the message details, click the reference number.

24 To view the actual SWIFT message, click the link at the bottom of the page.

Step 7: View the Business Process

To monitor business processes, you can determine the status of your business processes and the activity of the various involved software entities in a couple of ways:

- **Monitor.** To view the activity and steps that occurred during the execution of the process models, audit the business process in Monitor. You can use this tool to monitor and manage business processes. For more information about webMethods Monitor 6.0.1, see the *webMethods Monitor User's Guide*. For more information about webMethods Monitor 6.1, see the *webMethods Integration Platform Installation Logging and Monitoring Guide*.
- **Trading Networks Transaction Analysis screen.** To view the transactions of documents processed by webMethods SWIFT FIN Module, use the **Transaction Analysis** function in Trading Networks. You can use this log to query and analyze results of documents that are sent or received by Trading Networks. For more information about the Trading Networks Transaction Analysis screen, see the *webMethods Trading Networks User's Guide*.


For more information about monitoring business processes in the webMethods SWIFT FIN Module, refer to the chapter about monitoring business processes in the *webMethods SWIFT FIN Module Installation and User's Guide*.

View Activity on the Monitor

If the sample was sent successfully, you can use Monitor to find activity/audit log information for the business process. Monitor's **Recent Activity** area displays all business processes that have run within the last two weeks, organized into sections by status (**Recently Failed**, **Recently Completed**, **Recently Created**, and **Recently Suspended**). Each section lists up to 20 business processes, with the most recent processes listed at the top.

For more information about Monitor and viewing processes, see the documentation for Monitor. If you are using webMethods Modeler 6.0.1, see the *webMethods Monitor User's Guide*. If you are using webMethods Modeler 6.1, see the *webMethods Integration Platform Installation Logging and Monitoring Guide*.

Perform the following steps in Monitor to audit the sample business process.

 To monitor the business process

- 1 Open Monitor, if it is not already running.
- 2 In the Monitor Navigation panel, under the **Processes** heading, click **Recent Activity**. Monitor displays all recent processes.

Recent Activity Screen

Recently Failed Processes	
Name	ID
null (11; 1.0.D0039)	wm620926c8a489db4e6f69304db53
null (11; 1.0.D0039)	wm6c41af1d3224208aff694d8a7eb
null (11; 1.0.D0039)	wm6fd8aa9c22f28615f6948baa74
CorpActions AccountServicer	9cf2f0f49d10382df6932f98d0
CorpActions AccountServicer	6a8c77c0de06eac7f69321acf3
CorpActions AccountServicer	20bae1891947c60cf69304d4ff
CorpActions AccountServicer	53db54594983ff61f694d8a78d
null (11; 1.0.D0038)	wm6f10dcc2ee1149c67f54dc0aefe
null (11; 1.0.D0038)	wm6f10dcc2ee1149c67f54dc0aefe
null (11; 1.0.D0039)	wm670a2011cd0ed13b6f54c60b87a
null (11; 1.0.D0039)	wm670a2011cd0ed13b6f54c60b87a
null (11; 1.0.D0031)	wm68089e62f73c1fd1ef54d7182c3
null (11; 1.0.D0031)	wm68089e62f73c1fd1ef54d7182c3
null (11; 1.0.D0039)	wm6695ade5b1b3b1872f54c6b4aba
null (11; 1.0.D0039)	wm6695ade5b1b3b1872f54c6b4aba
CorpActions AccountServicer	a6a715b2115944b2f6948bab70

- In the Recently Created Processes section, click one the ID for one of the Corporate Action processes.

Recently Created Processes Screen

Recently Created Processes			
Name	ID	Status	Time Started
CorpActions AccountOwner	1c783af7542b1099f69e6e28b3	Started	2003-07-03 14:42:4
CorpActions AccountServicer	232fd1323c0c3fa3f69e6e218d	Started	2003-07-03 14:42:3
CorpActions AccountOwner	fa2ffce91c4a76c4f69e6f3d8b	Started	2003-07-03 14:41:4
CorpActions AccountServicer	60691c2676ac2fddf69e60e293	Started	2003-07-03 14:41:3
CorpActions AccountOwner	54f6a722f1a95dfaf693a82173	Started	2003-07-02 16:41:3
CorpActions AccountServicer	10cf14cc42db68bbf693a811c3	Started	2003-07-02 16:40:3
CorpActions AccountOwner	54341664125e2e44f693b49cce	Started	2003-07-02 16:10:3
CorpActions AccountServicer	a4f2a68c71de59d7f693b48561	Started	2003-07-02 16:10:3
CorpActions AccountOwner	d52914f9a43b7888f6938f35fd	Started	2003-07-02 15:58:3
CorpActions AccountServicer	75aa9e0ac8cf4ba0f6938f2a4c	Started	2003-07-02 15:58:3

- Monitor displays the business process, as shown below. A check mark (✓) next to individual steps on the page illustrates the progress of the business process.

Process Instance Status Screen




Monitor > Processes > Process Instance Status > CorpActions_AccountOwner

- [Reload Process](#)
- [View Services for this Process](#)

Process Instance Status

Process Name	CorpActions_AccountOwner
Process ID	1c783af7542b1099f69e6e28b3
Parent Process ID	-
Process Iteration	1
Status	Started
Timestamp	2003-07-03 14:42:41.761 EDT
Conversation ID	UBSWUS3NXXX-91000000bi8inkou

Suspend
Stop

<div style="border: 1px dashed black; padding: 2px;">Account Servicer</div> <div style="text-align: center; margin: 5px 0;">  </div> <div style="padding: 2px;">Receive Corporate Action Notification MT564 from Account Servicer</div> <div style="text-align: center; margin: 5px 0;">  </div> <div style="padding: 2px;">Send Corporate Action Instruction MT565 to Account</div>	<div style="border: 1px solid black; padding: 2px;">Action Messages</div> <div style="text-align: center; margin-top: 10px;">  </div>	<div style="text-align: right; font-size: small;">Back</div>
---	--	--

The bottom portion of this screen displays the status of individual steps, activity messages, and information about custom fields.


Bottom of Process Instance Status Screen

Step Status				
Name	Status	Process Iteration	Step Iteration	Time Ended
<u>Wait forSignal</u>	Waiting	1	1	2003-07-03 14:43:05.295 EDT
<u>Wait For Corporate Action Narrative (MT568)</u>	Waiting	1	1	2003-07-03 14:43:05.254 EDT
<u>Send Corporate Action Instruction MT565</u>	Completed	1	1	2003-07-03 14:43:03.111 EDT
<u>Outbound Map MT565</u>	Completed	1	1	2003-07-03 14:43:02.420 EDT
<u>Wait for Internal Instruction</u>	Completed	1	1	2003-07-03 14:43:01.830 EDT
<u>Process Offer Notification</u>	Completed	1	1	2003-07-03 14:42:47.709 EDT
<u>Inbound Validation MT564</u>	Completed	1	1	2003-07-03 14:42:47.188 EDT
<u>Wait For MT564</u>	Completed	1	1	2003-07-03 14:42:42.712 EDT
Activity Messages				
Custom Fields				

View Transactions via the Trading Networks Console

You can view transactions (that is, the individual documents in the webMethods SWIFT FIN Module business process) that occurred during the execution of the process by using Trading Networks. For more information about viewing transactions with the Trading Networks Console, see the *webMethods Trading Networks User's Guide*.

To view transactions using the Trading Networks Console, perform the following steps.

-  To view transactions via the Trading Networks Console
 - 1 Start Trading Networks, if it is not already running.
 - 2 In the Trading Networks Console, complete one of the following steps:
 - Click the Enterprise radio button to view the data that are associated with EuroClear, or
 - Click the Partner radio button to view the data that are associated with UBS Warburg.

- 3 Select **View** ► **Transaction Analysis**.
- 4 If the query panels are not displayed, select **Transactions** ► **Show/Hide Query** to display the query panels.
- 5 Using the query panels, specify the criteria you want to use to search for the documents within the business process. To use a criterion, you first must select the check box for the criterion, then fill in related fields. For example, you can search by selecting the **Conversation ID** criterion and then entering a valid **Conversation ID** number.

Example Transaction Analysis Query

Transaction Analysis: EuroClear

Basic Criteria | Custom Criteria | Detail View | Summary View

Sender: EuroClear
 Receiver: EuroClear
 Type: Internal Corporate Action Confirmation
 Processing Status:
 User Status:

Document ID:
 Group ID:
 Conversation ID:
 Date Received: Today
 Beg

Date Received	Document Type	Sender	Receiver	Processing Sta
2003-06-30 18:36:44.893	MT568	EuroClear	UBS Warburg	NEW
2003-06-30 18:36:39.607	Internal Corporate Action N...	EuroClear	UBS Warburg	NEW
2003-06-30 18:32:06.493	MT565	UBS Warburg	EuroClear	NEW


- 6 Select **Transactions** ► **Run Query**. Trading Networks updates the display in the bottom panel, as illustrated in the following figure.

Example Transaction Analysis Query Results

Date Received	Document Type	Sender	Receiver	Processing S
2003-06-28 20:37:01.447	Internal Corporate Action C...	EuroClear	UBS Warburg	NEW
2003-06-27 15:52:59.75	Internal Corporate Action C...	EuroClear	UBS Warburg	NEW

- 7 To see the contents of a document, click the row for the document, and select Transactions ► View Document. Trading Networks displays the Document Details screen, as illustrated in the following figure.

Document Details Screen



Index

A

- About Monitor 111
- AFT interface 62
- architecture
 - design-time 21
 - run-time 24
 - SWIFT FIN Module 20

B

- BICs
 - importing 39
 - Overview 66
 - searching 67
- block syntax of parsing templates 168
- braced fields in parsing templates 172
- business process
 - status and information sources 110

C

- CASmf interface 56
- chunk data in parsing templates 172
- components
 - design-time 21
 - Integration Server 23
 - Modeler 23
 - Modeler Database 23
 - Trading Networks 22
 - Trading Networks Database 22
 - webMethods SWIFT FIN Module 22
 - run-time
 - Integration Server 26
 - Monitor 25
 - Process Logging Database 26
 - Trading Networks 25
 - Trading Networks Database 25
 - webMethods SWIFT FIN Module 24
- webMethods SWIFT FIN Module 16

D

- delimited fields in parsing templates 172
- design-time components
 - Integration Server 23
 - Modeler 23
 - Modeler Database 23
 - Trading Networks 22
 - Trading Networks Database 22
 - webMethods SWIFT FIN Module 22
- DFDs, installing 72
- document types, defining 82
- documentation
 - about this guide 9
 - additional information 10
 - document conventions 10

E

- eld 13, 19
- enterprise profile
 - defining 81
- enterprise profile, defining 81
 - required profile fields 81
- extract hint in parsing templates 173

F

- features of the webMethods SWIFT FIN Module 18
- fields 13
- fixed length in parsing templates 172

G

- getting started with SWIFT FIN Module 38

H

- hardware requirements 30
- hint processing in parsing templates 172

I

- inbound mapping services
 - creating 102
 - example 103
 - why you create 98
 - writing 40
- inbound messages
 - configuring AFT 62
 - receiving using process models 49
 - receiving using processing rules 51
- installing SWIFT FIN Module 30
- interface to SWIFT
 - AFT 62
 - CASmf 56
 - MQSA 54
 - overview 54

L

- line attribute syntax of a parsing template 170

M

- mapping a message
 - defined 98
 - example 99
- mapping messages, defined 98
- mapping services
 - inbound
 - creating 102
 - example 103
 - why you create 98
 - outbound
 - creating 100
 - flow operations 101
 - example 101
 - input/output to use 100
 - why you create 98
 - reusing 104
- Market Practices
 - overview 114
 - rules
 - creating 75, 117
- message DFDs

- installing 72
- message records
 - creating 72
 - overview 72
- messages
 - data
 - sample 163, 166
 - mapping, defined 98
 - SWIFT, defined 12
- messages, SWIFT
 - receiving inbound using process models 49
 - receiving inbound using processing rules 51
 - sending outbound using process models 44
 - sending outbound using processing rules 47
- MQSA interface 54

N

- network validation rules 76

O

- operating system requirements 28
- outbound mapping services
 - creating 100
 - flow operations 101
 - example 101
 - input/output to use 100
 - why you create 98
 - writing 40
- outbound messages
 - configuring File Drop 63
 - sending using process models 44
 - sending using processing rules 47
- outbound messages, sending 44

P

- packages
 - WmCASmf 17, 120
 - WmFIN 17, 122
 - WmFINDev 17, 136
 - WmFINMarketPractice 17, 137
 - WmFINSamples 17, 152
 - WmFINTransport 17, 138

- WmIPCore 17, 142
- parsing
 - to subfield level 19, 74, 104, 124, 125, 137
- parsing template
 - overview 162
- platform requirements 28
- processing rules
 - receiving inbound messages
 - using processing rules 51
 - sending outbound messages
 - using processing rules 47
- process
 - status and information sources 110
 - why you monitor 110
- process models
 - annotations 106
 - defined 106
 - enabling 190
 - generating 189
 - groups 106
 - receiving inbound messages
 - using process models 49
 - roles, defined 107
 - samples 108
 - sending outbound messages
 - using process models 44
 - steps 106
 - transitions 106
 - using 40
- Process Run Time
 - process model steps 107
- processing
 - monitoring a process using Monitor 111
- processing rules
 - using 41

R

- records
 - creating 72
 - overview 72
- requirements
 - hardware 30
 - operating system 28

- platform 28
- system 28
- third-party software 29
- roles, Modeler 107
- rules
 - Market Practice
 - creating 75, 117
 - network validation 76
 - usage validation 77
 - validation
 - creating 75
- run-time components 24
 - Integration Server 26
 - Monitor 25
 - Process Logging Database 26
 - Trading Networks 25
 - Trading Networks Database 25
 - webMethods SWIFT FIN Module 24

S

- sample
 - creating Enterprise Profile 179
 - creating partner profile 180
 - importing AccountOwner process model 187
 - importing AccountServicer Process Model 188
 - importing TN document types 182
 - importing TPAs 183
 - overview 176, 178
 - verifying and enabling the enterprise profile 180
 - verifying and enabling the trading partner profile 181
 - viewing activity on the Monitor 197
 - viewing transactions 200
- sending outbound messages 44
- steps to use SWIFT FIN Module 38
- subfieldFlag variable 74, 124, 125, 137
- subfields 19, 74, 88, 104, 124, 125
- SWIFT
 - defined 12
 - messages, defined 12
- SWIFT FIN Module
 - architecture 20
 - components 16
 - defined 13

- design-time components
 - Integration Server 23
 - Modeler 23
 - Modeler Database 23
 - Trading Networks 22
 - Trading Networks Database 22
 - webMethods SWIFT FIN Module 22
 - features 18
 - identifying a TPA 88
 - packages
 - WmCASmf 17
 - WmFIN 17
 - WmFINDev 17
 - WmFINMarketPractice 17
 - WmFINSamples 17
 - WmFINTransport 17
 - WmIPCore 17
 - run-time components
 - Integration Server 26
 - Monitor 25
 - Process Logging Database 26
 - Trading Networks 25
 - Trading Networks Database 25
 - webMethods SWIFT FIN Module 24
 - SWIFT interfaces
 - AFT 62
 - CASmf 56
 - MQ 54
 - overview 54
 - SWIFT messages
 - receiving inbound using process models 49
 - receiving inbound using processing rules 51
 - sending outbound using process models 44
 - sendng outbound using processing rules 47
 - SWIFT Network, defined 12
 - syntax
 - parsing template
 - line attribute 170
 - system requirements 28
 - sample 163, 166
 - parsing
 - block syntax 168
 - braced fields 172
 - chunk data 172
 - delimited fields 172
 - extract hint 173
 - fixed length 172
 - hint processing 172
 - line attribute syntax 170
 - miscellaneous notes 173
 - overview 162
 - third-party software requirements 29
 - TN document types
 - defining 82
 - TN doucment types
 - defining 82
 - overview 80
 - TPAs
 - Agreement Details
 - Agreement ID field 90
 - Field Descriptions 90
 - IS Document Type field 90
 - Receiver field 90
 - Sender field 90
 - customizing 39
 - defined 88
 - identifying 88
 - modifying 88
 - parameter settings 91
 - SubfieldFlag parameter 40, 88
 - Trading Networks 22
 - Trading Partner Agreements
 - See TPA
 - trading partner profiles
 - defining 81, 82
 - overview 80
 - required profile fields 82
 - why they are important 80
 - uninstall SWIFT FIN Module 33
 - upgrade
- T**
- templates
 - message data
- U**

from SWIFT FIN Module 4.6 33
 from SWIFT FIN Module 6.0.1 31
 usage validation rules 77
 using SWIFT FIN Module 38

V

validation rules
 network 76
 usage 77

W

wm.casmf.init folder 120
 wm.casmf.init:shutdown service 120
 wm.casmf.init:startup service 120
 wm.casmf.trp folder 120
 wm.casmf.trp:processOutboundMessage service 120
 wm.casmf.trp:sendAndReceive service 121
 wm.casmf.util folder 121
 wm.casmf.util:getOutboundMessageFolder service 121
 wm.fin.bic folder 122
 wm.fin.bic:BICInfo service 123
 wm.fin.bic:getBICInfo service 122
 wm.fin.bic:insertBICList service 123
 wm.fin.dev folder 136
 wm.fin.dev:importFINItems service 73, 136
 wm.fin.dfd folder 123
 wm.fin.dfd:convertBizNameFormat service 123
 wm.fin.dfd:convertTagFormat service 124
 wm.fin.dfd:getDFDList service 125
 wm.fin.dfd:loadDFD service 125
 wm.fin.dfd:unloadDFD service 126
 wm.fin.dfd:unloadDFDs service 126
 wm.fin.doc folder 126, 138
 wm.fin.doc.catF folder 126
 wm.fin.doc.catF:MTF21 service 126
 wm.fin.doc.header folder 127
 wm.fin.doc.header:ApplicationHeader_Input service 127
 wm.fin.doc.header:ApplicationHeader_Outgoing service 127
 wm.fin.doc.header:BasicHeader service 127
 wm.fin.doc.header:FINIData_Outgoing service 126
 wm.fin.doc.header:UserHeader service 127
 wm.fin.doc.trailer folder 127
 wm.fin.doc.trailer:Trailer service 127

wm.fin.doc:FINIData_Input service 126
 wm.fin.format folder 127
 wm.fin.format:conformFINIData service 127
 wm.fin.format:conformIData service 128
 wm.fin.format:convertIDataToFIN service 129
 wm.fin.format:convertFINToIData service 128
 wm.fin.format:flushTemplateCache service 129
 wm.fin.format:xmlToIData service 129
 wm.fin.init folder 129
 wm.fin.init:startup service 129
 wm.fin.map folder 130
 wm.fin.mappingFunctions folder 131
 wm.fin.mappingFunctions:AccruedInterestRemoveDays service 152
 wm.fin.mappingFunctions:BookValueToDealPriceIn15022 service 153
 wm.fin.mappingFunctions:call service 155
 wm.fin.mappingFunctions:CrestStripPartyIdentifier service 153
 wm.fin.mappingFunctions:dateAndPlaceMapTo15022 service 156
 wm.fin.mappingFunctions:dateMapTo15022 service 156
 wm.fin.mappingFunctions:dateMapTo7775 service 156
 wm.fin.mappingFunctions:FullStripPartyIdentifier service 153
 wm.fin.mappingFunctions:InsertSlashes service 154
 wm.fin.mappingFunctions:QuantityOfSecurities service 154
 wm.fin.mappingFunctions:RemoveSlashes service 154
 wm.fin.mappingFunctions:replaceMT service 157
 wm.fin.mappingFunctions:strip service 157
 wm.fin.mappingFunctions:StripPartyIdentifier service 155
 wm.fin.mappingFunctions:TaxesAdded service 155
 wm.fin.mappingFunctions:truncate service 157
 wm.fin.maps.outbound:mapApplicationHeader service 130
 wm.fin.maps.outbound:mapBasicHeader service 130
 wm.fin.maps.outbound:mapTrailer service 130
 wm.fin.maps.outbound:mapUserHeader service 131
 wm.fin.migration folder 158
 wm.fin.migration:mapIDataToMap 158
 wm.fin.migration:templateToMap service 158
 wm.fin.migration:templateToMapIData 159
 wm.fin.rules folder 131
 wm.fin.rules:checkCodeOrder service 131
 wm.fin.rules:contains service 131
 wm.fin.rules:getDuplicateCodeList service 132
 wm.fin.rules:setErrorDocument service 132

- wm.fin.sample folder 138
- wm.fin.transport.AFT folder 138
- wm.fin.transport.AFT:AFTOutboundTrigger service 139
- wm.fin.transport.AFT:generateUniqueFileName service 138
- wm.fin.transport.AFT:processInboundFile service 139
- wm.fin.transport.AFT:processIncomingMessage service 139
- wm.fin.transport.AFT:processOutboundFile service 139
- wm.fin.transport.casmf:SendReceiveSchedule service 120
- wm.fin.transport.MQ folder 140
- wm.fin.transport.MQSeries:getListenerService 140
- wm.fin.transport.MQSeries:MQSeriesPutTrigger service 140
- wm.fin.transport.MQSeries:put service 140
- wm.fin.transport.property folder 141
- wm.fin.transport.property:getProperty service 141
- wm.fin.transport.property:listProperties service 142
- wm.fin.transport.Test folder 141
- wm.fin.transport.Test:FINSampleInboundMessage service 141
- wm.fin.transport.Test:FINSampleInboundMessageTrigger service 141
- wm.fin.transport.Test:FINSampleOutboundMessageTrigger service 141
- wm.fin.transport.Test:processFinMsg service 141
- wm.fin.trp folder 132
- wm.fin.trp:FINSampleInboundMessageTrigger service 133
- wm.fin.trp:receive service 132
- wm.fin.trp:send service 133
- wm.fin.utils folder 133
- wm.fin.utils:getFINMessageAndIDs service 133
- wm.fin.validation folder 134
- wm.fin.validation:getErrorMessage service 134
- wm.fin.validation:validateIData service 134
- wm.fin.validation:validateIDataUtil service 135
- wm.fin.validation:validationFinMsg service 134
- wm.ip.bizdoc folder 142
- wm.ip.bizdoc:addErrorContentPart service 142
- wm.ip.bizdoc:decodeErrorContentPart service 142
- wm.ip.bizdoc:getBizDocFromEvent service 143
- wm.ip.cm folder 143
- wm.ip.cm.handlers:defaultHandler service 143
- wm.ip.cm.handlers:done service 144
- wm.ip.cm:getConversationID service 144
- wm.ip.cm:getConversationScript service 144
- wm.ip.cm:processDocument service 145
- wm.ip.cm:startConversation service 145
- wm.ip.cm:waitStepInit service 146
- wm.ip.profile folder 146
- wm.ip.profile:createCertChainList service 146
- wm.ip.profile:getInternalIDs service 147
- wm.ip.profile:getTPA service 147
- wm.ip.profile:getTPAInfo service 148
- wm.ip.rec folder 148
- wm.ip.ui folder 149
- wm.ip.ui:addSubmenu service 149
- wm.ip.ui:removeSubmenu service 149
- wm.ip.util folder 149
- wm.ip.util:createFinID service 149
- wm.ip.util:formatErrorMessage service 149
- wm.ip.util:getLastDocuments service 150
- wm.ip.util:invokeService service 150
- wm.ip.util:nit service 150
- wm.ip.util:removeEmptyStrings service 151
- wm.ip.util:writeLog service 151
- wm.ip.util:writeToFile service 151
- WmCASmf package 17, 120
- WmFIN package 17, 122
- WmFINDev package 17, 136
- WmFINMarketPractice package 17, 137
- WmFINSamples package 17, 152
- WmFINTransport package 17, 138
- WmIPCore package 17, 142