

webMethods EntireX

Post-installation Steps under Windows

Version 10.3

October 2018

This document applies to webMethods EntireX Version 10.3 and all subsequent releases.

Specifications contained herein are subject to change and these changes will be reported in subsequent release notes or new editions.

Copyright © 1997-2018 Software AG, Darmstadt, Germany and/or Software AG USA, Inc., Reston, VA, USA, and/or its subsidiaries and/or its affiliates and/or their licensors.

The name Software AG and all Software AG product names are either trademarks or registered trademarks of Software AG and/or Software AG USA, Inc. and/or its subsidiaries and/or its affiliates and/or their licensors. Other company and product names mentioned herein may be trademarks of their respective owners.

Detailed information on trademarks and patents owned by Software AG and/or its subsidiaries is located at <http://softwareag.com/licenses>.

Use of this software is subject to adherence to Software AG's licensing conditions and terms. These terms are part of the product documentation, located at <http://softwareag.com/licenses/> and/or in the root installation directory of the licensed product(s).

This software may include portions of third-party products. For third-party copyright notices, license terms, additional rights or restrictions, please refer to "License Texts, Copyright Notices and Disclaimers of Third-Party Products". For certain specific third-party license restrictions, please refer to section E of the Legal Notices available under "License Terms and Conditions for Use of Software AG Products / Copyright and Trademark Notices of Software AG Products". These documents are part of the product documentation, located at <http://softwareag.com/licenses> and/or in the root installation directory of the licensed product(s).

Use, reproduction, transfer, publication or disclosure is prohibited except as specifically provided for in your License Agreement with Software AG.

Document ID: EXX-INSTALL-103-20191129WINDOWS

Table of Contents

1 About this Documentation	1
Document Conventions	2
Online Information and Support	2
Data Protection	3
2 Post-installation Steps under Windows	5
Broker Instance Created Automatically during Installation	6
Broker Service 'etbsrv'	7
Starting or Restarting the Administration Service	7
Eclipse Considerations	7
Verifying the EntireX Broker Installation	8
Sample Programs for Client (bcoc) and Server (bcos)	9
Setting up EntireX Security under Windows	11
EntireX Mini Runtime Considerations	13
Broker ActiveX Control and TOR Editor	13

1 About this Documentation

■ Document Conventions	2
■ Online Information and Support	2
■ Data Protection	3

Document Conventions

Convention	Description
Bold	Identifies elements on a screen.
Monospace font	Identifies service names and locations in the format <i>folder.subfolder.service</i> , APIs, Java classes, methods, properties.
<i>Italic</i>	Identifies: Variables for which you must supply values specific to your own situation or environment. New terms the first time they occur in the text. References to other documentation sources.
Monospace font	Identifies: Text you must type in. Messages displayed by the system. Program code.
{ }	Indicates a set of choices from which you must choose one. Type only the information inside the curly braces. Do not type the { } symbols.
	Separates two mutually exclusive choices in a syntax line. Type one of these choices. Do not type the symbol.
[]	Indicates one or more options. Type only the information inside the square brackets. Do not type the [] symbols.
...	Indicates that you can type multiple options of the same type. Type only the information. Do not type the ellipsis (...).

Online Information and Support

Software AG Documentation Website

You can find documentation on the Software AG Documentation website at <http://documentation.softwareag.com>. The site requires credentials for Software AG's Product Support site Empower. If you do not have Empower credentials, you must use the TECHcommunity website.

Software AG Empower Product Support Website

If you do not yet have an account for Empower, send an email to empower@softwareag.com with your name, company, and company email address and request an account.

Once you have an account, you can open Support Incidents online via the eService section of Empower at <https://empower.softwareag.com/>.

You can find product information on the Software AG Empower Product Support website at <https://empower.softwareag.com>.

To submit feature/enhancement requests, get information about product availability, and download products, go to [Products](#).

To get information about fixes and to read early warnings, technical papers, and knowledge base articles, go to the [Knowledge Center](#).

If you have any questions, you can find a local or toll-free number for your country in our Global Support Contact Directory at https://empower.softwareag.com/public_directory.asp and give us a call.

Software AG TECHcommunity

You can find documentation and other technical information on the Software AG TECHcommunity website at <http://techcommunity.softwareag.com>. You can:

- Access product documentation, if you have TECHcommunity credentials. If you do not, you will need to register and specify "Documentation" as an area of interest.
- Access articles, code samples, demos, and tutorials.
- Use the online discussion forums, moderated by Software AG professionals, to ask questions, discuss best practices, and learn how other customers are using Software AG technology.
- Link to external websites that discuss open standards and web technology.

Data Protection

Software AG products provide functionality with respect to processing of personal data according to the EU General Data Protection Regulation (GDPR). Where applicable, appropriate steps are documented in the respective administration documentation.

2 Post-installation Steps under Windows

▪ Broker Instance Created Automatically during Installation	6
▪ Broker Service 'etbsrv'	7
▪ Starting or Restarting the Administration Service	7
▪ Eclipse Considerations	7
▪ Verifying the EntireX Broker Installation	8
▪ Sample Programs for Client (bcoc) and Server (bcos)	9
▪ Setting up EntireX Security under Windows	11
▪ EntireX Mini Runtime Considerations	13
▪ Broker ActiveX Control and TOR Editor	13

Under UNIX and Windows, EntireX is now installed using the Software AG Installer, which you download from the Software AG Empower website at [Empower](http://empower.softwareag.com). You can view the documentation for the Software AG Installer under <http://documentation.softwareag.com> > *Cross-Product Guides* > *Software AG Installer and Update Manager*. Alternatively, you can install and configure EntireX using Command Central; see *Installing EntireX using Command Central*.

This chapter assumes you have already installed EntireX using the Software AG Installer. It covers installation instructions for components not included in the Software AG Installer; instruction on how to verify the installation and set up EntireX Security.

Broker Instance Created Automatically during Installation

If check box **Turn on Autostart for default EntireX Broker** is checked, the installation starts the default broker ETB001. This broker instance listens on the TCP/IP and SSL ports defined in the custom panel during installation. Default port numbers are 1971 (TCP/IP) and 1958 (SSL).

➤ To change the default port of the default broker

- 1 Stop the broker, using one of the following methods:
 - Use Command Central to stop the broker, either from the Web user interface or with command `stopBroker`. See *Administering EntireX Components with Command Central* in the EntireX documentation or the separate Command Central documentation and online help for details.
 - Use the Windows start menu entry **Software AG > Stop Servers > Stop EntireX Default Broker**.
- 2 Edit the configuration file `config/entirex.config` and change the TCP/IP and SSL port numbers to a different value. For other broker instances, see `PORT` under *Broker Attributes*.
- 3 Start the broker.
 - Use the Windows start menu entry **Software AG > Start Servers > Start EntireX Default Broker**.

Broker Service 'etbsrv'

The broker service *etbsrv.exe* must be active on every machine where a broker instance is running. The installation procedure installs it with startup type “automatic” and with status type “started”. *etbsrv.exe* is in the *bin* subdirectory of the EntireX installation directory.

Starting or Restarting the Administration Service

The Administration Service is started or stopped by the broker service *etbsrv*.

When the broker has been started successfully, the Administration Service waits for messages from other started brokers. This wait period lasts around 90 seconds.

After this wait period, all brokers are started that have an Autostart value of “yes” that have not already started.

When the Administration Service is restarted, it takes a maximum of 90 seconds until the current system status is displayed correctly.

Eclipse Considerations

Eclipse is an optional component of EntireX. For *Designer*, it is required.

If you have not already installed Eclipse at your site, you can install Eclipse and the *Designer* from the installation medium. If you wish to install the *Designer* into an existing Eclipse environment, use the Eclipse update mechanism to deploy the EntireX feature.

Migrating from one EntireX Version to a Higher Version

When you migrate from one EntireX version to a higher version you have to change the license file setting to the new license file.

> To set a new license file

- Go to the Preferences pages in Eclipse (**Window > Preferences**) and select the page **Software AG > EntireX > Installation**.

Installing the EntireX Designer Plug-ins in Standalone Mode

If you want to install the EntireX design-time separately, that is, not as part of the full webMethods EntireX installation, see *Installing EntireX Design-time outside the Designer*.

Verifying the EntireX Broker Installation

The following methods are available to verify successful broker installation:

- `etbinfo` under *Broker Command-line Utilities* in the platform-specific Administration documentation
- `etbcmd` under *Broker Command-line Utilities* in the platform-specific Administration documentation
- [Sample Programs for Client \(bcoc\) and Server \(bcos\)](#)

» To verify the broker installation

- 1 If you have not already created a default broker, create one using Command Central. See *Creating a Broker Instance under Administering EntireX Broker using the Command Central GUI* in the Command Central documentation.
- 2 Start the broker using Command Central. See *Starting a Broker Instance under Administering EntireX Broker using the Command Central GUI* in the Command Central documentation.
- 3 Use one of the following methods to check if the broker is running:
 - Run `etbinfo` to query the broker for information. Start a Command Prompt session, change your directory to the EntireX `bin` directory and use the following command:

```
etbinfo -blocalhost -dBROKER -pbroker.pro
```

This assumes that you use the default port 1971. Otherwise use the command:

```
etbinfo -blocalhost:port -dBROKER -pbroker.pro
```

where `port` is the port number of your broker.

This should display a formatted report with information about the broker. If the broker is not active, you get response 02150148 “EntireX Broker not active”.

- Run the `etbcmd` utility.

```
etbcmd -bETB048 -cPING -dBROKER
```

The broker ID is ETB0248. If successful, the message PING broker ETB048 successfully performed is returned. If the broker is not active, you get response 02150148 “EntireX Broker not active”.

- Use the client program `bcoc` and server program `bcos` to test broker request and replies.

- **Server**

For the server, start a Command Prompt session, change your directory to the EntireX `bin` directory and use the following command:

```
bcos -i100 -bETB048.
```

- **Client**

For the client start another Command Prompt session, change your directory also to the EntireX `bin` directory and use the following command:

```
bcoc -i100 -bETB048
```

The Broker ID is ETB048 and the number_of_messages is 100. The parameters are described under [Sample Programs for Client \(bcoc\) and Server \(bcos\)](#).

Sample Programs for Client (bcoc) and Server (bcos)

The programs `bcoc` and `bcos` are client and server programs provided for test purposes. They are delivered as executables in the `<Install_Dir>\Entirex\bin\` folder.

If the broker is not active, you get 02150148 “EntireX Broker not active”.

bcoc Parameters

Parameter	Description	ACI Field
<code>-a locale</code>	<i>locale_string,environment</i>	LOCALE-STRING, ENVIRONMENT
<code>-bbroker_id</code>	Broker ID (same as the database ID). This is an EntireX Broker configuration parameter. Example: <code>bcoc -bETB045</code>	BROKER-ID
<code>-cclass</code>	Server class (part of the server definition). Default is ACLASS. Value must be configured in the <i>Broker Attributes</i> . Together with server and service it forms the fully qualified server name.	SERVER-CLASS
<code>-g input_file_name</code>	Use a file as send buffer.	
<code>-h</code>	Display usage information.	

Parameter	Description	ACI Field
<code>-i num_messages[, num_uows]</code>	If <code>num_uows</code> is not specified, the number of messages sent. If <code>num_uows</code> is specified, the number of UOWs and messages therein sent. Example: <code>bcoc -i10</code>	
<code>-jreply_error</code>	Test REPLY-ERROR.	
<code>-kconversation_flag</code>	Using conversational mode.	
<code>-l</code>	Silent mode. Suppress output.	
<code>-ntoken</code>	Specify the security token, if desired.	TOKEN
<code>-pmessage_size</code>	The size, in bytes, of the packets that will be transmitted. Used to specify send and receive length in the broker API. Example: <code>bcoc -p10000</code>	
<code>-rcompress</code>	Compression level. Values: N Y 0-9.	COMPRESSLEVEL
<code>-sserver</code>	Name of server. Default is ASERVER. Value must be configured in <i>Broker Attributes</i> . Together with <code>class</code> and <code>service</code> it forms the fully qualified server name.	SERVER-NAME
<code>-twait_time</code>	Set the wait time.	WAIT
<code>-uuser_id</code>	User ID. With a secure broker, this will be used to perform authentication.	USER-ID
<code>-vservice</code>	Name of service (part of the server definition). The default is ASERVICE. Value must be configured in <i>Broker Attributes</i> . Together with <code>class</code> and <code>server</code> it forms the fully qualified server name.	SERVER-NAME
<code>-wpassword</code>	Password. With a secure broker, this will be used to perform authentication.	PASSWORD
<code>-xssl_parms</code>	SSL parameters. For example: <code>-x"TRUST_STORE=..\ExxCACert.pem&VERIFY_SERVER=NO"</code> See also <i>SSL/TLS Parameters for SSL Clients</i> .	
<code>-ysleep_time</code>	Delay between messages in seconds.	
<code>-zstore[uwstatp[,uowtime]]</code>	Test unit of work.	
<code>-1..12</code>	By default, if omitted, the highest possible API version is used. Note that if you specify the API version, certain features might depend on a minimum API version.	API-VERSION

bcos Parameters

Most `bcoc` parameters apply to `bcos`, too. The following table lists additional parameters or parameters that have a different meaning.

Parameter	Description	ACI Field
<code>-goutput-file-name</code>	Name of output file for receive buffer (if not running in silent mode).	
<code>-inum_messages[, num_uows]</code>	If <code>num_uows</code> is not specified, the number of messages accepted. If <code>num_uows</code> is specified, the number of UOWs and messages therein that are accepted before deregistration. Example: <code>bcos -i10</code>	
<code>-iunit_of_work_flag</code>	Test unit of work.	

Setting up EntireX Security under Windows

- [Setting up EntireX Security for Broker Kernel](#)
- [Setting up EntireX Security for Broker Stubs](#)



Note: You must set up EntireX Security for broker kernel and - if your application(s) use API version 7 or below - also for broker stubs.

Setting up EntireX Security for Broker Kernel

> To set up EntireX Security for broker kernel under Windows

- 1 Determine that all prerequisites for EntireX components have been met before setting up EntireX Security. See *Windows Prerequisites*.
- 2 Insert the following statement into the broker-specific section of the attribute file. See *Broker-specific Attributes*.
 - SECURITY=YES
- 3 Modify the security-specific section of the broker attribute file according to your requirements. See *Security-specific Attributes*. These parameters are used to determine whether you will use Windows local security or LDAP-based authentication. If you are using LDAP-based authentication, authorization rules are not available to you.



Note: Authentication: Windows authentication calls `LogonUser()` with the flag `LOGON32_LOGON_INTERACTIVE`.

Setting up EntireX Security for Broker Stubs



Note: If you are running your application(s) at ACI version 7 or below, the following steps are required to install EntireX Security for the Broker stubs in all environments where applications execute either as clients or servers. See *Platform Coverage* for where EntireX Security for broker stubs is supported. These steps are not required if you are running your application(s) at ACI version 8 or above.

> To install EntireX Security for broker stubs on Windows

- When requested to specify the installation type, choose **Custom** and check the **Security** box.
(The required directories including *secuexit.dll* are copied to your computer during installation.)

 **Notes:**

1. *Secuexit.dll* is needed for backward compatibility if your applications issue any commands using ACI version 7 or below. Applications using ACI version 8 do not require this additional component in the stub.
2. For encrypted transport we strongly recommend using the Secure Sockets Layer/Transport Layer Security protocol. See *SSL/TLS and Certificates with EntireX*.

-  **Caution:** If stub tracing level is > 1, unencrypted contents of the send/receive buffers are exposed in the trace.

Installation of EntireX Security for Broker stubs is now complete. Now you can install the security components for the Broker stubs on the remaining operating systems where your application components are located.

EntireX Mini Runtime Considerations

The EntireX Mini Runtime is a set of components that can be used for the deployment of applications using the Broker ACI, the Broker RPC, and - under Windows only - DCOM Wrapper objects and the Broker ActiveX Control. Unlike the full EntireX Runtime, the Mini Runtime does not include Java capabilities. The EntireX Mini Runtime is provided as a separate package in the Software AG Installer.

If you need the EntireX Mini Runtime with your application, you may have to extend the PATH variable to `<inst_root>\EntireX\bin` before starting your application.

Broker ActiveX Control and TOR Editor

Before you can use the Broker ActiveX Control (file *ebx.dll*) and/or the TOR Editor (file *toredit.exe*) you have to register the Broker ActiveX Control as a COM component. Start the program `regsvr32` with "Run as Administrator":

```
regsvr32 <path>\ebx.dll
```

Files *ebx.dll* and *toredit.exe* are located in the `<inst_root>\EntireX\bin\x86` directory of the installation.



Note: Only program *ebx.dll* needs to be registered as a COM component. See *Calling the Transaction Object Editor*.