




KRYON™

System Architecture & Requirements

Kryon RPA

VERSION 20.9.8



Contents

Introduction

- Unattended automation (creating a virtual workforce) 3
- Attended automation (empowering the human workforce) 3
- Hybrid automation (combining the best of both worlds) 4

The RPA RPA Platform

- RPA Robots 6
 - Unattended robot 6
 - Attended robot 6
- RPA Studio 6
- RPA ConsoleX 7
- RPA RPA Server & Database 7

System Architecture

Network Considerations

- Protocols 9
- Ports 9
- Traffic 10
- Load Balancing 10

System Requirements – Server

System Requirements – High Scale Server

System Requirements – Clients

SSL/TLS Requirements

Additional Information

- RPA Robot performance & resource consumption 22
- Installation considerations 22
- Supported applications & technologies 22
- Supported browsers for web applications 22

External Load Balancer Architecture

Introduction

This document provides an overview of the RPA RPA Platform: its components, architecture, deployment, and system requirements.

The RPA RPA Platform offers a number of solutions, designed to enhance efficiency in different automation contexts:

Unattended automation (creating a virtual workforce)

RPA unattended robots run on virtual machines, working 24/7 behind the scenes to automate high-volume, repetitive, time-consuming business processes. In an unattended automation context:

- Robots are assigned tasks via RPA Console (or via the RPA API)
- Each task invokes a wizard, which provides the robot with a precise set of instructions for completing the task
 - The wizard runs automatically in robotic mode, without the need for human intervention

Attended automation (empowering the human workforce)

RPA attended robots run in the background on employee desktops, enabling employees to request guidance as needed or automate tasks on demand. There are two different methods for invoking a RPA attended robot (which can be used separately or in combination):

1. When an employee needs support in completing a task, he simply brings up the robot and finds the wizard he needs in the catalog
 - A wizard can be run in **Do It** mode (in which the robot actually performs actions for the employee) or in **Guide Me** mode (in which the robot navigates the employee through the task by pointing to each location where he needs to click the mouse or enter text)
- or –
2. The robot waits silently in the Windows taskbar, using predefined sensors to detect when the employee has launched a specific application or reached a specific screen
 - When the sensor is triggered, the robot comes to life, providing context-sensitive assistance and/or data validation exactly when and where it is needed

Hybrid automation (combining the best of both worlds)

Humans and robots work efficiently together, automating business processes from end-to-end.

Unless otherwise indicated, the information in this document applies to all automation contexts. In situations for which requirements/considerations differ, the following labels appear:

Unattended Only

Attended Only

THIRD PARTY COMPONENTS

Third party software provided as part of or with the Licensed Product is solely governed by its respective license terms as set forth in:

https://www.kryonsystems.com/Documents/3rdParty/Kryon_RPA_20-9_3rd-party_list.xlsx

The RPA RPA Platform

The RPA RPA Platform consists of the following components:

- [RPA Robots](#) (unattended/attended)
- [RPA Studio](#)
- [RPA Console](#) Unattended Only
- [RPA RPA Server & Database](#)

RPA Robots

Unattended robot Unattended Only

A client installed on a virtual machine that runs wizards (i.e., sequences of instructions) on target applications with no human intervention. For additional details, see [Unattended automation \(creating a virtual workforce\)](#).

Attended robot Attended Only

A desktop client that runs wizards and sensors on the target applications of end-user desktops. For additional details, see [Attended automation \(empowering the human workforce\)](#).

RPA Studio

Wizards and sensors are built in RPA Studio, with a complete set of tools that make it easy for both business users and developers to create automated workflows – from the simplest to the most sophisticated. Studio includes:

- RPA Recorder, which enables automation developers to record and edit the keystrokes and mouse movements required to perform a specific task (in a single application or across many)
- A robust toolbox of actions for editing recorded wizards or creating complete wizards from scratch. These actions can be used to retrieve data, interact directly with applications and UI elements, call up scripts, add business logic, and much more.

RPA ConsoleX Unattended Only


The "command and control" center in the [unattended automation](#) context, RPA Console is a browser-based application that provides automation managers the tools to setup, manage, and monitor the virtual workforce (i.e., unattended robots). RPA Console includes sophisticated, yet easy-to-use, modules for:

- setting up and managing the unattended automation environment (robots and robot groups, robot credentials, system notifications, etc.)
- scheduling and triggering tasks and assigning them to robots/groups
- monitoring and analyzing robot/task performance with Smart Analytics

RPA RPA Server & Database

The central repository that stores all wizards (including automatic backups and version history), collects usage statistics, and manages licenses and permissions. The client-server architecture of the RPA RPA Platform provides a truly collaborative, enterprise-ready, and multi-tenant enabled solution – easily scalable across organizations of all sizes.

System Architecture



Network Considerations

Protocols

By default, the RPA RPA Platform utilizes the Net.TCP and HTTP protocols. The platform includes the option to secure communications using SSL/TLS , in which case the primary protocols are Secured Net.TCP and HTTPS.

- When deployed with SSL/TLS , one of RPA's Windows services utilizes the HTTP protocol. The communication for this service uses a secured channel, with security implemented at the message level rather than at the transport level.

NOTES

When installing with SSL/TLS , the customer must provide the required certificate.

Note that encrypting communications at the transport level may influence communication speed between the RPA Server and clients.

Only SSL/TLS v1.2 is supported.

Ports

RPA's default port configuration is as follows. Server-side ports are fully and easily configurable.

For standard deployments (those not using SSL/TLS):

Friendly name	Protocol	Server-side inbound port (configurable)	Client-side outbound port
<i>HTTP port</i>	HTTP	8081	dynamic
<i>Net.TCP port</i>	Net.TCP	8082	dynamic
<i>NGNIX port</i>	HTTP	80	N/A

NOTE

Planning to work in HA?



When using High-Availability mode, an additional port need to be open, port **7600**.

TLS/SSL

For SSL/TLS deployments:

Friendly name	Protocol	Server-side inbound port (configurable)	Client-side outbound port
HTTPS port	HTTPS	8083	dynamic
Net.TCP port	Secured Net.TCP	8082	dynamic
NGNIX port	HTTPS	443	N/A
Discovery port	HTTP	80	N/A

Unattended Only

Port 8090 is used when installing more than one RPA RPA Server.

Traffic

Downloading wizards from the RPA Server to robots has minimal impact on overall network traffic.

Load Balancing **Attended Only**

RPA supports active-active redundancy for attended automation deployments with multiple servers. Customers can choose to implement this capability either: (i) through RPA's internal load balancing mechanism; or (ii) by utilizing an external load balancer.

See [Appendix A](#) for an illustration of external load balancer architecture.

System Requirements – Server

	Test Server	Production Environment (minimum)	Production Environment (recommended)		
	Single Server	Single Server	RPA Servers	Database Server	Centralized Log Repository Server (SEQ) *
Machine role	RPA Server + Database + Console	RPA Server + Database + Console	RPA Server + Console	Database	SEQ
# of servers	1 physical or VM server	1 physical or VM server	2 physical or VM servers	According to organization policy – redundant or cluster	According to organization policy – redundant or cluster
CPU	4 cores	4 cores + 2 cores for each 1,000 concurrent attended or 50 unattended robots	4 cores + 1 core for each 1,000 concurrent attended or 50 unattended robots	4 cores + 1 core for each 1,000 concurrent attended or 50 unattended robots	4 cores
Memory	8 GB	8GB + 512MB for each 1,000 concurrent attended or 50 unattended robots	8GB + 512MB for each 1,000 concurrent attended or 50 unattended robots	8GB + 512MB for each 1,000 concurrent attended or 50 unattended robots	16 GB RAM

	Test Server	Production Environment (minimum)	Production Environment (recommended)		
	Single Server	Single Server	RPA Servers	Database Server	Centralized Log Repository Server (SEQ) *
Robot capacity		<p>According to number of CPU cores –</p> <p><i>With 4 cores (minimum architecture):</i></p> <p>Max # of 1000 concurrent attended robots</p> <p>- or -</p> <p>Max # of 50 concurrent unattended robots</p> <p><i>With 8 additional cores:</i></p> <p>Max # of 1000 concurrent attended robots</p> <p>- or -</p> <p>Max # of 350 concurrent unattended robots</p>	<p>According to number of CPU cores –</p> <p><i>With 4 cores (minimum architecture):</i></p> <p>Max # of 1,000 concurrent attended robots</p> <p>- or -</p> <p>Max # of 50 concurrent unattended robots</p> <p><i>With 12 additional cores:</i></p> <p>Max # of 15,000 concurrent attended robots</p> <p>- or -</p>	<p>According to number of CPU cores –</p> <p><i>With 4 cores (minimum architecture):</i></p> <p>Max # of 1,000 concurrent attended robots</p> <p>- or -</p> <p>Max # of 50 concurrent unattended robots</p> <p><i>With 12 additional cores:</i></p> <p>Max # of 15,000 concurrent attended robots</p> <p>- or -</p> <p>Max # of 500</p>	

	Test Server	Production Environment (minimum)	Production Environment (recommended)		
	Single Server	Single Server	RPA Servers	Database Server	Centralized Log Repository Server (SEQ) *
			Max # of 500 concurrent unattended robots	concurrent unattended robots	
Disk size (Local hard disk only)	250 GB	250 GB (minimum 100 GB required by the installer)	500 GB	500 GB	256 GB SSD
Network	20 Mbps in/out	20 Mbps in/out	Average of 30 Mbps (in/out) per 5,000 concurrent attended or 167 concurrent unattended robots		
OS	Windows Server 2012 R2 or higher	Windows Server 2012 R2 or higher	Windows Server 2012 R2 or higher		
Database software	Microsoft SQL Server 2012 or higher (Express edition, NO license required), including these components:	Microsoft SQL Server 2012 or higher (Standard edition, license required), including these components:		Microsoft SQL Server 2012 or higher (Standard edition or higher, license required), including	

	Test Server	Production Environment (minimum)	Production Environment (recommended)		
	Single Server	Single Server	RPA Servers	Database Server	Centralized Log Repository Server (SEQ) *
	<ul style="list-style-type: none"> Database Engine Services Basic Management Tools <p><i>** In test environments, Microsoft SQL Server 2017 Express Edition can be optionally installed by the RPA server installation package.</i></p>	<ul style="list-style-type: none"> Database Engine Services Basic Management Tools <p><i>** In production environments, database software must be installed prior to RPA server installation</i></p>		<p>these components:</p> <ul style="list-style-type: none"> Database Engine Services Basic Management Tools <p><i>** In production environments, database software must be installed prior to RPA server installation</i></p>	

*The information is based on [SEQ System Requirements](#).

System Requirements – High Scale Server

	High Scale Production Environment		
	30K Attended/Server UP TO 60k/System		
	RPA Servers	Database Server	Centralized Log Repository Server (SEQ) *
Machine role	RPA Server + Console	Database	SEQ
# of servers	2 physical or VM servers	According to organization policy – redundant or cluster	According to organization policy – redundant or cluster
CPU (See the next table for CPU reference)	16 cores Intel® Xeon® Scalable Processors/AMD EPYC™ 2nd generation or; 24 cores Intel® Xeon® Processor E5 v4 Family or; 32 cores AMD EPYC™ 1st generation	16 cores Intel® Xeon® Scalable Processors/AMD EPYC™ 7002 series processor or; 24 cores Intel® Xeon® Processor E5 v4 Family or; 32 cores AMD EPYC™ 7001 series processor	8 cores
Memory	16 GB RAM	32 GB RAM	16 GB RAM
Robot capacity	According to number of CPU cores: Up to 15K concurrent Attended/500 Unattended	According to number of CPU cores: Up to 15K concurrent Attended/500 Unattended	

High Scale Production Environment

30K Attended/Server UP TO 60k/System

	RPA Servers	Database Server	Centralized Log Repository Server (SEQ) *
	<p>Robots:</p> <ul style="list-style-type: none"> 8 x cores Intel® Xeon® Scalable /AMD EPYC™ 7002 series processor 12 x Intel® Xeon® Processor E5 v4 Family 16 x cores AMD EPYC™ 7001 series processor <p>Up to 30K concurrent Attended/1K Unattended Robots:</p> <ul style="list-style-type: none"> 16 x cores Intel® Xeon® Scalable /AMD EPYC™ 7002 series processor 24 x Intel® Xeon® Processor E5 v4 Family 32 x cores AMD EPYC™ 7001 series processor 	<p>Robots:</p> <ul style="list-style-type: none"> 8 x cores Intel® Xeon® Scalable /AMD EPYC™ 7002 series processor 12 x Intel® Xeon® Processor E5 v4 Family <p>Up to 30K concurrent Attended/1K Unattended Robots:</p> <ul style="list-style-type: none"> 16 x cores Intel® Xeon® Scalable /AMD EPYC™ 7002 series processor 24 x Intel® Xeon® Processor E5 v4 Family <p>Up to 60K concurrent Attended/2K Unattended Robots:</p> <ul style="list-style-type: none"> 32 x cores Intel® Xeon® Scalable /AMD EPYC™ 7002 series processor 48 x Intel® Xeon® Processor E5 v4 Family 	
Disk size (Local hard	500 GB	500 GB	256 GB SSD

High Scale Production Environment			
30K Attended/Server UP TO 60k/System			
	RPA Servers	Database Server	Centralized Log Repository Server (SEQ) *
disk only)			
Network	Average of 90 Mbps (in/out) per 15,000 concurrent attended or 500 concurrent unattended robots		
OS	Windows Server 2012 R2 or higher		
Database software	<p>Microsoft SQL Server 2012 or higher (Enterprise edition, license required), including these components:</p> <ul style="list-style-type: none"> • Database Engine Services • Basic Management Tools <p>IMPORTANT:</p> <p>In production environments, database software must be installed prior to RPA server installation.</p> <p>Max degree of parallelism must be set to 1 at database level (Kryon Database options - Max Dop set to 1).</p>		

*The information is based on [SEQ System Requirements](#).

High Scale Production Environment CPU Reference

CPU Series	RPA Server + Console
Intel® Xeon® Scalable Processors	Xeon Platinum 8259CL (AWS EC2 M5 instance) Xeon Platinum 8275CL (AWS EC2 C5 instance) Xeon Platinum 8124M (AWS EC2 C5n instance) Xeon Platinum 8180
AMD EPYC™ 7002 series	Epyc 7R32 (AWS EC2 C5a instance)
Intel® Xeon® Processor E5 v4 Family	Xeon E5-2686 v4 (AWS EC2 M4 instance)
AMD EPYC™ 7001 series	Epyc 7571 (AWS EC2 M5a instance) Epyc 7601

System Requirements – Clients

	Unattended Robot		Attended Robot		RPA Studio	
	minimum	recommended	minimum	recommended	minimum	recommended
Machine type	physical or virtual		physical or virtual		physical or virtual	
CPU	Intel® Core Duo 2 GHz (or similar)	Intel® i3/i5/i7 (or similar)	Intel® Core Duo 2 GHz (or similar) * Intel® i3/i5/i7 (or similar) – if using RPA's sensor/push technology	Intel® i3/i5/i7 (or similar)	Intel® i3/i5/i7 (or similar)	
RAM	2 GB	4 GB	2 GB * 4 GB – if using RPA's sensor/push technology	4 GB	4 GB	8 GB
Free memory	200-300 MB (or higher)		200-300 MB (or higher)		200-300 MB (or higher)	
Minimum disk space	50 MB		50 MB		50 MB	

	Unattended Robot		Attended Robot		RPA Studio	
	minimum	recommended	minimum	recommended	minimum	recommended
OS	Windows 7 SP1/8.1/10 (most recent update – 64 bit) Windows Server 2008 R2 SP1/2012/2016/2019 – 64 bit		Windows 7 SP1/8.1/10 (most recent update) – 32/64 bit Windows Server 2008 R2 SP1/2012/2016/2019 – 64 bit		Windows 7 SP1/8.1/10 (most recent update) – 64 bit Windows Server 2008 R2 SP1/2012/2016/2019 – 64 bit <i>* Best practice is for the Studio machine's OS to match as closely as possible the OS of the robot machine(s) on which the automation workflows will run.</i>	
Other requirements					Minimum video resolution: 1024x768	

SSL/TLS Requirements

If you want to install the RPA RPA Platform using SSL/TLS , you have two options:

Option 1: Let the RPA installer generate the CA and certificate for you on the fly.

Option 2: Provide the organization's certificate. The certificate must meet the following requirements:

File format	PKCS #12 is PFX format (bundles a private key with its X.509 certificate) If PFX file is secured with password, customer must know it Certificate must be capable of being installed locally on server machine's personal certificate repository
Issuer	Signed by known, valid certificate authority: public CA or private CA
Public key	RSA 2048+
Signature hash	SHA256
Enhanced key usage	<i>Server Authentication or Multipurpose</i>
Certificate expiration date	It is the customer's responsibility to make sure certificates are kept up to date

NOTE: Only SSL/TLS v1.2 is supported.

Additional Information

RPA Robot performance & resource consumption

- RPA robots (both unattended and attended) are designed to consume minimum system resources when idle: 0 CPU time and approximately 2-3 MB of memory
- When a wizard is running, a robot consumes CPU resources as required, and memory consumption could increase to 250-300 MB
 - Sufficient resources to run the target application(s) are also required
- Resources are automatically released when the robot returns to idle (i.e., the wizard has completed)

Installation considerations

RPA clients (unattended/attended robots and Studio) must be installed on machines that have direct access to the target applications on which the wizards will run.

- Local applications → RPA clients should be installed on the same machine on which the applications are installed
- Web applications → RPA clients should be installed on a machine with access to the Internet and the website(s) used by the applications

Supported applications & technologies

The RPA RPA Platform supports the automation of any application, regardless of the underlying technology/platform:

- Desktop and web applications
- Legacy systems
- Green screen emulators
- Proprietary and off-the-shelf systems
- Citrix and other virtualization technologies

Supported browsers for web applications

The following browsers are supported for wizards running on web applications:

- Internet Explorer 11 and above
- Google Chrome 72 and above

- Mozilla Firefox 53 and above

External Load Balancer Architecture

