```
    *************************************************************
                            webMethods
                         Tamino XML Server
                           version 9.7.1
                            for Windows
                         for UNIX Platforms


                     Post-Installation README File


    This file contains important information you must read before
    using Tamino XML Server. You can find additional information
    about Tamino XML Server in the documentation area of Empower
    (https://empower.softwareag.com), Software AG's global extranet.

                                           October 15th, 2014
    *************************************************************
```

Table of Contents
=================

```
    *************************************************************
```

1 Readme and Last Minute Information
====================================

 The content of this readme file represents the state of the
 software to the best knowledge of all involved at the time
 when the final distribution was built.

 Any further changes to the content of this file are available
 at https://empower.softwareag.com

2 Known Issues for Tamino
=========================

2.1 Unix: Using MoveDbConfig.sh

 When using MoveDbConfig.sh to move the database meta data of
 an 8.2 database to the registry used by Tamino 9.7 in a
 side-by-side installation (i.e. for Tamino 9.7 another
 installation root directory is used than for Tamino 8.2), the
 MoveDbConfig.sh must be used with environment variable REGFILE
 set to the 8.2 registry file.

2.2 Missing Icons for Tamino in System Management Hub

 After a fresh installation of Tamino XML Server, the icons for
 Tamino may not be available in the browse tree of the Software
 AG System Management Hub.

 This condition is solved by restarting Tomcat after a
 successful installation.

 For more information on how to restart Tomcat, see the
 documentation of System Management Hub, section "Managing
 Tomcat" available at https://empower.softwareag.com/.

2.3 nonXML-Indexer and Previous Tamino Versions

 The nonXML-Indexer server extension delivered with Tamino 9.7
 is compatible with the nonXML-Indexer of version 9.5, 8.2 and
 8.0. However, the 9.7 as well as the 9.5, 8.2 and 8.0 nonXML
 Indexer are not compatible with Tamino 4.4.

 Keep in mind that on a single host only one version of a
 server extension can be used.

3 Documentation Addenda and Errata
================================

3.1 Viewing Software AG Product Documentation under Windows

 Microsoft Windows is using a range of powerful security
 features that restrict active content that runs locally on the
 user's computer.

 Active content includes ActiveX controls, Java applets and
 JavaScript.

 Software AG's documentation web pages contain some JavaScript,
 and the SEARCH, INDEX and CONTENTS capabilities are
 implemented as Java applets. As a result, when viewing
 documentation web pages that reside on the user's PC, users of

Internet Explorer and Mozilla Firefox are informed that active
content is blocked.

The user must explicitly and repeatedly allow active content
if he or she wants to make use of the documentation's full
navigation features.

Note that this behavior is only observed when reading web
pages installed locally on the user's PC, including those on
CD in the PC's CD-ROM drive.

The active content for which Software AG is responsible, that
is, the JavaScript code in our HTML documentation pages, will
not harm the user's computer. The risk in using the navigation
applets is negligible: Software AG has received no reports
from users concerning any harm caused to a computer by the
applets. We therefore suggest that when reading Software AG
documentation in a local context, the user allow active
content via the Security settings in the browser (with
Internet Explorer, usually found under Tools > Internet
Options > Advanced).

Full details of alternatives can be found on the home page of
the suppliers of the navigation applets:
http://www.phdcc.com/xpsp2.htm

4 Legal Notices
===============

4.1 Source Code of Third Party Software

 Certain third party products require that the source code must
 be made available. In case of any particular request please
 contact your local support staff.

==
Copyright © 2014 Software AG, Darmstadt, Germany and/or
Software AG USA, Inc., Reston, VA, United States of America,
and/or their licensors.

The name Software AG, webMethods and all Software AG product
names are either trademarks or registered trademarks of
Software AG and/or Software AG USA, Inc. and/or its Subsidiaries
and/or their licensors. Other company and product names
mentioned herein may be trademarks of their respective owners.

Detailed information on trademarks and patents owned by
Software AG and/or its subsidiaries is located at
http://documentation.softwareag.com/legal/.

INS-RM-97-20141015