

webMethods Task Engine 10.0 Readme

April 2017

This is an Innovation Release. Innovation releases have a much shorter support cycle than standard releases. To learn more, please visit <http://empower.softwareag.com/innovationrelease/>.

This file contains important information you must read before using webMethods Task Engine 10.0. You can find system requirements, user documentation, and installation and upgrade instructions on the [Documentation website](#) or the [TECHcommunity website](#). At those locations, you can also find suite-related security and globalization information.

Included in this file is information about functionality that has been added, removed, deprecated, or changed for this product. Deprecated functionality continues to work and is supported by Software AG, but may be removed in a future release. Software AG recommends against using deprecated functionality in new projects.

1.0	Critical Information.....	2
2.0	Known Issues.....	2
3.0	Usage Notes.....	2
4.0	Fixes Included in Each Release.....	2
5.0	Other Resolved Issues.....	5
6.0	Documentation Changes	7
7.0	Terminology Changes	7
8.0	Added, Removed, Deprecated, or Changed Items.....	8
9.0	Added, Removed, Deprecated, or Changed Built-In Services.....	9
10.0	Added, Removed, Deprecated, or Changed Parameters.....	10
11.0	Added, Removed, Deprecated, or Changed APIs	10
12.0	Copyright Information.....	74
13.0	Support.....	75

1.0 Critical Information

This section lists any critical issues for the current release that were known when this readme was published. For critical information found later, go to the Knowledge Center on the [Empower website](#).

2.0 Known Issues

This section lists any issues for the current release that were known when this readme was published. For known issues found later, go to the Knowledge Center on the [Empower website](#).

- WTN-3733
My webMethods does not display details about a step in a collaboration process.
On the Collaboration Processes > Process Details page, when you select a step in a collaboration process, the Step Info, Task Info, Task Audit, and Task Comments tabs on the Details panel do not display any information about the step. Only the Process Info tab contains any information.
There is currently no workaround for this issue.

3.0 Usage Notes

This section provides any additional information you need to work with the current release of this product.

4.0 Fixes Included in Each Release

This section lists the latest fix level that has been included in each release for each product component. A release is listed in this section only if changes occurred in that release. Go to the Knowledge Center on the [Empower website](#) for detailed information about fixes.

Release 10.0

- MWS_9.12_Fix3
- MWS_9.10_Fix9
- MWS_9.9_Fix10
- MWS_9.8_Fix20
- MWS_9.7_Fix23
- MWS_9.6_Fix19
- MWS_9.5_SP1_Fix24

- TE_9.9_TC_Fix1
- TE_9.7_TC_Fix2
- TE_9.6_TC_Fix2

Release 9.12

- MWS_9.10_Fix2
- MWS_9.10_SPM_Fix1
- MWS_9.10_SPM_IS_Fix1
- MWS_9.9_Fix5
- MWS_9.9_GLUE_Fix2
- MWS_9.9_SPM_Fix1
- MWS_9.8_Fix12
- MWS_9.8_SPM_Fix4
- MWS_9.7_Fix16
- MWS_9.6_Fix16
- MWS_9.6_SPM_Fix3
- MWS_9.5_SP1_Fix22
- MWS_9.0_SP1_Fix13
- MWS_8.2_SP1_Fix28
- TE_9.8_TC_Fix1
- TE_9.6_Fix1
- TE_9.5_SP1_TC_Fix3

Release 9.10

- MWS_9.9_Fix2
- MWS_9.9_GLUE_Fix1
- MWS_9.8_Fix8

- MWS_9.8_GLUE_Fix1
- MWS_9.7_Fix12
- MWS_9.6_Fix10
- MWS_9.6_GLUE_Fix1
- MWS_9.5_SP1_Fix15
- MWS_9.0_SP1_Fix9
- MWS_8.2_SP1_Fix26
- TE_9.7_TC_Fix1
- TE_8.2_SP1_TC_Fix7

Release 9.9

- MWS_9.8_Fix3
- MWS_9.7_Fix7
- MWS_9.6_Fix8
- MWS_9.5_SP1_Fix11
- MWS_9.0_SP1_Fix7
- MWS_8.2_SP1_Fix24

Release 9.8

- MWS_9.7_Fix3
- MWS_9.6_Fix5
- MWS_9.5_SP1_Fix6
- MWS_9.0_SP1_Fix5
- MWS_8.2_SP1_Fix19
- MWS_8.0_SP2_Fix20

Release 9.7

- MWS 9.6 Fix2

- MWS 9.5 SP1 Fix3
- MWS 9.0 SP1 Fix3
- MWS 8.2 SP1 Fix18
- TE_9.5_SP1_Fix2

Release 9.6

- MWS 8.2 SP1 Fix15
- MWS 9.0 SP1 Fix1

5.0 Other Resolved Issues

This section lists the issues that were resolved in each release but were not part of the fixes listed in the previous section. A release is listed in this section only if changes occurred in that release.

Release 10.0

- WTN-2749
The WmTaskClient package does not support case-insensitive index searches. You cannot use WmTaskClient package services to perform an indexed task search with a search query term that is case-insensitive. The issue is resolved.

Release 9.12

- WTN-3684
On the Business Data page in My webMethods, the Intrinsic Task Metrics event maps are improperly set as user-defined. When you expand the Intrinsic Task Metrics node on the Administration > Analytics > KPIs > Business Data page in My webMethods, the DEFINED BY column for the Intrinsic Task Metrics event maps displays the value of "User". However, intrinsic event map and KPI definitions should be system-defined to prevent users from deleting or modifying the definitions. The issue is resolved. The DEFINED BY column for the Intrinsic Task Metrics event maps now has a value of "System".

Release 9.6

- MWS-10947
Task events are not getting fired consistently for date/time events.

In some instances, task events are not getting fired consistently for date/time events.
This issue is now resolved.

Release 9.5

- MWS-9830
Unable to add process scoped comments to a task.
If a task is configured for process scoped comments, and a user attempts to add a comment, the following errors results: "user1 cannot add a Comment Entry to _task_PID:<task ID>-commentsContainer."
This issue is now resolved.
- WTN-2212
Violation of PRIMARY KEY constraint 'PK_STEPDEF' Error while creating collaboration task in a clustered environment.
When attempting to create a collaboration task in a clustered environment, a "Violation of PRIMARY KEY constraint 'PK_STEPDEF'" Error occurs.
This issue is now resolved.
- WTN-2190
An NPE error occurs when a Scheduled Delegation rule is created and the "Delegate From" user is an LDAP user.
A "java.lang.NullPointerException" error occurs when you attempt to create a Scheduled Delegation rule and the "Delegate From" user is an LDAP user.
This issue is now resolved.
- WTN-2047 / WTN-2314
An error occurs while creating collaborative tasks using the queueTask IS service in a loop.
When using the public Task Engine service pub.task.taskclient:queueTask to create child tasks, a "TaskID cannot be found" error occurs.
This issue is now resolved.
- WTN-1966
Task Administration permission for a Group/User/Role is not saved after 7.1.3 to 9.0 over-install migration.
After a task application has been migrated from 7.1.3 to 9.0, and permissions are granted to a Group, User, or Role for this task, not all task permissions are saved.
This issue is now resolved.
- WTN-2046
Resubmitting a step in a process creates a duplicate task instance.
After a process instance is started, either resubmitting the document in the process or resubmitting a task step in the process creates a new task instance but does not delete the old task instance.
This issue is now resolved.

6.0 Documentation Changes

This section describes significant changes to the documentation, such as the addition, relocation, or removal of product guides, online help, chapters, or other major content. A release is listed in this section only if changes occurred in that release.

Release 9.12

A new chapter, “Using Command Central to Manage Task Engine” is added to *webMethods Task Engine User’s Guide*. The chapter contains information about how you use Software AG Command Central to administer the WmTaskClient and Task Engine layered products.

Release 9.7

A new chapter is added to the *webMethods Task Engine API and Service Reference*, “Using the Task Engine RESTful Web Services in My webMethods Server.” This chapter describes how webMethods Task Engine enables web applications to use RESTful services in My webMethods Server to directly communicate with the Task Engine.

Release 9.6

webMethods Task Engine provides support for Mobile Task Integration (MTI), which enables a user to interact with MTI-enabled tasks running in the Task Engine from an iOS or Android mobile device. A separate PDF publication, *Software AG Designer Mobile Task Integration Supplemental Documentation*, is available from the documentation website and with the documentation installation. This publication describes the procedures required to create a mobile task application in Software AG Designer, how to publish the application to Mobile Administrator, and how to connect to and interact with the mobile task application from a mobile device.

7.0 Terminology Changes

A release is listed in this section only if changes occurred in that release.

8.0 Added, Removed, Deprecated, or Changed Items

This section lists functionality, controls, portlets, properties, or other items that have been added, removed, deprecated, or changed. A release is listed in this section only if changes occurred in that release.

Release 10.0

Added Item	Description
Full-text search in task type inboxes	Task Engine now supports full-text search on task business data in task type inboxes.

Changed Item	Description
Task Type ID selection in the Tasks Migration portlet	The Tasks Migration portlet now supports the selection of the task type ID for all supported databases.

Release 9.12

Deprecated Item	Replacement, if any
Support for Axis 1.x, which is used for exposing web services from My webMethods Server, is deprecated.	
Support for webMethods Glue	

Release 9.10

Added Item	Description
webMethods Task Development now supports the String List data type when you configure task assignees with a webMethods Business Rules decision table in Software AG Designer.	You can assign a task to multiple user IDs by using a String List in the assignee field of your IS document type. For more information about working with task assignments, see <i>webMethods BPM Task Development Help</i> .

Added Item	Description
Scheduling of task instances	<p>When you create a task instance, you can now schedule the task instance to start at a specified date and time. You specify or modify the schedule of a task instance, using:</p> <ul style="list-style-type: none"> • Task Engine built-in services • Task Engine RESTful services • webMethods Business Console user interface

9.0 Added, Removed, Deprecated, or Changed Built-In Services

A release is listed in this section only if changes occurred in that release.

Release 10.0

Changed Service	Description
pub.task.taskclient:getTaskComments	The built-in service now returns the name of the ID parameter in uppercase instead of in lowercase.

Release 9.10

Changed Service	Description
pub.task.taskclient:queueTask	The built-in service now accepts the task schedule details for a task instance to be added to Task Engine's queue.
pub.task.taskclient:updateTask	The built-in service now allows changes to the new taskScheduleDate parameter if a task instance is in scheduled state.
pub.task.taskclient:getTask	The built-in service now retrieves the task schedule date along with other details of a task instance.

10.0 Added, Removed, Deprecated, or Changed Parameters

A release is listed in this section only if changes occurred in that release.

Release 10.0

Removed Parameter	Replacement, if any
task.event.lightweight	The additional JVM parameter task.event.lightweight that was deprecated in a previous release is now removed.

Release 9.10

Added Parameter	Description
taskScheduleDate	The taskScheduleDate parameter has been added to: <ul style="list-style-type: none">pub.task:TaskInfopub.task:TaskQueueInfoTaskInfo model used by RESTful services

Changed Parameter	Description
Status	The pub.task:TaskInfo service and the TaskInfo model used by RESTful services have been updated to include the new “scheduled” status.

11.0 Added, Removed, Deprecated, or Changed APIs

A release is listed in this section only if changes occurred in that release.

Release 10.0

Added API	Description
com.webmethods.caf.faces.data.task.impl.TaskInboxIndexedSearchContentProvider\$InboxSearchQuery: Added com.webmethods.caf.faces.data.task.ITaskSearchQueryExtended to the set of implemented interfaces	
com.webmethods.caf.faces.data.task.impl.TaskInboxSearchContentProvider\$InboxSearchQuery:	

Added com.webmethods.caf.faces.data.task.ITaskSearchQueryExtended to the set of implemented interfaces

com.webmethods.caf.faces.data.task.impl.TaskSearchQuery: Added

com.webmethods.caf.faces.data.task.ITaskSearchQueryExtended to the set of implemented interfaces

com.webmethods.caf.faces.data.task.impl.TaskSearchQueryV2: Added

com.webmethods.caf.faces.data.task.ITaskSearchQueryExtended to the set of implemented interfaces

com.webmethods.caf.mobile.notify.impl.MobileNotificationProvider: Added

com.webmethods.portal.event.modify.IUpdateEvent\$ISynchronousListener to the set of implemented interfaces

com.webmethods.caf.mobile.notify.task.NotificationSender: Added java.util.concurrent.Callable to the set of implemented interfaces

com.webmethods.portal.mech.task.impl.TaskQuery: Added

com.webmethods.caf.faces.data.task.ITaskSearchQueryExtended to the set of implemented interfaces

com.webmethods.portal.service.sql.runtime.base.TaskSearchAll: Added

com.webmethods.portal.service.task.ITaskInfoFieldConverters to the set of implemented interfaces

com.webmethods.portal.service.sql.runtime.base.TaskSearchAllByTagCount: Added

com.webmethods.portal.service.task.ITaskInfoFieldConverters to the set of implemented interfaces

com.webmethods.portal.service.sql.runtime.base.TaskSearchAllByTagPaged: Added

com.webmethods.portal.service.task.ITaskInfoFieldConverters to the set of implemented interfaces

com.webmethods.portal.service.sql.runtime.base.TaskSearchAllCount: Added

com.webmethods.portal.service.task.ITaskInfoFieldConverters to the set of implemented interfaces

com.webmethods.portal.service.sql.runtime.base.TaskSearchAllGroupedCount: Added

com.webmethods.portal.service.task.ITaskInfoFieldConverters to the set of implemented interfaces

com.webmethods.portal.service.sql.runtime.base.TaskSearchAllPaged: Added

com.webmethods.portal.service.task.ITaskInfoFieldConverters to the set of implemented interfaces

com.webmethods.portal.service.sql.runtime.base.TaskSearchFromInboxes: Added

com.webmethods.portal.service.task.ITaskInfoFieldConverters to the set of implemented interfaces

com.webmethods.portal.service.sql.runtime.base.TaskSearchFromInboxesByTagCount: Added

com.webmethods.portal.service.task.ITaskInfoFieldConverters to the set of implemented interfaces

com.webmethods.portal.service.sql.runtime.base.TaskSearchFromInboxesByTagPaged: Added

com.webmethods.portal.service.task.ITaskInfoFieldConverters to the set of implemented interfaces

com.webmethods.portal.service.sql.runtime.base.TaskSearchFromInboxesCount: Added

com.webmethods.portal.service.task.ITaskInfoFieldConverters to the set of implemented interfaces

com.webmethods.portal.service.sql.runtime.base.TaskSearchFromInboxesGroupedCount: Added

com.webmethods.portal.service.task.ITaskInfoFieldConverters to the set of implemented interfaces

com.webmethods.portal.service.sql.runtime.base.TaskSearchFromInboxesPaged: Added

com.webmethods.portal.service.task.ITaskInfoFieldConverters to the set of implemented interfaces

com.webmethods.portal.socialbpm.charts.SocialBPMSearchQuery: Added
com.webmethods.caf.faces.data.task.ITaskSearchQueryExtended to the set of implemented interfaces

com.webmethods.caf.faces.render.html.table.MoveRowDownIconRenderer: Added
com.webmethods.caf.faces.render.html.table.MoveRowLinkRenderer to the list of superclasses

com.webmethods.caf.faces.render.html.table.MoveRowDownLinkRenderer: Added
com.webmethods.caf.faces.render.html.table.MoveRowLinkRenderer to the list of superclasses

com.webmethods.caf.faces.render.html.table.MoveRowUpIconRenderer: Added
com.webmethods.caf.faces.render.html.table.MoveRowLinkRenderer to the list of superclasses

com.webmethods.caf.faces.render.html.table.MoveRowUpLinkRenderer: Added
com.webmethods.caf.faces.render.html.table.MoveRowLinkRenderer to the list of superclasses

com.webmethods.portal.bizPolicy.biz.task.impl.TaskDBOHelper: Added
com.webmethods.portal.bizPolicy.biz.task.impl.TaskIndexHelper to the list of superclasses

com.webmethods.caf.common.deployer.MwsDeployerConstants: Added public field
PROJ_PROP_EXPORT_PAGE_DEPTH

com.webmethods.caf.mobile.notify.IMobileNotificationConstants: Added public field IOS_CERT

com.webmethods.caf.mobile.notify.IMobileNotificationConstants: Added public field
IOS_HOST_NAME

com.webmethods.caf.mobile.notify.IMobileNotificationConstants: Added public field
IOS_HOST_PORT

com.webmethods.caf.mobile.notify.IMobileNotificationConstants: Added public field
IOS_PASSWORD

com.webmethods.caf.mobile.notify.IMobileNotificationConstants: Added public field
NOTIFIER_QUEUE_SIZE_THRESHOLD

com.webmethods.caf.mobile.notify.impl.MobileNotifierComponent: Added protected field
m_connPoolProvider

com.webmethods.caf.mobile.notify.util.MobileNotifierUtil: Added public field
IOS_JSON_PAYLOAD_TEMPLATE

com.webmethods.portal.bizPolicy.biz.task.ITaskDefinitionConstants: Added public field
PROPERTY_HPSTRA_INDEXTABLEDIS

com.webmethods.portal.bizPolicy.biz.task.ITaskDefinitionConstants: Added public field
PROPERTY_HPSTRA_INDEX_JOB_STATUS

com.webmethods.portal.bizPolicy.biz.task.ITaskDefinitionConstants: Added public field
PROPERTY_ISHPSTRAENABLED

com.webmethods.portal.bizPolicy.command.task.rs.BaseTaskResource: Added public field
DEFAULT_JSON_DATE_FORMAT

com.webmethods.portal.service.bcgadget.IBCGadgetConstants: Added public field

BC_GADGET_DEF_CONTAINER_NOT_FOUND_ERROR_MSG

com.webmethods.portal.service.dir.impl.DirServicePortletBean: Added public field ATTR_PREFIX_LENGTH

com.webmethods.portal.service.dir.impl.DirServicePortletBean: Added public field EDIT_ATTR_CURRPASSWORD

com.webmethods.portal.service.dir.impl.DirServicePortletBean: Added public field USERNAME

com.webmethods.portal.service.dir.impl.DirServicePortletBean: Added public field exceptionMessage

com.webmethods.portal.service.sql.runtime.base.TaskLockSetNew: Added public field TE_MAX_LAST_ACTIVE

com.webmethods.portal.service.task.impl.TaskDefinitionView: Added protected field m_taskDetailGadgetURIs

com.webmethods.caf.common.ObjectUtil: Method 'public void sortObjectList(java.util.List, java.lang.String, boolean)' has been added

com.webmethods.caf.faces.component.behavior.DragToMoveRowsBehavior: Method 'public boolean isPropagateEvents()' has been added

com.webmethods.caf.faces.component.behavior.DragToMoveRowsBehavior: Method 'public void setPropagateEvents(boolean)' has been added

com.webmethods.caf.faces.component.tree.AsyncTree: Method 'protected com.webmethods.caf.faces.data.ITableContentProvider getContentProvider(boolean)' has been added

com.webmethods.caf.faces.data.task.impl.TaskSearchQuery: Method 'public java.lang.String getSearchEngineType()' has been added

com.webmethods.caf.faces.data.task.impl.TaskSearchQuery: Method 'public void setSearchEngineType(java.lang.String)' has been added

com.webmethods.caf.mobile.notify.impl.MobileNotificationProvider: Method 'public void onSynchronousEvent(com.webmethods.portal.event.modify.IUpdateEvent)' has been added

com.webmethods.caf.mobile.notify.impl.MobileNotifierComponent: Method 'public com.webmethods.caf.mobile.notify.impl.AppleMessagingCloudConnectionDetails getM_iOSConnectionDetails()' has been added

com.webmethods.caf.mobile.notify.impl.MobileNotifierComponent: Method 'public java.util.concurrent.BlockingQueue getMessageQueue()' has been added

com.webmethods.caf.mobile.notify.impl.MobileNotifierComponent: Method 'public java.util.List scheduleCleanUpService(java.util.List)' has been added

com.webmethods.caf.mobile.notify.impl.MobileNotifierComponent: Method 'public void setMessageQueue(java.util.concurrent.BlockingQueue)' has been added

com.webmethods.caf.mobile.notify.impl.MobileNotifierComponent: Method 'public void stopExecutorService()' has been added

com.webmethods.caf.mobile.notify.impl.TaskEventsHandler: Method 'public java.lang.String createMessage(com.webmethods.portal.service.task.event.ITaskChangedEvent)' has been added

com.webmethods.caf.mobile.notify.task.Message: Method 'public java.util.List getAndroidSubscriptionList()' has been added

com.webmethods.caf.mobile.notify.task.Message: Method 'public java.util.List getIOSSubscriptionList()' has been added

com.webmethods.caf.mobile.notify.task.Message: Method 'public void setAndroidSubscriptionList(java.util.List)' has been added

com.webmethods.caf.mobile.notify.task.Message: Method 'public void setIOSSubscriptionList(java.util.List)' has been added

com.webmethods.caf.mobile.notify.task.NotificationSender: Method 'public java.util.List call()' has been added

com.webmethods.caf.mobile.notify.task.NotificationSender: Method 'public java.lang.Object call()' has been added

com.webmethods.caf.mobile.notify.task.NotificationSender: Method 'public byte[] convertPayloadtoUTF8Bytes(java.lang.String)' has been added

com.webmethods.caf.mobile.notify.task.NotificationSender: Method 'public byte[] decodeHex(java.lang.String)' has been added

com.webmethods.caf.mobile.notify.task.NotificationSender: Method 'public byte[] formAPNSMessage(byte, byte[], byte[])' has been added

com.webmethods.caf.mobile.notify.util.MobileNotifierUtil: Method 'public java.lang.String generateIOSPayload(java.util.List, java.lang.String, java.lang.String)' has been added

com.webmethods.caf.script.servlet.ScriptServlet: Method 'protected void includeBCScript(java.lang.String, java.util.Locale, java.io.Writer, boolean)' has been added

com.webmethods.caf.script.servlet.ScriptServlet: Method 'protected void stripBCScript(java.io.Reader, java.io.Writer)' has been added

com.webmethods.caf.script.util.JavascriptStripper: Method 'protected boolean is_sep_for_bc(int)' has been added

com.webmethods.caf.script.util.JavascriptStripper: Method 'protected boolean is_unambiguous_sep_for_bc(int)' has been added

com.webmethods.caf.script.util.JavascriptStripper: Method 'public void stripBCScript(java.io.Reader, java.io.Writer)' has been added

com.webmethods.caf.script.util.JavascriptStripper: Method 'protected int strip_c_comment_for_bc(java.io.Reader, java.io.Writer)' has been added

com.webmethods.portal.bizPolicy.biz.task.impl.TaskDBOHelper: Method 'public com.webmethods.portal.service.meta2.dbo.HpstraIndexTable createHpstraIndexTableFromXml(java.lang.String)' has been added

com.webmethods.portal.bizPolicy.command.task.rs.TaskResource: Method 'public void convertJSONToJavaObj(java.util.Map, java.lang.Class)' has been added

com.webmethods.portal.framework.presentation.handlers.Nbsp: Method 'public java.lang.Object lookup(java.util.Map, java.lang.String, boolean)' has been added

com.webmethods.portal.service.dir.impl.DirPrincipalListView: Method 'public java.util.Map getExceptions()' has been added

com.webmethods.portal.service.dir.impl.DirPrincipalListView: Method 'public void setExceptions(java.util.Map)' has been added

com.webmethods.portal.service.dir.impl.DirPrincipalProvider: Method 'protected void populateGroupMembership(com.webmethods.portal.service.dir.IDirPrincipal, java.util.Set, java.util.Map)' has been added

com.webmethods.portal.service.dir.impl.DirServicePortletBean: Method 'protected void EditPrincipalEx()' has been added

com.webmethods.portal.service.dir.impl.DirServicePortletBean: Method 'public void EditUserEx()' has been added

com.webmethods.portal.service.dir.impl.DirServicePortletBean: Method 'public boolean isAuthenticated(java.lang.String, java.lang.String)' has been added

com.webmethods.portal.service.sql.runtime.base.TaskLockSetNew: Method 'protected java.lang.String getConditionalInsertStatement()' has been added

com.webmethods.portal.service.task.impl.TaskDefinitionView: Method 'public com.webmethods.portal.service.meta2.dbo.HpstraIndexTable getHpstraIndexTable()' has been added

com.webmethods.portal.service.task.impl.TaskDefinitionView: Method 'public java.lang.String getTaskDetailGadgetURIs()' has been added

com.webmethods.portal.service.task.impl.TaskDefinitionView: Method 'public boolean isHpstraEnabled()' has been added

com.webmethods.portal.system.cluster.impl.ClusterProvider: Method 'public void reloadClusterServers()' has been added

com.webmethods.portal.webapp.jetty7.MwsSessionManager: Method 'protected void addContextLocale(org.eclipse.jetty.server.session.AbstractSession)' has been added

com.webmethods.rtl.event.DeliveryService: Method 'public boolean isConfigLoaded()' has been added

com.webmethods.rtl.msg.jms.JMSDestination\$LiveStatistics\$NameComparator: Method 'public int compare(com.webmethods.rtl.msg.jms.JMSDestination\$LiveStatistics, com.webmethods.rtl.msg.jms.JMSDestination\$LiveStatistics)' has been added

com.webmethods.rtl.msg.jms.JMSProvider: Method 'protected boolean isMaintenanceMode()' has been added

com.webmethods.rtl.script.nbsp.NBSPage: Method 'public java.lang.Object get(java.lang.String, boolean)' has been added

com.webmethods.rtl.script.nbsp.NBSPPage: Method 'public java.lang.String getString(java.lang.String, java.lang.String, boolean)' has been added

com.webmethods.rtl.script.nbsp.PooledNBSPPage: Method 'public java.lang.Object get(java.lang.String, boolean)' has been added

com.webmethods.rtl.script.nbsp.PooledNBSPPage: Method 'public java.lang.Object get(java.lang.String, java.lang.Class, java.lang.Object, boolean)' has been added

com.webmethods.rtl.script.nbsp.PooledNBSPPage: Method 'public java.lang.String getString(java.lang.String, java.lang.String, boolean)' has been added

com.webmethods.caf.mobile.notify.IMobileNotifierComponent: Method 'public com.webmethods.caf.mobile.notify.impl.AppleMessagingCloudConnectionDetails getM_iOSConnectionDetails()' has been added to an interface

com.webmethods.caf.mobile.notify.IMobileNotifierComponent: Method 'public java.util.concurrent.BlockingQueue getMessageQueue()' has been added to an interface

com.webmethods.caf.mobile.notify.IMobileNotifierComponent: Method 'public java.util.List scheduleCleanUpService(java.util.List)' has been added to an interface

com.webmethods.caf.mobile.notify.IMobileNotifierComponent: Method 'public void setMessageQueue(java.util.concurrent.BlockingQueue)' has been added to an interface

com.webmethods.caf.mobile.notify.IMobileNotifierComponent: Method 'public void stopExecutorService()' has been added to an interface

com.webmethods.common.search.ISliceableSearchContext: Method 'public java.util.Map getExceptions()' has been added to an interface

com.webmethods.portal.mech.task.ITaskMechanics: Method 'public void fireTaskReindexStopEvent(com.webmethods.portal.service.task.ITaskDefinition, java.lang.String)' has been added to an interface

com.webmethods.portal.service.dir.IDirPrincipalList: Method 'public java.util.Map getExceptions()' has been added to an interface

com.webmethods.portal.service.task.ITaskDefinition: Method 'public com.webmethods.portal.service.meta2.dbo.HpstraIndexTable getHpstraIndexTable()' has been added to an interface

com.webmethods.portal.service.task.ITaskDefinition: Method 'public java.lang.String getTaskDetailGadgetURIs()' has been added to an interface

com.webmethods.portal.service.task.ITaskDefinition: Method 'public boolean isHpstraEnabled()' has been added to an interface

com.webmethods.portal.service.task.ITaskDistributionService: Method 'public java.util.List getPrincipalActors(com.webmethods.portal.system.IURI[], boolean)' has been added to an interface

com.webmethods.portal.service.task.event.ITaskReindexStopEvent: Method 'public java.lang.String getIndexEngineType()' has been added to an interface

com.webmethods.portal.system.cluster.IClusterProvider: Method 'public void reloadClusterServers()' has been added to an interface

com.webmethods.rtl.script.nbsp.INBSPRuntime: Method 'public java.lang.Object lookup(java.util.Map, java.lang.String, boolean)' has been added to an interface

com.webmethods.rtl.script.nbsp.INBSPPage: Method 'public java.lang.Object get(java.lang.String, boolean)' has been added to an interface

com.webmethods.rtl.script.nbsp.INBSPPage: Method 'public java.lang.String getString(java.lang.String, java.lang.String, boolean)' has been added to an interface

com.softwareag.mws.screens.BaseScreenClass: Class com.softwareag.mws.screens.BaseScreenClass added

com.softwareag.mws.screens.Constants: Class com.softwareag.mws.screens.Constants added

com.softwareag.mws.screens.MWSLoginLogoutScreen: Class
com.softwareag.mws.screens.MWSLoginLogoutScreen added

com.softwareag.mws.screens.applications.administration.systemwide.usermanagement.UsersScreen: Class
com.softwareag.mws.screens.applications.administration.systemwide.usermanagement.UsersScreen added

com.webmethods.caf.faces.data.task.AggregationType: Class
com.webmethods.caf.faces.data.task.AggregationType added

com.webmethods.caf.faces.data.task.IQueryAggregationInfo: Class
com.webmethods.caf.faces.data.task.IQueryAggregationInfo added

com.webmethods.caf.faces.data.task.ITaskSearchQueryExtended: Class
com.webmethods.caf.faces.data.task.ITaskSearchQueryExtended added

com.webmethods.caf.faces.data.task.IndexEngineType: Class
com.webmethods.caf.faces.data.task.IndexEngineType added

com.webmethods.caf.faces.data.task.impl.QueryAggregationInfo: Class
com.webmethods.caf.faces.data.task.impl.QueryAggregationInfo added

com.webmethods.caf.faces.data.task.impl.TaskInboxHpstraSearchContentProvider: Class
com.webmethods.caf.faces.data.task.impl.TaskInboxHpstraSearchContentProvider added

com.webmethods.caf.faces.data.task.impl.TaskInboxHpstraSearchContentProvider\$HpstraInboxSearchQuery: Class
com.webmethods.caf.faces.data.task.impl.TaskInboxHpstraSearchContentProvider\$HpstraInboxSearchQuery added

com.webmethods.caf.faces.data.task.impl.TaskSearchQueryExtended: Class
com.webmethods.caf.faces.data.task.impl.TaskSearchQueryExtended added

com.webmethods.caf.faces.render.html.table.MoveRowLinkRenderer: Class
com.webmethods.caf.faces.render.html.table.MoveRowLinkRenderer added

com.webmethods.caf.mobile.notify.impl.PushNotification: Class
com.webmethods.caf.mobile.notify.impl.PushNotification added

com.webmethods.caf.mobile.notify.impl.PushNotification\$PushNotificationCommandBean: Class
com.webmethods.caf.mobile.notify.impl.PushNotification\$PushNotificationCommandBean added

com.webmethods.caf.mobile.notify.impl.SubscriptionCleanUpEvent: Class
com.webmethods.caf.mobile.notify.impl.SubscriptionCleanUpEvent added

com.webmethods.caf.mobile.notify.impl.SubscriptionCleanUpHandler: Class
com.webmethods.caf.mobile.notify.impl.SubscriptionCleanUpHandler added

com.webmethods.caf.mobile.notify.task.APNSCleanUpThread: Class
com.webmethods.caf.mobile.notify.task.APNSCleanUpThread added

com.webmethods.portal.bizPolicy.biz.task.impl.TaskDBOHelper\$DBIndexer: Class
com.webmethods.portal.bizPolicy.biz.task.impl.TaskDBOHelper\$DBIndexer added

com.webmethods.portal.bizPolicy.biz.task.impl.TaskIndexHelper: Class
com.webmethods.portal.bizPolicy.biz.task.impl.TaskIndexHelper added

com.webmethods.portal.bizPolicy.biz.task.impl.TaskIndexHelper\$Indexer: Class
com.webmethods.portal.bizPolicy.biz.task.impl.TaskIndexHelper\$Indexer added

com.webmethods.portal.bizPolicy.command.system.RuntimeStatusBean: Class
com.webmethods.portal.bizPolicy.command.system.RuntimeStatusBean added

com.webmethods.portal.bizPolicy.command.system.RuntimeTimeStatus: Class
com.webmethods.portal.bizPolicy.command.system.RuntimeTimeStatus added

com.webmethods.portal.bizPolicy.command.system.RuntimeTimeStatus\$StatusInfo: Class
com.webmethods.portal.bizPolicy.command.system.RuntimeTimeStatus\$StatusInfo added

com.webmethods.portal.bizPolicy.command.task.rs.LayeredProductVerionResource: Class
com.webmethods.portal.bizPolicy.command.task.rs.LayeredProductVerionResource added

com.webmethods.portal.bizPolicy.command.task.rs.LayeredProductVerionResource\$Product: Class
com.webmethods.portal.bizPolicy.command.task.rs.LayeredProductVerionResource\$Product added

com.webmethods.portal.bizPolicy.command.task.rs.LayeredProductVerionResource\$ProductHolder:
Class
com.webmethods.portal.bizPolicy.command.task.rs.LayeredProductVerionResource\$ProductHolder
added

com.webmethods.portal.jms.um.QueueType: Class com.webmethods.portal.jms.um.QueueType added

com.webmethods.portal.service.meta2.dbo.HpstraIndexTable: Class
com.webmethods.portal.service.meta2.dbo.HpstraIndexTable added

com.webmethods.portal.service.meta2.dbo.HpstraIndexTable\$DisplayField: Class
com.webmethods.portal.service.meta2.dbo.HpstraIndexTable\$DisplayField added

com.webmethods.portal.service.sql.runtime.base.TaskPendingUpdatesCleanup: Class
com.webmethods.portal.service.sql.runtime.base.TaskPendingUpdatesCleanup added

com.webmethods.portal.service.sql.runtime.db2.TaskLockSetNew: Class
com.webmethods.portal.service.sql.runtime.db2.TaskLockSetNew added

com.webmethods.portal.service.sql.runtime.db2.UpdateThingCounter: Class
com.webmethods.portal.service.sql.runtime.db2.UpdateThingCounter added

com.webmethods.portal.service.sql.runtime.mssql.ThingNewPar: Class
com.webmethods.portal.service.sql.runtime.mssql.ThingNewPar added

com.webmethods.portal.service.sql.runtime.mssql.UpdateThingCounter: Class
com.webmethods.portal.service.sql.runtime.mssql.UpdateThingCounter added

com.webmethods.portal.service.sql.runtime.mysql.UpdateThingCounter: Class
com.webmethods.portal.service.sql.runtime.mysql.UpdateThingCounter added

com.webmethods.portal.service.sql.runtime.oracle.TaskLockSetNew: Class
com.webmethods.portal.service.sql.runtime.oracle.TaskLockSetNew added

com.webmethods.portal.service.sql.runtime.oracle.UpdateThingCounter: Class
com.webmethods.portal.service.sql.runtime.oracle.UpdateThingCounter added

com.webmethods.portal.service.task.ITaskIndexEngineConfiguration: Class
com.webmethods.portal.service.task.ITaskIndexEngineConfiguration added

com.webmethods.portal.service.task.ITaskIndexManager: Class
com.webmethods.portal.service.task.ITaskIndexManager added

com.webmethods.portal.service.task.ITaskInfoFieldConverters: Class
com.webmethods.portal.service.task.ITaskInfoFieldConverters added

com.webmethods.portal.service.task.ITaskInfoFieldConverters\$AcceptedByListValueConverter: Class
com.webmethods.portal.service.task.ITaskInfoFieldConverters\$AcceptedByListValueConverter added

com.webmethods.portal.service.task.ITaskInfoFieldConverters\$CurrentUserValueConverter: Class
com.webmethods.portal.service.task.ITaskInfoFieldConverters\$CurrentUserValueConverter added

com.webmethods.portal.service.task.ITaskInfoFieldConverters\$DateValueConverter: Class
com.webmethods.portal.service.task.ITaskInfoFieldConverters\$DateValueConverter added

com.webmethods.portal.service.task.ITaskInfoFieldConverters\$FieldValueConverter: Class
com.webmethods.portal.service.task.ITaskInfoFieldConverters\$FieldValueConverter added

com.webmethods.portal.service.task.ITaskInfoFieldConverters\$PriorityValueConverter: Class
com.webmethods.portal.service.task.ITaskInfoFieldConverters\$PriorityValueConverter added

com.webmethods.portal.service.task.ITaskInfoFieldConverters\$StatusValueConverter: Class
com.webmethods.portal.service.task.ITaskInfoFieldConverters\$StatusValueConverter added

com.webmethods.portal.service.task.ITaskInfoFieldConverters\$TaskIDValueConverter: Class
com.webmethods.portal.service.task.ITaskInfoFieldConverters\$TaskIDValueConverter added

com.webmethods.portal.service.task.ITaskInfoFieldConverters\$TaskTypeIDValueConverter: Class
com.webmethods.portal.service.task.ITaskInfoFieldConverters\$TaskTypeIDValueConverter added

com.webmethods.portal.service.task.ITaskInfoFieldConverters\$URIValueConverter: Class
com.webmethods.portal.service.task.ITaskInfoFieldConverters\$URIValueConverter added

com.webmethods.portal.service.task.ITaskInfoFieldConverters\$UserValueConverter: Class
com.webmethods.portal.service.task.ITaskInfoFieldConverters\$UserValueConverter added

com.webmethods.portal.service.task.SearchContext: Class
com.webmethods.portal.service.task.SearchContext added

com.webmethods.portal.service.task.SearchKey: Class com.webmethods.portal.service.task.SearchKey
added

com.webmethods.portal.service.task.SearchKey\$TE_SearchKeys: Class
com.webmethods.portal.service.task.SearchKey\$TE_SearchKeys added

com.webmethods.portal.service.task.TaskIndexEngineFactory: Class
com.webmethods.portal.service.task.TaskIndexEngineFactory added

com.webmethods.portal.service.task.event.ITaskDistributionChangedEvent: Class
com.webmethods.portal.service.task.event.ITaskDistributionChangedEvent added

com.webmethods.portal.service.task.event.ITaskDistributionChangedEvent\$DistributionChangeType:
Class
com.webmethods.portal.service.task.event.ITaskDistributionChangedEvent\$DistributionChangeType
added

com.webmethods.portal.service.task.event.ITaskDistributionChangedEvent\$IListener: Class
com.webmethods.portal.service.task.event.ITaskDistributionChangedEvent\$IListener added

com.webmethods.portal.service.task.event.ITaskDistributionChangedEvent\$ISynchronousListener:
Class
com.webmethods.portal.service.task.event.ITaskDistributionChangedEvent\$ISynchronousListener
added

com.webmethods.portal.service.task.event.ITaskDistributionChangedEvent\$Listeners: Class
com.webmethods.portal.service.task.event.ITaskDistributionChangedEvent\$Listeners added

com.webmethods.portal.service.task.event.ITaskDistributionChangedEvent\$SynchronousListeners:
Class
com.webmethods.portal.service.task.event.ITaskDistributionChangedEvent\$SynchronousListeners
added

com.webmethods.portal.service.task.event.ITaskDistributionChangedEvent\$SynchronousListeners\$Sy
nchronousListener: Class
com.webmethods.portal.service.task.event.ITaskDistributionChangedEvent\$SynchronousListeners\$Sy
nchronousListener added

com.webmethods.portal.service.task.event.impl.TaskDistributionChangedEvent: Class
com.webmethods.portal.service.task.event.impl.TaskDistributionChangedEvent added

com.webmethods.portal.service.task.event.impl.TaskReindexStopEvent: Class
com.webmethods.portal.service.task.event.impl.TaskReindexStopEvent added

com.webmethods.portal.service.task.impl.TaskDBIndexConfiguration: Class
com.webmethods.portal.service.task.impl.TaskDBIndexConfiguration added

com.webmethods.portal.system.cluster.impl.ClusterNodeRegisteredNotifier: Class
com.webmethods.portal.system.cluster.impl.ClusterNodeRegisteredNotifier added

com.webmethods.pushNotification.apns.connection.pool.APNSConnectionPool: Class
com.webmethods.pushNotification.apns.connection.pool.APNSConnectionPool added

com.webmethods.pushNotification.apns.connection.pool.APNSConnectionPoolManager: Class
com.webmethods.pushNotification.apns.connection.pool.APNSConnectionPoolManager added

com.webmethods.pushNotification.apns.connection.pool.APNSConnectionProvider: Class
com.webmethods.pushNotification.apns.connection.pool.APNSConnectionProvider added

com.webmethods.pushNotification.apns.connection.pool.APNSPoolableConnection: Class
com.webmethods.pushNotification.apns.connection.pool.APNSPoolableConnection added

com.webmethods.pushNotification.apns.connection.pool.IConnectionProvider: Class
com.webmethods.pushNotification.apns.connection.pool.IConnectionProvider added

com.webmethods.pushNotification.apns.connection.pool.IPoolableConnection: Class
com.webmethods.pushNotification.apns.connection.pool.IPoolableConnection added

Removed API**Replacement, if any**

com.webmethods.caf.mobile.notify.task.NotificationSender: Removed java.lang.Runnable from the set of implemented interfaces

com.webmethods.caf.mobile.notify.impl.TaskEventsHandler: Removed field OPERATION_ACCEPTED

com.webmethods.caf.mobile.notify.impl.TaskEventsHandler: Removed field OPERATION_CANCELLED

com.webmethods.caf.mobile.notify.impl.TaskEventsHandler: Removed field OPERATION_COMPLETED

com.webmethods.caf.mobile.notify.impl.TaskEventsHandler: Removed field OPERATION_EXPIRED

com.webmethods.caf.mobile.notify.impl.TaskEventsHandler: Removed field OPERATION_FAILED

com.webmethods.caf.mobile.notify.impl.TaskEventsHandler: Removed field OPERATION_QUEUED

com.webmethods.caf.mobile.notify.impl.TaskEventsHandler: Removed field OPERATION_REASSIGNED

com.webmethods.caf.mobile.notify.impl.TaskEventsHandler: Removed field OPERATION_RELEASED

com.webmethods.caf.mobile.notify.impl.TaskEventsHandler: Removed field OPERATION_RESUMED

com.webmethods.caf.mobile.notify.impl.TaskEventsHandler: Removed field OPERATION_SUSPENDED

com.webmethods.portal.bizPolicy.biz.task.impl.TaskDBOHelper: Removed field reindexAllTaskExecutor

com.webmethods.portal.bizPolicy.biz.task.impl.TaskDBOHelper: Removed field reindexingTasks

com.webmethods.portal.mech.task.impl.TaskMechanics: Removed field USE_LIGHT_WEIGHT_EVENTS

Deprecated API**Replacement, if any**

com.webmethods.portal.service.task.impl.TaskDistributionService: Method 'public java.util.List getPrincipalActors(com.webmethods.portal.system.IURI[], boolean)' has been deprecated

com.webmethods.portal.service.task.impl.TaskDistributionService: Method 'protected java.util.List returnPagedTaskList(java.lang.String, java.lang.Object[], boolean)' has been deprecated

Changed API**Description**

com.webmethods.caf.mobile.notify.impl.AppleMessagingCloudConnectionDetails: Increased visibility of class from package to public

com.webmethods.caf.mobile.notify.util.MobileNotifierUtil: Value of compile-time constant ANDROID_JASON_PAYLOAD_TEMPLATE has been changed

com.webmethods.caf.faces.bean.BaseFacesBean: Accessibility of field EMPTY_RESOURCES has been increased from package to public

com.webmethods.caf.mobile.notify.task.NotificationSender: In method 'public NotificationSender(java.util.concurrent.BlockingQueue, com.sun.jersey.api.client.WebResource\$Builder)' the number of arguments has changed

com.webmethods.caf.mobile.notify.util.MobileNotifierUtil: In method 'public com.webmethods.caf.mobile.notify.task.Message generatePayload(java.util.List, java.lang.String, java.lang.String)' the number of arguments has changed

com.webmethods.portal.jms.um.UmJMSClient: In method 'protected void createQueue(java.lang.String, boolean, int)' the number of arguments has changed

com.webmethods.portal.jms.um.UmJMSClient: In method 'protected void createTopic(java.lang.String, boolean, int)' the number of arguments has changed

com.webmethods.portal.mech.task.impl.TaskMechanics: In method 'public void fireTaskReindexStopEvent(com.webmethods.portal.service.task.ITaskDefinition)' the number of arguments has changed

com.webmethods.caf.mobile.notify.util.MobileNotifierUtil: Return type of method 'public com.webmethods.caf.mobile.notify.task.Message generateAndroidPayload(java.util.List, java.lang.String, java.lang.String)' has been changed to java.lang.String

com.webmethods.portal.jms.db.DbJMSConnProvider: Accessibility of method 'public DbJMSConnProvider()' has been decreased from public to private

Release 9.12**Added API****Description**

com.webmethods.caf.common.thread.NamedThreadFactory: Method 'public NamedThreadFactory(java.lang.String, boolean)' has been added

com.webmethods.caf.faces.bean.mws_ui.HtmlHead: Method 'public java.lang.String getEffectsJS()' has been added

com.webmethods.caf.faces.convert.FormattedDateTimeConverter: Added protected field dateFormatDefault

com.webmethods.caf.faces.data.object.DateRange: Added protected field controlCalendar

com.webmethods.caf.faces.data.object.DateRange: Method 'protected java.util.Calendar

Added API	Description
getControlCalendar(javax.faces.context.FacesContext)	' has been added
com.webmethods.caf.faces.data.object.DateRange:	Method 'public void
setControlCalendar(java.util.Calendar)	' has been added
com.webmethods.caf.mobile.notify.IMobileNotificationConstants:	Class
com.webmethods.caf.mobile.notify.IMobileNotificationConstants	added
com.webmethods.caf.mobile.notify.IMobileNotificationProvider:	Class
com.webmethods.caf.mobile.notify.IMobileNotificationProvider	added
com.webmethods.caf.mobile.notify.IMobileNotifierComponent:	Class
com.webmethods.caf.mobile.notify.IMobileNotifierComponent	added
com.webmethods.caf.mobile.notify.activator.MobileNotificationActivator:	Class
com.webmethods.caf.mobile.notify.activator.MobileNotificationActivator	added
com.webmethods.caf.mobile.notify.impl.MobileNotificationProvider:	Class
com.webmethods.caf.mobile.notify.impl.MobileNotificationProvider	added
com.webmethods.caf.mobile.notify.impl.MobileNotifierComponent:	Class
com.webmethods.caf.mobile.notify.impl.MobileNotifierComponent	added
com.webmethods.caf.mobile.notify.impl.TaskEventsHandler:	Class
com.webmethods.caf.mobile.notify.impl.TaskEventsHandler	added
com.webmethods.caf.mobile.notify.task.Message:	Class
com.webmethods.caf.mobile.notify.task.Message	added
com.webmethods.caf.mobile.notify.task.MonitorPendingNotificationMessages:	Class
com.webmethods.caf.mobile.notify.task.MonitorPendingNotificationMessages	added
com.webmethods.caf.mobile.notify.task.NotificationSender:	Class
com.webmethods.caf.mobile.notify.task.NotificationSender	added
com.webmethods.caf.mobile.notify.util.MobileNotifierUtil:	Class
com.webmethods.caf.mobile.notify.util.MobileNotifierUtil	added
com.webmethods.caf.wssserver.auth.saml.SamlUtils:	Method 'public org.w3c.dom.Element
marshallSamlObject(org.opensaml.xml.XMLObject)	' has been added
com.webmethods.caf.wssserver.auth.saml.SamlUtils:	Method 'public org.opensaml.xml.XMLObject
unmarshallElement(org.w3c.dom.Element)	' has been added
com.webmethods.portal.bizPolicy.biz.dir.IGroupBizPolicy:	Added
com.webmethods.portal.bizPolicy.biz.view.IViewableContainerPolicy	to the set of implemented
interfaces	
com.webmethods.portal.bizPolicy.biz.dir.IPrincipalBizPolicy:	Added
com.webmethods.portal.bizPolicy.biz.view.IViewableContainerPolicy	to the set of implemented
interfaces	

Added API	Description
com.webmethods.portal.bizPolicy.biz.dir.IUserBizPolicy: Added com.webmethods.portal.bizPolicy.biz.view.IViewableContainerPolicy to the set of implemented interfaces	
com.webmethods.portal.bizPolicy.biz.dir.impl.GroupBizPolicy: Added com.webmethods.portal.bizPolicy.biz.view.IViewableContainerPolicy to the set of implemented interfaces	
com.webmethods.portal.bizPolicy.biz.dir.impl.GroupBizPolicy: Added com.webmethods.portal.bizPolicy.biz.view.impl.ViewableContainerPolicy to the list of superclasses	
com.webmethods.portal.bizPolicy.biz.dir.impl.PrincipalBizPolicy: Added com.webmethods.portal.bizPolicy.biz.view.IViewableContainerPolicy to the set of implemented interfaces	
com.webmethods.portal.bizPolicy.biz.dir.impl.PrincipalBizPolicy: Added com.webmethods.portal.bizPolicy.biz.view.impl.ViewableContainerPolicy to the list of superclasses	
com.webmethods.portal.bizPolicy.biz.dir.impl.UserBizPolicy: Added com.webmethods.portal.bizPolicy.biz.view.IViewableContainerPolicy to the set of implemented interfaces	
com.webmethods.portal.bizPolicy.biz.dir.impl.UserBizPolicy: Added com.webmethods.portal.bizPolicy.biz.view.impl.ViewableContainerPolicy to the list of superclasses	
com.webmethods.portal.bizPolicy.biz.task.impl.TaskInfo: Added java.io.Serializable to the set of implemented interfaces	
com.webmethods.portal.bizPolicy.biz.task.impl.TaskInfoExtended: Added java.io.Serializable to the set of implemented interfaces	
com.webmethods.portal.bizPolicy.command.ICommandManager: Method 'public com.webmethods.portal.bizPolicy.command.IRemoteCommandTransport getRemoteCommandTransport(java.lang.String)' has been added to an interface	
com.webmethods.portal.bizPolicy.command.ICommandManager: Method 'public java.util.List invokeClusterCommand(com.webmethods.portal.bizPolicy.IContext, com.webmethods.portal.bizPolicy.command.ICommand, com.webmethods.portal.bizPolicy.command.ICommandBean)' has been added to an interface	
com.webmethods.portal.bizPolicy.command.ICommandResponseEntry: Class com.webmethods.portal.bizPolicy.command.ICommandResponseEntry added	
com.webmethods.portal.bizPolicy.command.dir.GetPortalStyle: Method 'protected void checkAccess(com.webmethods.portal.bizPolicy.IContext, com.webmethods.portal.bizPolicy.command.dir.IPrincipalMechanics, com.webmethods.portal.system.IURI)' has been added	
com.webmethods.portal.bizPolicy.command.dir.SearchDirectory: Method 'protected void	

Added API	Description
checkAccess(com.webmethods.portal.bizPolicy.IContext, com.webmethods.portal.mech.dir.IDirServiceMechanics, com.webmethods.portal.service.meta2.thing.IThingID)	has been added
com.webmethods.portal.bizPolicy.command.dir.SearchDirectoryEx: Method 'protected void checkAccess(com.webmethods.portal.bizPolicy.IContext, com.webmethods.portal.mech.dir.IDirServiceMechanics, com.webmethods.portal.service.meta2.thing.IThingID)	has been added
com.webmethods.portal.bizPolicy.command.dir.SearchDirectoryRefined: Method 'protected void checkAccess(com.webmethods.portal.bizPolicy.IContext, com.webmethods.portal.mech.dir.IDirServiceMechanics, com.webmethods.portal.service.meta2.thing.IThingID)	has been added
com.webmethods.portal.bizPolicy.command.dir.SearchDirectoryRefinedPaged: Method 'protected void checkAccess(com.webmethods.portal.bizPolicy.IContext, com.webmethods.portal.mech.dir.IDirServiceMechanics, com.webmethods.portal.service.meta2.thing.IThingID)	has been added
com.webmethods.portal.bizPolicy.command.impl.CommandManager: Method 'public com.webmethods.portal.bizPolicy.command.IRemoteCommandTransport getRemoteCommandTransport(java.lang.String)	has been added
com.webmethods.portal.bizPolicy.command.impl.CommandManager: Method 'public java.util.List invokeClusterCommand(com.webmethods.portal.bizPolicy.IContext, com.webmethods.portal.bizPolicy.command.ICommand, com.webmethods.portal.bizPolicy.command.ICommandBean)	has been added
com.webmethods.portal.bizPolicy.command.remote.RemoteCommand	Class added
com.webmethods.portal.bizPolicy.command.remote.RemoteCommandBean	Class added
com.webmethods.portal.bizPolicy.command.remote.jms.JmsRemoteCommandTransport	Class added
com.webmethods.portal.bizPolicy.command.remote.jms.JmsRemoteCommandTransport\$RemoteJmsException	Class
com.webmethods.portal.bizPolicy.command.remote.jms.JmsRemoteCommandTransport\$RemoteJmsException	added
com.webmethods.portal.bizPolicy.command.remote.jms.JmsRemoteTransaction	Class added
com.webmethods.portal.bizPolicy.command.system.JndiRefreshCluster	Class

Added API**Description**

com.webmethods.portal.bizPolicy.command.system.JndiRefreshCluster added

com.webmethods.portal.bizPolicy.command.task.jms.AbstractTaskCommand: Class

com.webmethods.portal.bizPolicy.command.task.jms.AbstractTaskCommand added

com.webmethods.portal.bizPolicy.command.task.jms.AbstractTaskCommandBean: Class

com.webmethods.portal.bizPolicy.command.task.jms.AbstractTaskCommandBean added

com.webmethods.portal.bizPolicy.command.task.jms.AddTaskAttachmentJMS: Class

com.webmethods.portal.bizPolicy.command.task.jms.AddTaskAttachmentJMS added

com.webmethods.portal.bizPolicy.command.task.jms.AddTaskCommentJMS: Class

com.webmethods.portal.bizPolicy.command.task.jms.AddTaskCommentJMS added

com.webmethods.portal.bizPolicy.command.task.jms.DeleteTaskAttachmentJMS: Class

com.webmethods.portal.bizPolicy.command.task.jms.DeleteTaskAttachmentJMS added

com.webmethods.portal.bizPolicy.command.task.jms.DeleteTaskCommentJMS: Class

com.webmethods.portal.bizPolicy.command.task.jms.DeleteTaskCommentJMS added

com.webmethods.portal.bizPolicy.command.task.jms.DeleteTaskJMS: Class

com.webmethods.portal.bizPolicy.command.task.jms.DeleteTaskJMS added

com.webmethods.portal.bizPolicy.command.task.jms.GetTaskAttachmentsJMS: Class

com.webmethods.portal.bizPolicy.command.task.jms.GetTaskAttachmentsJMS added

com.webmethods.portal.bizPolicy.command.task.jms.GetTaskAuditJMS: Class

com.webmethods.portal.bizPolicy.command.task.jms.GetTaskAuditJMS added

com.webmethods.portal.bizPolicy.command.task.jms.GetTaskCommentsJMS: Class

com.webmethods.portal.bizPolicy.command.task.jms.GetTaskCommentsJMS added

com.webmethods.portal.bizPolicy.command.task.jms.GetTaskJMS: Class

com.webmethods.portal.bizPolicy.command.task.jms.GetTaskJMS added

com.webmethods.portal.bizPolicy.command.task.jms.QueueTaskJMS: Class

com.webmethods.portal.bizPolicy.command.task.jms.QueueTaskJMS added

com.webmethods.portal.bizPolicy.command.task.jms.SearchTasksFieldsJMS: Class

com.webmethods.portal.bizPolicy.command.task.jms.SearchTasksFieldsJMS added

com.webmethods.portal.bizPolicy.command.task.jms.SearchTasksJMS: Class

com.webmethods.portal.bizPolicy.command.task.jms.SearchTasksJMS added

com.webmethods.portal.bizPolicy.command.task.jms.SearchTasksPagedJMS: Class

com.webmethods.portal.bizPolicy.command.task.jms.SearchTasksPagedJMS added

com.webmethods.portal.bizPolicy.command.task.jms.SearchTasksTotalCountJMS: Class

com.webmethods.portal.bizPolicy.command.task.jms.SearchTasksTotalCountJMS added

com.webmethods.portal.bizPolicy.command.task.jms.UpdateTaskAttachmentJMS: Class

Added API	Description
com.webmethods.portal.bizPolicy.command.task.jms.UpdateTaskAttachmentJMS	added
com.webmethods.portal.bizPolicy.command.task.jms.UpdateTaskCommentJMS	Class
com.webmethods.portal.bizPolicy.command.task.jms.UpdateTaskCommentJMS	added
com.webmethods.portal.bizPolicy.command.task.jms.UpdateTaskJMS	Class
com.webmethods.portal.bizPolicy.command.task.jms.UpdateTaskJMS	added
com.webmethods.portal.bizPolicy.command.task.jms.impl.TaskJMSUtils	Class
com.webmethods.portal.bizPolicy.command.task.jms.impl.TaskJMSUtils	added
com.webmethods.portal.bizPolicy.command.task.rs.MWSCustomDispatchProvider	Class
com.webmethods.portal.bizPolicy.command.task.rs.MWSCustomDispatchProvider	added
com.webmethods.portal.bizPolicy.command.task.rs.MWSRequestDispatcher	Class
com.webmethods.portal.bizPolicy.command.task.rs.MWSRequestDispatcher	added
com.webmethods.portal.bizPolicy.command.task.webservice.SearchTasksFieldsWS	Added
java.io.Serializable	to the set of implemented interfaces
com.webmethods.portal.bizPolicy.command.task.webservice.SearchTasksWS	Added
java.io.Serializable	to the set of implemented interfaces
com.webmethods.portal.bizPolicy.command.task.webservice.Task	Added
java.io.Serializable	to the set of implemented interfaces
com.webmethods.portal.bizPolicy.command.task.webservice.dotnet.SearchTasksDotNetWS	Added
java.io.Serializable	to the set of implemented interfaces
com.webmethods.portal.bizPolicy.command.task.webservice.dotnet.SearchTasksFieldsDotNetWS	Added
java.io.Serializable	to the set of implemented interfaces
com.webmethods.portal.bizPolicy.impl.upgrade.MoveVersionSystemComponentData	Class
com.webmethods.portal.bizPolicy.impl.upgrade.MoveVersionSystemComponentData	added
com.webmethods.portal.event.dir.IDirPrincipalDNUpdateEvent	Class
com.webmethods.portal.event.dir.IDirPrincipalDNUpdateEvent	added
com.webmethods.portal.event.dir.IDirPrincipalDNUpdateEvent\$IListener	Class
com.webmethods.portal.event.dir.IDirPrincipalDNUpdateEvent\$IListener	added
com.webmethods.portal.event.dir.IDirPrincipalDNUpdateEvent\$ISynchronousListener	Class
com.webmethods.portal.event.dir.IDirPrincipalDNUpdateEvent\$ISynchronousListener	added
com.webmethods.portal.event.dir.IDirPrincipalDNUpdateEvent\$Listeners	Class
com.webmethods.portal.event.dir.IDirPrincipalDNUpdateEvent\$Listeners	added
com.webmethods.portal.event.dir.IDirPrincipalDNUpdateEvent\$QueueListeners	Class
com.webmethods.portal.event.dir.IDirPrincipalDNUpdateEvent\$QueueListeners	added
com.webmethods.portal.event.dir.IDirPrincipalDNUpdateEvent\$SynchronousListeners	Class
com.webmethods.portal.event.dir.IDirPrincipalDNUpdateEvent\$SynchronousListeners	added

Added API	Description
com.webmethods.portal.event.dir.impl.DirPrincipalDNUpdateEvent: Class com.webmethods.portal.event.dir.impl.DirPrincipalDNUpdateEvent added	
com.webmethods.portal.event.sso.ISSODataChangeEvent: Class com.webmethods.portal.event.sso.ISSODataChangeEvent added	
com.webmethods.portal.event.sso.ISSODataChangeEvent\$IListener: Class com.webmethods.portal.event.sso.ISSODataChangeEvent\$IListener added	
com.webmethods.portal.event.sso.ISSODataChangeEvent\$ISynchronousListener: Class com.webmethods.portal.event.sso.ISSODataChangeEvent\$ISynchronousListener added	
com.webmethods.portal.event.sso.ISSODataChangeEvent\$Listeners: Class com.webmethods.portal.event.sso.ISSODataChangeEvent\$Listeners added	
com.webmethods.portal.event.sso.ISSODataChangeEvent\$QueueListeners: Class com.webmethods.portal.event.sso.ISSODataChangeEvent\$QueueListeners added	
com.webmethods.portal.event.sso.ISSODataChangeEvent\$SynchronousListeners: Class com.webmethods.portal.event.sso.ISSODataChangeEvent\$SynchronousListeners added	
com.webmethods.portal.event.sso.impl.SSODataChangeEvent: Class com.webmethods.portal.event.sso.impl.SSODataChangeEvent added	
com.webmethods.portal.framework.dispatch.handlers.system.SAMLSSOHandler: Class com.webmethods.portal.framework.dispatch.handlers.system.SAMLSSOHandler added	
com.webmethods.portal.framework.dispatch.preProcessors.OpenRedirectCheck: Class com.webmethods.portal.framework.dispatch.preProcessors.OpenRedirectCheck added	
com.webmethods.portal.framework.dispatch.resolvers.SAMLAuthReqResolver: Class com.webmethods.portal.framework.dispatch.resolvers.SAMLAuthReqResolver added	
com.webmethods.portal.framework.impl.PortalServlet: Added public field PORTAL_SERVLET_LOCK_OBJ	
com.webmethods.portal.framework.portletcontainer.servlet.JettyPortletRequestWrapper: Method 'public org.eclipse.jetty.util.MultiMap getParameterMultiMap()' has been added	
com.webmethods.portal.framework.portletcontainer.servlet.JettyPortletRequestWrapper: Method 'public java.util.Map getParameters()' has been added	
com.webmethods.portal.jms.JMSPhaseProvider: Added com.webmethods.portal.system.IComponent to the set of implemented interfaces	
com.webmethods.portal.jms.JMSPhaseProvider: Added com.webmethods.portal.system.IConstants to the set of implemented interfaces	
com.webmethods.portal.jms.JMSPhaseProvider: Added com.webmethods.portal.system.impl.BaseComponent to the list of superclasses	
com.webmethods.portal.jms.JMSPhaseProvider: Added public field COMPONENT_NAME	

Added API**Description**

com.webmethods.portal.jms.um.UmJMSSClient: Added abstract modifier to class

com.webmethods.portal.jms.um.UmJMSSClient: Added

com.webmethods.portal.system.init.IInitializable to the set of implemented interfaces

com.webmethods.portal.jms.um.UmJMSSClient: Added com.webmethods.rtl.msg.jms.IJMSPProvider to the set of implemented interfaces

com.webmethods.portal.jms.um.UmJMSSClient: Added com.webmethods.rtl.msg.jms.JMSPProvider to the list of superclasses

com.webmethods.portal.jms.um.UmJMSSClient: Added

com.webmethods.rtl.msg.jms.JMSStdConnProvider to the list of superclasses

com.webmethods.portal.jms.um.UmJMSSClient: Method 'protected boolean createInitialContext()' has been added

com.webmethods.portal.jms.um.UmJMSSClient: Method 'protected void registerFactory(org.w3c.dom.Element)' has been added

com.webmethods.portal.jms.um.UmJMSSClient: Method 'protected void registerQueue(org.w3c.dom.Element)' has been added

com.webmethods.portal.jms.um.UmJMSSClient: Method 'protected void registerTopic(org.w3c.dom.Element)' has been added

com.webmethods.portal.jms.um.UmJMSSClient: Method 'protected void resetContext()' has been added

com.webmethods.portal.jms.um.UmJMSSConnProvider: Added

com.webmethods.portal.jms.um.UmJMSSClient to the list of superclasses

com.webmethods.portal.jms.um.UmJMSSConnProvider: Method 'protected void onDisconnect(boolean)' has been added

com.webmethods.portal.jms.um.UmJMSSConnProvider: Method 'public void onShutdown()' has been added

com.webmethods.portal.mech.dir.IDirServiceMechanics: Method 'public java.util.List updatePrincipalUUID(int)' has been added to an interface

com.webmethods.portal.mech.dir.IGroupMechanics: Added

com.webmethods.portal.mech.view.IViewableContainerMechanics to the set of implemented interfaces

com.webmethods.portal.mech.dir.IPrincipalMechanics: Added

com.webmethods.portal.mech.view.IViewableContainerMechanics to the set of implemented interfaces

com.webmethods.portal.mech.dir.IRoleMechanics: Added

com.webmethods.portal.mech.view.IViewableContainerMechanics to the set of implemented interfaces

com.webmethods.portal.mech.dir.IUserMechanics: Added

com.webmethods.portal.mech.view.IViewableContainerMechanics to the set of implemented interfaces

com.webmethods.portal.mech.dir.impl.DirMechanicsUtils: Method 'public java.lang.String

Added API**Description**

generateUUIDQuery(com.webmethods.portal.service.dir.IDirService, java.lang.String, int)' has been added

com.webmethods.portal.mech.dir.impl.DirServiceMechanics: Method 'public java.util.List updatePrincipalUUID(int)' has been added

com.webmethods.portal.mech.dir.impl.GroupMechanics: Added
com.webmethods.portal.mech.view.IViewableContainerMechanics to the set of implemented interfaces

com.webmethods.portal.mech.dir.impl.GroupMechanics: Added
com.webmethods.portal.mech.view.impl.ViewableContainerMechanics to the list of superclasses

com.webmethods.portal.mech.dir.impl.PrincipalMechanics: Added
com.webmethods.portal.mech.view.IViewableContainerMechanics to the set of implemented interfaces

com.webmethods.portal.mech.dir.impl.PrincipalMechanics: Added
com.webmethods.portal.mech.view.impl.ViewableContainerMechanics to the list of superclasses

com.webmethods.portal.mech.dir.impl.RoleMechanics: Added
com.webmethods.portal.mech.view.IViewableContainerMechanics to the set of implemented interfaces

com.webmethods.portal.mech.dir.impl.RoleMechanics: Added
com.webmethods.portal.mech.view.impl.ViewableContainerMechanics to the list of superclasses

com.webmethods.portal.mech.dir.impl.UserMechanics: Added
com.webmethods.portal.mech.view.IViewableContainerMechanics to the set of implemented interfaces

com.webmethods.portal.mech.dir.impl.UserMechanics: Added
com.webmethods.portal.mech.view.impl.ViewableContainerMechanics to the list of superclasses

com.webmethods.portal.mech.task.impl.RefreshTaskHandler: Class
com.webmethods.portal.mech.task.impl.RefreshTaskHandler added

com.webmethods.portal.mech.task.impl.TaskHelper: Method 'public java.lang.ClassLoader getClassLoaderIfExists(com.webmethods.portal.service.task.ITaskDefinition)' has been added

com.webmethods.portal.mech.view.impl.ViewableContainerMechanics: Method 'protected
com.webmethods.portal.service.view.IPagingCookie
createPagingCookie(com.webmethods.portal.service.meta2.thing.IThingID)' has been added

com.webmethods.portal.service.access.IAccessPrivilegeConfiguration: Class
com.webmethods.portal.service.access.IAccessPrivilegeConfiguration added

com.webmethods.portal.service.access.impl.DashboardAclManager: Class
com.webmethods.portal.service.access.impl.DashboardAclManager added

com.webmethods.portal.service.access.impl.DashboardAclManager\$DashboardAclResource: Class
com.webmethods.portal.service.access.impl.DashboardAclManager\$DashboardAclResource added

com.webmethods.portal.service.access.impl.DashboardContainerAclManager: Class
com.webmethods.portal.service.access.impl.DashboardContainerAclManager added

Added API	Description
com.webmethods.portal.service.access.impl.DashboardContainerAclManager\$DashboardContainerAclResource: Class	
com.webmethods.portal.service.access.impl.DashboardContainerAclManager\$DashboardContainerAclResource added	
com.webmethods.portal.service.access.impl.GadgetsAclManager: Method 'public java.util.Map getResultColumnMetadata()' has been added	
com.webmethods.portal.service.access.impl.GadgetsAclManager: Method 'public java.util.List searchResources(com.webmethods.caf.faces.search.query.ISearchQuery)' has been added	
com.webmethods.portal.service.access.impl.GadgetsAclManager\$GadgetAclResource: Method 'public java.lang.Object getValue(java.lang.Object)' has been added	
com.webmethods.portal.service.access.impl.WMAppsAclManager: Method 'public void addServiceTracker(org.osgi.framework.BundleContext)' has been added	
com.webmethods.portal.service.access.impl.WMAppsAclManager: Method 'public void stopServiceTracker()' has been added	
com.webmethods.portal.service.cache.impl.AliasCache: Added	
com.webmethods.portal.event.remove.IDeleteEvent\$ISynchronousListener to the set of implemented interfaces	
com.webmethods.portal.service.cache.impl.AliasCache: Method 'public void onSynchronousEvent(com.webmethods.portal.event.remove.IDeleteEvent)' has been added	
com.webmethods.portal.service.dir.DirectoryTools: Added public field UUIDUserResolution	
com.webmethods.portal.service.dir.DirectoryTools: Added protected field UUID_CONFIG	
com.webmethods.portal.service.dir.DirectoryTools: Method 'public com.webmethods.portal.service.dir.IDirService getDirectoryService(com.webmethods.portal.system.IURI)' has been added	
com.webmethods.portal.service.dir.DirectoryTools: Method 'public java.util.List getEmptyUUIDUsers()' has been added	
com.webmethods.portal.service.dir.DirectoryTools: Method 'public java.lang.Boolean getUUIDResolution()' has been added	
com.webmethods.portal.service.dir.DirectoryTools: Method 'public java.lang.String getUserDNFromUserUUID(java.lang.String, com.webmethods.portal.service.meta2.IUserService)' has been added	
com.webmethods.portal.service.dir.DirectoryTools: Method 'public void invalidateGroupRoleCache(com.webmethods.portal.service.meta2.thing.IThingID)' has been added	
com.webmethods.portal.service.dir.DirectoryTools: Method 'public com.webmethods.portal.service.meta2.thing.IThingID	

Added API**Description**

resolveUserByUUID(com.webmethods.portal.service.dir.init.IInitializableUser)' has been added

com.webmethods.portal.service.dir.DirectoryTools: Method 'public java.util.List updatePrincipalUUID()' has been added

com.webmethods.portal.service.dir.IDirConstants: Added public field USER_UUID

com.webmethods.portal.service.dir.IDirQueryProvider: Method 'public com.webmethods.portal.service.dir.IDirPrincipal lookupByUUID(int, java.lang.String)' has been added to an interface

com.webmethods.portal.service.dir.impl.DirServicePortletBean: Method 'public boolean isSirNameFirst(com.webmethods.portal.bizPolicy.IContext)' has been added

com.webmethods.portal.service.dir.init.IInitializablePrincipal: Method 'public java.lang.String getUUID()' has been added to an interface

com.webmethods.portal.service.dir.init.impl.InitializablePrincipal: Method 'public java.lang.String getUUID()' has been added

com.webmethods.portal.service.meta2.IUserService: Method 'public java.util.List getEmptyUUIDUsers()' has been added to an interface

com.webmethods.portal.service.meta2.IUserService: Method 'public java.util.Map getUserDetailsByURI(com.webmethods.portal.system.IURI)' has been added to an interface

com.webmethods.portal.service.meta2.IUserService: Method 'public java.util.Map getUserDetailsByUUID(java.lang.String)' has been added to an interface

com.webmethods.portal.service.meta2.IUserService: Method 'public void invalidateUserUUID()' has been added to an interface

com.webmethods.portal.service.meta2.IUserService: Method 'public void updateDistinguishedName(java.lang.String, java.lang.String, int)' has been added to an interface

com.webmethods.portal.service.meta2.IUserService: Method 'public void updateUUID(java.lang.String, java.lang.String, int)' has been added to an interface

com.webmethods.portal.service.meta2.directory.IUserInfo: Method 'public java.lang.String getUUID()' has been added to an interface

com.webmethods.portal.service.meta2.directory.impl.User: Method 'public java.lang.String getUUID()' has been added

com.webmethods.portal.service.meta2.directory.impl.UserInfo: Added protected field uuid

com.webmethods.portal.service.meta2.directory.impl.UserInfo: Method 'public java.lang.String getUUID()' has been added

com.webmethods.portal.service.meta2.impl.UserService: Method 'public java.util.List getEmptyUUIDUsers()' has been added

com.webmethods.portal.service.meta2.impl.UserService: Method 'public java.util.Map

Added API**Description**

`getUserDetailsByURI(com.webmethods.portal.system.IURI)` has been added

`com.webmethods.portal.service.meta2.impl.UserService`: Method '`public java.util.Map getUserDetailsByUUID(java.lang.String)`' has been added

`com.webmethods.portal.service.meta2.impl.UserService`: Method '`public void invalidateUserUUID()`' has been added

`com.webmethods.portal.service.meta2.impl.UserService`: Method '`public void updateDistinguishedName(java.lang.String, java.lang.String, int)`' has been added

`com.webmethods.portal.service.meta2.impl.UserService`: Method '`public void updateUUID(java.lang.String, java.lang.String, int)`' has been added

`com.webmethods.portal.service.socialbpm.chart.impl.ChartData`: Method '`public java.lang.String getTaskTypeID()`' has been added

`com.webmethods.portal.service.socialbpm.chart.impl.ChartData`: Method '`public void setTaskTypeID(java.lang.String)`' has been added

`com.webmethods.portal.service.socialbpm.chart.impl.ChartService`: Method '`protected java.lang.String getTaskTypeID(java.lang.String)`' has been added

`com.webmethods.portal.service.sql.runtime.base.EmptyUUIDUserList`: Class
`com.webmethods.portal.service.sql.runtime.base.EmptyUUIDUserList` added

`com.webmethods.portal.service.sql.runtime.base.InvalidateUserUUID`: Class
`com.webmethods.portal.service.sql.runtime.base.InvalidateUserUUID` added

`com.webmethods.portal.service.sql.runtime.base.SetUserGroupUUID`: Class
`com.webmethods.portal.service.sql.runtime.base.SetUserGroupUUID` added

`com.webmethods.portal.service.sql.runtime.base.TaskLockSetNew`: Class
`com.webmethods.portal.service.sql.runtime.base.TaskLockSetNew` added

`com.webmethods.portal.service.sql.runtime.base.UserDetailsByURI`: Class
`com.webmethods.portal.service.sql.runtime.base.UserDetailsByURI` added

`com.webmethods.portal.service.sql.runtime.base.UserDetailsByUUID`: Class
`com.webmethods.portal.service.sql.runtime.base.UserDetailsByUUID` added

`com.webmethods.portal.service.task.ITaskLockingService`: Method '`public com.webmethods.portal.service.task.ITaskLock acquireLock(com.webmethods.portal.system.IURI, com.webmethods.portal.system.IURI, long, long, boolean)`' has been added to an interface

`com.webmethods.portal.service.task.event.RefreshTaskEvent`: Class
`com.webmethods.portal.service.task.event.RefreshTaskEvent` added

`com.webmethods.portal.service.task.event.RefreshTaskEvent$ISynchronousListener`: Class
`com.webmethods.portal.service.task.event.RefreshTaskEvent$ISynchronousListener` added

`com.webmethods.portal.service.task.event.RefreshTaskEvent$SynchronousListeners`: Class

Added API	Description
com.webmethods.portal.service.task.event.RefreshTaskEvent\$SynchronousListeners	added
com.webmethods.portal.service.task.event.RefreshTaskEvent\$SynchronousListeners\$SynchronousListener	Class
com.webmethods.portal.service.task.event.RefreshTaskEvent\$SynchronousListeners\$SynchronousListener	added
com.webmethods.portal.service.task.event.TaskChangedEventRetry	Class
com.webmethods.portal.service.task.event.TaskChangedEventRetry	added
com.webmethods.portal.service.task.event.impl.RefreshTaskEvent	Class
com.webmethods.portal.service.task.event.impl.RefreshTaskEvent	added
com.webmethods.portal.service.task.impl.TaskLockingService	Method 'public
com.webmethods.portal.service.task.ITaskLock	acquireLock(com.webmethods.portal.system.IURI,
com.webmethods.portal.system.IURI, long, long, boolean)'	has been added
com.webmethods.portal.system.ISAMLSSOConstants	Class
com.webmethods.portal.system.ISAMLSSOConstants	added
com.webmethods.portal.system.cluster.IClusterProvider	Method 'public java.lang.String
getClusterId()'	has been added to an interface
com.webmethods.portal.system.cluster.IClusterProvider	Method 'public boolean
isCurrentServer(com.webmethods.portal.system.cluster.IServer)'	has been added to an interface
com.webmethods.portal.system.cluster.IClusterProvider	Method 'public void
recreateJNDIConnection()'	has been added to an interface
com.webmethods.portal.system.cluster.IClusterProvider	Method 'public boolean
reloadJNDIProviderURL()'	has been added to an interface
com.webmethods.portal.system.cluster.impl.ClusterProvider	Added public field
CLUSTER_ID_PROP_KEY	
com.webmethods.portal.system.cluster.impl.ClusterProvider	Added public field s_logCategory
com.webmethods.portal.system.cluster.impl.ClusterProvider	Method 'public java.lang.String
getClusterId()'	has been added
com.webmethods.portal.system.cluster.impl.ClusterProvider	Method 'public boolean
isCurrentServer(com.webmethods.portal.system.cluster.IServer)'	has been added
com.webmethods.portal.system.cluster.impl.ClusterProvider	Method 'public void
recreateJNDIConnection()'	has been added
com.webmethods.portal.system.cluster.impl.ClusterProvider	Method 'public boolean
reloadJNDIProviderURL()'	has been added
com.webmethods.portal.system.sso.saml.idp.SAMLIdentityProvider	Class
com.webmethods.portal.system.sso.saml.idp.SAMLIdentityProvider	added

Added API	Description
com.webmethods.portal.system.sso.saml.idp.SAMLSSODataChangeListener: Class com.webmethods.portal.system.sso.saml.idp.SAMLSSODataChangeListener added	
com.webmethods.portal.system.sso.saml.idp.SAMLServiceProvider: Class com.webmethods.portal.system.sso.saml.idp.SAMLServiceProvider added	
com.webmethods.portal.system.sso.saml.idp.SSOIDPConfiguration: Class com.webmethods.portal.system.sso.saml.idp.SSOIDPConfiguration added	
com.webmethods.portal.system.sso.saml.idp.WebSSOPropsUtil: Class com.webmethods.portal.system.sso.saml.idp.WebSSOPropsUtil added	
com.webmethods.portal.taglib.TaglibUtil: Method 'public java.lang.String generateUniqueID()' has been added	
com.webmethods.portal.webservices.wsclient.PortalArtifactFactory: Method 'public org.opensaml.saml2.core.AuthnRequest getAuthnRequest(java.lang.String)' has been added	
com.webmethods.portal.webservices.wsclient.PortalArtifactFactory: Method 'public java.lang.String getResponse(java.net.URL, java.lang.String, java.util.Map, java.lang.String[], java.util.Map, org.opensaml.saml2.core.AuthnRequest)' has been added	
com.webmethods.portal.webservices.wsclient.PortalArtifactFactory: Method 'public void reInitSecurityTokenService()' has been added	
com.webmethods.rtl.event.DeliveryService: Method 'public java.lang.String addClusterIdPrefix(java.lang.String)' has been added	
com.webmethods.rtl.event.DeliveryService: Method 'public void setClusterId(java.lang.String)' has been added	
com.webmethods.rtl.event.DeliveryService: Method 'public void startRemoteDelivery()' has been added	
com.webmethods.rtl.event.DeliveryService: Method 'public void stopRemoteDelivery()' has been added	
com.webmethods.rtl.event.Event: Method 'public java.lang.String getJcrSessionUserData()' has been added	
com.webmethods.rtl.event.IEvent: Method 'public java.lang.String getJcrSessionUserData()' has been added to an interface	
com.webmethods.rtl.jms.PortalClientOverJMS: Class com.webmethods.rtl.jms.PortalClientOverJMS added	
com.webmethods.rtl.logging.EnhancedPatternLayout: Class com.webmethods.rtl.logging.EnhancedPatternLayout added	
com.webmethods.rtl.msg.jms.IJMSPProvider: Method 'public java.lang.String getEndpointAddress()' has been added to an interface	

Added API	Description
com.webmethods.rtl.msg.jms.IJMSPProvider:	Method 'public boolean isConnected()' has been added to an interface
com.webmethods.rtl.msg.jms.JMSPProvider:	Added protected field m_endpointAddress
com.webmethods.rtl.msg.jms.JMSPProvider:	Added protected field m_isConnected
com.webmethods.rtl.msg.jms.JMSPProvider:	Method 'public java.lang.String getEndpointAddress()' has been added
com.webmethods.rtl.msg.jms.JMSPProvider:	Method 'public boolean isConnected()' has been added
com.webmethods.rtl.msg.jms.JMSPProvider:	Abstract method 'protected void stopConnections()' has been added
com.webmethods.rtl.msg.jms.JMSStdConnProvider:	Method 'protected void stopConnections()' has been added
com.webmethods.rtl.script.JspC:	Method 'public java.lang.String getExcludes()' has been added
com.webmethods.rtl.script.JspC:	Method 'public void setExcludes(java.lang.String)' has been added
com.webmethods.rtl.util.xml.XMLUtil:	Method 'protected org.w3c.dom.Document _loadDocumentUncaught(org.xml.sax.InputSource)' has been added
com.webmethods.rtl.util.xml.XMLUtil:	Method 'public org.w3c.dom.Document loadDocumentFromInputStreamUncaught(java.io.InputStream)' has been added
com.webmethods.rtl.util.xml.XMLUtil:	Method 'public org.w3c.dom.Document loadDocumentFromReaderUncaught(java.io.Reader)' has been added
com.webmethods.rtl.util.xml.XMLUtil:	Method 'public org.w3c.dom.Document loadDocumentFromXMLUncaught(java.lang.String)' has been added
com.webmethods.rtl.util.xml.XMLUtil:	Method 'public org.w3c.dom.Document loadDocumentUncaught(java.lang.String)' has been added

Removed API	Replacement, if any
com.webmethods.caf.jcr.rmi.IRMITunnelHttpPortAware:	Class com.webmethods.caf.jcr.rmi.IRMITunnelHttpPortAware removed
com.webmethods.caf.jcr.rmi.JcrRMIMHttpToCGISocketFactory:	Class com.webmethods.caf.jcr.rmi.JcrRMIMHttpToCGISocketFactory removed
com.webmethods.caf.jcr.rmi.JcrRMIMMasterSocketFactory:	Class com.webmethods.caf.jcr.rmi.JcrRMIMMasterSocketFactory removed
com.webmethods.jackrabbit.server.io.DefaultHandler:	Class com.webmethods.jackrabbit.server.io.DefaultHandler removed

Removed API**Replacement, if any**

com.webmethods.jackrabbit.servlet.JCRWebdavServerServlet: Class
com.webmethods.jackrabbit.servlet.JCRWebdavServerServlet removed

com.webmethods.jackrabbit.servlet.SimpleWebdavServlet: Class
com.webmethods.jackrabbit.servlet.SimpleWebdavServlet removed

com.webmethods.portal.jms.um.UmJMSClient: Field DEFAULT_UM_REALM has been removed, but it was previously a constant

com.webmethods.portal.jms.um.UmJMSClient: Method 'public void init()' has been removed

com.webmethods.portal.schema.bcgadget.GadgetDefinition: Removed field gadgetExternalScripts

com.webmethods.portal.schema.bcgadget.GadgetDefinition: Method 'public
com.webmethods.portal.schema.bcgadget.GadgetDefinition\$GadgetExternalScripts
getGadgetExternalScripts()' has been removed

com.webmethods.portal.schema.bcgadget.GadgetDefinition: Method 'public void
setGadgetExternalScripts(com.webmethods.portal.schema.bcgadget.GadgetDefinition\$GadgetExternal
Scripts)' has been removed

com.webmethods.portal.schema.bcgadget.GadgetDefinition\$GadgetExternalScripts: Class
com.webmethods.portal.schema.bcgadget.GadgetDefinition\$GadgetExternalScripts removed

com.webmethods.portal.schema.bcgadget.ObjectFactory: Method 'public
com.webmethods.portal.schema.bcgadget.GadgetDefinition\$GadgetExternalScripts
createGadgetDefinitionGadgetExternalScripts()' has been removed

com.webmethods.portal.service.access.impl.GadgetsAclManager: Method 'protected java.lang.String
buildXPathQuery(java.util.Map)' has been removed, but an inherited definition exists.

com.webmethods.portal.service.access.impl.GadgetsAclManager\$GadgetAclResource: Method 'public
GadgetsAclManager\$GadgetAclResource(javax.jcr.Node, java.lang.String)' has been removed

com.webmethods.rtl.msg.jms.JMSProvider: Method 'public void enableMessageDelivery()' has been removed

com.webmethods.rtl.msg.jms.JMSProvider: Method 'public boolean hasInitialized()' has been removed

com.webmethods.rtl.msg.jms.JMSProvider: Method 'protected void
setInstance(com.webmethods.rtl.msg.jms.JMSProvider)' has been removed

com.webmethods.rtl.msg.jms.JMSProvider: Method 'protected void startConnections()' has been removed

com.webmethods.rtl.msg.jms.JMSStdConnProvider: Method 'protected void startConnections()' has been removed

Changed API	Description
	com.webmethods.caf.common.bnd.PortletXmlAnalyzer: Parameter 1 of 'public boolean analyzeJar(aQute.lib.osgi.Analyzer)' has changed its type to aQute.bnd.osgi.Analyzer
	com.webmethods.caf.common.bnd.WebXmlAnalyzer: Parameter 1 of 'public boolean analyzeJar(aQute.lib.osgi.Analyzer)' has changed its type to aQute.bnd.osgi.Analyzer
	com.webmethods.caf.wsserver.auth.saml.SamlUtils: Parameter 2 of 'public void displayAssertion(java.io.PrintWriter, org.opensaml.SAMLAssertion)' has changed its type to org.opensaml.saml1.core.Assertion
	com.webmethods.caf.wsserver.auth.saml.SamlUtils: Parameter 1 of 'public java.lang.String getLoginName(org.opensaml.SAMLAssertion)' has changed its type to org.opensaml.saml1.core.Assertion
	com.webmethods.caf.wsserver.auth.saml.SamlUtils: Return type of method 'public org.opensaml.SAMLAssertion getSamlAssertion(java.lang.String, java.lang.String)' has been changed to org.opensaml.saml1.core.Assertion
	com.webmethods.caf.wsserver.auth.saml.SamlUtils: Parameter 1 of 'public org.opensaml.SAMLAssertion getSamlAssertion(org.opensaml.SAMLResponse)' has changed its type to org.opensaml.saml1.core.Response
	com.webmethods.caf.wsserver.auth.saml.SamlUtils: Return type of method 'public org.opensaml.SAMLAssertion getSamlAssertion(org.opensaml.SAMLResponse)' has been changed to org.opensaml.saml1.core.Assertion
	com.webmethods.caf.wsserver.auth.saml.SamlUtils: Return type of method 'public org.opensaml.SAMLResponse getSamlResponse(java.lang.String, java.lang.String)' has been changed to org.opensaml.saml1.core.Response
	com.webmethods.caf.wsserver.auth.saml.SamlUtils: Parameter 1 of 'public java.lang.String verifyAssertion(org.opensaml.SAMLAssertion)' has changed its type to org.opensaml.saml1.core.Assertion
	com.webmethods.portal.jms.um.UmJMSClient: Accessibility of method 'public UmJMSClient()' has been decreased from public to protected
	com.webmethods.portal.jms.um.UmJMSClient: Accessibility of method 'public void closeUMSession(com.pcbssystem.nirvana.client.nSession)' has been decreased from public to private
	com.webmethods.portal.jms.um.UmJMSClient: Accessibility of method 'public void createConnectionFactory(java.lang.String)' has been decreased from public to protected
	com.webmethods.portal.jms.um.UmJMSClient: Return type of method 'public javax.naming.Context createJNDIContext()' has been changed to void
	com.webmethods.portal.jms.um.UmJMSClient: Accessibility of method 'public javax.naming.Context createJNDIContext()' has been decreased from public to private

Changed API**Description**

com.webmethods.portal.jms.um.UmJMSClient: Accessibility of method 'public void createQueue(java.lang.String, boolean, int)' has been decreased from public to protected

com.webmethods.portal.jms.um.UmJMSClient: Accessibility of method 'public void createQueueConnectionFactory(java.lang.String)' has been decreased from public to protected

com.webmethods.portal.jms.um.UmJMSClient: Accessibility of method 'public void createStringVal(java.lang.String, java.lang.String)' has been decreased from public to package

com.webmethods.portal.jms.um.UmJMSClient: Accessibility of method 'public void createTopic(java.lang.String, boolean, int)' has been decreased from public to protected

com.webmethods.portal.jms.um.UmJMSClient: Accessibility of method 'public void createTopicConnectionFactory(java.lang.String)' has been decreased from public to protected

com.webmethods.portal.jms.um.UmJMSClient: Accessibility of method 'public void createXAConnectionFactory(java.lang.String)' has been decreased from public to protected

com.webmethods.portal.jms.um.UmJMSClient: Accessibility of method 'public void deleteConnectionFactory(java.lang.String)' has been decreased from public to protected

com.webmethods.portal.jms.um.UmJMSClient: Accessibility of method 'public void deleteQueue(java.lang.String)' has been decreased from public to protected

com.webmethods.portal.jms.um.UmJMSClient: Accessibility of method 'public void deleteQueueConnectionFactory(java.lang.String)' has been decreased from public to protected

com.webmethods.portal.jms.um.UmJMSClient: Accessibility of method 'public void deleteTopic(java.lang.String)' has been decreased from public to protected

com.webmethods.portal.jms.um.UmJMSClient: Accessibility of method 'public void deleteTopicConnectionFactory(java.lang.String)' has been decreased from public to protected

com.webmethods.portal.jms.um.UmJMSClient: Accessibility of method 'public javax.naming.Context getJNDIContext()' has been decreased from public to protected

com.webmethods.portal.jms.um.UmJMSClient: Accessibility of method 'public com.pcbsys.nirvana.client.nSession getSession()' has been decreased from public to private

com.webmethods.portal.service.bcgadget.IBCGadgetProvider: Return type of method 'public java.util.List getAccessibleGadgets(com.webmethods.portal.service.meta2.thing.IThingID)' has been changed to java.util.Map

com.webmethods.portal.service.bcgadget.impl.BCGadgetProvider: Return type of method 'public java.util.List getAccessibleGadgets(com.webmethods.portal.service.meta2.thing.IThingID)' has been changed to java.util.Map

com.webmethods.portal.service.task.impl.TaskLockingService: Accessibility of field TASK_LOCK_MAX_TIME has been increased from private to public

com.webmethods.portal.service.task.impl.TaskLockingService: Accessibility of field

Changed API**Description**

TASK_LOCK_MAX_WAIT_TIME has been increased from private to public

com.webmethods.portal.service.task.impl.TaskLockingService: In method 'protected com.webmethods.portal.service.task.ITaskLock createDbLock(com.webmethods.portal.service.sql.ISqlWorker, com.webmethods.portal.service.meta2.thing.IThingID, java.util.Date, java.util.Date)' the number of arguments has changed

com.webmethods.portal.system.PortalSystem: Accessibility of method 'private void initGuestUser()' has been increased from private to public

com.webmethods.rtl.msg.jms.JMSProvider: Accessibility of method 'public void onShutdown()' has been decreased from public to protected

com.webmethods.rtl.msg.jms.JMSProvider: Accessibility of method 'private void setMaintenanceMode(boolean)' has been increased from private to protected

com.webmethods.rtl.msg.jms.JMSStdConnProvider: Accessibility of method 'public JMSStdConnProvider()' has been decreased from public to protected

com.webmethods.portal.service.version.impl.dcv.DCVersionService: Value of compile-time constant VERSION_SERVICES_ROOT has been changed

Release 9.10

Added API/ Description

com.webmethods.portal.bizPolicy.biz.access.IAccessPolicy: Method 'public

com.webmethods.portal.service.view.IListView

listSecurityRealmObjects(com.webmethods.portal.bizPolicy.IContext,

com.webmethods.portal.service.meta2.thing.IThingID)' has been added to an interface

com.webmethods.portal.mech.subscription.ISubscribableMechanics: Method 'public void

checkViewSubscription(com.webmethods.portal.system.IURI,

com.webmethods.portal.service.meta2.thing.IThingID, java.util.Map,

com.webmethods.portal.service.meta2.thing.IThingID)' has been added to an interface

com.webmethods.portal.bizPolicy.biz.IBizPolicyResolver: Method 'public

com.webmethods.portal.bizPolicy.biz.IBizPolicy getBizPolicyByType(java.lang.String, java.util.Map)'

has been added to an interface

com.webmethods.caf.wsclient.saml.IArtifactFactory: Method 'public java.lang.String

getAssertion(java.lang.String, java.lang.String[], java.util.Map)' has been added to an interface

com.webmethods.caf.wsclient.saml.IArtifactFactory: Method 'public java.lang.String

getAssertion(java.lang.String, java.lang.String[], java.util.Map, java.util.Map)' has been added to an

interface

com.webmethods.caf.wsclient.session.IWSClientSession: Method 'public java.util.Map

getSessionCookieMap()' has been added to an interface

com.webmethods.caf.wsclient.session.IWSClientSession: Method 'public void

setSessionCookieMap(java.util.Map)' has been added to an interface

com.webmethods.caf.wsclient.session.IWSClientSessionManager: Method 'public

com.webmethods.caf.wsclient.session.IWSClientSessionPool

getSessionPool(com.webmethods.caf.wsclient.proxy.IWSClientProxy, java.lang.String)' has been added to an interface

com.webmethods.caf.faces.data.task.ITaskInfo: Method 'public java.util.Date getTaskScheduleDate()' has been added to an interface

com.webmethods.caf.faces.data.task.ITaskInfo: Method 'public void setCreatedDate(java.util.Date)' has been added to an interface

com.webmethods.caf.faces.data.task.ITaskInfo: Method 'public void

setTaskScheduleDate(java.util.Date)' has been added to an interface

com.webmethods.portal.service.task.ITask: Method 'public java.util.Date getTaskScheduleDate()' has been added to an interface

Changed API	Description
POST a New Task Instance	The Task Engine RESTful web service in My webMethods Server now accepts the task schedule details for a task instance to be added to Task Engine's queue.
PUT Information in a Task Instance	The Task Engine RESTful web service in My webMethods Server now allows changes to the new taskScheduleDate parameter if a task instance is in scheduled state.
GET Task Instance Information	The Task Engine RESTful web service in My webMethods Server now retrieves the task schedule date along with other details of a task instance.

com.webmethods.portal.event.system.ICriterionEvent\$IListener: Parameter 1 of 'public void onEvent(com.webmethods.portal.event.system.ISubscriptionEvent)' has changed its type to com.webmethods.portal.event.system.ICriterionEvent

com.webmethods.portal.event.system.ICriterionEvent\$ISynchronousListener: Parameter 1 of 'public void onSynchronousEvent(com.webmethods.portal.event.system.ISubscriptionEvent)' has changed its type to com.webmethods.portal.event.system.ICriterionEvent

com.webmethods.portal.service.access.impl.MwsObjectAclManager: In method 'protected int countAceProperties(java.util.List)' the number of arguments has changed

com.webmethods.caf.wsclient.session.impl.WSClientSessionManager: Parameter 2 of 'protected java.lang.String getSessionPoolID(com.webmethods.caf.wsclient.proxy.IWSClientProxy, com.webmethods.caf.wsclient.AuthCredentials)' has changed its type to java.lang.String

Removed API/ Description

com.webmethods.portal.mech.system.ISystemMechanics: Removed

com.webmethods.portal.mech.access.IAccessMechanics from the set of implemented interfaces

com.webmethods.portal.mech.system.ISystemMechanics: Removed

com.webmethods.portal.mech.clipboard.IClipboardMechanics from the set of implemented interfaces

com.webmethods.portal.mech.system.ISystemMechanics: Removed

com.webmethods.portal.mech.storage.IBasicMechanics from the set of implemented interfaces

com.webmethods.portal.mech.system.ISystemMechanics: Removed

com.webmethods.portal.mech.subscription.ISubscribableMechanics from the set of implemented interfaces

com.webmethods.portal.mech.system.ISystemMechanics: Removed

com.webmethods.portal.mech.view.IViewableMechanics from the set of implemented interfaces

com.webmethods.portal.mech.system.impl.SystemMechanics: Removed

com.webmethods.portal.mech.access.IAccessMechanics from the set of implemented interfaces

com.webmethods.portal.mech.system.impl.SystemMechanics: Removed

com.webmethods.portal.mech.clipboard.IClipboardMechanics from the set of implemented interfaces

com.webmethods.portal.mech.system.impl.SystemMechanics: Removed

com.webmethods.portal.mech.storage.IBasicMechanics from the set of implemented interfaces

com.webmethods.portal.mech.system.impl.SystemMechanics: Removed

com.webmethods.portal.mech.subscription.ISubscribableMechanics from the set of implemented interfaces

com.webmethods.portal.mech.system.impl.SystemMechanics: Removed

com.webmethods.portal.mech.view.IViewableMechanics from the set of implemented interfaces

com.webmethods.portal.mech.system.impl.SystemMechanics: Removed

com.webmethods.portal.mech.clipboard.impl.ClipboardMechanics from the list of superclasses

com.webmethods.portal.mech.system.impl.SystemMechanics: Removed

com.webmethods.portal.mech.storage.impl.BasicMechanics from the list of superclasses

com.webmethods.portal.mech.system.impl.SystemMechanics: Removed

com.webmethods.portal.mech.subscription.impl.SubscribableMechanics from the list of superclasses

com.webmethods.portal.mech.system.impl.SystemMechanics: Removed

com.webmethods.portal.mech.view.impl.ViewableMechanics from the list of superclasses

com.webmethods.portal.webapp.jetty7.WebApplicationInstallService: Removed field
COMPONENT_DELETE_RETRIES

com.webmethods.portal.service.global.impl.LanguagePackManager: Field QUERY_STRING has been removed, but it was previously a constant

com.webmethods.caf.faces.convert.FormattedDateTimeConverter: Method 'protected java.text.DateFormat setupGMTDateTimeFormater(javax.faces.context.FacesContext)' has been removed

com.webmethods.portal.mech.socialbpm.comments.ICommentsMechanics: Method 'public java.util.List getTaskCommentsByProcessModelId(java.lang.String, int, int, int)' has been added to an interface

com.webmethods.portal.service.socialbpm.comments.ICommentsService: Method 'public java.util.List getPaginatedTaskCommentsByProcessModelId(java.lang.String, int, int, int)' has been added to an interface

com.webmethods.portal.service.dir.IRoleSystem: Method 'public void clearCache(com.webmethods.portal.service.dir.IDirPrincipal)' has been added to an interface

com.webmethods.portal.mech.dir.IPrincipalMechanics: Method 'public void fireRoleMembershipEvent(com.webmethods.portal.service.meta2.thing.IThingID, com.webmethods.portal.system.IURI, com.webmethods.portal.service.dir.IDirPrincipalList, com.webmethods.portal.service.dir.IDirPrincipalList, int)' has been added to an interface

move the com.webmethods.jms.** packages from caf-server bundle to a unique package name

com.webmethods.jms.JMSPhaseProvider: Class com.webmethods.jms.JMSPhaseProvider removed

com.webmethods.jms.db.DbJMSSClient: Class com.webmethods.jms.db.DbJMSSClient removed

com.webmethods.jms.db.DbJMSSConnProvider: Class com.webmethods.jms.db.DbJMSSConnProvider removed

com.webmethods.jms.db.impl.JMSConnection: Class com.webmethods.jms.db.impl.JMSConnection removed

com.webmethods.jms.db.impl.JMSConnection\$CompressedObject: Class com.webmethods.jms.db.impl.JMSConnection\$CompressedObject removed

com.webmethods.jms.db.impl.JMSDestination: Class com.webmethods.jms.db.impl.JMSDestination removed

com.webmethods.jms.db.impl.JMSDispatcherThread: Class com.webmethods.jms.db.impl.JMSDispatcherThread removed

com.webmethods.jms.db.impl.JMSEvent: Class com.webmethods.jms.db.impl.JMSEvent removed

com.webmethods.jms.db.impl.JMSMessage: Class com.webmethods.jms.db.impl.JMSMessage removed

com.webmethods.jms.db.impl.JMSMessageConsumer: Class com.webmethods.jms.db.impl.JMSMessageConsumer removed

com.webmethods.jms.db.impl.JMSMessageProducer: Class com.webmethods.jms.db.impl.JMSMessageProducer removed

com.webmethods.jms.db.impl.JMSObjectMessage: Class
com.webmethods.jms.db.impl.JMSObjectMessage removed

com.webmethods.jms.db.impl.JMSPollThread: Class com.webmethods.jms.db.impl.JMSPollThread
removed

com.webmethods.jms.db.impl.JMSQueue: Class com.webmethods.jms.db.impl.JMSQueue removed

com.webmethods.jms.db.impl.JMSQueuePollThread: Class
com.webmethods.jms.db.impl.JMSQueuePollThread removed

com.webmethods.jms.db.impl.JMSQueueReceiver: Class
com.webmethods.jms.db.impl.JMSQueueReceiver removed

com.webmethods.jms.db.impl.JMSQueueSender: Class
com.webmethods.jms.db.impl.JMSQueueSender removed

com.webmethods.jms.db.impl.JMSQueueSession: Class
com.webmethods.jms.db.impl.JMSQueueSession removed

com.webmethods.jms.db.impl.JMSSession: Class com.webmethods.jms.db.impl.JMSSession removed

com.webmethods.jms.db.impl.JMSTopic: Class com.webmethods.jms.db.impl.JMSTopic removed

com.webmethods.jms.db.impl.JMSTopicBatchMessage: Class
com.webmethods.jms.db.impl.JMSTopicBatchMessage removed

com.webmethods.jms.db.impl.JMSTopicPublisher: Class
com.webmethods.jms.db.impl.JMSTopicPublisher removed

com.webmethods.jms.db.impl.JMSTopicSession: Class com.webmethods.jms.db.impl.JMSTopicSession
removed

com.webmethods.jms.db.impl.JMSTopicSubscriber: Class
com.webmethods.jms.db.impl.JMSTopicSubscriber removed

com.webmethods.jms.db.impl.QueueFactory: Class com.webmethods.jms.db.impl.QueueFactory
removed

com.webmethods.jms.db.impl.TopicFactory: Class com.webmethods.jms.db.impl.TopicFactory
removed

com.webmethods.jms.db.impl.db2.EventDelivered: Class
com.webmethods.jms.db.impl.db2.EventDelivered removed

com.webmethods.jms.db.impl.db2.EventPoll: Class com.webmethods.jms.db.impl.db2.EventPoll
removed

com.webmethods.jms.db.impl.db2.EventSave: Class com.webmethods.jms.db.impl.db2.EventSave
removed

com.webmethods.jms.db.impl.db2.GetSqlTime: Class com.webmethods.jms.db.impl.db2.GetSqlTime
removed

com.webmethods.jms.db.impl.db2.PublishQueue: Class
com.webmethods.jms.db.impl.db2.PublishQueue removed

com.webmethods.jms.db.impl.db2.PurgeEvents: Class com.webmethods.jms.db.impl.db2.PurgeEvents
removed

com.webmethods.jms.db.impl.db2.PurgeInactiveSubscriptions: Class
com.webmethods.jms.db.impl.db2.PurgeInactiveSubscriptions removed

com.webmethods.jms.db.impl.db2.RegisterDestination: Class
com.webmethods.jms.db.impl.db2.RegisterDestination removed

com.webmethods.jms.db.impl.db2.RegisterSubscription: Class
com.webmethods.jms.db.impl.db2.RegisterSubscription removed

com.webmethods.jms.db.impl.db2.UnregisterSubscription: Class
com.webmethods.jms.db.impl.db2.UnregisterSubscription removed

com.webmethods.jms.db.impl.db2.UpdateSubscriptions: Class
com.webmethods.jms.db.impl.db2.UpdateSubscriptions removed

com.webmethods.jms.db.impl.mssql.EventDelivered: Class
com.webmethods.jms.db.impl.mssql.EventDelivered removed

com.webmethods.jms.db.impl.mssql.EventPoll: Class com.webmethods.jms.db.impl.mssql.EventPoll
removed

com.webmethods.jms.db.impl.mssql.EventSave: Class com.webmethods.jms.db.impl.mssql.EventSave
removed

com.webmethods.jms.db.impl.mssql.GetSqlTime: Class
com.webmethods.jms.db.impl.mssql.GetSqlTime removed

com.webmethods.jms.db.impl.mssql.PublishQueue: Class
com.webmethods.jms.db.impl.mssql.PublishQueue removed

com.webmethods.jms.db.impl.mssql.PurgeEvents: Class
com.webmethods.jms.db.impl.mssql.PurgeEvents removed

com.webmethods.jms.db.impl.mssql.PurgeInactiveSubscriptions: Class
com.webmethods.jms.db.impl.mssql.PurgeInactiveSubscriptions removed

com.webmethods.jms.db.impl.mssql.RegisterDestination: Class
com.webmethods.jms.db.impl.mssql.RegisterDestination removed

com.webmethods.jms.db.impl.mssql.RegisterSubscription: Class
com.webmethods.jms.db.impl.mssql.RegisterSubscription removed

com.webmethods.jms.db.impl.mssql.UnregisterSubscription: Class
com.webmethods.jms.db.impl.mssql.UnregisterSubscription removed

com.webmethods.jms.db.impl.mssql.UpdateSubscriptions: Class
com.webmethods.jms.db.impl.mssql.UpdateSubscriptions removed

com.webmethods.jms.db.impl.mysql.EventDelivered: Class
com.webmethods.jms.db.impl.mysql.EventDelivered removed

com.webmethods.jms.db.impl.mysql.EventPoll: Class com.webmethods.jms.db.impl.mysql.EventPoll
removed

com.webmethods.jms.db.impl.mysql.EventSave: Class com.webmethods.jms.db.impl.mysql.EventSave
removed

com.webmethods.jms.db.impl.mysql.GetSqlTime: Class
com.webmethods.jms.db.impl.mysql.GetSqlTime removed

com.webmethods.jms.db.impl.mysql.PublishQueue: Class
com.webmethods.jms.db.impl.mysql.PublishQueue removed

com.webmethods.jms.db.impl.mysql.PurgeEvents: Class
com.webmethods.jms.db.impl.mysql.PurgeEvents removed

com.webmethods.jms.db.impl.mysql.PurgeInactiveSubscriptions: Class
com.webmethods.jms.db.impl.mysql.PurgeInactiveSubscriptions removed

com.webmethods.jms.db.impl.mysql.RegisterDestination: Class
com.webmethods.jms.db.impl.mysql.RegisterDestination removed

com.webmethods.jms.db.impl.mysql.RegisterSubscription: Class
com.webmethods.jms.db.impl.mysql.RegisterSubscription removed

com.webmethods.jms.db.impl.mysql.UnregisterSubscription: Class
com.webmethods.jms.db.impl.mysql.UnregisterSubscription removed

com.webmethods.jms.db.impl.mysql.UpdateSubscriptions: Class
com.webmethods.jms.db.impl.mysql.UpdateSubscriptions removed

com.webmethods.jms.db.impl.oracle.EventDelivered: Class
com.webmethods.jms.db.impl.oracle.EventDelivered removed

com.webmethods.jms.db.impl.oracle.EventPoll: Class com.webmethods.jms.db.impl.oracle.EventPoll
removed

com.webmethods.jms.db.impl.oracle.EventSave: Class com.webmethods.jms.db.impl.oracle.EventSave
removed

com.webmethods.jms.db.impl.oracle.GetSqlTime: Class
com.webmethods.jms.db.impl.oracle.GetSqlTime removed

com.webmethods.jms.db.impl.oracle.PublishQueue: Class
com.webmethods.jms.db.impl.oracle.PublishQueue removed

com.webmethods.jms.db.impl.oracle.PurgeEvents: Class
com.webmethods.jms.db.impl.oracle.PurgeEvents removed

com.webmethods.jms.db.impl.oracle.PurgeInactiveSubscriptions: Class
com.webmethods.jms.db.impl.oracle.PurgeInactiveSubscriptions removed

com.webmethods.jms.db.impl.oracle.RegisterDestination: Class
com.webmethods.jms.db.impl.oracle.RegisterDestination removed

com.webmethods.jms.db.impl.oracle.RegisterSubscription: Class
com.webmethods.jms.db.impl.oracle.RegisterSubscription removed

com.webmethods.jms.db.impl.oracle.UnregisterSubscription: Class
com.webmethods.jms.db.impl.oracle.UnregisterSubscription removed

com.webmethods.jms.db.impl.oracle.UpdateSubscriptions: Class
com.webmethods.jms.db.impl.oracle.UpdateSubscriptions removed

com.webmethods.jms.db.impl.sybase.EventPoll: Class com.webmethods.jms.db.impl.sybase.EventPoll
removed

com.webmethods.jms.db.impl.sybase.PublishQueue: Class
com.webmethods.jms.db.impl.sybase.PublishQueue removed

com.webmethods.jms.db.impl.sybase.PurgeEvents: Class
com.webmethods.jms.db.impl.sybase.PurgeEvents removed

com.webmethods.jms.um.UmJMSClient: Class com.webmethods.jms.um.UmJMSClient removed

com.webmethods.jms.um.UmJMSConnProvider: Class
com.webmethods.jms.um.UmJMSConnProvider removed

electric.util.holder.ArrayOfbyteInOut: Class electric.util.holder.ArrayOfbyteInOut removed

electric.util.holder.ArrayOfbyteOut: Class electric.util.holder.ArrayOfbyteOut removed

com.webmethods.portal.bizPolicy.command.system.xml.XMLImport: Field
OVERWRITE_PERMISSIONS_KEY has been removed, but it was previously a constant

com.webmethods.portal.service.dir.IDirService: Method 'public boolean supportsNestedGroups()' has
been added to an interface

com.webmethods.caf.faces.application.CAFStateManager: Class
com.webmethods.caf.faces.application.CAFStateManager removed

com.webmethods.caf.faces.application.CAFStateManager\$TreeStructure: Class
com.webmethods.caf.faces.application.CAFStateManager\$TreeStructure removed

com.webmethods.caf.faces.portlet.PortletViewFragmentPhaseListener: Class
com.webmethods.caf.faces.portlet.PortletViewFragmentPhaseListener removed

com.webmethods.caf.faces.portlet.PortletViewFragmentPhaseListenerWrapper: Class
com.webmethods.caf.faces.portlet.PortletViewFragmentPhaseListenerWrapper removed

com.webmethods.caf.faces.portlet.PortletViewHandler: Method 'protected void
initResponse(javax.faces.context.FacesContext, javax.faces.component.UIViewRoot)' has been removed

com.webmethods.caf.faces.portlet.PortletViewHandler: Method 'protected void
renderResponse(javax.faces.context.FacesContext, javax.faces.component.UIViewRoot)' has been
removed

com.webmethods.caf.faces.render.html.command.CommandFormRenderer: In method 'protected java.lang.String getTagName()' the number of arguments has changed

com.webmethods.caf.faces.render.html.command.DisjointFormRenderer: In method 'protected java.lang.String getTagName()' the number of arguments has changed

com.webmethods.caf.faces.view.BaseViewHandler: Field STATE_KEY has been removed, but it was previously a constant

com.webmethods.caf.faces.view.BaseViewHandler: Method 'protected void initResponse(javax.faces.context.FacesContext, javax.faces.component.UIViewRoot)' has been removed

com.webmethods.caf.faces.view.BaseViewHandler: Method 'protected void renderResponse(javax.faces.context.FacesContext, javax.faces.component.UIViewRoot)' has been removed

com.webmethods.caf.faces.view.CafViewDeclarationLanguage: Field INJECT_STATE has been removed, but it was previously a constant

com.webmethods.caf.faces.view.CafViewDeclarationLanguage: Field NO_RENDER has been removed, but it was previously a constant

com.webmethods.caf.faces.view.CafViewDeclarationLanguage: Field STATE_KEY has been removed, but it was previously a constant

com.webmethods.caf.faces.view.CafViewDeclarationLanguage: Field VIEW_FRAGMENT has been removed, but it was previously a constant

com.webmethods.caf.faces.view.CafViewDeclarationLanguage: Field VIEW_FRAGMENT_CLIENT_ID has been removed, but it was previously a constant

com.webmethods.caf.faces.view.CafViewDeclarationLanguage: Return type of method 'protected void initResponse(javax.faces.context.FacesContext, javax.faces.component.UIViewRoot)' has been changed to javax.faces.context.ResponseWriter

com.webmethods.caf.faces.view.CafViewDeclarationLanguage: Method 'protected void renderResponse(javax.faces.context.FacesContext, javax.faces.component.UIViewRoot)' has been removed

com.webmethods.caf.faces.view.ViewFragmentPhaseListener: Class
com.webmethods.caf.faces.view.ViewFragmentPhaseListener removed

Release 9.9

Added API/ Description

com.webmethods.caf.faces.data.task.ITaskInfo: Method 'public java.lang.Integer getIsMandatory()' has been added to an interface

com.webmethods.caf.faces.data.task.ITaskInfo: Method 'public void setIsMandatory(java.lang.Integer)' has been added to an interface

Added API/ Description

com.webmethods.caf.wsclient.saml.IArtifactFactory: Method 'public java.lang.String validateSAMLResponse(javax.servlet.http.HttpServletRequest, java.lang.String)' has been added to an interface

com.webmethods.portal.bizPolicy.biz.access.IAccessPolicy: Method 'public com.webmethods.portal.service.view.IListView listSecurityRealmObjects(com.webmethods.portal.bizPolicy.IContext, com.webmethods.portal.service.meta2.thing.IThingID)' has been added to an interface

com.webmethods.portal.mech.socialbpm.comments.ICommentsMechanics: Method 'public java.util.List getAllTaskAttachments(java.lang.String, int, int)' has been added to an interface

com.webmethods.portal.mech.socialbpm.comments.ICommentsMechanics: Method 'public java.lang.Integer getAllTaskAttachmentsCount(java.lang.String)' has been added to an interface

com.webmethods.portal.mech.socialbpm.comments.ICommentsMechanics: Method 'public java.util.List getTaskComments(java.lang.String, int, int)' has been added to an interface

com.webmethods.portal.mech.socialbpm.comments.ICommentsMechanics: Method 'public java.lang.Integer getTaskCommentsCount(int)' has been added to an interface

com.webmethods.portal.mech.socialbpm.comments.ICommentsMechanics: Method 'public java.lang.Integer getTaskCommentsCount(java.lang.String)' has been added to an interface

com.webmethods.portal.mech.subscription.ISubscribableMechanics: Method 'public void checkViewSubscription(com.webmethods.portal.system.IURI, com.webmethods.portal.service.meta2.thing.IThingID, java.util.Map, com.webmethods.portal.service.meta2.thing.IThingID)' has been added to an interface

com.webmethods.portal.service.socialbpm.comments.ICommentsService: Method 'public java.util.List getAllTaskAttachments(java.lang.String, int, int)' has been added to an interface

com.webmethods.portal.service.socialbpm.comments.ICommentsService: Method 'public java.lang.Integer getAllTaskAttachmentsCount(java.lang.String)' has been added to an interface

com.webmethods.portal.service.socialbpm.comments.ICommentsService: Method 'public java.util.List getTaskComments(java.lang.String, int, int)' has been added to an interface

com.webmethods.portal.service.socialbpm.comments.ICommentsService: Method 'public java.lang.Integer getTaskCommentsCount(int)' has been added to an interface

com.webmethods.portal.service.socialbpm.comments.ICommentsService: Method 'public java.lang.Integer getTaskCommentsCount(java.lang.String)' has been added to an interface

com.webmethods.portal.service.task.ITask: Method 'public java.lang.Integer getIsMandatory()' has been added to an interface

com.webmethods.portal.service.task.ITaskDefinition: Method 'public java.lang.String getTaskDescription()' has been added to an interface

Removed API/ Description

com.webmethods.caf.faces.component.gmap.GMarkerGroup: Removed
javax.faces.event.SystemEventListener from the set of implemented interfaces

com.webmethods.caf.faces.component.gmap.GMarkerList: Removed
javax.faces.event.SystemEventListener from the set of implemented interfaces

com.webmethods.caf.faces.component.logic.AsyncIterator: Removed
javax.faces.event.SystemEventListener from the set of implemented interfaces

com.webmethods.caf.faces.component.logic.Import: Removed javax.faces.event.SystemEventListener
from the set of implemented interfaces

com.webmethods.caf.faces.component.logic.ImportTemplate: Removed
javax.faces.event.SystemEventListener from the set of implemented interfaces

com.webmethods.caf.faces.component.logic.Iterator: Removed javax.faces.event.SystemEventListener
from the set of implemented interfaces

com.webmethods.caf.faces.component.nav.Breadcrumbs: Removed
javax.faces.event.SystemEventListener from the set of implemented interfaces

com.webmethods.caf.faces.component.nav.FirstLevelList: Removed
javax.faces.event.SystemEventListener from the set of implemented interfaces

com.webmethods.caf.faces.component.nav.NavList: Removed javax.faces.event.SystemEventListener
from the set of implemented interfaces

com.webmethods.caf.faces.component.nav.PopupMenus: Removed
javax.faces.event.SystemEventListener from the set of implemented interfaces

com.webmethods.caf.faces.component.nav.SecondLevelList: Removed
javax.faces.event.SystemEventListener from the set of implemented interfaces

com.webmethods.caf.faces.component.nav.StaticMenus\$SubList: Removed
javax.faces.event.SystemEventListener from the set of implemented interfaces

com.webmethods.caf.faces.component.nav.StaticMenus\$SubSubList: Removed
javax.faces.event.SystemEventListener from the set of implemented interfaces

com.webmethods.caf.faces.component.nav.ThirdLevelList: Removed
javax.faces.event.SystemEventListener from the set of implemented interfaces

com.webmethods.caf.faces.component.table.html.AsyncList: Removed
javax.faces.event.SystemEventListener from the set of implemented interfaces

com.webmethods.caf.faces.component.table.html.AsyncListbox: Removed
javax.faces.event.SystemEventListener from the set of implemented interfaces

com.webmethods.caf.faces.component.table.html.AsyncTabsList: Removed
javax.faces.event.SystemEventListener from the set of implemented interfaces

com.webmethods.caf.faces.component.table.html.DataList: Removed

Removed API/ Description

javax.faces.event.SystemEventListener from the set of implemented interfaces

com.webmethods.caf.faces.component.table.html.ListBox: Removed

javax.faces.event.SystemEventListener from the set of implemented interfaces

com.webmethods.caf.faces.component.table.html.TabsList: Removed

javax.faces.event.SystemEventListener from the set of implemented interfaces

com.webmethods.portal.mech.system.ISystemMechanics: Removed

com.webmethods.portal.mech.access.IAccessMechanics from the set of implemented interfaces

com.webmethods.portal.mech.system.ISystemMechanics: Removed

com.webmethods.portal.mech.clipboard.IClipboardMechanics from the set of implemented interfaces

com.webmethods.portal.mech.system.ISystemMechanics: Removed

com.webmethods.portal.mech.storage.IBasicMechanics from the set of implemented interfaces

com.webmethods.portal.mech.system.ISystemMechanics: Removed

com.webmethods.portal.mech.subscription.ISubscribableMechanics from the set of implemented interfaces

com.webmethods.portal.mech.system.ISystemMechanics: Removed

com.webmethods.portal.mech.view.IViewableMechanics from the set of implemented interfaces

com.webmethods.portal.mech.system.impl.SystemMechanics: Removed

com.webmethods.portal.mech.access.IAccessMechanics from the set of implemented interfaces

com.webmethods.portal.mech.system.impl.SystemMechanics: Removed

com.webmethods.portal.mech.clipboard.IClipboardMechanics from the set of implemented interfaces

com.webmethods.portal.mech.system.impl.SystemMechanics: Removed

com.webmethods.portal.mech.storage.IBasicMechanics from the set of implemented interfaces

com.webmethods.portal.mech.system.impl.SystemMechanics: Removed

com.webmethods.portal.mech.subscription.ISubscribableMechanics from the set of implemented interfaces

com.webmethods.portal.mech.system.impl.SystemMechanics: Removed

com.webmethods.portal.mech.view.IViewableMechanics from the set of implemented interfaces

com.webmethods.rtl.script.JspC: Removed java.lang.Cloneable from the set of implemented interfaces

com.webmethods.portal.mech.system.impl.SystemMechanics: Removed

com.webmethods.portal.mech.clipboard.impl.ClipboardMechanics from the list of superclasses

com.webmethods.portal.mech.system.impl.SystemMechanics: Removed

com.webmethods.portal.mech.storage.impl.BasicMechanics from the list of superclasses

com.webmethods.portal.mech.system.impl.SystemMechanics: Removed

com.webmethods.portal.mech.subscription.impl.SubscribableMechanics from the list of superclasses

com.webmethods.portal.mech.system.impl.SystemMechanics: Removed

Removed API/ Description

com.webmethods.portal.mech.view.impl.ViewableMechanics from the list of superclasses

com.webmethods.rtl.script.JspC: Removed org.apache.tools.ant.ProjectComponent from the list of superclasses

com.webmethods.rtl.script.JspC: Removed org.apache.tools.ant.Task from the list of superclasses

com.webmethods.portal.mech.system.impl.SystemMechanics: Removed

com.webmethods.portal.mech.clipboard.impl.ClipboardMechanics from the list of superclasses

com.webmethods.portal.mech.system.impl.SystemMechanics: Removed

com.webmethods.portal.mech.storage.impl.BasicMechanics from the list of superclasses

com.webmethods.portal.mech.system.impl.SystemMechanics: Removed

com.webmethods.portal.mech.subscription.impl.SubscribableMechanics from the list of superclasses

com.webmethods.portal.mech.system.impl.SystemMechanics: Removed

com.webmethods.portal.mech.view.impl.ViewableMechanics from the list of superclasses

com.webmethods.rtl.script.JspC: Removed org.apache.tools.ant.ProjectComponent from the list of superclasses

com.webmethods.rtl.script.JspC: Removed org.apache.tools.ant.Task from the list of superclasses

com.webmethods.caf.faces.component.logic.Import: Method 'public boolean isListenerForSource(java.lang.Object)' has been removed

com.webmethods.caf.faces.component.logic.Import: Method 'public void processEvent(javax.faces.event.SystemEvent)' has been removed

com.webmethods.caf.faces.component.logic.ImportTemplate: Method 'public boolean isListenerForSource(java.lang.Object)' has been removed

com.webmethods.caf.faces.component.logic.ImportTemplate: Method 'public void processEvent(javax.faces.event.SystemEvent)' has been removed

com.webmethods.caf.faces.component.nav.PopupMenus: Method 'protected javax.faces.component.UIColumn getColumn()' has been removed

com.webmethods.caf.faces.component.table.html.DataList: Method 'public boolean isListenerForSource(java.lang.Object)' has been removed

com.webmethods.caf.faces.component.table.html.DataList: Method 'public void processEvent(javax.faces.event.SystemEvent)' has been removed

com.webmethods.caf.faces.component.tree.DataTree: Method 'protected void autogenerate()' has been removed

com.webmethods.portal.service.install.impl.BaseInstallService: Method 'protected

com.webmethods.portal.service.install.IInstallServiceConfig getConfig()' has been removed

com.webmethods.portal.service.sql.runtime.base.TaskSearchAll: Method 'protected void parseSearchQuery(int, java.util.Map, com.webmethods.caf.faces.data.task.impl.TaskSearchQuery,

Removed API/ Description

com.webmethods.portal.service.sql.runtime.base.TaskSearchAll\$QueryInfo) has been removed

com.webmethods.portal.service.sql.runtime.base.TaskSearchAll: Method 'protected void parseSearchQueryTerm(int, java.util.Map, com.webmethods.caf.faces.data.task.impl.TaskSearchQueryTerm, com.webmethods.portal.service.sql.runtime.base.TaskSearchAll\$QueryInfo)' has been removed

com.webmethods.portal.service.sql.runtime.base.TaskSearchFromInboxesPaged: Method 'protected void parseSearchQueryTerm(int, java.util.Map, com.webmethods.caf.faces.data.task.impl.TaskSearchQueryTerm, com.webmethods.portal.service.sql.runtime.base.TaskSearchAll\$QueryInfo)' has been removed

com.webmethods.rtl.script.JspC: Method 'public void init()' has been removed

com.softwareag.caf.controls.mwsx.PeoplePickerDialog\$FacetsMap: Class
com.softwareag.caf.controls.mwsx.PeoplePickerDialog\$FacetsMap removed

com.softwareag.caf.controls.mwsx.PeopleSwapBox\$FacetsMap: Class
com.softwareag.caf.controls.mwsx.PeopleSwapBox\$FacetsMap removed

com.webmethods.caf.faces.component.nav.StaticMenus\$ChildrenList: Class
com.webmethods.caf.faces.component.nav.StaticMenus\$ChildrenList removed

com.webmethods.caf.faces.component.nav.StaticMenus\$FacetsMap: Class
com.webmethods.caf.faces.component.nav.StaticMenus\$FacetsMap removed

com.webmethods.caf.faces.component.nav.ToggleMenus\$ChildrenList: Class
com.webmethods.caf.faces.component.nav.ToggleMenus\$ChildrenList removed

com.webmethods.caf.faces.component.nav.ToggleMenus\$FacetsMap: Class
com.webmethods.caf.faces.component.nav.ToggleMenus\$FacetsMap removed

com.webmethods.caf.faces.component.search.SearchBar\$FacetsMap: Class
com.webmethods.caf.faces.component.search.SearchBar\$FacetsMap removed

com.webmethods.caf.faces.component.table.SelectRowCheckbox\$ChildrenList: Class
com.webmethods.caf.faces.component.table.SelectRowCheckbox\$ChildrenList removed

com.webmethods.caf.faces.component.table.SelectRowCheckbox\$FacetsMap: Class
com.webmethods.caf.faces.component.table.SelectRowCheckbox\$FacetsMap removed

com.webmethods.caf.faces.component.table.html.HtmlTableColumn\$FacetsMap: Class
com.webmethods.caf.faces.component.table.html.HtmlTableColumn\$FacetsMap removed

com.webmethods.caf.faces.component.table.specialized.Newsfeed\$ChildrenList: Class
com.webmethods.caf.faces.component.table.specialized.Newsfeed\$ChildrenList removed

com.webmethods.caf.faces.component.table.specialized.Newsfeed\$FacetsMap: Class
com.webmethods.caf.faces.component.table.specialized.Newsfeed\$FacetsMap removed

com.webmethods.caf.faces.component.util.BaseChildrenList: Class
com.webmethods.caf.faces.component.util.BaseChildrenList removed

Removed API/ Description

com.webmethods.caf.faces.component.util.BaseFacetsAndChildrenIterator: Class

com.webmethods.caf.faces.component.util.BaseFacetsAndChildrenIterator removed

com.webmethods.caf.faces.component.util.BaseFacetsMap: Class

com.webmethods.caf.faces.component.util.BaseFacetsMap removed

com.webmethods.caf.faces.component.util.BaseFacetsMap\$BaseCollection: Class

com.webmethods.caf.faces.component.util.BaseFacetsMap\$BaseCollection removed

com.webmethods.caf.faces.component.util.BaseFacetsMap\$BaseCollection\$BaseIterator: Class

com.webmethods.caf.faces.component.util.BaseFacetsMap\$BaseCollection\$BaseIterator removed

com.webmethods.caf.faces.component.util.BaseFacetsMap\$Entries: Class

com.webmethods.caf.faces.component.util.BaseFacetsMap\$Entries removed

com.webmethods.caf.faces.component.util.BaseFacetsMap\$Entries\$EntrySetIterator: Class

com.webmethods.caf.faces.component.util.BaseFacetsMap\$Entries\$EntrySetIterator removed

com.webmethods.caf.faces.component.util.BaseFacetsMap\$Keys: Class

com.webmethods.caf.faces.component.util.BaseFacetsMap\$Keys removed

com.webmethods.caf.faces.component.util.BaseFacetsMap\$Keys\$KeySetIterator: Class

com.webmethods.caf.faces.component.util.BaseFacetsMap\$Keys\$KeySetIterator removed

com.webmethods.caf.faces.component.util.BaseFacetsMap\$Values: Class

com.webmethods.caf.faces.component.util.BaseFacetsMap\$Values removed

com.webmethods.caf.faces.component.util.BaseFacetsMap\$Values\$ValuesIterator: Class

com.webmethods.caf.faces.component.util.BaseFacetsMap\$Values\$ValuesIterator removed

com.webmethods.portal.bizPolicy.command.install.taskdefs.AntBaseFileListTask: Class

com.webmethods.portal.bizPolicy.command.install.taskdefs.AntBaseFileListTask removed

com.webmethods.portal.bizPolicy.command.install.taskdefs.AntBaseTask: Class

com.webmethods.portal.bizPolicy.command.install.taskdefs.AntBaseTask removed

com.webmethods.portal.bizPolicy.command.install.taskdefs.portlet.GenerateOSGiManifest: Class

com.webmethods.portal.bizPolicy.command.install.taskdefs.portlet.GenerateOSGiManifest removed

com.webmethods.portal.bizPolicy.command.install.taskdefs.portlet.GetPortletInfo: Class

com.webmethods.portal.bizPolicy.command.install.taskdefs.portlet.GetPortletInfo removed

com.webmethods.portal.bizPolicy.command.install.taskdefs.portlet.PostRegisterPortlet: Class

com.webmethods.portal.bizPolicy.command.install.taskdefs.portlet.PostRegisterPortlet removed

com.webmethods.portal.bizPolicy.command.install.taskdefs.portlet.PreRegisterPortlet: Class

com.webmethods.portal.bizPolicy.command.install.taskdefs.portlet.PreRegisterPortlet removed

com.webmethods.portal.bizPolicy.command.install.taskdefs.portlet.PreUnregisterPortlet: Class

com.webmethods.portal.bizPolicy.command.install.taskdefs.portlet.PreUnregisterPortlet removed

com.webmethods.portal.bizPolicy.command.install.taskdefs.skin.CreateSkinInstance: Class

Removed API/ Description

com.webmethods.portal.bizPolicy.command.install.taskdefs.skin.CreateSkinInstance removed

com.webmethods.portal.bizPolicy.command.install.taskdefs.skin.CreateThemeInstance: Class
com.webmethods.portal.bizPolicy.command.install.taskdefs.skin.CreateThemeInstance removed

com.webmethods.portal.bizPolicy.command.install.taskdefs.skin.GetSkinInfo: Class
com.webmethods.portal.bizPolicy.command.install.taskdefs.skin.GetSkinInfo removed

com.webmethods.portal.bizPolicy.command.install.taskdefs.skin.RemoveSkinInstance: Class
com.webmethods.portal.bizPolicy.command.install.taskdefs.skin.RemoveSkinInstance removed

com.webmethods.portal.bizPolicy.command.install.taskdefs.skin.RemoveThemeInstance: Class
com.webmethods.portal.bizPolicy.command.install.taskdefs.skin.RemoveThemeInstance removed

com.webmethods.portal.bizPolicy.command.install.taskdefs.system.CreateDBOTables: Class
com.webmethods.portal.bizPolicy.command.install.taskdefs.system.CreateDBOTables removed

com.webmethods.portal.bizPolicy.command.install.taskdefs.system.DropDBOTables: Class
com.webmethods.portal.bizPolicy.command.install.taskdefs.system.DropDBOTables removed

com.webmethods.portal.bizPolicy.command.install.taskdefs.system.ExecuteCommand: Class
com.webmethods.portal.bizPolicy.command.install.taskdefs.system.ExecuteCommand removed

com.webmethods.portal.bizPolicy.command.install.taskdefs.system.ExecuteTargetLoop: Class
com.webmethods.portal.bizPolicy.command.install.taskdefs.system.ExecuteTargetLoop removed

com.webmethods.portal.bizPolicy.command.install.taskdefs.system.GetComponentInfo: Class
com.webmethods.portal.bizPolicy.command.install.taskdefs.system.GetComponentInfo removed

com.webmethods.portal.bizPolicy.command.install.taskdefs.system.GetIsOSGiRuntime: Class
com.webmethods.portal.bizPolicy.command.install.taskdefs.system.GetIsOSGiRuntime removed

com.webmethods.portal.bizPolicy.command.install.taskdefs.system.GetSystemPath: Class
com.webmethods.portal.bizPolicy.command.install.taskdefs.system.GetSystemPath removed

com.webmethods.portal.bizPolicy.command.install.taskdefs.system.GetComponentInfo: Class
com.webmethods.portal.bizPolicy.command.install.taskdefs.system.GetComponentInfo removed

com.webmethods.portal.bizPolicy.command.install.taskdefs.system.GetIsOSGiRuntime: Class
com.webmethods.portal.bizPolicy.command.install.taskdefs.system.GetIsOSGiRuntime removed

com.webmethods.portal.bizPolicy.command.install.taskdefs.system.GetSystemPath: Class
com.webmethods.portal.bizPolicy.command.install.taskdefs.system.GetSystemPath removed

com.webmethods.portal.bizPolicy.command.install.taskdefs.system.InstallComponent: Class
com.webmethods.portal.bizPolicy.command.install.taskdefs.system.InstallComponent removed

com.webmethods.portal.bizPolicy.command.install.taskdefs.system.LoadClasses: Class
com.webmethods.portal.bizPolicy.command.install.taskdefs.system.LoadClasses removed

com.webmethods.portal.bizPolicy.command.install.taskdefs.system.LoadConfig: Class
com.webmethods.portal.bizPolicy.command.install.taskdefs.system.LoadConfig removed

Removed API/ Description

com.webmethods.portal.bizPolicy.command.install.taskdefs.system.LookupComponent: Class
com.webmethods.portal.bizPolicy.command.install.taskdefs.system.LookupComponent removed

com.webmethods.portal.bizPolicy.command.install.taskdefs.system.RegisterComponent: Class
com.webmethods.portal.bizPolicy.command.install.taskdefs.system.RegisterComponent removed

com.webmethods.portal.bizPolicy.command.install.taskdefs.system.RunSQLScript: Class
com.webmethods.portal.bizPolicy.command.install.taskdefs.system.RunSQLScript removed

com.webmethods.portal.bizPolicy.command.install.taskdefs.system.UninstallComponent: Class
com.webmethods.portal.bizPolicy.command.install.taskdefs.system.UninstallComponent removed

com.webmethods.portal.bizPolicy.command.install.taskdefs.system.UnregisterComponent: Class
com.webmethods.portal.bizPolicy.command.install.taskdefs.system.UnregisterComponent removed

com.webmethods.portal.mech.install.impl.NativeInstallMechanics: Class
com.webmethods.portal.mech.install.impl.NativeInstallMechanics removed

com.webmethods.portal.service.install.IInstallServiceConfig: Class
com.webmethods.portal.service.install.IInstallServiceConfig removed

com.webmethods.portal.service.install.impl.InstallServiceConfig: Class
com.webmethods.portal.service.install.impl.InstallServiceConfig removed

com.webmethods.portal.service.install.impl.ant.AntInstallService: Class
com.webmethods.portal.service.install.impl.ant.AntInstallService removed

com.webmethods.portal.service.install.impl.ant.AntLogSupport: Class
com.webmethods.portal.service.install.impl.ant.AntLogSupport removed

com.webmethods.portal.service.install.impl.ant.AntRunner: Class
com.webmethods.portal.service.install.impl.ant.AntRunner removed

com.webmethods.portal.service.install.impl.ant.AntRunner\$AntPropertyHelper: Class
com.webmethods.portal.service.install.impl.ant.AntRunner\$AntPropertyHelper removed

com.webmethods.portal.service.install.impl.ant.LpInstallService: Class
com.webmethods.portal.service.install.impl.ant.LpInstallService removed

com.webmethods.portal.service.install.impl.ant.WarLpInstallService: Class
com.webmethods.portal.service.install.impl.ant.WarLpInstallService removed

com.webmethods.rtl.logging.Mws13818Filter: Class com.webmethods.rtl.logging.Mws13818Filter
removed

com.webmethods.rtl.util.msg.IRuntimeMessage: Class com.webmethods.rtl.util.msg.IRuntimeMessage
removed

com.webmethods.rtl.util.msg.IRuntimeMessageCallback: Class
com.webmethods.rtl.util.msg.IRuntimeMessageCallback removed

com.webmethods.rtl.util.msg.IRuntimeMessageHook: Class

Removed API/ Description

com.webmethods.rtl.util.msg.IRuntimeMessageHook removed

com.webmethods.rtl.util.msg.RuntimeMessageUtil: Class
com.webmethods.rtl.util.msg.RuntimeMessageUtil removed

com.webmethods.rtl.util.msg.RuntimeMessageUtil\$RuntimeListeners: Class
com.webmethods.rtl.util.msg.RuntimeMessageUtil\$RuntimeListeners removed

com.webmethods.rtl.util.msg.RuntimeMessageUtil\$RuntimeMessageListener: Class
com.webmethods.rtl.util.msg.RuntimeMessageUtil\$RuntimeMessageListener removed

com.webmethods.rtl.util.obj.CyclicIterator: Class com.webmethods.rtl.util.obj.CyclicIterator removed

com.webmethods.rtl.util.obj.EmptyEnumeration: Class
com.webmethods.rtl.util.obj.EmptyEnumeration removed

com.webmethods.rtl.util.obj.EmptyIterator: Class com.webmethods.rtl.util.obj.EmptyIterator removed

com.webmethods.rtl.util.obj.FileClassLoader: Class com.webmethods.rtl.util.obj.FileClassLoader removed

com.webmethods.rtl.util.obj.IntMinMaxInfo: Class com.webmethods.rtl.util.obj.IntMinMaxInfo removed

com.webmethods.rtl.util.obj.IntStringMap: Class com.webmethods.rtl.util.obj.IntStringMap removed

com.webmethods.rtl.util.obj.IteratorTools: Class com.webmethods.rtl.util.obj.IteratorTools removed

com.webmethods.rtl.util.obj.PersistentMap: Class com.webmethods.rtl.util.obj.PersistentMap removed

com.webmethods.rtl.util.obj.PropertyGroup: Class com.webmethods.rtl.util.obj.PropertyGroup removed

com.webmethods.rtl.util.obj.PropertyGroups: Class com.webmethods.rtl.util.obj.PropertyGroups removed

com.webmethods.rtl.util.obj.SortableArray: Class com.webmethods.rtl.util.obj.SortableArray removed

com.webmethods.rtl.util.thread.ReadWriteMutex: Class
com.webmethods.rtl.util.thread.ReadWriteMutex removed

com.softwareag.caf.controls.mwsx.PeoplePickerDialog: Removed field m_facets

com.softwareag.caf.controls.mwsx.PeopleSwapBox: Removed field m_facets

com.webmethods.caf.faces.component.behavior.BaseBehavior: Removed field m_for

com.webmethods.caf.faces.component.behavior.CustomDragBehavior: Removed field m_allowDrag

com.webmethods.caf.faces.component.behavior.CustomDragBehavior: Removed field m_cursor

com.webmethods.caf.faces.component.behavior.CustomDragBehavior: Removed field m_move

com.webmethods.caf.faces.component.behavior.CustomDragBehavior: Removed field m_propagateEvent

Removed API/ Description

com.webmethods.caf.faces.component.behavior.CustomDropBehavior: Removed field m_allowDrop

com.webmethods.caf.faces.component.behavior.CustomDropBehavior: Removed field m_handleDrop

com.webmethods.caf.faces.component.behavior.CustomDropBehavior: Removed field m_hoverClass

com.webmethods.caf.faces.component.behavior.CustomDropBehavior: Removed field m_onDropSetValue

com.webmethods.caf.faces.component.behavior.DragToMoveRowsBehavior: Removed field m_add

com.webmethods.caf.faces.component.behavior.DragToMoveRowsBehavior: Removed field m_allowDrag

com.webmethods.caf.faces.component.behavior.DragToMoveRowsBehavior: Removed field m_allowDrop

com.webmethods.caf.faces.component.behavior.DragToMoveRowsBehavior: Removed field m_copy

com.webmethods.caf.faces.component.behavior.DragToMoveRowsBehavior: Removed field m_handleDrop

com.webmethods.caf.faces.component.behavior.DragToMoveRowsBehavior: Removed field m_hoverClass

com.webmethods.caf.faces.component.behavior.DragToMoveRowsBehavior: Removed field m_remove

com.webmethods.caf.faces.component.behavior.DragToMoveRowsBehavior: Removed field m_reorder

com.webmethods.caf.faces.component.behavior.DragToReorderColumnsBehavior: Removed field m_storePreferences

com.webmethods.caf.faces.component.behavior.DragToResizeBehavior: Removed field m_resizeBottom

com.webmethods.caf.faces.component.behavior.DragToResizeBehavior: Removed field m_resizeLeft

com.webmethods.caf.faces.component.behavior.DragToResizeBehavior: Removed field m_resizeRight

com.webmethods.caf.faces.component.behavior.DragToResizeBehavior: Removed field m_resizeTop

com.webmethods.caf.faces.component.behavior.DragToResizeColumnsBehavior: Removed field m_storePreferences

com.webmethods.caf.faces.component.behavior.RaiseOnChangeBehavior: Removed field m_command

com.webmethods.caf.faces.component.behavior.SynchronizeValuesBehavior: Removed field m_with

com.webmethods.caf.faces.component.command.html.AsyncCommandButton: Removed field m_refresh

com.webmethods.caf.faces.component.command.html.AsyncCommandIcon: Removed field m_refresh

Removed API/ Description

com.webmethods.caf.faces.component.command.html.AsyncCommandInterval: Removed field m_interval

com.webmethods.caf.faces.component.command.html.AsyncCommandInterval: Removed field m_waitUntilReloaded

com.webmethods.caf.faces.component.command.html.AsyncCommandLink: Removed field m_refresh

com.webmethods.caf.faces.component.command.html.AsyncHiddenCommand: Removed field m_refresh

com.webmethods.caf.faces.component.command.html.CommandForm: Removed field m_forms

com.webmethods.caf.faces.component.command.html.CommandIcon: Removed field m_alt

com.webmethods.caf.faces.component.command.html.CommandIcon: Removed field m_url

com.webmethods.caf.faces.component.command.html.CommandIcon: Removed field m_urlMouseDown

com.webmethods.caf.faces.component.command.html.CommandIcon: Removed field m_urlMouseover

com.webmethods.caf.faces.component.events.OpenAjaxScript: Removed field openAjaxTopic

com.webmethods.caf.faces.component.events.OpenAjaxScript: Removed field shouldSubscribe

com.webmethods.caf.faces.component.export.AtomFeedIcon: Removed field m_converter

com.webmethods.caf.faces.component.export.AtomFeedIcon: Removed field m_entriesProvider

com.webmethods.caf.faces.component.export.AtomFeedIcon: Removed field m_exportCharacterEncoding

com.webmethods.caf.faces.component.export.AtomFeedIcon: Removed field m_exportFileName

com.webmethods.caf.faces.component.export.AtomFeedIcon: Removed field m_exportForceDownload

com.webmethods.caf.faces.component.export.AtomFeedIcon: Removed field m_feedProvider

com.webmethods.caf.faces.component.export.AtomFeedIcon: Removed field m_feedUrl

com.webmethods.caf.faces.component.export.AtomFeedIcon: Removed field m_for

com.webmethods.caf.faces.component.gmap.GMap: Removed field m_height

com.webmethods.caf.faces.component.gmap.GMap: Removed field m_initialAddress

com.webmethods.caf.faces.component.gmap.GMap: Removed field m_initialCountry

com.webmethods.caf.faces.component.gmap.GMap: Removed field m_key

com.webmethods.caf.faces.component.gmap.GMap: Removed field m_latitude

com.webmethods.caf.faces.component.gmap.GMap: Removed field m_longitude

Removed API/ Description

com.webmethods.caf.faces.component.gmap.GMap: Removed field m_type
com.webmethods.caf.faces.component.gmap.GMap: Removed field m_width
com.webmethods.caf.faces.component.gmap.GMap: Removed field m_zoom
com.webmethods.caf.faces.component.gmap.GMapControl: Removed field m_anchor
com.webmethods.caf.faces.component.gmap.GMapControl: Removed field m_offsetX
com.webmethods.caf.faces.component.gmap.GMapControl: Removed field m_offsetY
com.webmethods.caf.faces.component.gmap.GMapControl: Removed field m_type
com.webmethods.caf.faces.component.gmap.GMapGetCoordsScript: Removed field m_latitude
com.webmethods.caf.faces.component.gmap.GMapGetCoordsScript: Removed field m_longitude
com.webmethods.caf.faces.component.gmap.GMapKey: Removed field m_key
com.webmethods.caf.faces.component.gmap.GMarker: Removed field m_clickable
com.webmethods.caf.faces.component.gmap.GMarker: Removed field m_draggable
com.webmethods.caf.faces.component.gmap.GMarker: Removed field m_icon
com.webmethods.caf.faces.component.gmap.GMarker: Removed field m_iconSizeHeight
com.webmethods.caf.faces.component.gmap.GMarker: Removed field m_iconSizeWidth
com.webmethods.caf.faces.component.gmap.GMarker: Removed field m_initialAddress
com.webmethods.caf.faces.component.gmap.GMarker: Removed field m_initialCountry
com.webmethods.caf.faces.component.gmap.GMarker: Removed field m_latitude
com.webmethods.caf.faces.component.gmap.GMarker: Removed field m_longitude
com.webmethods.caf.faces.component.gmap.GMarker: Removed field m_selected
com.webmethods.caf.faces.component.gmap.GMarker: Removed field m_title
com.webmethods.caf.faces.component.gmap.GMarkerGroup: Removed field m_groupProvider
com.webmethods.caf.faces.component.gmap.GMarkerList: Removed field m_clickable
com.webmethods.caf.faces.component.gmap.GMarkerList: Removed field m_draggable
com.webmethods.caf.faces.component.gmap.GMarkerList: Removed field m_icon
com.webmethods.caf.faces.component.gmap.GMarkerList: Removed field m_iconSizeHeight
com.webmethods.caf.faces.component.gmap.GMarkerList: Removed field m_iconSizeWidth
com.webmethods.caf.faces.component.gmap.GMarkerList: Removed field m_initialAddress
com.webmethods.caf.faces.component.gmap.GMarkerList: Removed field m_initialCountry

Removed API/ Description

com.webmethods.caf.faces.component.gmap.GMarkerList: Removed field m_latitude
com.webmethods.caf.faces.component.gmap.GMarkerList: Removed field m_longitude
com.webmethods.caf.faces.component.gmap.GMarkerList: Removed field m_multiple
com.webmethods.caf.faces.component.gmap.GMarkerList: Removed field m_title
com.webmethods.caf.faces.component.gmap.GMarkerList: Removed field m_multiple
com.webmethods.caf.faces.component.gmap.GMarkerList: Removed field m_title
com.webmethods.caf.faces.component.input.DateInput: Removed field m_pattern
com.webmethods.caf.faces.component.input.DateInput: Removed field m_showMonthAndYearMenus
com.webmethods.caf.faces.component.input.DateInput: Removed field m_showSeconds
com.webmethods.caf.faces.component.input.DateInput: Removed field m_showTime
com.webmethods.caf.faces.component.input.DateInput: Removed field m_showTimezone
com.webmethods.caf.faces.component.input.DateInput: Removed field m_timezone
com.webmethods.caf.faces.component.input.DateInput: Removed field m_valuePattern
com.webmethods.caf.faces.component.input.DateInput: Removed field m_yearMenuRange
com.webmethods.caf.faces.component.input.DateRangeInput: Removed field m_futureRanges
com.webmethods.caf.faces.component.input.DateRangeInput: Removed field m_label
com.webmethods.caf.faces.component.input.DateRangeInput: Removed field m_layout
com.webmethods.caf.faces.component.input.DateRangeInput: Removed field m_pastRanges
com.webmethods.caf.faces.component.logic.If: Removed field m_value
com.webmethods.caf.faces.component.logic.Import: Removed field m_value
com.webmethods.caf.faces.component.logic.ImportTemplate: Removed field m_value
com.webmethods.caf.faces.component.logic.LoadResourceBundle: Removed field m_basename
com.webmethods.caf.faces.component.logic.LoadResourceBundle: Removed field m_var
com.webmethods.caf.faces.component.logic.VariableContainer: Removed field m_value
com.webmethods.caf.faces.component.logic.VariableContainer: Removed field m_var
com.webmethods.caf.faces.component.message.FormattedMessage: Removed field m_showDetail
com.webmethods.caf.faces.component.message.FormattedMessages: Removed field m_showDetail
com.webmethods.caf.faces.component.message.SpecificFormattedMessages: Removed field m_for
com.webmethods.caf.faces.component.message.SpecificMessages: Removed field m_for

Removed API/ Description

com.webmethods.caf.faces.component.mws_ui.MwsResourceInclude: Removed field renderer

com.webmethods.caf.faces.component.mws_ui.MwsResourceInclude: Removed field uri

com.webmethods.caf.faces.component.nav.StaticMenus: Removed field m_appNavBean

com.webmethods.caf.faces.component.nav.StaticMenus: Removed field m_children

com.webmethods.caf.faces.component.nav.StaticMenus: Removed field m_facets

com.webmethods.caf.faces.component.nav.ToggleMenus: Removed field m_appNavBean

com.webmethods.caf.faces.component.nav.ToggleMenus: Removed field m_children

com.webmethods.caf.faces.component.nav.ToggleMenus: Removed field m_facets

com.webmethods.caf.faces.component.output.Chart: Removed field m_barPadding

com.webmethods.caf.faces.component.output.Chart: Removed field m_barWidth

com.webmethods.caf.faces.component.output.Chart: Removed field m_color

com.webmethods.caf.faces.component.output.Chart: Removed field m_gridColor

com.webmethods.caf.faces.component.output.Chart: Removed field m_gridStyle

com.webmethods.caf.faces.component.output.Chart: Removed field m_height

com.webmethods.caf.faces.component.output.Chart: Removed field m_legendLocation

com.webmethods.caf.faces.component.output.Chart: Removed field m_legendStyleClass

com.webmethods.caf.faces.component.output.Chart: Removed field m_numberofGridLines

com.webmethods.caf.faces.component.output.Chart: Removed field m_padding

com.webmethods.caf.faces.component.output.Chart: Removed field m_rowColors

com.webmethods.caf.faces.component.output.Chart: Removed field m_series

com.webmethods.caf.faces.component.output.Chart: Removed field m_showLegend

com.webmethods.caf.faces.component.output.Chart: Removed field m_type

com.webmethods.caf.faces.component.output.Chart: Removed field m_width

com.webmethods.caf.faces.component.output.ChartDataColumn: Removed field m_color

com.webmethods.caf.faces.component.output.ChartDataColumn: Removed field m_toolTip

com.webmethods.caf.faces.component.output.ChartDataColumn: Removed field m_value

com.webmethods.caf.faces.component.output.ChartLabelColumn: Removed field m_label

com.webmethods.caf.faces.component.output.Custom: Removed field m_name

com.webmethods.caf.faces.component.output.Icon: Removed field m_converter

Removed API/ Description

com.webmethods.caf.faces.component.output.Icon: Removed field m_label
com.webmethods.caf.faces.component.output.Icon: Removed field m_url
com.webmethods.caf.faces.component.output.Icon: Removed field m_urlMouseDown
com.webmethods.caf.faces.component.output.Icon: Removed field m_urlMouseover
com.webmethods.caf.faces.component.output.html.HtmlButton: Removed field m_accesskey
com.webmethods.caf.faces.component.output.html.HtmlButton: Removed field m_alt
com.webmethods.caf.faces.component.output.html.HtmlButton: Removed field m_dir
com.webmethods.caf.faces.component.output.html.HtmlButton: Removed field m_disabled
com.webmethods.caf.faces.component.output.html.HtmlButton: Removed field m_image
com.webmethods.caf.faces.component.output.html.HtmlButton: Removed field m_label
com.webmethods.caf.faces.component.output.html.HtmlButton: Removed field m_lang
com.webmethods.caf.faces.component.output.html.HtmlButton: Removed field m_onblur
com.webmethods.caf.faces.component.output.html.HtmlButton: Removed field m_onclick
com.webmethods.caf.faces.component.output.html.HtmlButton: Removed field m_ondblclick
com.webmethods.caf.faces.component.output.html.HtmlButton: Removed field m_onfocus
com.webmethods.caf.faces.component.output.html.HtmlButton: Removed field m_onkeydown
com.webmethods.caf.faces.component.output.html.HtmlButton: Removed field m_onmouseout
com.webmethods.caf.faces.component.output.html.HtmlButton: Removed field m_onmouseover
com.webmethods.caf.faces.component.output.html.HtmlButton: Removed field m_onmouseup
com.webmethods.caf.faces.component.output.html.HtmlButton: Removed field m_readonly
com.webmethods.caf.faces.component.output.html.HtmlButton: Removed field m_style
com.webmethods.caf.faces.component.output.html.HtmlButton: Removed field m_styleClass
com.webmethods.caf.faces.component.output.html.HtmlButton: Removed field m_tabindex
com.webmethods.caf.faces.component.output.html.HtmlButton: Removed field m_title
com.webmethods.caf.faces.component.output.html.HtmlButton: Removed field m_type
com.webmethods.caf.faces.component.output.html.HtmlButton: Removed field m_width
com.webmethods.caf.faces.component.output.html.HtmlLink: Removed field m_label
com.webmethods.caf.faces.component.output.refresh.RefreshButton: Removed field m_for
com.webmethods.caf.faces.component.output.refresh.RefreshIcon: Removed field m_for

Removed API/ Description

com.webmethods.caf.faces.component.output.refresh.RefreshInterval: Removed field m_for

com.webmethods.caf.faces.component.output.refresh.RefreshInterval: Removed field m_interval

com.webmethods.caf.faces.component.output.refresh.RefreshInterval: Removed field m_waitUntilReloaded

com.webmethods.caf.faces.component.output.refresh.RefreshLink: Removed field m_for

com.webmethods.caf.faces.component.panel.BaseHideablePanel: Removed field m_disableWhenHidden

com.webmethods.caf.faces.component.panel.BaseHideablePanel: Removed field m_lazy

com.webmethods.caf.faces.component.panel.BaseHideablePanel: Removed field m_refreshOnShow

com.webmethods.caf.faces.component.panel.BaseHideablePanel: Removed field m_suppressInputs

com.webmethods.caf.faces.component.panel.BaseHideablePanel: Removed field m_twoPass

com.webmethods.caf.faces.component.panel.BaseHideablePanel: Removed field m_visible

com.webmethods.caf.faces.component.panel.OverlayPanel: Removed field m_hideEffect

com.webmethods.caf.faces.component.panel.OverlayPanel: Removed field m_showEffect

com.webmethods.caf.faces.component.panel.PopupPanel: Removed field m_click

com.webmethods.caf.faces.component.panel.PopupPanel: Removed field m_close

com.webmethods.caf.faces.component.panel.PopupPanel: Removed field m_closeOnClick

com.webmethods.caf.faces.component.panel.PopupPanel: Removed field m_forRightClick

com.webmethods.caf.faces.component.panel.PopupPanel: Removed field m_hideEffect

com.webmethods.caf.faces.component.panel.PopupPanel: Removed field m_hideEffectOptions

com.webmethods.caf.faces.component.panel.PopupPanel: Removed field m_hover

com.webmethods.caf.faces.component.panel.PopupPanel: Removed field m_position

com.webmethods.caf.faces.component.panel.PopupPanel: Removed field m_showEffect

com.webmethods.caf.faces.component.panel.PopupPanel: Removed field m_showEffectOptions

com.webmethods.caf.faces.component.panel.PropertyLine: Removed field m_description

com.webmethods.caf.faces.component.panel.PropertyLine: Removed field m_label

com.webmethods.caf.faces.component.panel.PropertyLine: Removed field m_overflow

com.webmethods.caf.faces.component.panel.PropertyLine: Removed field m_parentId

com.webmethods.caf.faces.component.panel.StackPanel: Removed field m_value

com.webmethods.caf.faces.component.panel.StaticCell: Removed field m_align

Removed API/ Description

com.webmethods.caf.faces.component.panel.StaticCell: Removed field m_height

com.webmethods.caf.faces.component.panel.StaticCell: Removed field m_width

com.webmethods.caf.faces.component.panel.StaticRow: Removed field m_height

com.webmethods.caf.faces.component.panel.StaticRow: Removed field m_width

com.webmethods.caf.faces.component.search.BaseSearchControlHelper: Removed field fQuerySupplied

com.webmethods.caf.faces.component.search.BaseSearchControlHelper: Removed field fQuerySuppliedExpr

com.webmethods.caf.faces.component.search.SearchBar: Removed field m_facets

com.webmethods.caf.faces.component.select.FilterInput: Removed field m_labelText

com.webmethods.caf.faces.component.select.FilterInput: Removed field m_showGoButton

com.webmethods.caf.faces.component.select.SelectMany: Removed field m_filter

com.webmethods.caf.faces.component.select.SelectMany: Removed field m_other

com.webmethods.caf.faces.component.select.SelectMany: Removed field m_sortByLabel

com.webmethods.caf.faces.component.select.SelectOne: Removed field m_filter

com.webmethods.caf.faces.component.select.SelectOne: Removed field m_other

com.webmethods.caf.faces.component.select.SelectOne: Removed field m_sortByLabel

com.webmethods.caf.faces.component.select.html.HtmlSelectBoolean: Removed field m_accesskey

com.webmethods.caf.faces.component.select.html.HtmlSelectBoolean: Removed field m_dir

com.webmethods.caf.faces.component.select.html.HtmlSelectBoolean: Removed field m_disabled

com.webmethods.caf.faces.component.select.html.HtmlSelectBoolean: Removed field m_lang

com.webmethods.caf.faces.component.select.html.HtmlSelectBoolean: Removed field m_accesskey

com.webmethods.caf.faces.component.select.html.HtmlSelectBoolean: Removed field m_dir

com.webmethods.caf.faces.component.select.html.HtmlSelectBoolean: Removed field m_disabled

com.webmethods.caf.faces.component.select.html.HtmlSelectBoolean: Removed field m_lang

com.webmethods.caf.faces.component.select.html.HtmlSelectBoolean: Removed field m_name

com.webmethods.caf.faces.component.select.html.HtmlSelectBoolean: Removed field m_onblur

com.webmethods.caf.faces.component.select.html.HtmlSelectBoolean: Removed field m_onchange

com.webmethods.caf.faces.component.select.html.HtmlSelectBoolean: Removed field m_onclick

com.webmethods.caf.faces.component.select.html.HtmlSelectBoolean: Removed field m_ondblclick

Removed API/ Description

com.webmethods.caf.faces.component.select.html.HtmlSelectBoolean: Removed field m_onfocus

com.webmethods.caf.faces.component.select.html.HtmlSelectBoolean: Removed field m_onkeydown

com.webmethods.caf.faces.component.select.html.HtmlSelectBoolean: Removed field m_onkeypress

com.webmethods.caf.faces.component.select.html.HtmlSelectBoolean: Removed field m_onkeyup

com.webmethods.caf.faces.component.select.html.HtmlSelectBoolean: Removed field m_onmousedown

com.webmethods.caf.faces.component.select.html.HtmlSelectBoolean: Removed field m_onmousemove

com.webmethods.caf.faces.component.select.html.HtmlSelectBoolean: Removed field m_onmouseout

com.webmethods.caf.faces.component.select.html.HtmlSelectBoolean: Removed field m_onmouseover

com.webmethods.caf.faces.component.select.html.HtmlSelectBoolean: Removed field m_onmouseup

com.webmethods.caf.faces.component.select.html.HtmlSelectBoolean: Removed field m_readonly

com.webmethods.caf.faces.component.select.html.HtmlSelectBoolean: Removed field m_size

com.webmethods.caf.faces.component.select.html.HtmlSelectBoolean: Removed field m_style

com.webmethods.caf.faces.component.select.html.HtmlSelectBoolean: Removed field m_styleClass

com.webmethods.caf.faces.component.select.html.HtmlSelectBoolean: Removed field m_tabindex

com.webmethods.caf.faces.component.select.html.HtmlSelectBoolean: Removed field m_title

com.webmethods.caf.faces.component.select.html.HtmlSelectMany: Removed field m_accesskey

com.webmethods.caf.faces.component.select.html.HtmlSelectMany: Removed field m_border

com.webmethods.caf.faces.component.select.html.HtmlSelectMany: Removed field m_dir

com.webmethods.caf.faces.component.select.html.HtmlSelectMany: Removed field m_disabled

com.webmethods.caf.faces.component.select.html.HtmlSelectMany: Removed field m_disabledClass

com.webmethods.caf.faces.component.select.html.HtmlSelectMany: Removed field m_enabledClass

com.webmethods.caf.faces.component.select.html.HtmlSelectMany: Removed field m_lang

com.webmethods.caf.faces.component.select.html.HtmlSelectMany: Removed field m_layout

com.webmethods.caf.faces.component.select.html.HtmlSelectMany: Removed field m_onblur

com.webmethods.caf.faces.component.select.html.HtmlSelectMany: Removed field m_onchange

com.webmethods.caf.faces.component.select.html.HtmlSelectMany: Removed field m_onclick

com.webmethods.caf.faces.component.select.html.HtmlSelectMany: Removed field m_ondblclick

com.webmethods.caf.faces.component.select.html.HtmlSelectMany: Removed field m_onfocus

Removed API/ Description

com.webmethods.caf.faces.component.select.html.HtmlSelectMany: Removed field m_onkeydown
com.webmethods.caf.faces.component.select.html.HtmlSelectMany: Removed field m_onkeypress
com.webmethods.caf.faces.component.select.html.HtmlSelectMany: Removed field m_onkeyup
com.webmethods.caf.faces.component.select.html.HtmlSelectMany: Removed field m_onmousedown
com.webmethods.caf.faces.component.select.html.HtmlSelectMany: Removed field m_onmousemove
com.webmethods.caf.faces.component.select.html.HtmlSelectMany: Removed field m_onmouseout
com.webmethods.caf.faces.component.select.html.HtmlSelectMany: Removed field m_onmouseover
com.webmethods.caf.faces.component.select.html.HtmlSelectMany: Removed field m_onmouseup
com.webmethods.caf.faces.component.select.html.HtmlSelectMany: Removed field m_onselect
com.webmethods.caf.faces.component.select.html.HtmlSelectMany: Removed field m_readonly
com.webmethods.caf.faces.component.select.html.HtmlSelectMany: Removed field m_size
com.webmethods.caf.faces.component.select.html.HtmlSelectMany: Removed field m_style
com.webmethods.caf.faces.component.select.html.HtmlSelectMany: Removed field m_styleClass
com.webmethods.caf.faces.component.select.html.HtmlSelectMany: Removed field m_tabindex
com.webmethods.caf.faces.component.select.html.HtmlSelectOne: Removed field m_onblur
com.webmethods.caf.faces.component.select.html.HtmlSelectOne: Removed field m_onchange
com.webmethods.caf.faces.component.select.html.HtmlSelectOne: Removed field m_onclick
com.webmethods.caf.faces.component.select.html.HtmlSelectOne: Removed field m_ondblclick
com.webmethods.caf.faces.component.select.html.HtmlSelectOne: Removed field m_onfocus
com.webmethods.caf.faces.component.select.html.HtmlSelectOne: Removed field m_onkeydown
com.webmethods.caf.faces.component.select.html.HtmlSelectOne: Removed field m_onkeypress
com.webmethods.caf.faces.component.select.html.HtmlSelectOne: Removed field m_onkeyup
com.webmethods.caf.faces.component.select.html.HtmlSelectOne: Removed field m_onmousedown
com.webmethods.caf.faces.component.select.html.HtmlSelectOne: Removed field m_onmousemove
com.webmethods.caf.faces.component.select.html.HtmlSelectOne: Removed field m_onmouseout
com.webmethods.caf.faces.component.select.html.HtmlSelectOne: Removed field m_onmouseover
com.webmethods.caf.faces.component.select.html.HtmlSelectOne: Removed field m_onmouseup
com.webmethods.caf.faces.component.select.html.HtmlSelectOne: Removed field m_onselect
com.webmethods.caf.faces.component.select.html.HtmlSelectOne: Removed field m_readonly

Removed API/ Description

com.webmethods.caf.faces.component.select.html.HtmlSelectOne: Removed field m_size
com.webmethods.caf.faces.component.select.html.HtmlSelectOne: Removed field m_style
com.webmethods.caf.faces.component.select.html.HtmlSelectOne: Removed field m_styleClass
com.webmethods.caf.faces.component.select.html.HtmlSelectOne: Removed field m_tabindex
com.webmethods.caf.faces.component.select.html.HtmlSelectOne: Removed field m_title
com.webmethods.caf.faces.component.table.AddRow: Removed field m_addLastRowOnly
com.webmethods.caf.faces.component.table.AddRow: Removed field m_for
com.webmethods.caf.faces.component.table.AddRow: Removed field m_row
com.webmethods.caf.faces.component.table.AddRowIcon: Removed field m_title
com.webmethods.caf.faces.component.table.AddRowIcon: Removed field m_url
com.webmethods.caf.faces.component.table.AddRowIcon: Removed field m_urlMouseDown
com.webmethods.caf.faces.component.table.AddRowIcon: Removed field m_urlMouseover
com.webmethods.caf.faces.component.table.BaseExtendedColumn: Removed field m_align
com.webmethods.caf.faces.component.table.BaseExtendedColumn: Removed field m_ascending
com.webmethods.caf.faces.component.table.BaseExtendedColumn: Removed field m_exportable
com.webmethods.caf.faces.component.table.BaseExtendedColumn: Removed field m_group
com.webmethods.caf.faces.component.table.BaseExtendedColumn: Removed field m_hidden
com.webmethods.caf.faces.component.table.BaseExtendedColumn: Removed field m_label
com.webmethods.caf.faces.component.table.BaseExtendedColumn: Removed field m_nowrap
com.webmethods.caf.faces.component.table.BaseExtendedColumn: Removed field m_optional
com.webmethods.caf.faces.component.table.BaseExtendedColumn: Removed field m_ordinal
com.webmethods.caf.faces.component.table.BaseExtendedColumn: Removed field m_secondary
com.webmethods.caf.faces.component.table.BaseExtendedColumn: Removed field m_secondaryEnd
com.webmethods.caf.faces.component.table.BaseExtendedColumn: Removed field m_secondaryStart
com.webmethods.caf.faces.component.table.BaseExtendedColumn: Removed field m_sort
com.webmethods.caf.faces.component.table.BaseExtendedColumn: Removed field m_valign
com.webmethods.caf.faces.component.table.BaseExtendedColumn: Removed field m_width
com.webmethods.caf.faces.component.table.BaseSelectRow: Removed field m_accesskey
com.webmethods.caf.faces.component.table.BaseSelectRow: Removed field m_disabled

Removed API/ Description

com.webmethods.caf.faces.component.table.BaseSelectRow: Removed field m_multiple
com.webmethods.caf.faces.component.table.BaseSelectRow: Removed field m_tabindex
com.webmethods.caf.faces.component.table.DataPager: Removed field m_for
com.webmethods.caf.faces.component.table.DataPages: Removed field m_maxPages
com.webmethods.caf.faces.component.table.DataPages: Removed field m_showAlways
com.webmethods.caf.faces.component.table.MoveRowIcon: Removed field m_title
com.webmethods.caf.faces.component.table.MoveRowIcon: Removed field m_url
com.webmethods.caf.faces.component.table.MoveRowIcon: Removed field m_urlMouseDown
com.webmethods.caf.faces.component.table.MoveRowIcon: Removed field m_urlMouseover
com.webmethods.caf.faces.component.table.PrevNext: Removed field m_expandToEdges
com.webmethods.caf.faces.component.table.PrevNext: Removed field m_nextIconUrl
com.webmethods.caf.faces.component.table.PrevNext: Removed field m_nextText
com.webmethods.caf.faces.component.table.PrevNext: Removed field m_prevIconUrl
com.webmethods.caf.faces.component.table.PrevNext: Removed field m_prevText
com.webmethods.caf.faces.component.table.PrevNext: Removed field m_showAlways
com.webmethods.caf.faces.component.table.RemoveRow: Removed field m_for
com.webmethods.caf.faces.component.table.RemoveRow: Removed field m_removeLastRow
com.webmethods.caf.faces.component.table.RemoveRow: Removed field m_row
com.webmethods.caf.faces.component.table.RemoveRowIcon: Removed field m_title
com.webmethods.caf.faces.component.table.RemoveRowIcon: Removed field m_url
com.webmethods.caf.faces.component.table.RemoveRowIcon: Removed field m_urlMouseDown
com.webmethods.caf.faces.component.table.RemoveRowIcon: Removed field m_urlMouseover
com.webmethods.caf.faces.component.table.SelectRow: Removed field m_accesskey
com.webmethods.caf.faces.component.table.SelectRow: Removed field m_disabled
com.webmethods.caf.faces.component.table.SelectRow: Removed field m_for
com.webmethods.caf.faces.component.table.SelectRow: Removed field m_multiple
com.webmethods.caf.faces.component.table.SelectRow: Removed field m_tabindex
com.webmethods.caf.faces.component.table.SelectRowCheckbox: Removed field m_children
com.webmethods.caf.faces.component.table.SelectRowCheckbox: Removed field m_facets

Removed API/ Description

com.webmethods.caf.faces.component.table.html.AsyncList: Removed field m_bufferChunk
com.webmethods.caf.faces.component.table.html.AsyncList: Removed field m_bufferMax
com.webmethods.caf.faces.component.table.html.AsyncList: Removed field m_bufferMin
com.webmethods.caf.faces.component.table.html.AsyncList: Removed field m_clientSideCache
com.webmethods.caf.faces.component.table.html.AsyncList: Removed field m_flashOnChange
com.webmethods.caf.faces.component.table.html.AsyncList: Removed field m_progressDelay
com.webmethods.caf.faces.component.table.html.AsyncList: Removed field m_progressMsg
com.webmethods.caf.faces.component.table.html.AsyncList: Removed field m_suppressInputs
com.webmethods.caf.faces.component.table.html.AsyncListbox: Removed field m_rowClasses
com.webmethods.caf.faces.component.table.html.AsyncTable: Removed field m_bufferChunk
com.webmethods.caf.faces.component.table.html.AsyncTable: Removed field m_bufferMax
com.webmethods.caf.faces.component.table.html.AsyncTable: Removed field m_bufferMin
com.webmethods.caf.faces.component.table.html.AsyncTable: Removed field m_clientSideCache
com.webmethods.caf.faces.component.table.html.AsyncTable: Removed field m_flashOnChange
com.webmethods.caf.faces.component.table.html.AsyncTable: Removed field m_progressDelay
com.webmethods.caf.faces.component.table.html.AsyncTable: Removed field m_progressMsg
com.webmethods.caf.faces.component.table.html.AsyncTable: Removed field m_suppressInputs
com.webmethods.caf.faces.component.table.html.CalendarTable: Removed field dayVar
com.webmethods.caf.faces.component.table.html.CalendarTable: Removed field eventVar
com.webmethods.caf.faces.component.table.html.CalendarTable: Removed field m_allDay
com.webmethods.caf.faces.component.table.html.CalendarTable: Removed field m_calendarEndDate
com.webmethods.caf.faces.component.table.html.CalendarTable: Removed field m_calendarStartDate
com.webmethods.caf.faces.component.table.html.CalendarTable: Removed field m_displayUnits
com.webmethods.caf.faces.component.table.html.CalendarTable: Removed field m_events
com.webmethods.caf.faces.component.table.html.CalendarTable: Removed field m_eventsSet
com.webmethods.caf.faces.component.table.html.CalendarTable: Removed field m_initialDate
com.webmethods.caf.faces.component.table.html.DataList: Removed field m_marker
com.webmethods.caf.faces.component.table.html.DataList: Removed field m_selected
com.webmethods.caf.faces.component.table.html.DataList: Removed field m_selectedRowClass

Removed API/ Description

com.webmethods.caf.faces.component.table.html.DataTable: Removed field createdToOriginalRowIds

com.webmethods.caf.faces.component.table.html.DataTable: Removed field filter

com.webmethods.caf.faces.component.table.html.DataTable: Removed field first

com.webmethods.caf.faces.component.table.html.DataTable: Removed field firstSet

com.webmethods.caf.faces.component.table.html.DataTable: Removed field originalToCreatedRowIds

com.webmethods.caf.faces.component.table.html.DataTable: Removed field var

com.webmethods.caf.faces.component.table.html.HtmlTableColumn: Removed field m_facets

com.webmethods.caf.faces.component.table.html.ListBox: Removed field m_rowClasses

com.webmethods.caf.faces.component.table.specialized.Newsfeed: Removed field m_children

com.webmethods.caf.faces.component.table.specialized.Newsfeed: Removed field m_facets

com.webmethods.caf.faces.component.table.specialized.Newsfeed: Removed field m_layout

com.webmethods.caf.faces.component.table.specialized.Newsfeed: Removed field m_size

com.webmethods.caf.faces.component.table.specialized.Newsfeed: Removed field m_url

com.webmethods.caf.faces.component.toggle.InitiateToggle: Removed field m_for

com.webmethods.caf.faces.component.toggle.OneWayToggle: Removed field m_for

com.webmethods.caf.faces.component.toggle.OneWayToggle: Removed field m_way

com.webmethods.caf.faces.component.toggle.html.HtmlOneWayToggle: Removed field m_disabled

com.webmethods.caf.faces.component.toggle.html.HtmlOneWayToggle: Removed field m_disabledClass

com.webmethods.caf.faces.component.toggle.html.HtmlOneWayToggle: Removed field m_enabledClass

com.webmethods.caf.faces.component.toggle.html.HtmlOneWayToggle: Removed field m_width

com.webmethods.caf.faces.component.toggle.html.HtmlOneWayToggleCheckbox: Removed field m_checked

com.webmethods.caf.faces.component.toggle.html.HtmlOneWayToggleCheckbox: Removed field m_checkedWhenVisible

com.webmethods.caf.faces.component.toggle.html.HtmlToggle: Removed field m_disabled

com.webmethods.caf.faces.component.toggle.html.HtmlToggle: Removed field m_disabledClass

com.webmethods.caf.faces.component.toggle.html.HtmlToggle: Removed field m_enabledClass

com.webmethods.caf.faces.component.toggle.html.HtmlToggle: Removed field m_layout

com.webmethods.caf.faces.component.toggle.html.HtmlToggle: Removed field m_width

Removed API/ Description

com.webmethods.caf.faces.component.tree.AsyncTree: Removed field m_initialDepth
com.webmethods.caf.faces.component.tree.AsyncTree: Removed field m_progressDelay
com.webmethods.caf.faces.component.tree.AsyncTree: Removed field m_progressFlashOnComplete
com.webmethods.caf.faces.component.tree.AsyncTree: Removed field m_progressMsg
com.webmethods.caf.faces.component.tree.AsyncTree: Removed field m_refillDepth
com.webmethods.caf.faces.component.tree.AsyncTree: Removed field m_refreshOnShow
com.webmethods.caf.faces.component.tree.AsyncTree: Removed field m_suppressInputs
com.webmethods.caf.faces.component.tree.BaseTreeControl: Removed field m_collapseAllIcon
com.webmethods.caf.faces.component.tree.BaseTreeControl: Removed field m_collapseIcon
com.webmethods.caf.faces.component.tree.BaseTreeControl: Removed field m_expandAllIcon
com.webmethods.caf.faces.component.tree.BaseTreeControl: Removed field m_expandIcon
com.webmethods.caf.faces.component.tree.BaseTreeControl: Removed field m_leafIcon
com.webmethods.caf.faces.component.tree.BaseTreeControl: Removed field m_lineBottomIcon
com.webmethods.caf.faces.component.tree.BaseTreeControl: Removed field m_lineIcon
com.webmethods.caf.faces.component.tree.BaseTreeControl: Removed field m_lineNoneIcon
com.webmethods.caf.faces.component.tree.BaseTreeControl: Removed field m_lineTopIcon
com.webmethods.caf.faces.component.tree.BaseTreeControl: Removed field m_loadingIcon
com.webmethods.caf.faces.component.tree.BaseTreeControl: Removed field m_showSortLink
com.webmethods.caf.faces.view.BaseViewHandler: Removed field RE_FE_URL
com.webmethods.portal.faces.view.PortalViewHandler: Removed field RE_FE_URL
com.webmethods.portal.taglib.PortalIterationTagSupport: Removed field EMPTY_ITERATOR

12.0 Copyright Information

Copyright © 2017 Software AG, Darmstadt, Germany and/or Software AG USA Inc., Reston, VA, USA, and/or its subsidiaries and/or its affiliates and/or their licensors.

The name Software AG and all Software AG product names are either trademarks or registered trademarks of Software AG and/or Software AG USA Inc. and/or its subsidiaries and/or its affiliates and/or their licensors. Other company and product names mentioned herein may be trademarks of their respective owners.

Detailed information on trademarks and patents owned by Software AG and/or its subsidiaries is located at <http://softwareag.com/licenses>.

This software may include portions of third-party products. For third-party copyright notices, license terms, additional rights or restrictions, please refer to "License Texts, Copyright Notices and Disclaimers of Third Party Products". For certain specific third-party license restrictions, please refer to section E of the Legal Notices available under "License Terms and Conditions for Use of Software AG Products / Copyright and Trademark Notices of Software AG Products". These documents are part of the product documentation, located at <http://softwareag.com/licenses> and/or in the root installation directory of the licensed product(s).

13.0 Support

Visit the [Empower website](#) to learn about support policies and critical alerts, read technical articles and papers, download products and fixes, submit feature/enhancement requests, and more.

Visit the [TECHcommunity website](#) to access additional articles, demos, and tutorials, technical information, samples, useful resources, online discussion forums, and more.

TE-RM-100-20170419