

My webMethods Server 10.2 Readme

April 2018

This is an innovation release. Innovation releases have a much shorter support cycle than standard releases. To learn more, visit <http://empower.softwareag.com/innovationrelease/>.

This file contains important information you must read before using My webMethods Server 10.2. You can find system requirements, user documentation, and installation and upgrade instructions on the [Documentation website](#) or the [TECHcommunity website](#). At those locations, you can also find suite-related security and globalization information.

Included in this file is information about functionality that has been added, removed, deprecated, or changed for this product. Deprecated functionality continues to work and is supported by Software AG, but may be removed in a future release. Software AG recommends against using deprecated functionality in new projects.

1.0	Critical Information.....	1
2.0	Known Issues.....	2
3.0	Usage Notes.....	3
4.0	Fixes Included in Each Release.....	3
5.0	Other Resolved Issues.....	7
6.0	Documentation Changes	11
7.0	Terminology Changes	11
8.0	Added, Removed, Deprecated, or Changed Items.....	11
9.0	Added, Removed, Deprecated, or Changed APIs.....	19
10.0	Copyright Information.....	105
11.0	Support.....	105

1.0 Critical Information

This section lists any critical issues for the current release that were known when this readme was published. For critical information found later, go to the Knowledge Center on the [Empower website](#).

2.0 Known Issues

This section lists any issues for the current release that were known when this readme was published. For known issues found later, go to the Knowledge Center on the [Empower website](#).

- MWS-23167
A security issue with access to administrative tools and resources by logged-in non-administrative users was discovered in My webMethods Server.
There is currently no workaround for this issue.
- MWS-16536
When working with business rules in My webMethods, opening an event rule results in JavaScript errors and the rule is not rendered correctly.
When you open an event rule after a decision table is already open, the browser throws JavaScript errors and the event rule is not rendered correctly.
There is currently no workaround for this issue.
- MWS-23340
My webMethods Server fails to delete a user profile. The issue occurs if the user attempts to delete their profile immediately after exporting the profile data.
The workaround for this issue is to navigate away from the My Profile page before attempting to delete the user profile.
- MWS-23384
Upgrading My webMethods Server to version 10.2 fails. The issue occurs when you install the latest fixes for the source installation and initialize the source instance before you run the migration utility.
There is currently no workaround for this issue.
- MWS-23361
My webMethods Server displays incorrect copyright dates for My webMethods and Business Console.
There is currently no workaround for this issue.
- MWS-23381
My webMethods Server fails to load a new additional data source after restart.
There is currently no workaround for this issue.
- MWS-22700
A security issue with permissions to `wm_mws_diagnostics` components was discovered in My webMethods Server.
There is currently no workaround for this issue.
- MWS-22696
A security issue with button controls vulnerable to XSS attacks was discovered in My webMethods Server.
There is currently no workaround for this issue.

- MWS-22695
A security issue with portlet properties vulnerable to XSS attacks was discovered in My webMethods Server.
There is currently no workaround for this issue.
- MWS-23272
A security issue concerning access to resources without any authentication was discovered in My webMethods Server.
There is currently no workaround for this issue.
- MWS-23216
My webMethods Server fails to list an LDAP group member when the UID or CN of that member includes a comma.
There is currently no workaround for this issue.

3.0 Usage Notes

This section provides any additional information you need to work with the current release of this product.

4.0 Fixes Included in Each Release

This section lists the latest fix level that has been included in each release for each product component. A release is listed in this section only if changes occurred in that release. Go to the Knowledge Center on the [Empower website](#) for detailed information about fixes.

Release 10.2

- MWS_10.1_Fix2
- MWS_10.0_Fix4
- MWS_10.0_SPM_Fix1
- MWS_9.12_Fix18
- MWS_9.12_SPM_Fix1
- MWS_9.10_Fix25
- MWS_9.9_Fix22
- MWS_9.9_SPM_Fix2
- MWS_9.8_Fix36

- MWS_9.7_Fix34
- MWS_9.6_Fix26
- MWS_9.5_SP1_Fix31
- MWS_9.0_SP1_Fix16

Release 10.1

- MWS_10.0_Fix2
- MWS_9.12_Fix9
- TE_9.12_TC_Fix1
- MWS_9.10_Fix17
- MWS_9.9_Fix18
- TE_9.9_TC_Fix2
- MWS_9.8_Fix28
- MWS_9.8_GLUE_Fix3
- TE_9.8_TC_Fix1
- MWS_9.7_Fix29
- TE_9.7_TC_Fix2
- MWS_9.6_Fix23
- TE_9.6_TC_Fix2
- MWS_9.5_SP1_Fix29
- MWS_8.2_SP1_Fix31

Release 10.0

- MWS_9.12_Fix3
- MWS_9.10_Fix9
- MWS_9.9_Fix10
- MWS_9.8_Fix19

- MWS_9.8_GLUE_Fix2
- MWS_9.7_Fix23
- TE_9.7_TC_Fix2
- MWS_9.6_Fix18
- TE_9.6_TC_Fix2
- MWS_9.5_SP1_Fix23
- MWS_8.2_SP1_Fix29

Release 9.12

- MWS_9.10_Fix2
- MWS_9.10_SPM_Fix1
- MWS_9.10_SPM_IS_Fix1
- MWS_9.9_Fix5
- MWS_9.9_GLUE_Fix2
- MWS_9.9_SPM_Fix1
- MWS_9.8_Fix12
- MWS_9.8_SPM_Fix4
- MWS_9.7_Fix16
- MWS_9.6_Fix16
- MWS_9.6_SPM_Fix3
- MWS_9.5_SP1_Fix22
- MWS_9.0_SP1_Fix13
- MWS_8.2_SP1_Fix28
- TE_9.8_TC_Fix1
- TE_9.6_Fix1
- TE_9.5_SP1_TC_Fix3

Release 9.10

- MWS_9.9_Fix2
- MWS_9.9_GLUE_Fix1
- MWS_9.8_Fix8
- MWS_9.8_GLUE_Fix1
- MWS_9.7_Fix12
- MWS_9.6_Fix10
- MWS_9.6_GLUE_Fix1
- MWS_9.5_SP1_Fix15
- MWS_9.0_SP1_Fix9
- MWS_8.2_SP1_Fix26
- TE_9.7_TC_Fix1
- TE_8.2_SP1_TC_Fix7

Release 9.9

- MWS_9.8_Fix3
- MWS_9.7_Fix7
- MWS_9.6_Fix8
- MWS_9.5_SP1_Fix11
- MWS_9.0_SP1_Fix7
- MWS_8.2_SP1_Fix24

Release 9.8

- MWS_9.7_Fix3
- MWS_9.6_Fix5
- MWS_9.5_SP1_Fix6
- MWS_9.0_SP1_Fix5

- MWS_8.2_SP1_Fix19
- MWS_8.0_SP2_Fix20

5.0 Other Resolved Issues

This section lists the issues that were resolved in each release but were not part of the fixes listed in the previous section. A release is listed in this section only if changes occurred in that release.

Release 10.2

- MWSSOF-1714
A CSV injection vulnerability was discovered in My webMethods Server.
The issue is resolved.
- MWS-22327
My webMethods Server does not support session-based token generation for CSRF tokens.
The issue is resolved. Now you can configure the previously removed functionality for session-based token generation using the My webMethods Server user interface. To enable session-based CSRF token generation:
 1. Log in as sysadmin and navigate to Folders > Administrative Folders > Administration Dashboard > Configuration > XSRF Security Configuration.
 2. Clear the checkbox for the default setting, which is 'Use secret-based token generator'.
 3. Click Submit.My webMethods Server will now generate CSRF tokens per session.
- MWS-22659
Asset Build Environment does not allow the use of third-party libraries when building My webMethods Sever assets.
The issue is resolved. You can now add third-party libraries to use only at compile time for building My webMethods Sever assets.
To include third-party libraries, create a new directory in the root directory of the project, and name that directory 'lib-compile'. Any custom .jar files placed in the 'lib-compile' directory will be used only at compile time, and will not be included in the project build.

Release 10.1

- MWS-21673
A CSV injection vulnerability was discovered in My webMethods Server.
The issue is resolved.
- MWS-21252
A security issue with logging in debug mode was discovered in My webMethods Server.
The issue is resolved.

Release 10.0

- MWS-18703
When processing SOAP service calls, for example from the WmTaskClient package in Integration Server, My webMethods Server might cause increased memory consumption.
The issue is resolved.
- MWS-19947
Jackrabbit libraries should be updated to get the latest fixes.
The issue is resolved.
- MWS-20464
When you configure the JNDI URL of a standalone My webMethods Server or use My webMethods Server in a cluster, starting the Common Directory Services component logs JmsRemoteCommandTransport errors in the Integration Server log. The issue occurs when My webMethods Server loses connectivity to the Universal Messaging server.
The issue is resolved.

Release 9.12

- MWS-17522
Upgrading My webMethods Server to version 9.10 using a .zip file fails.
When you attempt to upgrade a My webMethods Server installation to version 9.10 using a .zip file as a source, the upgrade fails with multiple "ERROR: Missing file in source installation." errors. The issue occurs because the files in the *Software AG_directory/profiles/MWS_instanceName/configuration* directory are not included in the .zip file.
The issue is resolved.
- MWS-15586
My webMethods Server returns an exception when connecting to webMethods Integration Server via a web application view.
When a My webMethods Server web application attempts to connect to Integration Server using a web service connector with a basic or hybrid connection, the system returns an "unable to create user context" exception.
The issue is resolved.
- WTN-3684
On the Business Data page in My webMethods, the Intrinsic Task Metrics event maps are improperly set as user-defined.
When you expand the Intrinsic Task Metrics node on the Administration > Analytics > KPIs > Business Data page in My webMethods, the DEFINED BY column for the Intrinsic Task Metrics event maps displays the value of "User". However, intrinsic event map and KPI definitions should be system-defined to prevent users from deleting or modifying the definitions.
The issue is resolved. The DEFINED BY column for the Intrinsic Task Metrics event maps now has a value of "System".

Release 9.10

- MWS-16198
After migration, the About page of My webMethods Server does not show the correct version. On the About page in My webMethods, when you click the My webMethods Server tab under Licensed Product, the tab still shows the old version instead of the current one.
The issue is resolved.
- MWS-15647
Web Services Stack logs multiple error messages in the My webMethods Server `_server.log` during asset deployment.
When you deploy assets to My webMethods Server using webMethods Deployer, Web Services Stack logs multiple "No 'endpoint' property set and serverSide=true, cannot uniquely identify endpoint for service" error messages in the `_server.log`.
The issue is resolved.
- MWS-15122
The SOAP Monitor portlet fails to communicate with My webMethods Server.
When you attempt to use the SOAP Monitor portlet in My webMethods Server, the SOAP monitor applet starts but shows the following error: "The SOAP Monitor is unable to communicate with the server".
The issue is resolved.

Release 9.9

- MWS-14666
After converting a Task List Management CAF portlet to OpenCAF, clicking the Return button on the Task List Management page in My webMethods results in a `javax.portlet.PortletException` with the following message: "Cannot remove the same component twice".
This issue is now resolved.
- MWS-13158
The Principal Picker in webMethods Business Console does not display a scroll bar in the dialog box to scroll down and select users in the list.
While using Business Console in My webMethods Server, if a user attempts to assign a task instance using Assign To or Accept For on the Task List Management page, the Principal Picker does not display a scroll bar in the dialog box to scroll down and select users in the list.
This issue is now resolved.

Release 9.8

- MWS-13401
Integration Server sometimes throws a "cannot start CDS library" error when My webMethods Server and Integration Server are migrated together but Integration Server is started first.
When My webMethods Server and Integration Server are both migrated to the latest release, but

Integration Server is started first after migration, the following error is displayed during Integration Server startup: “[POP.005.0040] Cannot start CDS library because MWS upgrade did not complete yet”.

This issue is now resolved.

- MWS-13432

Some nodes remain in temporary maintenance mode after being restarted together with the default My webMethods Server node.

Some My webMethods Server cluster nodes still remain in temporary maintenance mode, even though they have been taken out of temporary maintenance and My webMethods Server has been restarted.

This issue is now resolved.

- MWS-13448 / MWS-13447

Maintenance mode is not in synch on all My webMethods Server nodes when the Universal Messaging Server is unavailable.

When My webMethods Server is configured to use Universal Messaging Server as a JMS provider and the Universal Messaging Server is unavailable, not all My webMethods Server nodes go into maintenance mode, which is the expected behavior.

This issue is now resolved.

- MWS-13453

When a role is granted only custom task permissions such as View Task: Data, Info and Audit, View Comments, the Security Realm > View Item permission for a task is automatically set to Deny. As a result, a role member cannot access the task instance details on the Task List Management page.

This issue is now resolved.

- MWS-13286

My webMethods Server login page is not localized.

When My webMethods Server is set to maintenance mode, the login page for the server administrator is not localized.

This issue is now resolved.

- MWS-13316

A NullPointerException occurs while editing the Administration portlet.

When a system administrator logs into My webMethods Server and attempts to edit the Administration portlet under Folders > System > Portlets, a NullPointerException error is displayed in the My webMethods Server user interface or the server logs, or in both.

This issue is now resolved.

6.0 Documentation Changes

This section describes significant changes to the documentation, such as the addition, relocation, or removal of product guides, online help, chapters, or other major content. A release is listed in this section only if changes occurred in that release.

Release 10.0

- The *Administering My webMethods Server* guide is available as a webhelp on the Software AG Empower website.
- A new chapter, “Sending Mobile Notifications from My webMethods Server”, has been added to the *Administering My webMethods Server* guide.

Release 9.12

A new chapter, “Using Command Central to Manage My webMethods Server”, has been added to the PDF guide *Administering My webMethods Server*. The chapter contains information about how you use the Software AG Command Central web user interface and command line interface to manage My webMethods Server.

Release 9.10

A new chapter, “Configuring the Time Zone in My webMethods”, has been added to the PDF guide *Working with My webMethods*.

7.0 Terminology Changes

A release is listed in this section only if changes occurred in that release.

8.0 Added, Removed, Deprecated, or Changed Items

This section lists functionality, controls, portlets, properties, or other items that have been added, removed, deprecated, or changed. A release is listed in this section only if changes occurred in that release.

Release 10.2

Added Item	Description
GDPR configuration portlet	

Removed Item	Replacement, if any
Support for Axis 1.4, which is used for exposing web services from My webMethods Server, is removed.	Now My webMethods Server web services use Axis 1.7.7.

Changed Item	Description
mws ping command	The mws ping command now requires Administrator credentials.
My webMethods Server cache configuration	The My webMethods Server cache configuration is enhanced.
My webMethods Server secret key storage	The My webMethods Server secret keys are stored using a passman store.
mws update command	The mws update command now enables you to rename a node in a My webMethods Server cluster.
My webMethods Server migration utility	The migration utility now enables you to rename a node in a My webMethods Server cluster.

Release 10.1

Added Item	Description
New additional JVM properties to configure secure connection to the Universal Messaging server.	<p>You can use the following additional JVM properties in the custom_wrapper.conf file to configure secure connection to the Universal Messaging server:</p> <ul style="list-style-type: none"> - nirvana.ssl.keystore.path - nirvana.ssl.keystore.pass - nirvana.ssl.keystore.cert - nirvana.ssl.truststore.path - nirvana.ssl.truststore.pass - nirvana.ssl.protocol <p>For more information, see <i>Administering My webMethods Server</i>.</p>
Business Administration node in the installer tree under the My webMethods Server node.	A new node named Business Administration has been added to the installer tree under the My webMethods Server node.

Added Item	Description
MySQL support for use with Task Engine	For more information about how to use MySQL with My webMethods Server and Task Engine, see <i>Administering My webMethods Server</i> .

Deprecated Item	Replacement, if any
The My webMethods Server embedded database (Derby) is deprecated.	

Changed Item	Description
The font family has been changed to the standard Roboto font.	

Release 10.0

Added Item	Description
New additional JVM properties to adjust the http client settings.	<p>You can use the following additional JVM properties in the custom_wrapper.conf file to configure connection settings when making web service calls using the Axis SOAP client:</p> <ul style="list-style-type: none"> - axisclient.DefaultMaxConnectionsPerHost - axisclient.MaxTotalConnections <p>For more information, see <i>Administering My webMethods Server</i>.</p>
New additional JVM properties to configure a user name and password for connecting to Universal Messaging.	<p>You can use the following additional JVM properties in the custom_wrapper.conf file to configure credentials for connecting to Universal Messaging:</p> <ul style="list-style-type: none"> - lax.nl.env.PRINCIPAL - lax.nl.env.PASSWORD

Removed Item	Replacement, if any
The localControl authentication option is removed from My webMethods Server commands.	The 'mws ping', 'mws import', and 'mws export' commands now require authentication.

Removed Item

Using the database as a JMS provider for My webMethods Server clusters is removed.

Replacement, if any

Using the My webMethods Server database as a JMS provider for cluster communication is removed. The replacement is using the Universal Messaging server. For more information, see *Administering My webMethods Server*.

Changed Item

My webMethods users must provide their current password when attempting to change the password.

Automatic reconnection settings for LDAP directory services.

Description

When updating their profile information, My webMethods users must supply their old password to set a new one. This does not apply to administrative users who change the password of other users.

You can enable the automatic reconnection to LDAP for directory services in My webMethods Server, and set a custom amount of time to wait between reconnection attempts.

Release 9.12

Added Item

Option to configure universally unique identifier (UUID) for My webMethods Server users accessed through an external user directory service.

Description

A utility is required to update the universally unique identifier (UUID) for My webMethods Server users accessed through an external user directory service. Additionally, an option is required to remove invalid users from My webMethods Server.

By default, the external directory service configured with My webMethods Server uses distinguished names (DNs) to identify users. In this case, if a user is transferred from one organization unit to another, My webMethods Server cannot recognize that user because of a change in the user's DN. Moreover, My webMethods Server cannot recognize users who are deleted from a directory service or moved in a directory service, and such users are regarded as invalid users.

You can configure My webMethods Server to use UUID, so that users are identified when the DN changes. You can run the `UserDirectory_UpdateUUID` utility to update the UUID for My webMethods Server users accessed through an external user directory service. To remove invalid users, you can run the `Cleanup_InvalidUsers` utility.

For more information about those utilities, see *Administering My webMethods Server* and *My webMethods Server Portlet Reference*.

Expose the Jetty JMX MBeans in the embedded Jetty container.

Enable all of the `org.eclipse.jetty.*` MBeans in the JMX console for My webMethods Server.

Deprecated Item

Support for Axis 1.x, which is used for exposing web services from My webMethods Server, is deprecated.

Support for webMethods Glue

Replacement, if any

Deprecated Item	Replacement, if any
Using the database as a JMS provider for My webMethods Server clusters is deprecated.	webMethods Universal Messaging

Changed Item	Description
Improved My webMethods Server logging	The width of log messages is shortened by using an enhanced pattern layout from <code>org.apache.log4j.EnhancedPatternLayout</code> .
My webMethods Server uses Apache Jackrabbit 2.x.	My webMethods Server now uses Apache Jackrabbit 2.x. The previous Apache Jackrabbit version that the server was using is no longer supported and contains security vulnerabilities.

Release 9.10

Added Item	Description
SAML 2.0 authentication	If you select the Hybrid authentication mode, SAML 2.0 is used by default. To use SAML Artifact Profile, set the <code>wsclient.hybrid.use.samlartifact</code> property to true in the <code>custom_wrapper.conf</code> file in the following My webMethods Server directory: <code>Software AG_directory/profiles/MWS_instanceName/</code> configuration.

Removed Item	Replacement, if any
SOAP Monitor portlet communication port	The SOAP Monitor portlet no longer uses the SOAP Monitor applet that communicated with My webMethods Server over a custom socket. For this reason, the SOAP Monitor portlet communication port (5001 by default) is no longer required or opened. If a My webMethods Administrator has the port open in their firewall, they can remove this configuration.

Changed Item	Description
The SOAP Monitor, Color Picker, and File Attachment applets have been converted to CAF components.	In more recent versions of Chrome and Firefox applets are disabled by default and must be manually enabled. They represent security risks.

Changed Item	Description
Redirecting of URLs	A redirect to a URL starting with // should not be used for a relative redirect URL.

Release 9.9

Added Item	Description
The following CSS properties of the Noodle skin for customizing the default login page of My webMethods Server, using the skin editor.	
align/login-remember-me	Defaults the "Remember me" text of the check box for remembering the login credentials to the left.
fonts/login-defaults	Allows editing the font style for labels, error messages, remember-me and placeholder text.
colors/login-input-border	Defines the color of the login page border.
colors/login-text-button	Defines the text color of the login button.
colors/login-button-top	Defines complex gradient colors for the login button.
colors/login-button-top-hover	Defines complex gradient colors for the login button.
colors/login-button-bottom	Defines complex gradient colors for the login button.
colors/login-button-bottom-hover	Defines complex gradient colors for the login button.
fonts/login-errors	Specifies changes to error message text.
fonts/login-button	Allows editing the font style of the login button text.

Removed Item	Replacement, if any
The following CSS properties of the Noodle skin for customizing the default login page of My webMethods Server:	
colors/login-title	
colors/login-title-bg	

Removed Item	Replacement, if any
fonts/login-title	
colors/login-description-bg	

Deprecated Item	Replacement, if any
The legacy approach for customizing the My webMethods Server Login page that entails using the skin editor to edit the CSS properties of the <code>wm_login</code> portlet.	In addition to the legacy customization approach, you can use the OpenCAF Shell Login template in Software AG Designer to customize the Login page of My webMethods Server. For more information about using OpenCAF, see <i>webMethods CAF Development Help</i> .

Changed Item	Description
The following CSS properties of the Noodle skin for customizing the default login page of My webMethods Server, using the skin editor:	
colors/login	The new default value is '#A9A9BB'. The old value was '#747d86'.
colors/login-bg	The new default value is '#f0f0f0'. The old value was '#E2E4D7'.
colors/login-border	The new default value is '#d9d9d9'. The old value was '#c3c8cc'.
fonts/login	The new default value is 'font-size: 18px'. The old value was 'line-height: 1; font-weight: normal;'.
fonts/login-link	Fonts/login-link is now fonts/login-remember-me. It defaults to empty.
The internal structure of the Import Template View CAF control	Instead of being direct children of the Import Template View control, the controls loaded from the imported view are now held in a new "__viewLoaded" facet. However, because a facet can contain only one component, the imported controls are wrapped in a UIPanel control. As a result, the direct parent of the imported controls is the UIPanel wrapper, and the Import Template View control, in turn, is the parent of the UIPanel wrapper.

Release 9.8

Added Item	Description
Jetty 9	My webMethods Server has upgraded to using Jetty 9.

Removed Item	Replacement, if any
File Content Migration Portlet (Wm_content_migration.war) and related Deployer component. The My webMethods Server File Content Migration portlet was deprecated in a previous release and is removed in this release.	
MWS start "-m" option. The "-m" command line option is now obsolete in all My webMethods Server 9.x versions.	

9.0 Added, Removed, Deprecated, or Changed APIs

A release is listed in this section only if changes occurred in that release.

Release 10.2

Added API	Description
com.softwareag.mws.screens.BaseScreenClass added	Class com.softwareag.mws.screens.BaseScreenClass
com.softwareag.mws.screens.Constants	Class com.softwareag.mws.screens.Constants added
com.softwareag.mws.screens.MWSLoginLogoutScreen	Class com.softwareag.mws.screens.MWSLoginLogoutScreen added
com.softwareag.mws.screens.applications.administration.systemwide.usermanagement.UsersScreen	Class com.softwareag.mws.screens.applications.administration.systemwide.usermanagement.UsersScreen added
com.webmethods.caf.common.cipher.MWSCipherDataStore	Class com.webmethods.caf.common.cipher.MWSCipherDataStore added
com.webmethods.caf.common.cipher.MWSCipherMasterPassword	Class com.webmethods.caf.common.cipher.MWSCipherMasterPassword added
com.webmethods.caf.common.cipher.SecretDS	Class com.webmethods.caf.common.cipher.SecretDS added

com.webmethods.caf.faces.component.util.ShadowComponentMapCacheEntry Class
com.webmethods.caf.faces.component.util.ShadowComponentMapCacheEntry added

com.webmethods.caf.faces.data.attachments.BasePortalContainerAttachmentsProvider Method 'public java.lang.String getEncoding(java.lang.String)' has been added

com.webmethods.caf.faces.data.comments.impl.CommentsListProvider Method 'public com.webmethods.portal.service.access.IAclManager createAclManager(java.lang.String, java.lang.String)' has been added

com.webmethods.portal.bizPolicy.biz.task.impl.TaskAuditBizPolicy Method 'public java.util.Collection getWebServiceCommands(com.webmethods.portal.bizPolicy.IContext)' has been added

com.webmethods.portal.bizPolicy.command.IJSONAdapter Method 'public java.util.Map getSchemaFields(java.lang.Class, java.util.Map, com.webmethods.portal.bizPolicy.command.IJSONAdapterFactory, java.util.Map)' has been added to an interface

com.webmethods.portal.bizPolicy.command.IJSONAdapterFactory Method 'public java.util.Map getSchemaFields(java.lang.Class, java.util.Map, java.util.Map)' has been added to an interface

com.webmethods.portal.bizPolicy.command.alias.SetThingAliases Method 'protected void checkAccess(com.webmethods.portal.bizPolicy.IContext, com.webmethods.portal.mech.alias.IAliasMechanics, com.webmethods.portal.system.IURI)' has been added

com.webmethods.portal.bizPolicy.command.dir.rs.BasePrincipalResource Method 'protected java.util.List getProfileAttributes(com.webmethods.portal.bizPolicy.IContext, com.webmethods.portal.service.dir.IDirPrincipal)' has been added

com.webmethods.portal.bizPolicy.command.dir.rs.BasePrincipalResource Method 'public javax.ws.rs.core.Response getPersonalData(javax.servlet.http.HttpServletRequest, java.lang.String)' has been added

com.webmethods.portal.bizPolicy.command.dir.rs.DirJSONAdapter Method 'public java.util.Map getSchemaFields(java.lang.Class, java.util.Map, com.webmethods.portal.bizPolicy.command.IJSONAdapterFactory, java.util.Map)' has been added

com.webmethods.portal.bizPolicy.command.impl.CommandBean Method 'protected java.text.SimpleDateFormat getSDF()' has been added

com.webmethods.portal.bizPolicy.command.impl.CommandBean Method 'protected java.text.SimpleDateFormat getSDFDotNet()' has been added

com.webmethods.portal.bizPolicy.command.impl.JSONAdapterFactory Method 'public java.util.Map getSchemaFields(java.lang.Class, java.util.Map, java.util.Map)' has been added

com.webmethods.portal.bizPolicy.command.impl.rs.AbstractJSONAdapter Class
com.webmethods.portal.bizPolicy.command.impl.rs.AbstractJSONAdapter added

com.webmethods.portal.bizPolicy.command.impl.rs.BaseRestResource Method 'protected

java.lang.String sanitizeMessage(java.lang.String)' has been added

com.webmethods.portal.bizPolicy.command.impl.rs.BaseRestResource Method 'protected javax.ws.rs.core.Response sendException(javax.servlet.http.HttpServletRequest, java.lang.Exception, java.lang.String, int)' has been added

com.webmethods.portal.bizPolicy.command.impl.rs.BasicJSONAdapter Method 'protected com.webmethods.portal.service.view.IView getView(com.webmethods.portal.system.IURI)' has been added

com.webmethods.portal.bizPolicy.command.impl.rs.BasicJSONAdapter Method 'protected void addIfNotSetAndNonNullValue(java.lang.String, java.lang.Object, java.util.Map)' has been added

com.webmethods.portal.bizPolicy.command.impl.rs.BasicJSONAdapter Method 'public java.util.Map getSchemaFields(java.lang.Class, java.util.Map, com.webmethods.portal.bizPolicy.command.IJSONAdapterFactory, java.util.Map)' has been added

com.webmethods.portal.bizPolicy.command.impl.rs.BizPolicyResource Class
com.webmethods.portal.bizPolicy.command.impl.rs.BizPolicyResource added

com.webmethods.portal.bizPolicy.command.impl.rs.CommandDocBuilder Class
com.webmethods.portal.bizPolicy.command.impl.rs.CommandDocBuilder added

com.webmethods.portal.bizPolicy.command.impl.rs.CommandResource Method 'public javax.ws.rs.core.Response getCommandSpecification(javax.servlet.http.HttpServletRequest, javax.servlet.http.HttpServletResponse, java.lang.String)' has been added

com.webmethods.portal.bizPolicy.command.impl.rs.CommandResource Method 'public javax.ws.rs.core.Response getSpecification(javax.servlet.http.HttpServletRequest)' has been added

com.webmethods.portal.bizPolicy.command.impl.rs.ConnectionInfoJSONAdapter Method 'public java.util.Map getSchemaFields(java.lang.Class, java.util.Map, com.webmethods.portal.bizPolicy.command.IJSONAdapterFactory, java.util.Map)' has been added

com.webmethods.portal.bizPolicy.command.impl.rs.DefaultJSONAdapter Class
com.webmethods.portal.bizPolicy.command.impl.rs.DefaultJSONAdapter added

com.webmethods.portal.bizPolicy.command.impl.rs.util.FluentList Class
com.webmethods.portal.bizPolicy.command.impl.rs.util.FluentList added

com.webmethods.portal.bizPolicy.command.impl.rs.util.FluentMap Class
com.webmethods.portal.bizPolicy.command.impl.rs.util.FluentMap added

com.webmethods.portal.bizPolicy.command.impl.rs.util.FluentOrderedMap Class
com.webmethods.portal.bizPolicy.command.impl.rs.util.FluentOrderedMap added

com.webmethods.portal.bizPolicy.command.impl.rs.util.IFluentMap Class
com.webmethods.portal.bizPolicy.command.impl.rs.util.IFluentMap added

com.webmethods.portal.bizPolicy.command.page.ModifyPage2IS Class
com.webmethods.portal.bizPolicy.command.page.ModifyPage2IS added

com.webmethods.portal.bizPolicy.command.system.xml.XMLImportContextIS Class

com.webmethods.portal.bizPolicy.command.system.xml.XMLImportContextIS added

com.webmethods.portal.bizPolicy.command.system.xml.XMLImportIncludeIS Class

com.webmethods.portal.bizPolicy.command.system.xml.XMLImportIncludeIS added

com.webmethods.portal.bizPolicy.command.task.rs.TaskJSONAdapter Class

com.webmethods.portal.bizPolicy.command.task.rs.TaskJSONAdapter added

com.webmethods.portal.bizPolicy.command.task.webservice.UpdateTaskAttachmentWS\$updateTaskAttachmentCommandBean Method 'protected boolean excludePropertyDescriptor(java.lang.String)' has been added

com.webmethods.portal.bizPolicy.command.task.webservice.UpdateTaskAttachmentWS\$updateTaskAttachmentCommandBean Method 'public void setAttachmentID(java.lang.String)' has been added

com.webmethods.portal.event.dir.IDirPrincipalDeleteEvent Method 'public com.webmethods.portal.service.meta2.thing.IThingID getGetDirectoryServiceThingID()' has been added to an interface

com.webmethods.portal.event.dir.IDirPrincipalDeleteEvent Method 'public com.webmethods.portal.system.IURI getDirectoryURI()' has been added to an interface

com.webmethods.portal.event.dir.IDirPrincipalDeleteEvent Method 'public java.lang.String getEmail()' has been added to an interface

com.webmethods.portal.event.dir.IDirPrincipalDeleteEvent Method 'public java.lang.String getPrincipalDN()' has been added to an interface

com.webmethods.portal.event.dir.IDirPrincipalModifyEvent Method 'public java.lang.Object getPropertyOldValue()' has been added to an interface

com.webmethods.portal.event.dir.impl.DirPrincipalDeleteEvent Method 'public DirPrincipalDeleteEvent(com.webmethods.portal.service.dir.IDirPrincipal, com.webmethods.portal.service.dir.IDirPrincipalList, com.webmethods.portal.service.dir.IDirPrincipalList, com.webmethods.portal.service.meta2.thing.IThingID)' has been added

com.webmethods.portal.event.dir.impl.DirPrincipalDeleteEvent Method 'public com.webmethods.portal.service.meta2.thing.IThingID getGetDirectoryServiceThingID()' has been added

com.webmethods.portal.event.dir.impl.DirPrincipalDeleteEvent Method 'public com.webmethods.portal.system.IURI getDirectoryURI()' has been added

com.webmethods.portal.event.dir.impl.DirPrincipalDeleteEvent Method 'public com.webmethods.portal.system.IURI getPrincipalURI()' has been added

com.webmethods.portal.event.dir.impl.DirPrincipalDeleteEvent Method 'public java.lang.String getEmail()' has been added

com.webmethods.portal.event.dir.impl.DirPrincipalDeleteEvent Method 'public java.lang.String getPrincipalDN()' has been added

com.webmethods.portal.event.dir.impl.DirPrincipalModifyEvent Method 'public DirPrincipalModifyEvent(com.webmethods.portal.system.IURI, com.webmethods.portal.service.meta2.thing.IThingID, java.lang.String, java.lang.Object, java.lang.Object, com.webmethods.portal.service.meta2.thing.IThingID)' has been added

com.webmethods.portal.event.dir.impl.DirPrincipalModifyEvent Method 'public DirPrincipalModifyEvent(com.webmethods.portal.system.IURI, java.lang.String, java.lang.Object, java.lang.Object, com.webmethods.portal.service.meta2.thing.IThingID)' has been added

com.webmethods.portal.event.dir.impl.DirPrincipalModifyEvent Method 'public java.lang.Object getPropertyOldValue()' has been added

com.webmethods.portal.event.system.IDistributedConfigChangedEvent Class
com.webmethods.portal.event.system.IDistributedConfigChangedEvent added

com.webmethods.portal.event.system.IDistributedConfigChangedEvent\$IListener Class
com.webmethods.portal.event.system.IDistributedConfigChangedEvent\$IListener added

com.webmethods.portal.event.system.IDistributedConfigChangedEvent\$ISynchronousListener Class
com.webmethods.portal.event.system.IDistributedConfigChangedEvent\$ISynchronousListener added

com.webmethods.portal.event.system.IDistributedConfigChangedEvent\$Listeners Class
com.webmethods.portal.event.system.IDistributedConfigChangedEvent\$Listeners added

com.webmethods.portal.event.system.IDistributedConfigChangedEvent\$SynchronousListeners Class
com.webmethods.portal.event.system.IDistributedConfigChangedEvent\$SynchronousListeners added

com.webmethods.portal.event.system.impl.DistributedConfigChangedEvent Class
com.webmethods.portal.event.system.impl.DistributedConfigChangedEvent added

com.webmethods.portal.framework.dispatch.handlers.directory.ExportUserAttributesHandler Class
com.webmethods.portal.framework.dispatch.handlers.directory.ExportUserAttributesHandler added

com.webmethods.portal.framework.session.handlers.LoginScript Method 'protected void bindSystemPolicy(com.webmethods.portal.bizPolicy.biz.system.ISystemPolicy)' has been added

com.webmethods.portal.framework.session.handlers.Validate Method 'protected void bindJMSPHaseProvider(com.webmethods.portal.system.IComponent)' has been added

com.webmethods.portal.framework.session.impl.SessionManager Method 'protected void bindAuthManager(com.webmethods.portal.framework.IAuthManager)' has been added

com.webmethods.portal.jms.db.impl.db2.PurgeEvents Method 'protected java.lang.String getDeleteEventsQuery()' has been added

com.webmethods.portal.jms.um.UmJMSConnProvider Method 'protected void registerJMSObjects(org.w3c.dom.Element)' has been added

com.webmethods.portal.mech.dir.IDirServiceMechanics Method 'public void fireDeletePrincipalEvent(com.webmethods.portal.service.dir.IDirPrincipal, com.webmethods.portal.service.dir.IDirPrincipalList, com.webmethods.portal.service.dir.IDirPrincipalList)' has been added to an interface

com.webmethods.portal.mech.dir.IPrincipalAttributeMechanics Method 'public void fireModifyPrincipalEvent(com.webmethods.portal.service.meta2.thing.IThingID, com.webmethods.portal.system.IURI, com.webmethods.portal.service.meta2.thing.IThingID, java.lang.String, java.lang.Object, java.lang.Object)' has been added to an interface

com.webmethods.portal.mech.dir.impl.DirServiceMechanics Method 'protected boolean isUserPrivacyEnabled()' has been added

com.webmethods.portal.mech.dir.impl.DirServiceMechanics Method 'public void fireDeletePrincipalEvent(com.webmethods.portal.service.dir.IDirPrincipal, com.webmethods.portal.service.dir.IDirPrincipalList, com.webmethods.portal.service.dir.IDirPrincipalList)' has been added

com.webmethods.portal.mech.dir.impl.PrincipalAttributeMechanics Method 'public void fireModifyPrincipalEvent(com.webmethods.portal.service.meta2.thing.IThingID, com.webmethods.portal.system.IURI, com.webmethods.portal.service.meta2.thing.IThingID, java.lang.String, java.lang.Object, java.lang.Object)' has been added

com.webmethods.portal.mech.rules.impl.TEELContext Class
com.webmethods.portal.mech.rules.impl.TEELContext added

com.webmethods.portal.mech.rules.impl.TEExpressionResolver Class
com.webmethods.portal.mech.rules.impl.TEExpressionResolver added

com.webmethods.portal.mech.schedule.impl.ScheduleMechanicsIS Class
com.webmethods.portal.mech.schedule.impl.ScheduleMechanicsIS added

com.webmethods.portal.mech.task.impl.TaskChangeHandlerIS Class
com.webmethods.portal.mech.task.impl.TaskChangeHandlerIS added

com.webmethods.portal.mech.task.impl.TaskContextHelper Class
com.webmethods.portal.mech.task.impl.TaskContextHelper added

com.webmethods.portal.mech.task.impl.TaskDataHelper Method 'public java.lang.Object[] resolveTaskFields(com.webmethods.portal.service.task.ITask, com.webmethods.portal.service.task.ITaskData, java.lang.String[])' has been added

com.webmethods.portal.mech.task.impl.TaskMechanics Method 'protected void bindMechanicsManager(com.webmethods.portal.mech.IMechanicsManager)' has been added

com.webmethods.portal.mech.task.impl.TaskMechanicsIS Class
com.webmethods.portal.mech.task.impl.TaskMechanicsIS added

com.webmethods.portal.mech.task.impl.TaskRuleContext Method 'public TaskRuleContext(com.webmethods.caf.rules.IRuleContext, java.util.Map)' has been added

com.webmethods.portal.mech.task.impl.TaskRuleContext Method 'public java.util.Map getContextMap()' has been added

com.webmethods.portal.mech.task.impl.TaskRuleContext Method 'public void setContextMap(java.util.Map)' has been added

com.webmethods.portal.service.access.IAclManager Method 'public void

setResourceType(java.lang.String)' has been added to an interface

com.webmethods.portal.service.access.IAclManager Method 'public void setUserID(java.lang.String)' has been added to an interface

com.webmethods.portal.service.cache.ICacheManager Method 'public void configureCache(java.lang.String, java.util.Map)' has been added to an interface

com.webmethods.portal.service.cache.impl.CacheManager Method 'protected java.util.Collection getRegistryBasedComponentCollection()' has been added

com.webmethods.portal.service.cache.impl.CacheManager Method 'protected void configureCacheFromRegisrty(java.lang.String)' has been added

com.webmethods.portal.service.cache.impl.CacheManager Method 'public void configureCache(java.lang.String, java.util.Map)' has been added

com.webmethods.portal.service.dir.IDirCache Method 'public void clearQueryCache()' has been added to an interface

com.webmethods.portal.service.dir.IDirServiceThing Class
com.webmethods.portal.service.dir.IDirServiceThing added

com.webmethods.portal.service.dir.IUserPrivacyService Class
com.webmethods.portal.service.dir.IUserPrivacyService added

com.webmethods.portal.service.dir.IUserPrivacyService\$NotificationType Class
com.webmethods.portal.service.dir.IUserPrivacyService\$NotificationType added

com.webmethods.portal.service.dir.impl.DirCache Method 'public void clearQueryCache()' has been added

com.webmethods.portal.service.dir.impl.DirServicePortletBean Method 'protected com.webmethods.portal.service.dir.IDirPrincipal getCurrentDirPrincipal()' has been added

com.webmethods.portal.service.dir.impl.DirServicePortletBean Method 'protected com.webmethods.portal.service.meta2.thing.IThingID getCurrentPrincipalThingID()' has been added

com.webmethods.portal.service.dir.impl.DirServicePortletBean Method 'protected long getCreatedTime()' has been added

com.webmethods.portal.service.dir.impl.DirServicePortletBean Method 'protected long getLastModifiedTime()' has been added

com.webmethods.portal.service.dir.impl.DirServicePortletBean Method 'protected void deletePrincipal()' has been added

com.webmethods.portal.service.dir.impl.DirServicePortletBean Method 'public boolean canDeleteUser()' has been added

com.webmethods.portal.service.dir.impl.DirServicePortletBean Method 'public boolean isEditingSelf(com.webmethods.portal.bizPolicy.IContext)' has been added

com.webmethods.portal.service.dir.impl.DirServicePortletBean Method 'public boolean

isMemberOfAdminRole()' has been added

com.webmethods.portal.service.dir.impl.DirServicePortletBean Method 'public boolean isSysAdminPrincipal()' has been added

com.webmethods.portal.service.dir.impl.DirServicePortletBean Method 'public boolean isUserPrivacyEnabled()' has been added

com.webmethods.portal.service.dir.impl.DirServicePortletBean Method 'public void DeleteUser()' has been added

com.webmethods.portal.service.portlet.impl.PortletProvider Method 'protected void bindThingIDService(com.webmethods.portal.service.meta2.IThingIDService)' has been added

com.webmethods.portal.service.portlet.impl.PortletProvider Method 'protected void bindXTypeService(com.webmethods.portal.service.meta2.IXTypeService)' has been added

com.webmethods.portal.service.scheduler.Scheduler Method 'protected void bindClusterLockingService(com.webmethods.portal.system.lock.IClusterLockingService)' has been added

com.webmethods.portal.service.scheduler.Scheduler Method 'protected void unbindClusterLockingService(com.webmethods.portal.system.lock.IClusterLockingService)' has been added

com.webmethods.portal.service.task.ITaskInfoFieldConverters\$FieldValueConverter Method 'public com.webmethods.portal.service.meta2.thing.IThingID getThingIDHelper(com.webmethods.portal.system.IURI)' has been added

com.webmethods.portal.service.task.ITaskInfoFieldConverters\$FieldValueConverter Method 'public com.webmethods.portal.system.IURI getURIHelper(java.lang.String)' has been added

com.webmethods.portal.service.task.ITaskInfoFieldConverters\$FieldValueConverter Method 'public com.webmethods.portal.system.IURI lookupPrincipalHelper(java.lang.Object)' has been added

com.webmethods.portal.service.task.ITaskInfoFieldConverters\$FieldValueConverter Method 'public com.webmethods.portal.system.IURI lookupPrincipalHelper(java.lang.Object, int)' has been added

com.webmethods.portal.service.task.ITaskInfoFieldConverters\$FieldValueConverter Method 'public int getIntPriorityHelper(java.lang.String)' has been added

com.webmethods.portal.service.task.ITaskInfoFieldConverters\$FieldValueConverter Method 'public int getIntStatusHelper(java.lang.String)' has been added

com.webmethods.portal.service.task.TaskSearchQuery Method 'public boolean matches(java.util.Map, com.webmethods.caf.rules.IBindingExpressionEvaluator)' has been added

com.webmethods.portal.service.task.TaskSearchQueryTerm Method 'public boolean matches(java.util.Map, com.webmethods.caf.rules.IBindingExpressionEvaluator)' has been added

com.webmethods.portal.service.task.TaskSearchQueryTerm Method 'public java.util.List getFieldExpressionsString(java.util.Map, com.webmethods.caf.rules.IBindingExpressionEvaluator)' has been added

com.webmethods.portal.service.task.impl.TaskClassLoaderFactory Class
com.webmethods.portal.service.task.impl.TaskClassLoaderFactory added

com.webmethods.portal.service.task.impl.TaskClassLoaderFactory\$ITaskClassLoader Class
com.webmethods.portal.service.task.impl.TaskClassLoaderFactory\$ITaskClassLoader added

com.webmethods.portal.service.task.impl.TaskDBIndexManagerHelper Class
com.webmethods.portal.service.task.impl.TaskDBIndexManagerHelper added

com.webmethods.portal.service.task.impl.TaskIndexTableViewHelper Class
com.webmethods.portal.service.task.impl.TaskIndexTableViewHelper added

com.webmethods.portal.service.task.impl.TaskService Method 'public void
flushTaskInfoCache(com.webmethods.portal.system.IURI)' has been added

com.webmethods.portal.service.task.impl.TaskServiceIS Class
com.webmethods.portal.service.task.impl.TaskServiceIS added

com.webmethods.portal.service.task.impl.TaskSystem Method 'protected
com.webmethods.portal.system.IComponentData
createComponentData(com.webmethods.portal.system.IInitializableComponentData)' has been added

com.webmethods.portal.service.task.impl.TaskSystem Method 'protected java.util.Collection
getThingBasedComponentCollection()' has been added

com.webmethods.portal.system.PortalSystem Method 'public java.lang.Boolean isLibraryMode()' has
been added

com.webmethods.portal.webservices.SOAPMonitorConstants Class
com.webmethods.portal.webservices.SOAPMonitorConstants added

com.webmethods.portal.webservices.SOAPMonitorData Method 'public
SOAPMonitorData(java.lang.Integer, java.lang.Long, java.lang.String, java.lang.String,
java.lang.String)' has been added

com.webmethods.portal.webservices.SOAPMonitorData Method 'public java.lang.String
getContentType()' has been added

com.webmethods.portal.webservices.SOAPMonitorData Method 'public java.lang.String
getMessageText()' has been added

com.webmethods.portal.webservices.SOAPMonitorData Method 'public void
setContentType(java.lang.String)' has been added

com.webmethods.portal.webservices.SOAPMonitorData Method 'public void
setMessageText(java.lang.String)' has been added

com.webmethods.rtl.locator.impl.DBConfigLocator Method 'protected void
fireConfigChangedEvent(java.lang.String)' has been added

com.webmethods.rtl.util.FileUtil Method 'public java.lang.String
getRealLocationAtIS(java.lang.String)' has been added

com.webmethods.rtl.util.FileUtil Method 'public java.lang.String

getRealLocationAtISatTaskApp(java.lang.String, java.lang.String)' has been added

Removed API

Replacement, if any

com.webmethods.portal.bizPolicy.biz.impl.BizPolicy Method 'public java.lang.Class[] getExtraWsdSchemaClasses(com.webmethods.portal.bizPolicy.IContext)' has been removed

com.webmethods.portal.bizPolicy.biz.impl.BizPolicy Method 'public org.apache.axis.description.ServiceDesc initializeServiceDesc(com.webmethods.portal.bizPolicy.IContext, org.apache.axis.description.ServiceDesc)' has been removed

com.webmethods.portal.bizPolicy.biz.impl.BizPolicy Method 'public org.apache.axis.handlers.soap.SOAPService initializeSOAPService(org.apache.axis.handlers.soap.SOAPService)' has been removed

com.webmethods.portal.bizPolicy.biz.impl.BizPolicy Method 'public void initializeSOAPMappingRegistry(com.webmethods.portal.bizPolicy.IContext, javax.xml.rpc.encoding.TypeMapping)' has been removed

com.webmethods.portal.bizPolicy.command.access.GetAclView Method 'public void initializeSOAPMappingRegistry(com.webmethods.portal.bizPolicy.IContext, javax.xml.rpc.encoding.TypeMapping)' has been removed

com.webmethods.portal.bizPolicy.command.access.ListSecurityRealmObjects Method 'public void initializeSOAPMappingRegistry(com.webmethods.portal.bizPolicy.IContext, javax.xml.rpc.encoding.TypeMapping)' has been removed

com.webmethods.portal.bizPolicy.command.alias.CreateAlias Method 'public void initializeSOAPMappingRegistry(com.webmethods.portal.bizPolicy.IContext, javax.xml.rpc.encoding.TypeMapping)' has been removed

com.webmethods.portal.bizPolicy.command.dir.GetTypedAttributes Method 'public java.lang.Class[] getExtraWsdSchemaClasses(com.webmethods.portal.bizPolicy.IContext)' has been removed

com.webmethods.portal.bizPolicy.command.dir.GetTypedAttributes Method 'public void initializeSOAPMappingRegistry(com.webmethods.portal.bizPolicy.IContext, javax.xml.rpc.encoding.TypeMapping)' has been removed

com.webmethods.portal.bizPolicy.command.impl.Command Method 'protected java.beans.PropertyDescriptor[] getClassPropertyDescriptors(java.lang.Class)' has been removed

com.webmethods.portal.bizPolicy.command.impl.Command Method 'protected void registerWebServiceMarshallingFactories(java.lang.Class, javax.xml.rpc.encoding.TypeMapping)' has been removed

com.webmethods.portal.bizPolicy.command.impl.Command Method 'public java.lang.Class[] getExtraWsdSchemaClasses(com.webmethods.portal.bizPolicy.IContext)' has been removed

com.webmethods.portal.bizPolicy.command.impl.Command Method 'public org.apache.axis.description.ServiceDesc

initializeServiceDesc(com.webmethods.portal.bizPolicy.IContext, org.apache.axis.description.ServiceDesc)' has been removed

com.webmethods.portal.bizPolicy.command.impl.Command Method 'public org.apache.axis.handlers.soap.SOAPService initializeSOAPService(org.apache.axis.handlers.soap.SOAPService)' has been removed

com.webmethods.portal.bizPolicy.command.impl.Command Method 'public void initializeSOAPMappingRegistry(com.webmethods.portal.bizPolicy.IContext, javax.xml.rpc.encoding.TypeMapping)' has been removed

com.webmethods.portal.bizPolicy.command.impl.WebServiceHelper Class
com.webmethods.portal.bizPolicy.command.impl.WebServiceHelper removed

com.webmethods.portal.bizPolicy.command.meta.GetSelectedList Method 'public void initializeSOAPMappingRegistry(com.webmethods.portal.bizPolicy.IContext, javax.xml.rpc.encoding.TypeMapping)' has been removed

com.webmethods.portal.bizPolicy.command.meta.ListChildrenFiltered Method 'public void initializeSOAPMappingRegistry(com.webmethods.portal.bizPolicy.IContext, javax.xml.rpc.encoding.TypeMapping)' has been removed

com.webmethods.portal.bizPolicy.command.meta.ListContainers Method 'public void initializeSOAPMappingRegistry(com.webmethods.portal.bizPolicy.IContext, javax.xml.rpc.encoding.TypeMapping)' has been removed

com.webmethods.portal.bizPolicy.command.meta.ListNotes Method 'public void initializeSOAPMappingRegistry(com.webmethods.portal.bizPolicy.IContext, javax.xml.rpc.encoding.TypeMapping)' has been removed

com.webmethods.portal.bizPolicy.command.meta.schedule.ListSchedulesCommand Method 'public void initializeSOAPMappingRegistry(com.webmethods.portal.bizPolicy.IContext, javax.xml.rpc.encoding.TypeMapping)' has been removed

com.webmethods.portal.bizPolicy.command.page.ModifyPage2 Method 'public void initializeSOAPMappingRegistry(com.webmethods.portal.bizPolicy.IContext, javax.xml.rpc.encoding.TypeMapping)' has been removed

com.webmethods.portal.bizPolicy.command.socialkeyword.GetKeyword Method 'public void initializeSOAPMappingRegistry(com.webmethods.portal.bizPolicy.IContext, javax.xml.rpc.encoding.TypeMapping)' has been removed

com.webmethods.portal.bizPolicy.command.socialkeyword.ListKeywords Method 'public void initializeSOAPMappingRegistry(com.webmethods.portal.bizPolicy.IContext, javax.xml.rpc.encoding.TypeMapping)' has been removed

com.webmethods.portal.bizPolicy.command.sql.ListDataSources Method 'public java.lang.Class[] getExtraWsdlSchemaClasses(com.webmethods.portal.bizPolicy.IContext)' has been removed

com.webmethods.portal.bizPolicy.command.sql.ListDataSources Method 'public void initializeSOAPMappingRegistry(com.webmethods.portal.bizPolicy.IContext, javax.xml.rpc.encoding.TypeMapping)' has been removed

com.webmethods.portal.bizPolicy.command.system.ImportFiles Class
com.webmethods.portal.bizPolicy.command.system.ImportFiles removed

com.webmethods.portal.bizPolicy.command.system.ImportFilesBean Class
com.webmethods.portal.bizPolicy.command.system.ImportFilesBean removed

com.webmethods.portal.bizPolicy.command.system.Ping Method 'public java.lang.Class[]
getExtraWsdSchemaClasses(com.webmethods.portal.bizPolicy.IContext)' has been removed

com.webmethods.portal.bizPolicy.command.system.Ping Method 'public void
initializeSOAPMappingRegistry(com.webmethods.portal.bizPolicy.IContext,
javax.xml.rpc.encoding.TypeMapping)' has been removed

com.webmethods.portal.bizPolicy.command.system.RuntimeTimeStatus Method 'public
java.lang.Class[] getExtraWsdSchemaClasses(com.webmethods.portal.bizPolicy.IContext)' has been
removed

com.webmethods.portal.bizPolicy.command.system.RuntimeTimeStatus Method 'public void
initializeSOAPMappingRegistry(com.webmethods.portal.bizPolicy.IContext,
javax.xml.rpc.encoding.TypeMapping)' has been removed

com.webmethods.portal.bizPolicy.command.task.BaseTaskCommand Method 'protected
java.beans.PropertyDescriptor[] getClassPropertyDescriptors(java.lang.Class)' has been removed

com.webmethods.portal.bizPolicy.command.task.GetTaskAudit Method 'public void
initializeSOAPMappingRegistry(com.webmethods.portal.bizPolicy.IContext,
javax.xml.rpc.encoding.TypeMapping)' has been removed

com.webmethods.portal.bizPolicy.command.task.GetTaskAuditPaginated Method 'public void
initializeSOAPMappingRegistry(com.webmethods.portal.bizPolicy.IContext,
javax.xml.rpc.encoding.TypeMapping)' has been removed

com.webmethods.portal.bizPolicy.command.version.ListVersionsCommand Method 'public void
initializeSOAPMappingRegistry(com.webmethods.portal.bizPolicy.IContext,
javax.xml.rpc.encoding.TypeMapping)' has been removed

com.webmethods.portal.bizPolicy.command.webspace.ListWebSpaces Method 'public void
initializeSOAPMappingRegistry(com.webmethods.portal.bizPolicy.IContext,
javax.xml.rpc.encoding.TypeMapping)' has been removed

com.webmethods.portal.bizPolicy.impl.ContextProvider Method 'protected
com.webmethods.portal.bizPolicy.IContext getContextBySessionId(java.lang.String)' has been removed

com.webmethods.portal.framework.dispatch.handlers.webservices.GetWSDL Class
com.webmethods.portal.framework.dispatch.handlers.webservices.GetWSDL removed

com.webmethods.portal.framework.propertyeditor.command.ListPropertyEditors Method 'public
void initializeSOAPMappingRegistry(com.webmethods.portal.bizPolicy.IContext,
javax.xml.rpc.encoding.TypeMapping)' has been removed

com.webmethods.portal.webservices.IWebService Method 'public java.lang.Class[]
getExtraWsdSchemaClasses(com.webmethods.portal.bizPolicy.IContext)' has been removed

com.webmethods.portal.webservices.IWebService Method 'public
org.apache.axis.description.ServiceDesc
initializeServiceDesc(com.webmethods.portal.bizPolicy.IContext,
org.apache.axis.description.ServiceDesc)' has been removed

com.webmethods.portal.webservices.IWebService Method 'public
org.apache.axis.handlers.soap.SOAPService
initializeSOAPService(org.apache.axis.handlers.soap.SOAPService)' has been removed

com.webmethods.portal.webservices.IWebService Method 'public void
initializeSOAPMappingRegistry(com.webmethods.portal.bizPolicy.IContext,
javax.xml.rpc.encoding.TypeMapping)' has been removed

com.webmethods.portal.webservices.SOAPMonitorData Method 'public java.lang.String getSoap()' has been removed

com.webmethods.portal.webservices.SOAPMonitorData Method 'public void
setSoap(java.lang.String)' has been removed

com.webmethods.portal.webservices.configuration.MwsEngineConfigurationFactoryServlet Class
com.webmethods.portal.webservices.configuration.MwsEngineConfigurationFactoryServlet removed

com.webmethods.portal.webservices.configuration.MwsFileProvider Class
com.webmethods.portal.webservices.configuration.MwsFileProvider removed

com.webmethods.portal.webservices.configuration.UpgradeAxisConfiguration Class
com.webmethods.portal.webservices.configuration.UpgradeAxisConfiguration removed

com.webmethods.portal.webservices.encoding.AliasValueSerializer Class
com.webmethods.portal.webservices.encoding.AliasValueSerializer removed

com.webmethods.portal.webservices.encoding.AliasValueSerializerFactory Class
com.webmethods.portal.webservices.encoding.AliasValueSerializerFactory removed

com.webmethods.portal.webservices.encoding.BeanPropertiesTypeDesc Class
com.webmethods.portal.webservices.encoding.BeanPropertiesTypeDesc removed

com.webmethods.portal.webservices.encoding.CertificateSerializer Class
com.webmethods.portal.webservices.encoding.CertificateSerializer removed

com.webmethods.portal.webservices.encoding.CertificateSerializerFactory Class
com.webmethods.portal.webservices.encoding.CertificateSerializerFactory removed

com.webmethods.portal.webservices.encoding.CharacterSerializer Class
com.webmethods.portal.webservices.encoding.CharacterSerializer removed

com.webmethods.portal.webservices.encoding.CharacterSerializerFactory Class
com.webmethods.portal.webservices.encoding.CharacterSerializerFactory removed

com.webmethods.portal.webservices.encoding.ConnectionInfoSerializer Class
com.webmethods.portal.webservices.encoding.ConnectionInfoSerializer removed

com.webmethods.portal.webservices.encoding.ConnectionInfoSerializerFactory Class

com.webmethods.portal.webservices.encoding.ConnectionInfoSerializerFactory removed
com.webmethods.portal.webservices.encoding.DifferenceMapSerializer Class
com.webmethods.portal.webservices.encoding.DifferenceMapSerializer removed
com.webmethods.portal.webservices.encoding.DifferenceMapSerializerFactory Class
com.webmethods.portal.webservices.encoding.DifferenceMapSerializerFactory removed
com.webmethods.portal.webservices.encoding.DirServiceSerializer Class
com.webmethods.portal.webservices.encoding.DirServiceSerializer removed
com.webmethods.portal.webservices.encoding.DirServiceSerializerFactory Class
com.webmethods.portal.webservices.encoding.DirServiceSerializerFactory removed
com.webmethods.portal.webservices.encoding.IDataDeserializer Class
com.webmethods.portal.webservices.encoding.IDataDeserializer removed
com.webmethods.portal.webservices.encoding.IDataDeserializerFactory Class
com.webmethods.portal.webservices.encoding.IDataDeserializerFactory removed
com.webmethods.portal.webservices.encoding.IOutOnly Class
com.webmethods.portal.webservices.encoding.IOutOnly removed
com.webmethods.portal.webservices.encoding.ISoapComplexTypeBean Class
com.webmethods.portal.webservices.encoding.ISoapComplexTypeBean removed
com.webmethods.portal.webservices.encoding.InterfaceAsBeanSerializer Class
com.webmethods.portal.webservices.encoding.InterfaceAsBeanSerializer removed
com.webmethods.portal.webservices.encoding.InterfaceAsBeanSerializerFactory Class
com.webmethods.portal.webservices.encoding.InterfaceAsBeanSerializerFactory removed
com.webmethods.portal.webservices.encoding.ListViewSerializer Class
com.webmethods.portal.webservices.encoding.ListViewSerializer removed
com.webmethods.portal.webservices.encoding.ListViewSerializerFactory Class
com.webmethods.portal.webservices.encoding.ListViewSerializerFactory removed
com.webmethods.portal.webservices.encoding.LocaleDeserializer Class
com.webmethods.portal.webservices.encoding.LocaleDeserializer removed
com.webmethods.portal.webservices.encoding.LocaleDeserializerFactory Class
com.webmethods.portal.webservices.encoding.LocaleDeserializerFactory removed
com.webmethods.portal.webservices.encoding.LocaleSerializer Class
com.webmethods.portal.webservices.encoding.LocaleSerializer removed
com.webmethods.portal.webservices.encoding.LocaleSerializerFactory Class
com.webmethods.portal.webservices.encoding.LocaleSerializerFactory removed
com.webmethods.portal.webservices.encoding.PageDataDeserializer Class
com.webmethods.portal.webservices.encoding.PageDataDeserializer removed
com.webmethods.portal.webservices.encoding.PageDataDeserializerFactory Class

com.webmethods.portal.webservices.encoding.PageDataDeserializerFactory removed
com.webmethods.portal.webservices.encoding.PageDataSerializer Class
com.webmethods.portal.webservices.encoding.PageDataSerializer removed
com.webmethods.portal.webservices.encoding.PageDataSerializerFactory Class
com.webmethods.portal.webservices.encoding.PageDataSerializerFactory removed
com.webmethods.portal.webservices.encoding.PagingBeanDeserializer Class
com.webmethods.portal.webservices.encoding.PagingBeanDeserializer removed
com.webmethods.portal.webservices.encoding.PagingBeanDeserializerFactory Class
com.webmethods.portal.webservices.encoding.PagingBeanDeserializerFactory removed
com.webmethods.portal.webservices.encoding.PagingBeanSerializer Class
com.webmethods.portal.webservices.encoding.PagingBeanSerializer removed
com.webmethods.portal.webservices.encoding.PagingBeanSerializerFactory Class
com.webmethods.portal.webservices.encoding.PagingBeanSerializerFactory removed
com.webmethods.portal.webservices.encoding.PortalFileBeanDeserializer Class
com.webmethods.portal.webservices.encoding.PortalFileBeanDeserializer removed
com.webmethods.portal.webservices.encoding.PortalFileBeanDeserializerFactory Class
com.webmethods.portal.webservices.encoding.PortalFileBeanDeserializerFactory removed
com.webmethods.portal.webservices.encoding.PortalFileBeanSerializer Class
com.webmethods.portal.webservices.encoding.PortalFileBeanSerializer removed
com.webmethods.portal.webservices.encoding.PortalFileBeanSerializerFactory Class
com.webmethods.portal.webservices.encoding.PortalFileBeanSerializerFactory removed
com.webmethods.portal.webservices.encoding.RightSetDeserializer Class
com.webmethods.portal.webservices.encoding.RightSetDeserializer removed
com.webmethods.portal.webservices.encoding.RightSetDeserializerFactory Class
com.webmethods.portal.webservices.encoding.RightSetDeserializerFactory removed
com.webmethods.portal.webservices.encoding.RightSetSerializer Class
com.webmethods.portal.webservices.encoding.RightSetSerializer removed
com.webmethods.portal.webservices.encoding.RightSetSerializerFactory Class
com.webmethods.portal.webservices.encoding.RightSetSerializerFactory removed
com.webmethods.portal.webservices.encoding.SelectedListViewSerializer Class
com.webmethods.portal.webservices.encoding.SelectedListViewSerializer removed
com.webmethods.portal.webservices.encoding.SelectedListViewSerializerFactory Class
com.webmethods.portal.webservices.encoding.SelectedListViewSerializerFactory removed
com.webmethods.portal.webservices.encoding.ThingIDListSerializer Class
com.webmethods.portal.webservices.encoding.ThingIDListSerializer removed
com.webmethods.portal.webservices.encoding.ThingIDListSerializerFactory Class

com.webmethods.portal.webservices.encoding.ThingIDListSerializerFactory removed
 com.webmethods.portal.webservices.encoding.ThingNameAtomSerializer Class
 com.webmethods.portal.webservices.encoding.ThingNameAtomSerializer removed
 com.webmethods.portal.webservices.encoding.ThingNameAtomSerializerFactory Class
 com.webmethods.portal.webservices.encoding.ThingNameAtomSerializerFactory removed
 com.webmethods.portal.webservices.encoding.URIDeserializer Class
 com.webmethods.portal.webservices.encoding.URIDeserializer removed
 com.webmethods.portal.webservices.encoding.URIDeserializerFactory Class
 com.webmethods.portal.webservices.encoding.URIDeserializerFactory removed
 com.webmethods.portal.webservices.encoding.URISerializer Class
 com.webmethods.portal.webservices.encoding.URISerializer removed
 com.webmethods.portal.webservices.encoding.URISerializerFactory Class
 com.webmethods.portal.webservices.encoding.URISerializerFactory removed
 com.webmethods.portal.webservices.encoding.ViewProperty Class
 com.webmethods.portal.webservices.encoding.ViewProperty removed
 com.webmethods.portal.webservices.encoding.ViewSerializer Class
 com.webmethods.portal.webservices.encoding.ViewSerializer removed
 com.webmethods.portal.webservices.encoding.ViewSerializerFactory Class
 com.webmethods.portal.webservices.encoding.ViewSerializerFactory removed
 com.webmethods.portal.webservices.handlers.CommandHandler Class
 com.webmethods.portal.webservices.handlers.CommandHandler removed
 com.webmethods.portal.webservices.handlers.CommandProvider Class
 com.webmethods.portal.webservices.handlers.CommandProvider removed
 com.webmethods.portal.webservices.handlers.SOAPMonitorHandler Class
 com.webmethods.portal.webservices.handlers.SOAPMonitorHandler removed
 com.webmethods.portal.webservices.servlet.PortalAxisServlet Class
 com.webmethods.portal.webservices.servlet.PortalAxisServlet removed

Changed API	Description
com.webmethods.portal.bizPolicy.command.dir.DeletePrincipal com.webmethods.portal.bizPolicy.command.dir.ModifyPrincipal	In method 'protected void fireEvents(com.webmethods.portal.bizPolicy.IContext, com.webmethods.portal.mech.dir.IDirServiceMechanics, com.webmethods.portal.system.IURI, com.webmethods.portal.service.meta2.thing.IThingID, com.webmethods.portal.service.dir.IDirPrincipalList, com.webmethods.portal.service.dir.IDirPrincipalList)' the number of arguments has changed

fireEvents(com.webmethods.portal.bizPolicy.IContext, com.webmethods.portal.mech.dir.IPrincipalAttributeMechanics, com.webmethods.portal.system.IURI, java.lang.String, java.lang.Object, com.webmethods.portal.service.meta2.thing.IThingID)' the number of arguments has changed

com.webmethods.portal.bizPolicy.command.dir.ModifyPrincipalEx In method 'protected void fireEvents(com.webmethods.portal.bizPolicy.IContext, com.webmethods.portal.mech.dir.IPrincipalAttributeMechanics, com.webmethods.portal.system.IURI, java.util.Map, com.webmethods.portal.service.meta2.thing.IThingID)' the number of arguments has changed

com.webmethods.portal.bizPolicy.command.impl.rs.CommandResource In method 'public javax.ws.rs.core.Response invokeCommandFromForm(javax.servlet.http.HttpServletRequest, javax.servlet.http.HttpServletResponse, java.lang.String)' the number of arguments has changed

Release 10.1

Added API	Description
com.webmethods.portal.bizPolicy.biz.dir.IDirSystemBizPolicy	Method 'public
com.webmethods.portal.service.dir.IDirUser	
authenticateUser(com.webmethods.portal.bizPolicy.IContext, java.lang.String, java.lang.String, boolean)	' has been added to an interface
com.webmethods.portal.framework.IAuthManager	Method 'public
com.webmethods.portal.framework.auth.IAuthInfo	createAuthInfo()' has been added to an interface
com.webmethods.portal.service.task.ITaskDistributionService	Method 'public
com.webmethods.portal.service.task.ITaskListIterator	
searchAllTasks(com.webmethods.portal.service.task.TaskSearchQuery, java.lang.Boolean)	' has been added to an interface
com.webmethods.portal.service.task.ITaskLockingService	Method 'public
com.webmethods.portal.system.lock.IClusterLock	acquireLock(com.webmethods.portal.system.IURI, com.webmethods.portal.system.IURI, long, long)' has been added to an interface
com.webmethods.portal.service.task.ITaskLockingService	Method 'public
com.webmethods.portal.system.lock.IClusterLock	acquireLock(com.webmethods.portal.system.IURI, com.webmethods.portal.system.IURI, long, long, boolean)' has been added to an interface
com.webmethods.portal.service.task.ITaskLockingService	Method 'public
com.webmethods.portal.system.lock.IClusterLock	getLock(com.webmethods.portal.system.IURI)' has been added to an interface
com.webmethods.portal.system.IURIResolver	Method 'public com.webmethods.portal.system.IURI
acquireURI(java.lang.String, boolean)	' has been added to an interface
com.webmethods.portal.system.init.IPhaseProvider	Method 'public void preInit(java.lang.String)' has been added to an interface
com.webmethods.portal.webservices.IWebService	Method 'public java.lang.Class[]
getExtraWsdlschemaClasses(com.webmethods.portal.bizPolicy.IContext)	' has been added to an interface

Removed API**Replacement, if any**

com.webmethods.caf.faces.data.task.ITaskSearchQueryExtended: Removed
com.webmethods.caf.faces.data.task.ITaskConstants from the set of implemented interfaces

com.webmethods.caf.faces.data.task.ITaskSearchQueryExtended: Removed
com.webmethods.caf.faces.data.task.ITaskSearchQuery from the set of implemented interfaces

com.webmethods.caf.faces.data.task.ITaskSearchQueryExtended: Removed
com.webmethods.caf.faces.data.task.ITaskSearchQueryBase from the set of implemented interfaces

com.webmethods.caf.faces.data.task.impl.QueryAggregationInfo: Removed
com.webmethods.caf.faces.data.task.IQueryAggregationInfo from the set of implemented interfaces

com.webmethods.caf.faces.data.task.impl.TaskInboxHpstraSearchContentProvider\$HpstraInboxSearchQuery: Removed com.webmethods.caf.faces.data.task.ITaskConstants from the set of implemented interfaces

com.webmethods.caf.faces.data.task.impl.TaskInboxHpstraSearchContentProvider\$HpstraInboxSearchQuery: Removed com.webmethods.caf.faces.data.task.ITaskSearchQuery from the set of implemented interfaces

com.webmethods.caf.faces.data.task.impl.TaskInboxHpstraSearchContentProvider\$HpstraInboxSearchQuery: Removed com.webmethods.caf.faces.data.task.ITaskSearchQueryBase from the set of implemented interfaces

com.webmethods.caf.faces.data.task.impl.TaskInboxHpstraSearchContentProvider\$HpstraInboxSearchQuery: Removed com.webmethods.caf.faces.data.task.ITaskSearchQueryExtended from the set of implemented interfaces

com.webmethods.caf.faces.data.task.impl.TaskInboxIndexedSearchContentProvider\$InboxSearchQuery: Removed com.webmethods.caf.faces.data.task.ITaskSearchQueryExtended from the set of implemented interfaces

com.webmethods.caf.faces.data.task.impl.TaskInboxSearchContentProvider\$InboxSearchQuery: Removed com.webmethods.caf.faces.data.task.ITaskSearchQueryExtended from the set of implemented interfaces

com.webmethods.caf.faces.data.task.impl.TaskIndexedSearchContentProvider\$TaskData: Removed
com.webmethods.caf.faces.data.task.ITaskData from the set of implemented interfaces

com.webmethods.caf.faces.data.task.impl.TaskSearchQuery: Removed
com.webmethods.caf.faces.data.task.ITaskSearchQueryExtended from the set of implemented interfaces

com.webmethods.caf.faces.data.task.impl.TaskSearchQueryExtended: Removed
com.webmethods.caf.faces.data.task.ITaskConstants from the set of implemented interfaces

com.webmethods.caf.faces.data.task.impl.TaskSearchQueryExtended: Removed
com.webmethods.caf.faces.data.task.ITaskSearchQuery from the set of implemented interfaces

com.webmethods.caf.faces.data.task.impl.TaskSearchQueryExtended: Removed
com.webmethods.caf.faces.data.task.ITaskSearchQueryBase from the set of implemented interfaces

com.webmethods.caf.faces.data.task.impl.TaskSearchQueryExtended: Removed
com.webmethods.caf.faces.data.task.ITaskSearchQueryExtended from the set of implemented interfaces

com.webmethods.caf.faces.data.task.impl.TaskSearchQueryV2: Removed
com.webmethods.caf.faces.data.task.ITaskSearchQueryExtended from the set of implemented interfaces

com.webmethods.portal.mech.task.impl.TaskQuery: Removed
com.webmethods.caf.faces.data.task.ITaskSearchQueryExtended from the set of implemented interfaces

com.webmethods.portal.service.sql.core.JNDIDataSourceFactory: Removed
com.webmethods.portal.system.init.IInitializable from the set of implemented interfaces

com.webmethods.portal.socialbpm.charts.SocialBPMSearchQuery: Removed
com.webmethods.caf.faces.data.task.ITaskSearchQueryExtended from the set of implemented interfaces

com.webmethods.caf.faces.data.task.impl.TaskInboxHpstraSearchContentProvider\$HpstraInboxSearchQuery: Removed
com.webmethods.caf.faces.data.task.impl.TaskSearchQuery from the list of superclasses

com.webmethods.caf.faces.data.task.impl.TaskInboxHpstraSearchContentProvider\$HpstraInboxSearchQuery: Removed
com.webmethods.caf.faces.data.task.impl.TaskSearchQueryV2 from the list of superclasses

com.webmethods.caf.faces.data.task.impl.TaskSearchQueryExtended: Removed
com.webmethods.caf.faces.data.task.impl.TaskSearchQuery from the list of superclasses

com.webmethods.caf.faces.data.task.impl.TaskSearchQueryExtended: Removed
com.webmethods.caf.faces.data.task.impl.TaskSearchQueryV2 from the list of superclasses

com.webmethods.caf.mobile.notify.impl.PushNotification: Removed
com.webmethods.portal.system.impl.BaseComponent from the list of superclasses

com.webmethods.caf.mobile.notify.impl.PushNotification\$PushNotificationCommandBean: Removed
com.webmethods.rtl.util.obj.MapPropertyBag from the list of superclasses

com.webmethods.portal.bizPolicy.command.system.RuntimeStatusBean: Removed
com.webmethods.rtl.util.obj.MapPropertyBag from the list of superclasses

com.webmethods.portal.bizPolicy.command.system.RuntimeTimeStatus: Removed
com.webmethods.portal.system.impl.BaseComponent from the list of superclasses

com.webmethods.rtl.locator.ClassLocator: Removed com.webmethods.rtl.locator.FileLocator from the list of superclasses

com.webmethods.rtl.util.SystemPaths\$UserPathLocator: Removed
com.webmethods.rtl.locator.FileLocator from the list of superclasses

com.webmethods.caf.mobile.notify.task.APNSCleanUpThread: Removed field expiredID

com.webmethods.portal.service.portlet.impl.PortletProvider: Removed field
portletProviderFactoryServiceReg

com.webmethods.portal.service.task.impl.TaskLockingService: Removed field
TASK_LOCK_MAX_TIME

com.webmethods.portal.service.task.impl.TaskLockingService: Removed field
TASK_LOCK_MAX_WAIT_TIME

com.webmethods.portal.service.task.impl.TaskLockingService: Removed field dbOffsetLastCalced

com.webmethods.portal.service.task.impl.TaskLockingService: Removed field dbTimeOffsetMs

com.webmethods.caf.faces.data.task.ITaskSearchQueryExtended: Method 'public
com.webmethods.caf.faces.data.task.impl.TaskSearchQueryTerm findTerm(java.lang.String,
java.lang.String)' has been removed

com.webmethods.caf.faces.data.task.ITaskSearchQueryExtended: Method 'public
com.webmethods.caf.faces.data.task.impl.TaskSearchQueryTerm findTerm(java.lang.String)' has been removed

com.webmethods.caf.faces.data.task.ITaskSearchQueryExtended: Method 'public
com.webmethods.caf.faces.data.task.IQueryAggregationInfo getQueryAggregationInfo()' has been removed

com.webmethods.caf.faces.data.task.ITaskSearchQueryExtended: Method 'public
com.webmethods.caf.faces.data.task.impl.TaskSearchQueryTerm[] getTerms()' has been removed

com.webmethods.caf.mobile.notify.impl.MobileNotificationProvider: Method 'protected
java.util.Collection loadConfig(com.webmethods.portal.system.IComponentData)' has been removed

com.webmethods.caf.script.servlet.ScriptServlet: Method 'protected void
includeBCScript(java.lang.String, java.util.Locale, java.io.Writer, boolean)' has been removed

com.webmethods.caf.script.servlet.ScriptServlet: Method 'protected void stripBCScript(java.io.Reader,
java.io.Writer)' has been removed

com.webmethods.caf.script.util.JavascriptStripper: Method 'protected boolean is_sep_for_bc(int)' has been removed

com.webmethods.caf.script.util.JavascriptStripper: Method 'protected boolean is_unambiguous_sep_for_bc(int)' has been removed

com.webmethods.caf.script.util.JavascriptStripper: Method 'public void stripBCScript(java.io.Reader, java.io.Writer)' has been removed

com.webmethods.caf.script.util.JavascriptStripper: Method 'protected int strip_c_comment_for_bc(java.io.Reader, java.io.Writer)' has been removed

com.webmethods.portal.framework.auth.AuthInfo: Method 'public void copy(com.webmethods.portal.framework.auth.AuthInfo)' has been removed

com.webmethods.portal.framework.presentation.PresentationData: Method 'public com.webmethods.portal.framework.presentation.PresentationData init(java.lang.Object, int, java.util.HashMap)' has been removed

com.webmethods.portal.service.sql.core.JNDIDataSourceFactory: Method 'public void init(com.webmethods.portal.system.IComponentData, java.lang.String)' has been removed

com.webmethods.portal.service.sql.core.JNDIDataSourceFactory: Method 'public void shutdown()' has been removed

com.webmethods.pushNotification.apns.connection.pool.APNSConnectionPool: Method 'public void initialize(com.webmethods.pushNotification.apns.connection.pool.APNSConnectionPoolManager, java.util.Map)' has been removed

com.webmethods.rtl.util.RuntimeUtil: Method 'public javax.servlet.ServletContext getServletContext(java.lang.String)' has been removed

com.webmethods.rtl.util.RuntimeUtil: Method 'public org.eclipse.jetty.webapp.WebAppContext getWebAppContext(java.lang.String)' has been removed

com.webmethods.rtl.util.RuntimeUtil: Method 'public void refreshBundle(org.osgi.framework.Bundle)' has been removed

com.webmethods.rtl.util.RuntimeUtil: Method 'public void refreshRemovalPendingBundles()' has been removed

com.webmethods.rtl.util.RuntimeUtil: Method 'public void startBundle(org.osgi.framework.Bundle)' has been removed

com.webmethods.caf.faces.data.task.AggregationType: Class
com.webmethods.caf.faces.data.task.AggregationType removed

com.webmethods.caf.faces.data.task.IQueryAggregationInfo: Class
com.webmethods.caf.faces.data.task.IQueryAggregationInfo removed

com.webmethods.caf.faces.data.task.IndexEngineType: Class
com.webmethods.caf.faces.data.task.IndexEngineType removed

com.webmethods.portal.bizPolicy.command.task.rs.MWSCustomDispatchProvider: Class
com.webmethods.portal.bizPolicy.command.task.rs.MWSCustomDispatchProvider removed

com.webmethods.portal.bizPolicy.command.task.rs.MWSRequestDispatcher: Class
com.webmethods.portal.bizPolicy.command.task.rs.MWSRequestDispatcher removed

com.webmethods.portal.bizPolicy.command.task.rs.RestApplication: Class
com.webmethods.portal.bizPolicy.command.task.rs.RestApplication removed

com.webmethods.portal.bizPolicy.command.task.rs.RestApplication\$RestPingInfo: Class
com.webmethods.portal.bizPolicy.command.task.rs.RestApplication\$RestPingInfo removed

com.webmethods.portal.bizPolicy.command.task.rs.RestApplication\$RestResource: Class
com.webmethods.portal.bizPolicy.command.task.rs.RestApplication\$RestResource removed

com.webmethods.portal.framework.presentation.handlers.djsp.FlexiblePoolBoy: Class
com.webmethods.portal.framework.presentation.handlers.djsp.FlexiblePoolBoy removed

com.webmethods.rtl.locator.BundleLocator: Class com.webmethods.rtl.locator.BundleLocator removed

com.webmethods.rtl.locator.ClusterConfigLocator: Class
com.webmethods.rtl.locator.ClusterConfigLocator removed

com.webmethods.rtl.locator.ConfigLocator: Class com.webmethods.rtl.locator.ConfigLocator removed

com.webmethods.rtl.locator.FileLocator: Class com.webmethods.rtl.locator.FileLocator removed

com.webmethods.rtl.locator.NullLocator: Class com.webmethods.rtl.locator.NullLocator removed

com.webmethods.rtl.locator.StreamLocatorFactory: Class
com.webmethods.rtl.locator.StreamLocatorFactory removed

com.webmethods.rtl.locator.WebResourceLocator: Class
com.webmethods.rtl.locator.WebResourceLocator removed

Release 10.0

Added API	Description
<code>com.webmethods.caf.faces.data.task.impl.TaskInboxIndexedSearchContentProvider\$InboxSearchQuery</code>	Added <code>com.webmethods.caf.faces.data.task.ITaskSearchQueryExtended</code> to the set of implemented interfaces
<code>com.webmethods.caf.faces.data.task.impl.TaskInboxSearchContentProvider\$InboxSearchQuery</code>	Added <code>com.webmethods.caf.faces.data.task.ITaskSearchQueryExtended</code> to the set of implemented interfaces
<code>com.webmethods.caf.faces.data.task.impl.TaskSearchQuery</code>	Added <code>com.webmethods.caf.faces.data.task.ITaskSearchQueryExtended</code> to the set of implemented interfaces
<code>com.webmethods.caf.faces.data.task.impl.TaskSearchQueryV2</code>	Added <code>com.webmethods.caf.faces.data.task.ITaskSearchQueryExtended</code> to the set of implemented interfaces
<code>com.webmethods.caf.mobile.notify.impl.MobileNotificationProvider</code>	Added <code>com.webmethods.portal.event.modify.IUpdateEvent\$ISynchronousListener</code> to the set of implemented interfaces
<code>com.webmethods.caf.mobile.notify.task.NotificationSender</code>	Added <code>java.util.concurrent.Callable</code> to the set of implemented interfaces
<code>com.webmethods.portal.mech.task.impl.TaskQuery</code>	Added <code>com.webmethods.caf.faces.data.task.ITaskSearchQueryExtended</code> to the set of implemented interfaces
<code>com.webmethods.portal.service.sql.runtime.base.TaskSearchAll</code>	Added <code>com.webmethods.portal.service.task.ITaskInfoFieldConverters</code> to the set of implemented interfaces
<code>com.webmethods.portal.service.sql.runtime.base.TaskSearchAllByTagCount</code>	Added <code>com.webmethods.portal.service.task.ITaskInfoFieldConverters</code> to the set of implemented interfaces
<code>com.webmethods.portal.service.sql.runtime.base.TaskSearchAllByTagPaged</code>	Added <code>com.webmethods.portal.service.task.ITaskInfoFieldConverters</code> to the set of implemented interfaces
<code>com.webmethods.portal.service.sql.runtime.base.TaskSearchAllCount</code>	Added <code>com.webmethods.portal.service.task.ITaskInfoFieldConverters</code> to the set of implemented interfaces
<code>com.webmethods.portal.service.sql.runtime.base.TaskSearchAllGroupedCount</code>	Added <code>com.webmethods.portal.service.task.ITaskInfoFieldConverters</code> to the set of implemented interfaces
<code>com.webmethods.portal.service.sql.runtime.base.TaskSearchAllPaged</code>	Added <code>com.webmethods.portal.service.task.ITaskInfoFieldConverters</code> to the set of implemented interfaces
<code>com.webmethods.portal.service.sql.runtime.base.TaskSearchFromInboxes</code>	Added <code>com.webmethods.portal.service.task.ITaskInfoFieldConverters</code> to the set of implemented interfaces
<code>com.webmethods.portal.service.sql.runtime.base.TaskSearchFromInboxesByTagCount</code>	Added <code>com.webmethods.portal.service.task.ITaskInfoFieldConverters</code> to the set of implemented interfaces
<code>com.webmethods.portal.service.sql.runtime.base.TaskSearchFromInboxesByTagPaged</code>	Added <code>com.webmethods.portal.service.task.ITaskInfoFieldConverters</code> to the set of implemented interfaces

com.webmethods.portal.service.sql.runtime.base.TaskSearchFromInboxesCount: Added
com.webmethods.portal.service.task.ITaskInfoFieldConverters to the set of implemented interfaces

com.webmethods.portal.service.sql.runtime.base.TaskSearchFromInboxesGroupedCount: Added
com.webmethods.portal.service.task.ITaskInfoFieldConverters to the set of implemented interfaces

com.webmethods.portal.service.sql.runtime.base.TaskSearchFromInboxesPaged: Added
com.webmethods.portal.service.task.ITaskInfoFieldConverters to the set of implemented interfaces

com.webmethods.portal.socialbpm.charts.SocialBPMSearchQuery: Added
com.webmethods.caf.faces.data.task.ITaskSearchQueryExtended to the set of implemented interfaces

com.webmethods.caf.faces.render.html.table.MoveRowDownIconRenderer: Added
com.webmethods.caf.faces.render.html.table.MoveRowLinkRenderer to the list of superclasses

com.webmethods.caf.faces.render.html.table.MoveRowDownLinkRenderer: Added
com.webmethods.caf.faces.render.html.table.MoveRowLinkRenderer to the list of superclasses

com.webmethods.caf.faces.render.html.table.MoveRowUpIconRenderer: Added
com.webmethods.caf.faces.render.html.table.MoveRowLinkRenderer to the list of superclasses

com.webmethods.caf.faces.render.html.table.MoveRowUpLinkRenderer: Added
com.webmethods.caf.faces.render.html.table.MoveRowLinkRenderer to the list of superclasses

com.webmethods.portal.bizPolicy.biz.task.impl.TaskDBOHelper: Added
com.webmethods.portal.bizPolicy.biz.task.impl.TaskIndexHelper to the list of superclasses

com.webmethods.caf.common.deployer.MwsDeployerConstants: Added public field
PROJ_PROP_EXPORT_PAGE_DEPTH

com.webmethods.caf.mobile.notify.IMobileNotificationConstants: Added public field IOS_CERT

com.webmethods.caf.mobile.notify.IMobileNotificationConstants: Added public field
IOS_HOST_NAME

com.webmethods.caf.mobile.notify.IMobileNotificationConstants: Added public field
IOS_HOST_PORT

com.webmethods.caf.mobile.notify.IMobileNotificationConstants: Added public field
IOS_PASSWORD

com.webmethods.caf.mobile.notify.IMobileNotificationConstants: Added public field
NOTIFIER_QUEUE_SIZE_THRESHOLD

com.webmethods.caf.mobile.notify.impl.MobileNotifierComponent: Added protected field
m_connPoolProvider

com.webmethods.caf.mobile.notify.util.MobileNotifierUtil: Added public field
IOS_JASON_PAYLOAD_TEMPLATE

com.webmethods.portal.bizPolicy.biz.task.ITaskDefinitionConstants: Added public field
PROPERTY_HPSTRA_INDEXTABLEDIS

com.webmethods.portal.bizPolicy.biz.task.ITaskDefinitionConstants: Added public field

PROPERTY_HPSTRA_INDEX_JOB_STATUS

com.webmethods.portal.bizPolicy.biz.task.ITaskDefinitionConstants: Added public field
PROPERTY_ISHPSTRAENABLED

com.webmethods.portal.bizPolicy.command.task.rs.BaseTaskResource: Added public field
DEFAULT_JSON_DATE_FORMAT

com.webmethods.portal.service.bcgadget.IBCGadgetConstants: Added public field
BC_GADGET_DEF_CONTAINER_NOT_FOUND_ERROR_MSG

com.webmethods.portal.service.dir.impl.DirServicePortletBean: Added public field
ATTR_PREFIX_LENGTH

com.webmethods.portal.service.dir.impl.DirServicePortletBean: Added public field
EDIT_ATTR_CURRPASSWORD

com.webmethods.portal.service.dir.impl.DirServicePortletBean: Added public field USERNAME

com.webmethods.portal.service.dir.impl.DirServicePortletBean: Added public field exceptionMessage

com.webmethods.portal.service.sql.runtime.base.TaskLockSetNew: Added public field
TE_MAX_LAST_ACTIVE

com.webmethods.portal.service.task.impl.TaskDefinitionView: Added protected field
m_taskDetailGadgetURIs

com.webmethods.caf.common.ObjectUtil: Method 'public void sortObjectList(java.util.List,
java.lang.String, boolean)' has been added

com.webmethods.caf.faces.component.behavior.DragToMoveRowsBehavior: Method 'public boolean
isPropagateEvents()' has been added

com.webmethods.caf.faces.component.behavior.DragToMoveRowsBehavior: Method 'public void
setPropagateEvents(boolean)' has been added

com.webmethods.caf.faces.component.tree.AsyncTree: Method 'protected
com.webmethods.caf.faces.data.ITableContentProvider getContentProvider(boolean)' has been added

com.webmethods.caf.faces.data.task.impl.TaskSearchQuery: Method 'public java.lang.String
getSearchEngineType()' has been added

com.webmethods.caf.faces.data.task.impl.TaskSearchQuery: Method 'public void
setSearchEngineType(java.lang.String)' has been added

com.webmethods.caf.mobile.notify.impl.MobileNotificationProvider: Method 'public void
onSynchronousEvent(com.webmethods.portal.event.modify.IUpdateEvent)' has been added

com.webmethods.caf.mobile.notify.impl.MobileNotifierComponent: Method 'public
com.webmethods.caf.mobile.notify.impl.AppleMessagingCloudConnectionDetails
getM_iOSConnectionDetails()' has been added

com.webmethods.caf.mobile.notify.impl.MobileNotifierComponent: Method 'public
java.util.concurrent.BlockingQueue getMessageQueue()' has been added

com.webmethods.caf.mobile.notify.impl.MobileNotifierComponent: Method 'public java.util.List scheduleCleanUpService(java.util.List)' has been added

com.webmethods.caf.mobile.notify.impl.MobileNotifierComponent: Method 'public void setMessageQueue(java.util.concurrent.BlockingQueue)' has been added

com.webmethods.caf.mobile.notify.impl.MobileNotifierComponent: Method 'public void stopExecutorService()' has been added

com.webmethods.caf.mobile.notify.impl.TaskEventsHandler: Method 'public java.lang.String createMessage(com.webmethods.portal.service.task.event.ITaskChangedEvent)' has been added

com.webmethods.caf.mobile.notify.task.Message: Method 'public java.util.List getAndroidSubscriptionList()' has been added

com.webmethods.caf.mobile.notify.task.Message: Method 'public java.util.List getIOSSubscriptionList()' has been added

com.webmethods.caf.mobile.notify.task.Message: Method 'public void setAndroidSubscriptionList(java.util.List)' has been added

com.webmethods.caf.mobile.notify.task.Message: Method 'public void setIOSSubscriptionList(java.util.List)' has been added

com.webmethods.caf.mobile.notify.task.NotificationSender: Method 'public java.util.List call()' has been added

com.webmethods.caf.mobile.notify.task.NotificationSender: Method 'public java.lang.Object call()' has been added

com.webmethods.caf.mobile.notify.task.NotificationSender: Method 'public byte[] convertPayloadtoUTF8Bytes(java.lang.String)' has been added

com.webmethods.caf.mobile.notify.task.NotificationSender: Method 'public byte[] decodeHex(java.lang.String)' has been added

com.webmethods.caf.mobile.notify.task.NotificationSender: Method 'public byte[] formAPNSMessage(byte, byte[], byte[])' has been added

com.webmethods.caf.mobile.notify.util.MobileNotifierUtil: Method 'public java.lang.String generateIOSPayload(java.util.List, java.lang.String, java.lang.String)' has been added

com.webmethods.caf.script.servlet.ScriptServlet: Method 'protected void includeBCScript(java.lang.String, java.util.Locale, java.io.Writer, boolean)' has been added

com.webmethods.caf.script.servlet.ScriptServlet: Method 'protected void stripBCScript(java.io.Reader, java.io.Writer)' has been added

com.webmethods.caf.script.util.JavascriptStripper: Method 'protected boolean is_sep_for_bc(int)' has been added

com.webmethods.caf.script.util.JavascriptStripper: Method 'protected boolean is_unambiguous_sep_for_bc(int)' has been added

com.webmethods.caf.script.util.JavascriptStripper: Method 'public void stripBCScript(java.io.Reader, java.io.Writer)' has been added

com.webmethods.caf.script.util.JavascriptStripper: Method 'protected int strip_c_comment_for_bc(java.io.Reader, java.io.Writer)' has been added

com.webmethods.portal.bizPolicy.biz.task.impl.TaskDBOHelper: Method 'public com.webmethods.portal.service.meta2.dbo.HpstraIndexTable createHpstraIndexTableFromXml(java.lang.String)' has been added

com.webmethods.portal.bizPolicy.command.task.rs.TaskResource: Method 'public void convertJSONToJavaObj(java.util.Map, java.lang.Class)' has been added

com.webmethods.portal.framework.presentation.handlers.Nbsp: Method 'public java.lang.Object lookup(java.util.Map, java.lang.String, boolean)' has been added

com.webmethods.portal.service.dir.impl.DirPrincipalListView: Method 'public java.util.Map getExceptions()' has been added

com.webmethods.portal.service.dir.impl.DirPrincipalListView: Method 'public void setExceptions(java.util.Map)' has been added

com.webmethods.portal.service.dir.impl.DirPrincipalProvider: Method 'protected void populateGroupMembership(com.webmethods.portal.service.dir.IDirPrincipal, java.util.Set, java.util.Map)' has been added

com.webmethods.portal.service.dir.impl.DirServicePortletBean: Method 'protected void EditPrincipalEx()' has been added

com.webmethods.portal.service.dir.impl.DirServicePortletBean: Method 'public void EditUserEx()' has been added

com.webmethods.portal.service.dir.impl.DirServicePortletBean: Method 'public boolean isAuthenticated(java.lang.String, java.lang.String)' has been added

com.webmethods.portal.service.sql.runtime.base.TaskLockSetNew: Method 'protected java.lang.String getConditionalInsertStatement()' has been added

com.webmethods.portal.service.task.impl.TaskDefinitionView: Method 'public com.webmethods.portal.service.meta2.dbo.HpstraIndexTable getHpstraIndexTable()' has been added

com.webmethods.portal.service.task.impl.TaskDefinitionView: Method 'public java.lang.String getTaskDetailGadgetURIs()' has been added

com.webmethods.portal.service.task.impl.TaskDefinitionView: Method 'public boolean isHpstraEnabled()' has been added

com.webmethods.portal.system.cluster.impl.ClusterProvider: Method 'public void reloadClusterServers()' has been added

com.webmethods.portal.webapp.jetty7.MwsSessionManager: Method 'protected void addContextLocale(org.eclipse.jetty.server.session.AbstractSession)' has been added

com.webmethods.rtl.event.DeliveryService: Method 'public boolean isConfigLoaded()' has been added

com.webmethods.rtl.msg.jms.JMSDestination\$LiveStatistics\$NameComparator: Method 'public int compare(com.webmethods.rtl.msg.jms.JMSDestination\$LiveStatistics, com.webmethods.rtl.msg.jms.JMSDestination\$LiveStatistics)' has been added

com.webmethods.rtl.msg.jms.JMSProvider: Method 'protected boolean isMaintenanceMode()' has been added

com.webmethods.rtl.script.nbsp.NBSPage: Method 'public java.lang.Object get(java.lang.String, boolean)' has been added

com.webmethods.rtl.script.nbsp.NBSPage: Method 'public java.lang.String getString(java.lang.String, java.lang.String, boolean)' has been added

com.webmethods.rtl.script.nbsp.PooledNBSPage: Method 'public java.lang.Object get(java.lang.String, boolean)' has been added

com.webmethods.rtl.script.nbsp.PooledNBSPage: Method 'public java.lang.Object get(java.lang.String, java.lang.Class, java.lang.Object, boolean)' has been added

com.webmethods.rtl.script.nbsp.PooledNBSPage: Method 'public java.lang.String getString(java.lang.String, java.lang.String, boolean)' has been added

com.webmethods.caf.mobile.notify.IMobileNotifierComponent: Method 'public com.webmethods.caf.mobile.notify.impl.AppleMessagingCloudConnectionDetails getM_iOSConnectionDetails()' has been added to an interface

com.webmethods.caf.mobile.notify.IMobileNotifierComponent: Method 'public java.util.concurrent.BlockingQueue getMessageQueue()' has been added to an interface

com.webmethods.caf.mobile.notify.IMobileNotifierComponent: Method 'public java.util.List scheduleCleanUpService(java.util.List)' has been added to an interface

com.webmethods.caf.mobile.notify.IMobileNotifierComponent: Method 'public void setMessageQueue(java.util.concurrent.BlockingQueue)' has been added to an interface

com.webmethods.caf.mobile.notify.IMobileNotifierComponent: Method 'public void stopExecutorService()' has been added to an interface

com.webmethods.common.search.ISliceableSearchContext: Method 'public java.util.Map getExceptions()' has been added to an interface

com.webmethods.portal.mech.task.ITaskMechanics: Method 'public void fireTaskReindexStopEvent(com.webmethods.portal.service.task.ITaskDefinition, java.lang.String)' has been added to an interface

com.webmethods.portal.service.dir.IDirPrincipalList: Method 'public java.util.Map getExceptions()' has been added to an interface

com.webmethods.portal.service.task.ITaskDefinition: Method 'public com.webmethods.portal.service.meta2.dbo.HpstraIndexTable getHpstraIndexTable()' has been added to an interface

com.webmethods.portal.service.task.ITaskDefinition: Method 'public java.lang.String

getTaskDetailGadgetURIs()' has been added to an interface

com.webmethods.portal.service.task.ITaskDefinition: Method 'public boolean isHpstraEnabled()' has been added to an interface

com.webmethods.portal.service.task.ITaskDistributionService: Method 'public java.util.List getPrincipalActors(com.webmethods.portal.system.IURI[], boolean)' has been added to an interface

com.webmethods.portal.service.task.event.ITaskReindexStopEvent: Method 'public java.lang.String getIndexEngineType()' has been added to an interface

com.webmethods.portal.system.cluster.IClusterProvider: Method 'public void reloadClusterServers()' has been added to an interface

com.webmethods.rtl.script.nbsp.INBSPRuntime: Method 'public java.lang.Object lookup(java.util.Map, java.lang.String, boolean)' has been added to an interface

com.webmethods.rtl.script.nbsp.INBSPPage: Method 'public java.lang.Object get(java.lang.String, boolean)' has been added to an interface

com.webmethods.rtl.script.nbsp.INBSPPage: Method 'public java.lang.String getString(java.lang.String, java.lang.String, boolean)' has been added to an interface

com.softwareag.mws.screens.BaseScreenClass: Class com.softwareag.mws.screens.BaseScreenClass added

com.softwareag.mws.screens.Constants: Class com.softwareag.mws.screens.Constants added

com.softwareag.mws.screens.MWSLoginLogoutScreen: Class
com.softwareag.mws.screens.MWSLoginLogoutScreen added

com.softwareag.mws.screens.applications.administration.systemwide.usermanagement.UsersScreen: Class

com.softwareag.mws.screens.applications.administration.systemwide.usermanagement.UsersScreen added

com.webmethods.caf.faces.data.task.AggregationType: Class
com.webmethods.caf.faces.data.task.AggregationType added

com.webmethods.caf.faces.data.task.IQueryAggregationInfo: Class
com.webmethods.caf.faces.data.task.IQueryAggregationInfo added

com.webmethods.caf.faces.data.task.ITaskSearchQueryExtended: Class
com.webmethods.caf.faces.data.task.ITaskSearchQueryExtended added

com.webmethods.caf.faces.data.task.IndexEngineType: Class
com.webmethods.caf.faces.data.task.IndexEngineType added

com.webmethods.caf.faces.data.task.impl.QueryAggregationInfo: Class
com.webmethods.caf.faces.data.task.impl.QueryAggregationInfo added

com.webmethods.caf.faces.data.task.impl.TaskInboxHpstraSearchContentProvider: Class
com.webmethods.caf.faces.data.task.impl.TaskInboxHpstraSearchContentProvider added

com.webmethods.caf.faces.data.task.impl.TaskInboxHpstraSearchContentProvider\$HpstraInboxSearchQuery: Class
com.webmethods.caf.faces.data.task.impl.TaskInboxHpstraSearchContentProvider\$HpstraInboxSearchQuery added

com.webmethods.caf.faces.data.task.impl.TaskSearchQueryExtended: Class
com.webmethods.caf.faces.data.task.impl.TaskSearchQueryExtended added

com.webmethods.caf.faces.render.html.table.MoveRowLinkRenderer: Class
com.webmethods.caf.faces.render.html.table.MoveRowLinkRenderer added

com.webmethods.caf.mobile.notify.impl.PushNotification: Class
com.webmethods.caf.mobile.notify.impl.PushNotification added

com.webmethods.caf.mobile.notify.impl.PushNotification\$PushNotificationCommandBean: Class
com.webmethods.caf.mobile.notify.impl.PushNotification\$PushNotificationCommandBean added

com.webmethods.caf.mobile.notify.impl.SubscriptionCleanUpEvent: Class
com.webmethods.caf.mobile.notify.impl.SubscriptionCleanUpEvent added

com.webmethods.caf.mobile.notify.impl.SubscriptionCleanUpHandler: Class
com.webmethods.caf.mobile.notify.impl.SubscriptionCleanUpHandler added

com.webmethods.caf.mobile.notify.task.APNSCleanUpThread: Class
com.webmethods.caf.mobile.notify.task.APNSCleanUpThread added

com.webmethods.portal.bizPolicy.biz.task.impl.TaskDBOHelper\$DBIndexer: Class
com.webmethods.portal.bizPolicy.biz.task.impl.TaskDBOHelper\$DBIndexer added

com.webmethods.portal.bizPolicy.biz.task.impl.TaskIndexHelper: Class
com.webmethods.portal.bizPolicy.biz.task.impl.TaskIndexHelper added

com.webmethods.portal.bizPolicy.biz.task.impl.TaskIndexHelper\$Indexer: Class
com.webmethods.portal.bizPolicy.biz.task.impl.TaskIndexHelper\$Indexer added

com.webmethods.portal.bizPolicy.command.system.RuntimeStatusBean: Class
com.webmethods.portal.bizPolicy.command.system.RuntimeStatusBean added

com.webmethods.portal.bizPolicy.command.system.RuntimeTimeStatus: Class
com.webmethods.portal.bizPolicy.command.system.RuntimeTimeStatus added

com.webmethods.portal.bizPolicy.command.system.RuntimeTimeStatus\$StatusInfo: Class
com.webmethods.portal.bizPolicy.command.system.RuntimeTimeStatus\$StatusInfo added

com.webmethods.portal.bizPolicy.command.task.rs.LayeredProductVerionResource: Class
com.webmethods.portal.bizPolicy.command.task.rs.LayeredProductVerionResource added

com.webmethods.portal.bizPolicy.command.task.rs.LayeredProductVerionResource\$Product: Class
com.webmethods.portal.bizPolicy.command.task.rs.LayeredProductVerionResource\$Product added

com.webmethods.portal.bizPolicy.command.task.rs.LayeredProductVerionResource\$ProductHolder: Class
com.webmethods.portal.bizPolicy.command.task.rs.LayeredProductVerionResource\$ProductHolder

added

com.webmethods.portal.jms.um.QueueType: Class com.webmethods.portal.jms.um.QueueType added

com.webmethods.portal.service.meta2.dbo.HpstraIndexTable: Class

com.webmethods.portal.service.meta2.dbo.HpstraIndexTable added

com.webmethods.portal.service.meta2.dbo.HpstraIndexTable\$DisplayField: Class

com.webmethods.portal.service.meta2.dbo.HpstraIndexTable\$DisplayField added

com.webmethods.portal.service.sql.runtime.base.TaskPendingUpdatesCleanup: Class

com.webmethods.portal.service.sql.runtime.base.TaskPendingUpdatesCleanup added

com.webmethods.portal.service.sql.runtime.db2.TaskLockSetNew: Class

com.webmethods.portal.service.sql.runtime.db2.TaskLockSetNew added

com.webmethods.portal.service.sql.runtime.db2.UpdateThingCounter: Class

com.webmethods.portal.service.sql.runtime.db2.UpdateThingCounter added

com.webmethods.portal.service.sql.runtime.mssql.ThingNewPar: Class

com.webmethods.portal.service.sql.runtime.mssql.ThingNewPar added

com.webmethods.portal.service.sql.runtime.mssql.UpdateThingCounter: Class

com.webmethods.portal.service.sql.runtime.mssql.UpdateThingCounter added

com.webmethods.portal.service.sql.runtime.mysql.UpdateThingCounter: Class

com.webmethods.portal.service.sql.runtime.mysql.UpdateThingCounter added

com.webmethods.portal.service.sql.runtime.oracle.TaskLockSetNew: Class

com.webmethods.portal.service.sql.runtime.oracle.TaskLockSetNew added

com.webmethods.portal.service.sql.runtime.oracle.UpdateThingCounter: Class

com.webmethods.portal.service.sql.runtime.oracle.UpdateThingCounter added

com.webmethods.portal.service.task.ITaskIndexEngineConfiguration: Class

com.webmethods.portal.service.task.ITaskIndexEngineConfiguration added

com.webmethods.portal.service.task.ITaskIndexManager: Class

com.webmethods.portal.service.task.ITaskIndexManager added

com.webmethods.portal.service.task.ITaskInfoFieldConverters: Class

com.webmethods.portal.service.task.ITaskInfoFieldConverters added

com.webmethods.portal.service.task.ITaskInfoFieldConverters\$AcceptedByListValueConverter: Class

com.webmethods.portal.service.task.ITaskInfoFieldConverters\$AcceptedByListValueConverter added

com.webmethods.portal.service.task.ITaskInfoFieldConverters\$CurrentUserValueConverter: Class

com.webmethods.portal.service.task.ITaskInfoFieldConverters\$CurrentUserValueConverter added

com.webmethods.portal.service.task.ITaskInfoFieldConverters\$DateValueConverter: Class

com.webmethods.portal.service.task.ITaskInfoFieldConverters\$DateValueConverter added

com.webmethods.portal.service.task.ITaskInfoFieldConverters\$FieldValueConverter: Class

com.webmethods.portal.service.task.ITaskInfoFieldConverters\$FieldValueConverter added

com.webmethods.portal.service.task.ITaskInfoFieldConverters\$PriorityValueConverter: Class
com.webmethods.portal.service.task.ITaskInfoFieldConverters\$PriorityValueConverter added

com.webmethods.portal.service.task.ITaskInfoFieldConverters\$StatusValueConverter: Class
com.webmethods.portal.service.task.ITaskInfoFieldConverters\$StatusValueConverter added

com.webmethods.portal.service.task.ITaskInfoFieldConverters\$TaskIDValueConverter: Class
com.webmethods.portal.service.task.ITaskInfoFieldConverters\$TaskIDValueConverter added

com.webmethods.portal.service.task.ITaskInfoFieldConverters\$TaskTypeIDValueConverter: Class
com.webmethods.portal.service.task.ITaskInfoFieldConverters\$TaskTypeIDValueConverter added

com.webmethods.portal.service.task.ITaskInfoFieldConverters\$URIValueConverter: Class
com.webmethods.portal.service.task.ITaskInfoFieldConverters\$URIValueConverter added

com.webmethods.portal.service.task.ITaskInfoFieldConverters\$UserValueConverter: Class
com.webmethods.portal.service.task.ITaskInfoFieldConverters\$UserValueConverter added

com.webmethods.portal.service.task.SearchContext: Class
com.webmethods.portal.service.task.SearchContext added

com.webmethods.portal.service.task.SearchKey: Class com.webmethods.portal.service.task.SearchKey
added

com.webmethods.portal.service.task.SearchKey\$TE_SearchKeys: Class
com.webmethods.portal.service.task.SearchKey\$TE_SearchKeys added

com.webmethods.portal.service.task.TaskIndexEngineFactory: Class
com.webmethods.portal.service.task.TaskIndexEngineFactory added

com.webmethods.portal.service.task.event.ITaskDistributionChangedEvent: Class
com.webmethods.portal.service.task.event.ITaskDistributionChangedEvent added

com.webmethods.portal.service.task.event.ITaskDistributionChangedEvent\$DistributionChangeType:
Class
com.webmethods.portal.service.task.event.ITaskDistributionChangedEvent\$DistributionChangeType
added

com.webmethods.portal.service.task.event.ITaskDistributionChangedEvent\$IListener: Class
com.webmethods.portal.service.task.event.ITaskDistributionChangedEvent\$IListener added

com.webmethods.portal.service.task.event.ITaskDistributionChangedEvent\$ISynchronousListener:
Class
com.webmethods.portal.service.task.event.ITaskDistributionChangedEvent\$ISynchronousListener
added

com.webmethods.portal.service.task.event.ITaskDistributionChangedEvent\$Listeners: Class
com.webmethods.portal.service.task.event.ITaskDistributionChangedEvent\$Listeners added

com.webmethods.portal.service.task.event.ITaskDistributionChangedEvent\$SynchronousListeners:
Class
com.webmethods.portal.service.task.event.ITaskDistributionChangedEvent\$SynchronousListeners
added

com.webmethods.portal.service.task.event.ITaskDistributionChangedEvent\$SynchronousListeners\$SynchronousListener: Class

com.webmethods.portal.service.task.event.ITaskDistributionChangedEvent\$SynchronousListeners\$SynchronousListener added

com.webmethods.portal.service.task.event.impl.TaskDistributionChangedEvent: Class

com.webmethods.portal.service.task.event.impl.TaskDistributionChangedEvent added

com.webmethods.portal.service.task.event.impl.TaskReindexStopEvent: Class

com.webmethods.portal.service.task.event.impl.TaskReindexStopEvent added

com.webmethods.portal.service.task.impl.TaskDBIndexConfiguration: Class

com.webmethods.portal.service.task.impl.TaskDBIndexConfiguration added

com.webmethods.portal.system.cluster.impl.ClusterNodeRegisteredNotifier: Class

com.webmethods.portal.system.cluster.impl.ClusterNodeRegisteredNotifier added

com.webmethods.pushNotification.apns.connection.pool.APNSConnectionPool: Class

com.webmethods.pushNotification.apns.connection.pool.APNSConnectionPool added

com.webmethods.pushNotification.apns.connection.pool.APNSConnectionPoolManager: Class

com.webmethods.pushNotification.apns.connection.pool.APNSConnectionPoolManager added

com.webmethods.pushNotification.apns.connection.pool.APNSConnectionProvider: Class

com.webmethods.pushNotification.apns.connection.pool.APNSConnectionProvider added

com.webmethods.pushNotification.apns.connection.pool.APNSPoolableConnection: Class

com.webmethods.pushNotification.apns.connection.pool.APNSPoolableConnection added

com.webmethods.pushNotification.apns.connection.pool.IConnectionProvider: Class

com.webmethods.pushNotification.apns.connection.pool.IConnectionProvider added

com.webmethods.pushNotification.apns.connection.pool.IPoolableConnection: Class

com.webmethods.pushNotification.apns.connection.pool.IPoolableConnection added

Removed API**Replacement, if any**

com.webmethods.caf.mobile.notify.task.NotificationSender: Removed java.lang.Runnable from the set of implemented interfaces

com.webmethods.caf.mobile.notify.impl.TaskEventsHandler: Removed field OPERATION_ACCEPTED

com.webmethods.caf.mobile.notify.impl.TaskEventsHandler: Removed field OPERATION_CANCELLED

com.webmethods.caf.mobile.notify.impl.TaskEventsHandler: Removed field OPERATION_COMPLETED

com.webmethods.caf.mobile.notify.impl.TaskEventsHandler: Removed field OPERATION_EXPIRED

com.webmethods.caf.mobile.notify.impl.TaskEventsHandler: Removed field OPERATION_FAILED

com.webmethods.caf.mobile.notify.impl.TaskEventsHandler: Removed field OPERATION_QUEUED

com.webmethods.caf.mobile.notify.impl.TaskEventsHandler: Removed field OPERATION_REASSIGNED

com.webmethods.caf.mobile.notify.impl.TaskEventsHandler: Removed field OPERATION_RELEASED

com.webmethods.caf.mobile.notify.impl.TaskEventsHandler: Removed field OPERATION_RESUMED

com.webmethods.caf.mobile.notify.impl.TaskEventsHandler: Removed field OPERATION_SUSPENDED

com.webmethods.portal.bizPolicy.biz.task.impl.TaskDBOHelper: Removed field reindexAllTaskExecutor

com.webmethods.portal.bizPolicy.biz.task.impl.TaskDBOHelper: Removed field reindexingTasks

com.webmethods.portal.mech.task.impl.TaskMechanics: Removed field USE_LIGHT_WEIGHT_EVENTS

Deprecated API**Replacement, if any**

com.webmethods.portal.service.task.impl.TaskDistributionService: Method 'public java.util.List getPrincipalActors(com.webmethods.portal.system.IURI[], boolean)' has been deprecated

com.webmethods.portal.service.task.impl.TaskDistributionService: Method 'protected java.util.List returnPagedTaskList(java.lang.String, java.lang.Object[], boolean)' has been deprecated

Changed API**Description**

com.webmethods.caf.mobile.notify.impl.AppleMessagingCloudConnectionDetails: Increased visibility of class from package to public

com.webmethods.caf.mobile.notify.util.MobileNotifierUtil: Value of compile-time constant ANDROID_JASON_PAYLOAD_TEMPLATE has been changed

com.webmethods.caf.faces.bean.BaseFacesBean: Accessibility of field EMPTY_RESOURCES has been increased from package to public

com.webmethods.caf.mobile.notify.task.NotificationSender: In method 'public NotificationSender(java.util.concurrent.BlockingQueue, com.sun.jersey.api.client.WebResource\$Builder)' the number of arguments has changed

com.webmethods.caf.mobile.notify.util.MobileNotifierUtil: In method 'public com.webmethods.caf.mobile.notify.task.Message generatePayload(java.util.List, java.lang.String, java.lang.String)' the number of arguments has changed

com.webmethods.portal.jms.um.UmJMSClient: In method 'protected void createQueue(java.lang.String, boolean, int)' the number of arguments has changed

com.webmethods.portal.jms.um.UmJMSClient: In method 'protected void createTopic(java.lang.String, boolean, int)' the number of arguments has changed

com.webmethods.portal.mech.task.impl.TaskMechanics: In method 'public void fireTaskReindexStopEvent(com.webmethods.portal.service.task.ITaskDefinition)' the number of arguments has changed

com.webmethods.caf.mobile.notify.util.MobileNotifierUtil: Return type of method 'public com.webmethods.caf.mobile.notify.task.Message generateAndroidPayload(java.util.List, java.lang.String, java.lang.String)' has been changed to java.lang.String

com.webmethods.portal.jms.db.DbJMSConnProvider: Accessibility of method 'public DbJMSConnProvider()' has been decreased from public to private

Release 9.12**Added API****Description**

com.webmethods.caf.common.thread.NamedThreadFactory: Method 'public NamedThreadFactory(java.lang.String, boolean)' has been added

com.webmethods.caf.faces.bean.mws_ui.HtmlHead: Method 'public java.lang.String getEffectsJS()' has been added

com.webmethods.caf.faces.convert.FormattedDateTimeConverter: Added protected field dateFormatDefault

com.webmethods.caf.faces.data.object.DateRange: Added protected field controlCalendar

com.webmethods.caf.faces.data.object.DateRange: Method 'protected java.util.Calendar

Added API**Description**

getControlCalendar(javax.faces.context.FacesContext)' has been added

com.webmethods.caf.faces.data.object.DateRange: Method 'public void setControlCalendar(java.util.Calendar)' has been added

com.webmethods.caf.mobile.notify.IMobileNotificationConstants: Class
com.webmethods.caf.mobile.notify.IMobileNotificationConstants added

com.webmethods.caf.mobile.notify.IMobileNotificationProvider: Class
com.webmethods.caf.mobile.notify.IMobileNotificationProvider added

com.webmethods.caf.mobile.notify.IMobileNotifierComponent: Class
com.webmethods.caf.mobile.notify.IMobileNotifierComponent added

com.webmethods.caf.mobile.notify.activator.MobileNotificationActivator: Class
com.webmethods.caf.mobile.notify.activator.MobileNotificationActivator added

com.webmethods.caf.mobile.notify.impl.MobileNotificationProvider: Class
com.webmethods.caf.mobile.notify.impl.MobileNotificationProvider added

com.webmethods.caf.mobile.notify.impl.MobileNotifierComponent: Class
com.webmethods.caf.mobile.notify.impl.MobileNotifierComponent added

com.webmethods.caf.mobile.notify.impl.TaskEventsHandler: Class
com.webmethods.caf.mobile.notify.impl.TaskEventsHandler added

com.webmethods.caf.mobile.notify.task.Message: Class
com.webmethods.caf.mobile.notify.task.Message added

com.webmethods.caf.mobile.notify.task.MonitorPendingNotificationMessages: Class
com.webmethods.caf.mobile.notify.task.MonitorPendingNotificationMessages added

com.webmethods.caf.mobile.notify.task.NotificationSender: Class
com.webmethods.caf.mobile.notify.task.NotificationSender added

com.webmethods.caf.mobile.notify.util.MobileNotifierUtil: Class
com.webmethods.caf.mobile.notify.util.MobileNotifierUtil added

com.webmethods.caf.wsserver.auth.saml.SamlUtils: Method 'public org.w3c.dom.Element marshalSamlObject(org.opensaml.xml.XMLObject)' has been added

com.webmethods.caf.wsserver.auth.saml.SamlUtils: Method 'public org.opensaml.xml.XMLObject unmarshalElement(org.w3c.dom.Element)' has been added

com.webmethods.portal.bizPolicy.biz.dir.IGroupBizPolicy: Added
com.webmethods.portal.bizPolicy.biz.view.IViewableContainerPolicy to the set of implemented interfaces

com.webmethods.portal.bizPolicy.biz.dir.IPrincipalBizPolicy: Added
com.webmethods.portal.bizPolicy.biz.view.IViewableContainerPolicy to the set of implemented interfaces

Added API	Description
com.webmethods.portal.bizPolicy.biz.dir.IUserBizPolicy:	Added com.webmethods.portal.bizPolicy.biz.view.IViewableContainerPolicy to the set of implemented interfaces
com.webmethods.portal.bizPolicy.biz.dir.impl.GroupBizPolicy:	Added com.webmethods.portal.bizPolicy.biz.view.IViewableContainerPolicy to the set of implemented interfaces
com.webmethods.portal.bizPolicy.biz.dir.impl.GroupBizPolicy:	Added com.webmethods.portal.bizPolicy.biz.view.impl.ViewableContainerPolicy to the list of superclasses
com.webmethods.portal.bizPolicy.biz.dir.impl.PrincipalBizPolicy:	Added com.webmethods.portal.bizPolicy.biz.view.IViewableContainerPolicy to the set of implemented interfaces
com.webmethods.portal.bizPolicy.biz.dir.impl.PrincipalBizPolicy:	Added com.webmethods.portal.bizPolicy.biz.view.impl.ViewableContainerPolicy to the list of superclasses
com.webmethods.portal.bizPolicy.biz.dir.impl.UserBizPolicy:	Added com.webmethods.portal.bizPolicy.biz.view.IViewableContainerPolicy to the set of implemented interfaces
com.webmethods.portal.bizPolicy.biz.dir.impl.UserBizPolicy:	Added com.webmethods.portal.bizPolicy.biz.view.impl.ViewableContainerPolicy to the list of superclasses
com.webmethods.portal.bizPolicy.biz.task.impl.TaskInfo:	Added java.io.Serializable to the set of implemented interfaces
com.webmethods.portal.bizPolicy.biz.task.impl.TaskInfoExtended:	Added java.io.Serializable to the set of implemented interfaces
com.webmethods.portal.bizPolicy.command.ICommandManager:	Method 'public com.webmethods.portal.bizPolicy.command.IRemoteCommandTransport getRemoteCommandTransport(java.lang.String)' has been added to an interface
com.webmethods.portal.bizPolicy.command.ICommandManager:	Method 'public java.util.List invokeClusterCommand(com.webmethods.portal.bizPolicy.IContext, com.webmethods.portal.bizPolicy.command.ICommand, com.webmethods.portal.bizPolicy.command.ICommandBean)' has been added to an interface
com.webmethods.portal.bizPolicy.command.ICommandResponseEntry:	Class com.webmethods.portal.bizPolicy.command.ICommandResponseEntry added
com.webmethods.portal.bizPolicy.command.dir.GetPortalStyle:	Method 'protected void checkAccess(com.webmethods.portal.bizPolicy.IContext, com.webmethods.portal.mech.dir.IPrincipalMechanics, com.webmethods.portal.system.IURI)' has been added
com.webmethods.portal.bizPolicy.command.dir.SearchDirectory:	Method 'protected void

Added API	Description
checkAccess(com.webmethods.portal.bizPolicy.IContext, com.webmethods.portal.mech.dir.IDirServiceMechanics, com.webmethods.portal.service.meta2.thing.IThingID)' has been added	
com.webmethods.portal.bizPolicy.command.dir.SearchDirectoryEx: Method 'protected void checkAccess(com.webmethods.portal.bizPolicy.IContext, com.webmethods.portal.mech.dir.IDirServiceMechanics, com.webmethods.portal.service.meta2.thing.IThingID)' has been added	
com.webmethods.portal.bizPolicy.command.dir.SearchDirectoryRefined: Method 'protected void checkAccess(com.webmethods.portal.bizPolicy.IContext, com.webmethods.portal.mech.dir.IDirServiceMechanics, com.webmethods.portal.service.meta2.thing.IThingID)' has been added	
com.webmethods.portal.bizPolicy.command.dir.SearchDirectoryRefinedPaged: Method 'protected void checkAccess(com.webmethods.portal.bizPolicy.IContext, com.webmethods.portal.mech.dir.IDirServiceMechanics, com.webmethods.portal.service.meta2.thing.IThingID)' has been added	
com.webmethods.portal.bizPolicy.command.impl.CommandManager: Method 'public com.webmethods.portal.bizPolicy.command.IRemoteCommandTransport getRemoteCommandTransport(java.lang.String)' has been added	
com.webmethods.portal.bizPolicy.command.impl.CommandManager: Method 'public java.util.List invokeClusterCommand(com.webmethods.portal.bizPolicy.IContext, com.webmethods.portal.bizPolicy.command.ICommand, com.webmethods.portal.bizPolicy.command.ICommandBean)' has been added	
com.webmethods.portal.bizPolicy.command.remote.RemoteCommand: Class com.webmethods.portal.bizPolicy.command.remote.RemoteCommand added	
com.webmethods.portal.bizPolicy.command.remote.RemoteCommandBean: Class com.webmethods.portal.bizPolicy.command.remote.RemoteCommandBean added	
com.webmethods.portal.bizPolicy.command.remote.jms.JmsRemoteCommandTransport: Class com.webmethods.portal.bizPolicy.command.remote.jms.JmsRemoteCommandTransport added	
com.webmethods.portal.bizPolicy.command.remote.jms.JmsRemoteCommandTransport\$RemoteJmsException: Class	
com.webmethods.portal.bizPolicy.command.remote.jms.JmsRemoteCommandTransport\$RemoteJmsException added	
com.webmethods.portal.bizPolicy.command.remote.jms.JmsRemoteTransaction: Class com.webmethods.portal.bizPolicy.command.remote.jms.JmsRemoteTransaction added	
com.webmethods.portal.bizPolicy.command.system.JndiRefreshCluster: Class	

Added API**Description**

com.webmethods.portal.bizPolicy.command.system.JndiRefreshCluster added

com.webmethods.portal.bizPolicy.command.task.jms.AbstractTaskCommand: Class
com.webmethods.portal.bizPolicy.command.task.jms.AbstractTaskCommand added

com.webmethods.portal.bizPolicy.command.task.jms.AbstractTaskCommandBean: Class
com.webmethods.portal.bizPolicy.command.task.jms.AbstractTaskCommandBean added

com.webmethods.portal.bizPolicy.command.task.jms.AddTaskAttachmentJMS: Class
com.webmethods.portal.bizPolicy.command.task.jms.AddTaskAttachmentJMS added

com.webmethods.portal.bizPolicy.command.task.jms.AddTaskCommentJMS: Class
com.webmethods.portal.bizPolicy.command.task.jms.AddTaskCommentJMS added

com.webmethods.portal.bizPolicy.command.task.jms.DeleteTaskAttachmentJMS: Class
com.webmethods.portal.bizPolicy.command.task.jms.DeleteTaskAttachmentJMS added

com.webmethods.portal.bizPolicy.command.task.jms.DeleteTaskCommentJMS: Class
com.webmethods.portal.bizPolicy.command.task.jms.DeleteTaskCommentJMS added

com.webmethods.portal.bizPolicy.command.task.jms.DeleteTaskJMS: Class
com.webmethods.portal.bizPolicy.command.task.jms.DeleteTaskJMS added

com.webmethods.portal.bizPolicy.command.task.jms.GetTaskAttachmentsJMS: Class
com.webmethods.portal.bizPolicy.command.task.jms.GetTaskAttachmentsJMS added

com.webmethods.portal.bizPolicy.command.task.jms.GetTaskAuditJMS: Class
com.webmethods.portal.bizPolicy.command.task.jms.GetTaskAuditJMS added

com.webmethods.portal.bizPolicy.command.task.jms.GetTaskCommentsJMS: Class
com.webmethods.portal.bizPolicy.command.task.jms.GetTaskCommentsJMS added

com.webmethods.portal.bizPolicy.command.task.jms.GetTaskJMS: Class
com.webmethods.portal.bizPolicy.command.task.jms.GetTaskJMS added

com.webmethods.portal.bizPolicy.command.task.jms.QueueTaskJMS: Class
com.webmethods.portal.bizPolicy.command.task.jms.QueueTaskJMS added

com.webmethods.portal.bizPolicy.command.task.jms.SearchTasksFieldsJMS: Class
com.webmethods.portal.bizPolicy.command.task.jms.SearchTasksFieldsJMS added

com.webmethods.portal.bizPolicy.command.task.jms.SearchTasksJMS: Class
com.webmethods.portal.bizPolicy.command.task.jms.SearchTasksJMS added

com.webmethods.portal.bizPolicy.command.task.jms.SearchTasksPagedJMS: Class
com.webmethods.portal.bizPolicy.command.task.jms.SearchTasksPagedJMS added

com.webmethods.portal.bizPolicy.command.task.jms.SearchTasksTotalCountJMS: Class
com.webmethods.portal.bizPolicy.command.task.jms.SearchTasksTotalCountJMS added

com.webmethods.portal.bizPolicy.command.task.jms.UpdateTaskAttachmentJMS: Class
com.webmethods.portal.bizPolicy.command.task.jms.UpdateTaskAttachmentJMS added

Added API	Description
com.webmethods.portal.bizPolicy.command.task.jms.UpdateTaskCommentJMS: Class com.webmethods.portal.bizPolicy.command.task.jms.UpdateTaskCommentJMS added	
com.webmethods.portal.bizPolicy.command.task.jms.UpdateTaskJMS: Class com.webmethods.portal.bizPolicy.command.task.jms.UpdateTaskJMS added	
com.webmethods.portal.bizPolicy.command.task.jms.impl.TaskJMSUtils: Class com.webmethods.portal.bizPolicy.command.task.jms.impl.TaskJMSUtils added	
com.webmethods.portal.bizPolicy.command.task.rs.MWSCustomDispatchProvider: Class com.webmethods.portal.bizPolicy.command.task.rs.MWSCustomDispatchProvider added	
com.webmethods.portal.bizPolicy.command.task.rs.MWSRequestDispatcher: Class com.webmethods.portal.bizPolicy.command.task.rs.MWSRequestDispatcher added	
com.webmethods.portal.bizPolicy.command.task.webservice.SearchTasksFieldsWS: Added java.io.Serializable to the set of implemented interfaces	
com.webmethods.portal.bizPolicy.command.task.webservice.SearchTasksWS: Added java.io.Serializable to the set of implemented interfaces	
com.webmethods.portal.bizPolicy.command.task.webservice.Task: Added java.io.Serializable to the set of implemented interfaces	
com.webmethods.portal.bizPolicy.command.task.webservice.dotnet.SearchTasksDotNetWS: Added java.io.Serializable to the set of implemented interfaces	
com.webmethods.portal.bizPolicy.command.task.webservice.dotnet.SearchTasksFieldsDotNetWS: Added java.io.Serializable to the set of implemented interfaces	
com.webmethods.portal.bizPolicy.impl.upgrade.MoveVersionSystemComponentData: Class com.webmethods.portal.bizPolicy.impl.upgrade.MoveVersionSystemComponentData added	
com.webmethods.portal.event.dir.IDirPrincipalDNUpdateEvent: Class com.webmethods.portal.event.dir.IDirPrincipalDNUpdateEvent added	
com.webmethods.portal.event.dir.IDirPrincipalDNUpdateEvent\$IListener: Class com.webmethods.portal.event.dir.IDirPrincipalDNUpdateEvent\$IListener added	
com.webmethods.portal.event.dir.IDirPrincipalDNUpdateEvent\$ISynchronousListener: Class com.webmethods.portal.event.dir.IDirPrincipalDNUpdateEvent\$ISynchronousListener added	
com.webmethods.portal.event.dir.IDirPrincipalDNUpdateEvent\$Listeners: Class com.webmethods.portal.event.dir.IDirPrincipalDNUpdateEvent\$Listeners added	
com.webmethods.portal.event.dir.IDirPrincipalDNUpdateEvent\$QueueListeners: Class com.webmethods.portal.event.dir.IDirPrincipalDNUpdateEvent\$QueueListeners added	
com.webmethods.portal.event.dir.IDirPrincipalDNUpdateEvent\$SynchronousListeners: Class com.webmethods.portal.event.dir.IDirPrincipalDNUpdateEvent\$SynchronousListeners added	
com.webmethods.portal.event.dir.impl.DirPrincipalDNUpdateEvent: Class	

Added API**Description**

com.webmethods.portal.event.dir.impl.DirPrincipalDNUpdateEvent added

com.webmethods.portal.event.sso.ISSODataChangeEvent: Class
com.webmethods.portal.event.sso.ISSODataChangeEvent added

com.webmethods.portal.event.sso.ISSODataChangeEvent\$IListener: Class
com.webmethods.portal.event.sso.ISSODataChangeEvent\$IListener added

com.webmethods.portal.event.sso.ISSODataChangeEvent\$ISynchronousListener: Class
com.webmethods.portal.event.sso.ISSODataChangeEvent\$ISynchronousListener added

com.webmethods.portal.event.sso.ISSODataChangeEvent\$Listeners: Class
com.webmethods.portal.event.sso.ISSODataChangeEvent\$Listeners added

com.webmethods.portal.event.sso.ISSODataChangeEvent\$QueueListeners: Class
com.webmethods.portal.event.sso.ISSODataChangeEvent\$QueueListeners added

com.webmethods.portal.event.sso.ISSODataChangeEvent\$SynchronousListeners: Class
com.webmethods.portal.event.sso.ISSODataChangeEvent\$SynchronousListeners added

com.webmethods.portal.event.sso.impl.SSODataChangeEvent: Class
com.webmethods.portal.event.sso.impl.SSODataChangeEvent added

com.webmethods.portal.framework.dispatch.handlers.system.SAMLSSOHandler: Class
com.webmethods.portal.framework.dispatch.handlers.system.SAMLSSOHandler added

com.webmethods.portal.framework.dispatch.preProcessors.OpenRedirectCheck: Class
com.webmethods.portal.framework.dispatch.preProcessors.OpenRedirectCheck added

com.webmethods.portal.framework.dispatch.resolvers.SAMLAuthReqResolver: Class
com.webmethods.portal.framework.dispatch.resolvers.SAMLAuthReqResolver added

com.webmethods.portal.framework.impl.PortalServlet: Added public field
PORTAL_SERVLET_LOCK_OBJ

com.webmethods.portal.framework.portletcontainer.servlet.JettyPortletRequestWrapper: Method
'public org.eclipse.jetty.util.MultiMap getParameterMultiMap()' has been added

com.webmethods.portal.framework.portletcontainer.servlet.JettyPortletRequestWrapper: Method
'public java.util.Map getParameters()' has been added

com.webmethods.portal.jms.JMSPhaseProvider: Added com.webmethods.portal.system.IComponent
to the set of implemented interfaces

com.webmethods.portal.jms.JMSPhaseProvider: Added com.webmethods.portal.system.IConstants to
the set of implemented interfaces

com.webmethods.portal.jms.JMSPhaseProvider: Added
com.webmethods.portal.system.impl.BaseComponent to the list of superclasses

com.webmethods.portal.jms.JMSPhaseProvider: Added public field COMPONENT_NAME

com.webmethods.portal.jms.um.UmJMSClient: Added abstract modifier to class

Added API	Description
com.webmethods.portal.jms.um.UmJMSSClient: Added	
com.webmethods.portal.system.init.IInitializable	to the set of implemented interfaces
com.webmethods.portal.jms.um.UmJMSSClient: Added	com.webmethods.rtl.msg.jms.IJMSPProvider to the set of implemented interfaces
com.webmethods.portal.jms.um.UmJMSSClient: Added	com.webmethods.rtl.msg.jms.JMSPProvider to the list of superclasses
com.webmethods.portal.jms.um.UmJMSSClient: Added	com.webmethods.rtl.msg.jms.JMSStdConnProvider to the list of superclasses
com.webmethods.portal.jms.um.UmJMSSClient: Method	'protected boolean createInitialContext()' has been added
com.webmethods.portal.jms.um.UmJMSSClient: Method	'protected void registerFactory(org.w3c.dom.Element)' has been added
com.webmethods.portal.jms.um.UmJMSSClient: Method	'protected void registerQueue(org.w3c.dom.Element)' has been added
com.webmethods.portal.jms.um.UmJMSSClient: Method	'protected void registerTopic(org.w3c.dom.Element)' has been added
com.webmethods.portal.jms.um.UmJMSSClient: Method	'protected void resetContext()' has been added
com.webmethods.portal.jms.um.UmJMSSConnProvider: Added	com.webmethods.portal.jms.um.UmJMSSClient to the list of superclasses
com.webmethods.portal.jms.um.UmJMSSConnProvider: Method	'protected void onDisconnect(boolean)' has been added
com.webmethods.portal.jms.um.UmJMSSConnProvider: Method	'public void onShutdown()' has been added
com.webmethods.portal.mech.dir.IDirServiceMechanics: Method	'public java.util.List updatePrincipalUUID(int)' has been added to an interface
com.webmethods.portal.mech.dir.IGroupMechanics: Added	com.webmethods.portal.mech.view.IViewableContainerMechanics to the set of implemented interfaces
com.webmethods.portal.mech.dir.IPrincipalMechanics: Added	com.webmethods.portal.mech.view.IViewableContainerMechanics to the set of implemented interfaces
com.webmethods.portal.mech.dir.IRoleMechanics: Added	com.webmethods.portal.mech.view.IViewableContainerMechanics to the set of implemented interfaces
com.webmethods.portal.mech.dir.IUserMechanics: Added	com.webmethods.portal.mech.view.IViewableContainerMechanics to the set of implemented interfaces
com.webmethods.portal.mech.dir.impl.DirMechanicsUtils: Method	'public java.lang.String generateUUIDQuery(com.webmethods.portal.service.dir.IDirService, java.lang.String, int)' has been

Added API	Description
added	
com.webmethods.portal.mech.dir.impl.DirServiceMechanics: Method 'public java.util.List updatePrincipalUUID(int)' has been added	
com.webmethods.portal.mech.dir.impl.GroupMechanics: Added com.webmethods.portal.mech.view.IViewableContainerMechanics to the set of implemented interfaces	
com.webmethods.portal.mech.dir.impl.GroupMechanics: Added com.webmethods.portal.mech.view.impl.ViewableContainerMechanics to the list of superclasses	
com.webmethods.portal.mech.dir.impl.PrincipalMechanics: Added com.webmethods.portal.mech.view.IViewableContainerMechanics to the set of implemented interfaces	
com.webmethods.portal.mech.dir.impl.PrincipalMechanics: Added com.webmethods.portal.mech.view.impl.ViewableContainerMechanics to the list of superclasses	
com.webmethods.portal.mech.dir.impl.RoleMechanics: Added com.webmethods.portal.mech.view.IViewableContainerMechanics to the set of implemented interfaces	
com.webmethods.portal.mech.dir.impl.RoleMechanics: Added com.webmethods.portal.mech.view.impl.ViewableContainerMechanics to the list of superclasses	
com.webmethods.portal.mech.dir.impl.UserMechanics: Added com.webmethods.portal.mech.view.IViewableContainerMechanics to the set of implemented interfaces	
com.webmethods.portal.mech.dir.impl.UserMechanics: Added com.webmethods.portal.mech.view.impl.ViewableContainerMechanics to the list of superclasses	
com.webmethods.portal.mech.task.impl.RefreshTaskHandler: Class com.webmethods.portal.mech.task.impl.RefreshTaskHandler added	
com.webmethods.portal.mech.task.impl.TaskHelper: Method 'public java.lang.ClassLoader getClassLoaderIfExists(com.webmethods.portal.service.task.ITaskDefinition)' has been added	
com.webmethods.portal.mech.view.impl.ViewableContainerMechanics: Method 'protected com.webmethods.portal.service.view.IPagingCookie createPagingCookie(com.webmethods.portal.service.meta2.thing.IThingID)' has been added	
com.webmethods.portal.service.access.IAccessPrivilegeConfiguration: Class com.webmethods.portal.service.access.IAccessPrivilegeConfiguration added	
com.webmethods.portal.service.access.impl.DashboardAclManager: Class com.webmethods.portal.service.access.impl.DashboardAclManager added	
com.webmethods.portal.service.access.impl.DashboardAclManager\$DashboardAclResource: Class com.webmethods.portal.service.access.impl.DashboardAclManager\$DashboardAclResource added	
com.webmethods.portal.service.access.impl.DashboardContainerAclManager: Class com.webmethods.portal.service.access.impl.DashboardContainerAclManager added	
com.webmethods.portal.service.access.impl.DashboardContainerAclManager\$DashboardContainerAcl	

Added API	Description
Resource: Class	
com.webmethods.portal.service.access.impl.DashboardContainerAclManager\$DashboardContainerAclResource added	
com.webmethods.portal.service.access.impl.GadgetsAclManager: Method 'public java.util.Map getResultColumnMetadata()' has been added	
com.webmethods.portal.service.access.impl.GadgetsAclManager: Method 'public java.util.List searchResources(com.webmethods.caf.faces.search.query.ISearchQuery)' has been added	
com.webmethods.portal.service.access.impl.GadgetsAclManager\$GadgetAclResource: Method 'public java.lang.Object getValue(java.lang.Object)' has been added	
com.webmethods.portal.service.access.impl.WMApplsAclManager: Method 'public void addServiceTracker(org.osgi.framework.BundleContext)' has been added	
com.webmethods.portal.service.access.impl.WMApplsAclManager: Method 'public void stopServiceTracker()' has been added	
com.webmethods.portal.service.cache.impl.AliasCache: Added	
com.webmethods.portal.event.remove.IDeleteEvent\$ISynchronousListener to the set of implemented interfaces	
com.webmethods.portal.service.cache.impl.AliasCache: Method 'public void onSynchronousEvent(com.webmethods.portal.event.remove.IDeleteEvent)' has been added	
com.webmethods.portal.service.dir.DirectoryTools: Added public field UUIDUserResolution	
com.webmethods.portal.service.dir.DirectoryTools: Added protected field UUID_CONFIG	
com.webmethods.portal.service.dir.DirectoryTools: Method 'public com.webmethods.portal.service.dir.IDirService getDirectoryService(com.webmethods.portal.system.IURI)' has been added	
com.webmethods.portal.service.dir.DirectoryTools: Method 'public java.util.List getEmptyUUIDUsers()' has been added	
com.webmethods.portal.service.dir.DirectoryTools: Method 'public java.lang.Boolean getUUIDResolution()' has been added	
com.webmethods.portal.service.dir.DirectoryTools: Method 'public java.lang.String getUserDNFromUserUUID(java.lang.String, com.webmethods.portal.service.meta2.IUserService)' has been added	
com.webmethods.portal.service.dir.DirectoryTools: Method 'public void invalidateGroupRoleCache(com.webmethods.portal.service.meta2.thing.IThingID)' has been added	
com.webmethods.portal.service.dir.DirectoryTools: Method 'public com.webmethods.portal.service.meta2.thing.IThingID resolveUserByUUID(com.webmethods.portal.service.dir.init.IInitializableUser)' has been added	

Added API	Description
com.webmethods.portal.service.dir.DirectoryTools:	Method 'public java.util.List updatePrincipalUUID()' has been added
com.webmethods.portal.service.dir.IDirConstants:	Added public field USER_UUID
com.webmethods.portal.service.dir.IDirQueryProvider:	Method 'public com.webmethods.portal.service.dir.IDirPrincipal lookupByUUID(int, java.lang.String)' has been added to an interface
com.webmethods.portal.service.dir.impl.DirServicePortletBean:	Method 'public boolean isSirNameFirst(com.webmethods.portal.bizPolicy.IContext)' has been added
com.webmethods.portal.service.dir.init.IInitializablePrincipal:	Method 'public java.lang.String getUUID()' has been added to an interface
com.webmethods.portal.service.dir.init.impl.InitializablePrincipal:	Method 'public java.lang.String getUUID()' has been added
com.webmethods.portal.service.meta2.IUserService:	Method 'public java.util.List getEmptyUUIDUsers()' has been added to an interface
com.webmethods.portal.service.meta2.IUserService:	Method 'public java.util.Map getUserDetailsByURI(com.webmethods.portal.system.IURI)' has been added to an interface
com.webmethods.portal.service.meta2.IUserService:	Method 'public java.util.Map getUserDetailsByUUID(java.lang.String)' has been added to an interface
com.webmethods.portal.service.meta2.IUserService:	Method 'public void invalidateUserUUID()' has been added to an interface
com.webmethods.portal.service.meta2.IUserService:	Method 'public void updateDistinguishedName(java.lang.String, java.lang.String, int)' has been added to an interface
com.webmethods.portal.service.meta2.IUserService:	Method 'public void updateUUID(java.lang.String, java.lang.String, int)' has been added to an interface
com.webmethods.portal.service.meta2.directory.IUserInfo:	Method 'public java.lang.String getUUID()' has been added to an interface
com.webmethods.portal.service.meta2.directory.impl.User:	Method 'public java.lang.String getUUID()' has been added
com.webmethods.portal.service.meta2.directory.impl.UserInfo:	Added protected field uuid
com.webmethods.portal.service.meta2.directory.impl.UserInfo:	Method 'public java.lang.String getUUID()' has been added
com.webmethods.portal.service.meta2.impl.UserService:	Method 'public java.util.List getEmptyUUIDUsers()' has been added
com.webmethods.portal.service.meta2.impl.UserService:	Method 'public java.util.Map getUserDetailsByURI(com.webmethods.portal.system.IURI)' has been added

Added API	Description
com.webmethods.portal.service.meta2.impl.UserService: Method 'public java.util.Map getUserDetailsByUUID(java.lang.String)' has been added	
com.webmethods.portal.service.meta2.impl.UserService: Method 'public void invalidateUserUUID()' has been added	
com.webmethods.portal.service.meta2.impl.UserService: Method 'public void updateDistinguishedName(java.lang.String, java.lang.String, int)' has been added	
com.webmethods.portal.service.meta2.impl.UserService: Method 'public void updateUUID(java.lang.String, java.lang.String, int)' has been added	
com.webmethods.portal.service.socialbpm.chart.impl.ChartData: Method 'public java.lang.String getTaskTypeID()' has been added	
com.webmethods.portal.service.socialbpm.chart.impl.ChartData: Method 'public void setTaskTypeID(java.lang.String)' has been added	
com.webmethods.portal.service.socialbpm.chart.impl.ChartService: Method 'protected java.lang.String getTaskTypeID(java.lang.String)' has been added	
com.webmethods.portal.service.sql.runtime.base.EmptyUUIDUserList: Class com.webmethods.portal.service.sql.runtime.base.EmptyUUIDUserList added	
com.webmethods.portal.service.sql.runtime.base.InvalidateUserUUID: Class com.webmethods.portal.service.sql.runtime.base.InvalidateUserUUID added	
com.webmethods.portal.service.sql.runtime.base.SetUserGroupUUID: Class com.webmethods.portal.service.sql.runtime.base.SetUserGroupUUID added	
com.webmethods.portal.service.sql.runtime.base.TaskLockSetNew: Class com.webmethods.portal.service.sql.runtime.base.TaskLockSetNew added	
com.webmethods.portal.service.sql.runtime.base.UserDetailsByURI: Class com.webmethods.portal.service.sql.runtime.base.UserDetailsByURI added	
com.webmethods.portal.service.sql.runtime.base.UserDetailsByUUID: Class com.webmethods.portal.service.sql.runtime.base.UserDetailsByUUID added	
com.webmethods.portal.service.task.ITaskLockingService: Method 'public com.webmethods.portal.service.task.ITaskLock acquireLock(com.webmethods.portal.system.IURI, com.webmethods.portal.system.IURI, long, long, boolean)' has been added to an interface	
com.webmethods.portal.service.task.event.RefreshTaskEvent: Class com.webmethods.portal.service.task.event.RefreshTaskEvent added	
com.webmethods.portal.service.task.event.RefreshTaskEvent\$ISynchronousListener: Class com.webmethods.portal.service.task.event.RefreshTaskEvent\$ISynchronousListener added	
com.webmethods.portal.service.task.event.RefreshTaskEvent\$SynchronousListeners: Class com.webmethods.portal.service.task.event.RefreshTaskEvent\$SynchronousListeners added	

Added API	Description
com.webmethods.portal.service.task.event.RefreshTaskEvent\$SynchronousListeners\$SynchronousListener: Class	
com.webmethods.portal.service.task.event.RefreshTaskEvent\$SynchronousListeners\$SynchronousListener added	
com.webmethods.portal.service.task.event.TaskChangedEventRetry: Class	
com.webmethods.portal.service.task.event.TaskChangedEventRetry added	
com.webmethods.portal.service.task.event.impl.RefreshTaskEvent: Class	
com.webmethods.portal.service.task.event.impl.RefreshTaskEvent added	
com.webmethods.portal.service.task.impl.TaskLockingService: Method 'public	
com.webmethods.portal.service.task.ITaskLock acquireLock(com.webmethods.portal.system.IURI,	
com.webmethods.portal.system.IURI, long, long, boolean)' has been added	
com.webmethods.portal.system.ISAMLSSOConstants: Class	
com.webmethods.portal.system.ISAMLSSOConstants added	
com.webmethods.portal.system.cluster.IClusterProvider: Method 'public java.lang.String	
getClusterId()' has been added to an interface	
com.webmethods.portal.system.cluster.IClusterProvider: Method 'public boolean	
isCurrentServer(com.webmethods.portal.system.cluster.IServer)' has been added to an interface	
com.webmethods.portal.system.cluster.IClusterProvider: Method 'public void	
recreateJNDIConnection()' has been added to an interface	
com.webmethods.portal.system.cluster.IClusterProvider: Method 'public boolean	
reloadJNDIProviderURL()' has been added to an interface	
com.webmethods.portal.system.cluster.impl.ClusterProvider: Added public field	
CLUSTER_ID_PROP_KEY	
com.webmethods.portal.system.cluster.impl.ClusterProvider: Added public field s_logCategory	
com.webmethods.portal.system.cluster.impl.ClusterProvider: Method 'public java.lang.String	
getClusterId()' has been added	
com.webmethods.portal.system.cluster.impl.ClusterProvider: Method 'public boolean	
isCurrentServer(com.webmethods.portal.system.cluster.IServer)' has been added	
com.webmethods.portal.system.cluster.impl.ClusterProvider: Method 'public void	
recreateJNDIConnection()' has been added	
com.webmethods.portal.system.cluster.impl.ClusterProvider: Method 'public boolean	
reloadJNDIProviderURL()' has been added	
com.webmethods.portal.system.sso.saml.idp.SAMLIdentityProvider: Class	
com.webmethods.portal.system.sso.saml.idp.SAMLIdentityProvider added	
com.webmethods.portal.system.sso.saml.idp.SAMLSSODataChangeListener: Class	

Added API	Description
com.webmethods.portal.system.sso.saml.idp.SAMLSSODataChangeListener	added
com.webmethods.portal.system.sso.saml.idp.SAMLServiceProvider	Class
com.webmethods.portal.system.sso.saml.idp.SAMLServiceProvider	added
com.webmethods.portal.system.sso.saml.idp.SSOIDPConfiguration	Class
com.webmethods.portal.system.sso.saml.idp.SSOIDPConfiguration	added
com.webmethods.portal.system.sso.saml.idp.WebSSOPropsUtil	Class
com.webmethods.portal.system.sso.saml.idp.WebSSOPropsUtil	added
com.webmethods.portal.taglib.TaglibUtil	Method 'public java.lang.String generateUniqueID()' has been added
com.webmethods.portal.webservices.wsclient.PortalArtifactFactory	Method 'public org.opensaml.saml2.core.AuthnRequest getAuthnRequest(java.lang.String)' has been added
com.webmethods.portal.webservices.wsclient.PortalArtifactFactory	Method 'public java.lang.String getResponse(java.net.URL, java.lang.String, java.util.Map, java.lang.String[], java.util.Map, org.opensaml.saml2.core.AuthnRequest)' has been added
com.webmethods.portal.webservices.wsclient.PortalArtifactFactory	Method 'public void reInitSecurityTokenService()' has been added
com.webmethods.rtl.event.DeliveryService	Method 'public java.lang.String addClusterIdPrefix(java.lang.String)' has been added
com.webmethods.rtl.event.DeliveryService	Method 'public void setClusterId(java.lang.String)' has been added
com.webmethods.rtl.event.DeliveryService	Method 'public void startRemoteDelivery()' has been added
com.webmethods.rtl.event.DeliveryService	Method 'public void stopRemoteDelivery()' has been added
com.webmethods.rtl.event.Event	Method 'public java.lang.String getJcrSessionUserData()' has been added
com.webmethods.rtl.event.IEvent	Method 'public java.lang.String getJcrSessionUserData()' has been added to an interface
com.webmethods.rtl.jms.PortalClientOverJMS	Class com.webmethods.rtl.jms.PortalClientOverJMS added
com.webmethods.rtl.logging.EnhancedPatternLayout	Class
com.webmethods.rtl.logging.EnhancedPatternLayout	added
com.webmethods.rtl.msg.jms.IJMSPProvider	Method 'public java.lang.String getEndpointAddress()' has been added to an interface
com.webmethods.rtl.msg.jms.IJMSPProvider	Method 'public boolean isConnected()' has been added to

Added API	Description
an interface	
com.webmethods.rtl.msg.jms.JMSProvider:	Added protected field m_endpointAddress
com.webmethods.rtl.msg.jms.JMSProvider:	Added protected field m_isConnected
com.webmethods.rtl.msg.jms.JMSProvider:	Method 'public java.lang.String getEndpointAddress()' has been added
com.webmethods.rtl.msg.jms.JMSProvider:	Method 'public boolean isConnected()' has been added
com.webmethods.rtl.msg.jms.JMSProvider:	Abstract method 'protected void stopConnections()' has been added
com.webmethods.rtl.msg.jms.JMSStdConnProvider:	Method 'protected void stopConnections()' has been added
com.webmethods.rtl.script.JspC:	Method 'public java.lang.String getExcludes()' has been added
com.webmethods.rtl.script.JspC:	Method 'public void setExcludes(java.lang.String)' has been added
com.webmethods.rtl.util.xml.XMLUtil:	Method 'protected org.w3c.dom.Document _loadDocumentUncaught(org.xml.sax.InputSource)' has been added
com.webmethods.rtl.util.xml.XMLUtil:	Method 'public org.w3c.dom.Document loadDocumentFromInputStreamUncaught(java.io.InputStream)' has been added
com.webmethods.rtl.util.xml.XMLUtil:	Method 'public org.w3c.dom.Document loadDocumentFromReaderUncaught(java.io.Reader)' has been added
com.webmethods.rtl.util.xml.XMLUtil:	Method 'public org.w3c.dom.Document loadDocumentFromXMLUncaught(java.lang.String)' has been added
com.webmethods.rtl.util.xml.XMLUtil:	Method 'public org.w3c.dom.Document loadDocumentUncaught(java.lang.String)' has been added

Removed API	Replacement, if any
com.webmethods.caf.jcr.rmi.IRMITunnelHttpPortAware:	Class
com.webmethods.caf.jcr.rmi.IRMITunnelHttpPortAware:	removed
com.webmethods.caf.jcr.rmi.JcrRMIHttpToCGISocketFactory:	Class
com.webmethods.caf.jcr.rmi.JcrRMIHttpToCGISocketFactory:	removed
com.webmethods.caf.jcr.rmi.JcrRMIMasterSocketFactory:	Class
com.webmethods.caf.jcr.rmi.JcrRMIMasterSocketFactory:	removed
com.webmethods.jackrabbit.server.io.DefaultHandler:	Class
com.webmethods.jackrabbit.server.io.DefaultHandler:	removed
com.webmethods.jackrabbit.servlet.JCRWebdavServerServlet:	Class
com.webmethods.jackrabbit.servlet.JCRWebdavServerServlet:	removed

Removed API**Replacement, if any**

com.webmethods.jackrabbit.servlet.SimpleWebdavServlet: Class
 com.webmethods.jackrabbit.servlet.SimpleWebdavServlet removed

com.webmethods.portal.jms.um.UmJMSClient: Field DEFAULT_UM_REALM has been removed, but it was previously a constant

com.webmethods.portal.jms.um.UmJMSClient: Method 'public void init()' has been removed

com.webmethods.portal.schema.bcgadget.GadgetDefinition: Removed field gadgetExternalScripts

com.webmethods.portal.schema.bcgadget.GadgetDefinition: Method 'public
 com.webmethods.portal.schema.bcgadget.GadgetDefinition\$GadgetExternalScripts
 getGadgetExternalScripts()' has been removed

com.webmethods.portal.schema.bcgadget.GadgetDefinition: Method 'public void
 setGadgetExternalScripts(com.webmethods.portal.schema.bcgadget.GadgetDefinition\$GadgetExternal
 Scripts)' has been removed

com.webmethods.portal.schema.bcgadget.GadgetDefinition\$GadgetExternalScripts: Class
 com.webmethods.portal.schema.bcgadget.GadgetDefinition\$GadgetExternalScripts removed

com.webmethods.portal.schema.bcgadget.ObjectFactory: Method 'public
 com.webmethods.portal.schema.bcgadget.GadgetDefinition\$GadgetExternalScripts
 createGadgetDefinitionGadgetExternalScripts()' has been removed

com.webmethods.portal.service.access.impl.GadgetsAclManager: Method 'protected java.lang.String
 buildXPathQuery(java.util.Map)' has been removed, but an inherited definition exists.

com.webmethods.portal.service.access.impl.GadgetsAclManager\$GadgetAclResource: Method 'public
 GadgetsAclManager\$GadgetAclResource(javax.jcr.Node, java.lang.String)' has been removed

com.webmethods.rtl.msg.jms.JMSProvider: Method 'public void enableMessageDelivery()' has been
 removed

com.webmethods.rtl.msg.jms.JMSProvider: Method 'public boolean hasInitialized()' has been removed

com.webmethods.rtl.msg.jms.JMSProvider: Method 'protected void
 setInstance(com.webmethods.rtl.msg.jms.JMSProvider)' has been removed

com.webmethods.rtl.msg.jms.JMSProvider: Method 'protected void startConnections()' has been
 removed

com.webmethods.rtl.msg.jms.JMSStdConnProvider: Method 'protected void startConnections()' has
 been removed

Changed API**Description**

com.webmethods.caf.common.bnd.PortletXmlAnalyzer: Parameter 1 of 'public boolean
 analyzeJar(aQute.lib.osgi.Analyzer)' has changed its type to aQute.bnd.osgi.Analyzer

Changed API**Description**

com.webmethods.caf.common.bnd.WebXmlAnalyzer: Parameter 1 of 'public boolean analyzeJar(aQute.lib.osgi.Analyzer)' has changed its type to aQute.bnd.osgi.Analyzer

com.webmethods.caf.wssserver.auth.saml.SamlUtils: Parameter 2 of 'public void displayAssertion(java.io.PrintWriter, org.opensaml.SAMLAssertion)' has changed its type to org.opensaml.saml1.core.Assertion

com.webmethods.caf.wssserver.auth.saml.SamlUtils: Parameter 1 of 'public java.lang.String getLoginName(org.opensaml.SAMLAssertion)' has changed its type to org.opensaml.saml1.core.Assertion

com.webmethods.caf.wssserver.auth.saml.SamlUtils: Return type of method 'public org.opensaml.SAMLAssertion getSamlAssertion(java.lang.String, java.lang.String)' has been changed to org.opensaml.saml1.core.Assertion

com.webmethods.caf.wssserver.auth.saml.SamlUtils: Parameter 1 of 'public org.opensaml.SAMLAssertion getSamlAssertion(org.opensaml.SAMLResponse)' has changed its type to org.opensaml.saml1.core.Response

com.webmethods.caf.wssserver.auth.saml.SamlUtils: Return type of method 'public org.opensaml.SAMLAssertion getSamlAssertion(org.opensaml.SAMLResponse)' has been changed to org.opensaml.saml1.core.Assertion

com.webmethods.caf.wssserver.auth.saml.SamlUtils: Return type of method 'public org.opensaml.SAMLResponse getSamlResponse(java.lang.String, java.lang.String)' has been changed to org.opensaml.saml1.core.Response

com.webmethods.caf.wssserver.auth.saml.SamlUtils: Parameter 1 of 'public java.lang.String verifyAssertion(org.opensaml.SAMLAssertion)' has changed its type to org.opensaml.saml1.core.Assertion

com.webmethods.portal.jms.um.UmJMSClient: Accessibility of method 'public UmJMSClient()' has been decreased from public to protected

com.webmethods.portal.jms.um.UmJMSClient: Accessibility of method 'public void closeUMSession(com.pcbSYS.nirvana.client.nSession)' has been decreased from public to private

com.webmethods.portal.jms.um.UmJMSClient: Accessibility of method 'public void createConnectionFactory(java.lang.String)' has been decreased from public to protected

com.webmethods.portal.jms.um.UmJMSClient: Return type of method 'public javax.naming.Context createJNDIContext()' has been changed to void

com.webmethods.portal.jms.um.UmJMSClient: Accessibility of method 'public javax.naming.Context createJNDIContext()' has been decreased from public to private

com.webmethods.portal.jms.um.UmJMSClient: Accessibility of method 'public void createQueue(java.lang.String, boolean, int)' has been decreased from public to protected

com.webmethods.portal.jms.um.UmJMSClient: Accessibility of method 'public void

Changed API**Description**

`createQueueConnectionFactory(java.lang.String)` has been decreased from public to protected

`com.webmethods.portal.jms.um.UmJMSClient`: Accessibility of method 'public void `createStringVal(java.lang.String, java.lang.String)`' has been decreased from public to package

`com.webmethods.portal.jms.um.UmJMSClient`: Accessibility of method 'public void `createTopic(java.lang.String, boolean, int)`' has been decreased from public to protected

`com.webmethods.portal.jms.um.UmJMSClient`: Accessibility of method 'public void `createTopicConnectionFactory(java.lang.String)`' has been decreased from public to protected

`com.webmethods.portal.jms.um.UmJMSClient`: Accessibility of method 'public void `createXAConnectionFactory(java.lang.String)`' has been decreased from public to protected

`com.webmethods.portal.jms.um.UmJMSClient`: Accessibility of method 'public void `deleteConnectionFactory(java.lang.String)`' has been decreased from public to protected

`com.webmethods.portal.jms.um.UmJMSClient`: Accessibility of method 'public void `deleteQueue(java.lang.String)`' has been decreased from public to protected

`com.webmethods.portal.jms.um.UmJMSClient`: Accessibility of method 'public void `deleteQueueConnectionFactory(java.lang.String)`' has been decreased from public to protected

`com.webmethods.portal.jms.um.UmJMSClient`: Accessibility of method 'public void `deleteTopic(java.lang.String)`' has been decreased from public to protected

`com.webmethods.portal.jms.um.UmJMSClient`: Accessibility of method 'public void `deleteTopicConnectionFactory(java.lang.String)`' has been decreased from public to protected

`com.webmethods.portal.jms.um.UmJMSClient`: Accessibility of method 'public `javax.naming.Context` `getJNDIContext()`' has been decreased from public to protected

`com.webmethods.portal.jms.um.UmJMSClient`: Accessibility of method 'public `com.pcbsys.nirvana.client.nSession` `getUMSession()`' has been decreased from public to private

`com.webmethods.portal.service.bcgadget.IBCGadgetProvider`: Return type of method 'public `java.util.List` `getAccessibleGadgets(com.webmethods.portal.service.meta2.thing.IThingID)`' has been changed to `java.util.Map`

`com.webmethods.portal.service.bcgadget.impl.BCGadgetProvider`: Return type of method 'public `java.util.List` `getAccessibleGadgets(com.webmethods.portal.service.meta2.thing.IThingID)`' has been changed to `java.util.Map`

`com.webmethods.portal.service.task.impl.TaskLockingService`: Accessibility of field `TASK_LOCK_MAX_TIME` has been increased from private to public

`com.webmethods.portal.service.task.impl.TaskLockingService`: Accessibility of field `TASK_LOCK_MAX_WAIT_TIME` has been increased from private to public

`com.webmethods.portal.service.task.impl.TaskLockingService`: In method 'protected `com.webmethods.portal.service.task.ITaskLock` `createDbLock(com.webmethods.portal.service.sql.ISqlWorker,`

Changed API**Description**

com.webmethods.portal.service.meta2.thing.IThingID, java.util.Date, java.util.Date)' the number of arguments has changed

com.webmethods.portal.system.PortalSystem: Accessibility of method 'private void initGuestUser()' has been increased from private to public

com.webmethods.rtl.msg.jms.JMSProvider: Accessibility of method 'public void onShutdown()' has been decreased from public to protected

com.webmethods.rtl.msg.jms.JMSProvider: Accessibility of method 'private void setMaintenanceMode(boolean)' has been increased from private to protected

com.webmethods.rtl.msg.jms.JMSStdConnProvider: Accessibility of method 'public JMSStdConnProvider()' has been decreased from public to protected

com.webmethods.portal.service.version.impl.dcv.DCVersionService: Value of compile-time constant VERSION_SERVICES_ROOT has been changed

Release 9.10

Added API/ Description

com.webmethods.portal.bizPolicy.biz.access.IAccessPolicy: Method 'public

com.webmethods.portal.service.view.IListView

listSecurityRealmObjects(com.webmethods.portal.bizPolicy.IContext,

com.webmethods.portal.service.meta2.thing.IThingID)' has been added to an interface

com.webmethods.portal.mech.subscription.ISubscribableMechanics: Method 'public void

checkViewSubscription(com.webmethods.portal.system.IURI,

com.webmethods.portal.service.meta2.thing.IThingID, java.util.Map,

com.webmethods.portal.service.meta2.thing.IThingID)' has been added to an interface

com.webmethods.portal.bizPolicy.biz.IBizPolicyResolver: Method 'public

com.webmethods.portal.bizPolicy.biz.IBizPolicy getBizPolicyByType(java.lang.String, java.util.Map)'

has been added to an interface

com.webmethods.caf.wsclient.saml.IArtifactFactory: Method 'public java.lang.String

getAssertion(java.lang.String, java.lang.String[], java.util.Map)' has been added to an interface

com.webmethods.caf.wsclient.saml.IArtifactFactory: Method 'public java.lang.String

getAssertion(java.lang.String, java.lang.String[], java.util.Map, java.util.Map)' has been added to an

interface

com.webmethods.caf.wsclient.session.IWSClientSession: Method 'public java.util.Map

getSessionCookieMap()' has been added to an interface

com.webmethods.caf.wsclient.session.IWSClientSession: Method 'public void

setSessionCookieMap(java.util.Map)' has been added to an interface

com.webmethods.caf.wsclient.session.IWSClientSessionManager: Method 'public

com.webmethods.caf.wsclient.session.IWSClientSessionPool

getSessionPool(com.webmethods.caf.wsclient.proxy.IWSClientProxy, java.lang.String)' has been added

to an interface

com.webmethods.caf.faces.data.task.ITaskInfo: Method 'public java.util.Date getTaskScheduleDate()'

has been added to an interface

com.webmethods.caf.faces.data.task.ITaskInfo: Method 'public void setCreatedDate(java.util.Date)' has

been added to an interface

com.webmethods.caf.faces.data.task.ITaskInfo: Method 'public void

setTaskScheduleDate(java.util.Date)' has been added to an interface

com.webmethods.portal.service.task.ITask: Method 'public java.util.Date getTaskScheduleDate()' has

been added to an interface

Changed API/ Description

com.webmethods.portal.event.system.ICriterionEvent\$IListener: Parameter 1 of 'public void onEvent(com.webmethods.portal.event.system.ISubscriptionEvent)' has changed its type to com.webmethods.portal.event.system.ICriterionEvent

com.webmethods.portal.event.system.ICriterionEvent\$ISynchronousListener: Parameter 1 of 'public void onSynchronousEvent(com.webmethods.portal.event.system.ISubscriptionEvent)' has changed its type to com.webmethods.portal.event.system.ICriterionEvent

com.webmethods.portal.service.access.impl.MwsObjectAclManager: In method 'protected int countAceProperties(java.util.List)' the number of arguments has changed

com.webmethods.caf.wsclient.session.impl.WSClientSessionManager: Parameter 2 of 'protected java.lang.String getSessionPoolID(com.webmethods.caf.wsclient.proxy.IWSClientProxy, com.webmethods.caf.wsclient.AuthCredentials)' has changed its type to java.lang.String

Removed API/ Description

com.webmethods.portal.mech.system.ISystemMechanics: Removed

com.webmethods.portal.mech.access.IAccessMechanics from the set of implemented interfaces

com.webmethods.portal.mech.system.ISystemMechanics: Removed

com.webmethods.portal.mech.clipboard.IClipboardMechanics from the set of implemented interfaces

com.webmethods.portal.mech.system.ISystemMechanics: Removed

com.webmethods.portal.mech.storage.IBasicMechanics from the set of implemented interfaces

com.webmethods.portal.mech.system.ISystemMechanics: Removed

com.webmethods.portal.mech.subscription.ISubscribableMechanics from the set of implemented interfaces

com.webmethods.portal.mech.system.ISystemMechanics: Removed

com.webmethods.portal.mech.view.IViewableMechanics from the set of implemented interfaces

com.webmethods.portal.mech.system.impl.SystemMechanics: Removed

com.webmethods.portal.mech.access.IAccessMechanics from the set of implemented interfaces

com.webmethods.portal.mech.system.impl.SystemMechanics: Removed

com.webmethods.portal.mech.clipboard.IClipboardMechanics from the set of implemented interfaces

com.webmethods.portal.mech.system.impl.SystemMechanics: Removed

com.webmethods.portal.mech.storage.IBasicMechanics from the set of implemented interfaces

com.webmethods.portal.mech.system.impl.SystemMechanics: Removed

com.webmethods.portal.mech.subscription.ISubscribableMechanics from the set of implemented interfaces

com.webmethods.portal.mech.system.impl.SystemMechanics: Removed

com.webmethods.portal.mech.view.IViewableMechanics from the set of implemented interfaces

com.webmethods.portal.mech.system.impl.SystemMechanics: Removed

com.webmethods.portal.mech.clipboard.impl.ClipboardMechanics from the list of superclasses

com.webmethods.portal.mech.system.impl.SystemMechanics: Removed
com.webmethods.portal.mech.storage.impl.BasicMechanics from the list of superclasses

com.webmethods.portal.mech.system.impl.SystemMechanics: Removed
com.webmethods.portal.mech.subscription.impl.SubscribableMechanics from the list of superclasses

com.webmethods.portal.mech.system.impl.SystemMechanics: Removed
com.webmethods.portal.mech.view.impl.ViewableMechanics from the list of superclasses

com.webmethods.portal.webapp.jetty7.WebApplicationInstallService: Removed field
COMPONENT_DELETE_RETRIES

com.webmethods.portal.service.global.impl.LanguagePackManager: Field QUERY_STRING has been
removed, but it was previously a constant

com.webmethods.caf.faces.convert.FormattedDateTimeConverter: Method 'protected
java.text.DateFormat setupGMTDateTimeFormatter(javax.faces.context.FacesContext)' has been
removed

com.webmethods.portal.mech.socialbpm.comments.ICommentsMechanics: Method 'public
java.util.List getTaskCommentsByProcessModelId(java.lang.String, int, int, int)' has been added to an
interface

com.webmethods.portal.service.socialbpm.comments.ICommentsService: Method 'public java.util.List
getPaginatedTaskCommentsByProcessModelId(java.lang.String, int, int, int)' has been added to an
interface

com.webmethods.portal.service.dir.IRoleSystem: Method 'public void
clearCache(com.webmethods.portal.service.dir.IDirPrincipal)' has been added to an interface

com.webmethods.portal.mech.dir.IPrincipalMechanics: Method 'public void
fireRoleMembershipEvent(com.webmethods.portal.service.meta2.thing.IThingID,
com.webmethods.portal.system.IURI, com.webmethods.portal.service.dir.IDirPrincipalList,
com.webmethods.portal.service.dir.IDirPrincipalList, int)' has been added to an interface

move the com.webmethods.jms.** packages from caf-server bundle to a unique package name

com.webmethods.jms.JMSPhaseProvider: Class com.webmethods.jms.JMSPhaseProvider removed

com.webmethods.jms.db.DbJMSClient: Class com.webmethods.jms.db.DbJMSClient removed

com.webmethods.jms.db.DbJMSConnProvider: Class com.webmethods.jms.db.DbJMSConnProvider
removed

com.webmethods.jms.db.impl.JMSConnection: Class com.webmethods.jms.db.impl.JMSConnection
removed

com.webmethods.jms.db.impl.JMSConnection\$CompressedObject: Class
com.webmethods.jms.db.impl.JMSConnection\$CompressedObject removed

com.webmethods.jms.db.impl.JMSDestination: Class com.webmethods.jms.db.impl.JMSDestination
removed

com.webmethods.jms.db.impl.JMSDispatcherThread: Class
com.webmethods.jms.db.impl.JMSDispatcherThread removed

com.webmethods.jms.db.impl.JMSEvent: Class com.webmethods.jms.db.impl.JMSEvent removed

com.webmethods.jms.db.impl.JMSMessage: Class com.webmethods.jms.db.impl.JMSMessage removed

com.webmethods.jms.db.impl.JMSMessageConsumer: Class
com.webmethods.jms.db.impl.JMSMessageConsumer removed

com.webmethods.jms.db.impl.JMSMessageProducer: Class
com.webmethods.jms.db.impl.JMSMessageProducer removed

com.webmethods.jms.db.impl.JMSObjectMessage: Class
com.webmethods.jms.db.impl.JMSObjectMessage removed

com.webmethods.jms.db.impl.JMSPollThread: Class com.webmethods.jms.db.impl.JMSPollThread removed

com.webmethods.jms.db.impl.JMSQueue: Class com.webmethods.jms.db.impl.JMSQueue removed

com.webmethods.jms.db.impl.JMSQueuePollThread: Class
com.webmethods.jms.db.impl.JMSQueuePollThread removed

com.webmethods.jms.db.impl.JMSQueueReceiver: Class
com.webmethods.jms.db.impl.JMSQueueReceiver removed

com.webmethods.jms.db.impl.JMSQueueSender: Class
com.webmethods.jms.db.impl.JMSQueueSender removed

com.webmethods.jms.db.impl.JMSQueueSession: Class
com.webmethods.jms.db.impl.JMSQueueSession removed

com.webmethods.jms.db.impl.JMSSession: Class com.webmethods.jms.db.impl.JMSSession removed

com.webmethods.jms.db.impl.JMSTopic: Class com.webmethods.jms.db.impl.JMSTopic removed

com.webmethods.jms.db.impl.JMSTopicBatchMessage: Class
com.webmethods.jms.db.impl.JMSTopicBatchMessage removed

com.webmethods.jms.db.impl.JMSTopicPublisher: Class
com.webmethods.jms.db.impl.JMSTopicPublisher removed

com.webmethods.jms.db.impl.JMSTopicSession: Class com.webmethods.jms.db.impl.JMSTopicSession removed

com.webmethods.jms.db.impl.JMSTopicSubscriber: Class
com.webmethods.jms.db.impl.JMSTopicSubscriber removed

com.webmethods.jms.db.impl.QueueFactory: Class com.webmethods.jms.db.impl.QueueFactory removed

com.webmethods.jms.db.impl.TopicFactory: Class com.webmethods.jms.db.impl.TopicFactory removed

com.webmethods.jms.db.impl.db2.EventDelivered: Class
com.webmethods.jms.db.impl.db2.EventDelivered removed

com.webmethods.jms.db.impl.db2.EventPoll: Class com.webmethods.jms.db.impl.db2.EventPoll
removed

com.webmethods.jms.db.impl.db2.EventSave: Class com.webmethods.jms.db.impl.db2.EventSave
removed

com.webmethods.jms.db.impl.db2.GetSqlTime: Class com.webmethods.jms.db.impl.db2.GetSqlTime
removed

com.webmethods.jms.db.impl.db2.PublishQueue: Class
com.webmethods.jms.db.impl.db2.PublishQueue removed

com.webmethods.jms.db.impl.db2.PurgeEvents: Class com.webmethods.jms.db.impl.db2.PurgeEvents
removed

com.webmethods.jms.db.impl.db2.PurgeInactiveSubscriptions: Class
com.webmethods.jms.db.impl.db2.PurgeInactiveSubscriptions removed

com.webmethods.jms.db.impl.db2.RegisterDestination: Class
com.webmethods.jms.db.impl.db2.RegisterDestination removed

com.webmethods.jms.db.impl.db2.RegisterSubscription: Class
com.webmethods.jms.db.impl.db2.RegisterSubscription removed

com.webmethods.jms.db.impl.db2.UnregisterSubscription: Class
com.webmethods.jms.db.impl.db2.UnregisterSubscription removed

com.webmethods.jms.db.impl.db2.UpdateSubscriptions: Class
com.webmethods.jms.db.impl.db2.UpdateSubscriptions removed

com.webmethods.jms.db.impl.mssql.EventDelivered: Class
com.webmethods.jms.db.impl.mssql.EventDelivered removed

com.webmethods.jms.db.impl.mssql.EventPoll: Class com.webmethods.jms.db.impl.mssql.EventPoll
removed

com.webmethods.jms.db.impl.mssql.EventSave: Class com.webmethods.jms.db.impl.mssql.EventSave
removed

com.webmethods.jms.db.impl.mssql.GetSqlTime: Class
com.webmethods.jms.db.impl.mssql.GetSqlTime removed

com.webmethods.jms.db.impl.mssql.PublishQueue: Class
com.webmethods.jms.db.impl.mssql.PublishQueue removed

com.webmethods.jms.db.impl.mssql.PurgeEvents: Class
com.webmethods.jms.db.impl.mssql.PurgeEvents removed

com.webmethods.jms.db.impl.mssql.PurgeInactiveSubscriptions: Class
com.webmethods.jms.db.impl.mssql.PurgeInactiveSubscriptions removed

com.webmethods.jms.db.impl.mssql.RegisterDestination: Class
com.webmethods.jms.db.impl.mssql.RegisterDestination removed

com.webmethods.jms.db.impl.mssql.RegisterSubscription: Class
com.webmethods.jms.db.impl.mssql.RegisterSubscription removed

com.webmethods.jms.db.impl.mssql.UnregisterSubscription: Class
com.webmethods.jms.db.impl.mssql.UnregisterSubscription removed

com.webmethods.jms.db.impl.mssql.UpdateSubscriptions: Class
com.webmethods.jms.db.impl.mssql.UpdateSubscriptions removed

com.webmethods.jms.db.impl.mysql.EventDelivered: Class
com.webmethods.jms.db.impl.mysql.EventDelivered removed

com.webmethods.jms.db.impl.mysql.EventPoll: Class com.webmethods.jms.db.impl.mysql.EventPoll
removed

com.webmethods.jms.db.impl.mysql.EventSave: Class com.webmethods.jms.db.impl.mysql.EventSave
removed

com.webmethods.jms.db.impl.mysql.GetSqlTime: Class
com.webmethods.jms.db.impl.mysql.GetSqlTime removed

com.webmethods.jms.db.impl.mysql.PublishQueue: Class
com.webmethods.jms.db.impl.mysql.PublishQueue removed

com.webmethods.jms.db.impl.mysql.PurgeEvents: Class
com.webmethods.jms.db.impl.mysql.PurgeEvents removed

com.webmethods.jms.db.impl.mysql.PurgeInactiveSubscriptions: Class
com.webmethods.jms.db.impl.mysql.PurgeInactiveSubscriptions removed

com.webmethods.jms.db.impl.mysql.RegisterDestination: Class
com.webmethods.jms.db.impl.mysql.RegisterDestination removed

com.webmethods.jms.db.impl.mysql.RegisterSubscription: Class
com.webmethods.jms.db.impl.mysql.RegisterSubscription removed

com.webmethods.jms.db.impl.mysql.UnregisterSubscription: Class
com.webmethods.jms.db.impl.mysql.UnregisterSubscription removed

com.webmethods.jms.db.impl.mysql.UpdateSubscriptions: Class
com.webmethods.jms.db.impl.mysql.UpdateSubscriptions removed

com.webmethods.jms.db.impl.oracle.EventDelivered: Class
com.webmethods.jms.db.impl.oracle.EventDelivered removed

com.webmethods.jms.db.impl.oracle.EventPoll: Class com.webmethods.jms.db.impl.oracle.EventPoll
removed

com.webmethods.jms.db.impl.oracle.EventSave: Class com.webmethods.jms.db.impl.oracle.EventSave
removed

com.webmethods.jms.db.impl.oracle.GetSqlTime: Class
com.webmethods.jms.db.impl.oracle.GetSqlTime removed

com.webmethods.jms.db.impl.oracle.PublishQueue: Class
com.webmethods.jms.db.impl.oracle.PublishQueue removed

com.webmethods.jms.db.impl.oracle.PurgeEvents: Class
com.webmethods.jms.db.impl.oracle.PurgeEvents removed

com.webmethods.jms.db.impl.oracle.PurgeInactiveSubscriptions: Class
com.webmethods.jms.db.impl.oracle.PurgeInactiveSubscriptions removed

com.webmethods.jms.db.impl.oracle.RegisterDestination: Class
com.webmethods.jms.db.impl.oracle.RegisterDestination removed

com.webmethods.jms.db.impl.oracle.RegisterSubscription: Class
com.webmethods.jms.db.impl.oracle.RegisterSubscription removed

com.webmethods.jms.db.impl.oracle.UnregisterSubscription: Class
com.webmethods.jms.db.impl.oracle.UnregisterSubscription removed

com.webmethods.jms.db.impl.oracle.UpdateSubscriptions: Class
com.webmethods.jms.db.impl.oracle.UpdateSubscriptions removed

com.webmethods.jms.db.impl.sybase.EventPoll: Class com.webmethods.jms.db.impl.sybase.EventPoll removed

com.webmethods.jms.db.impl.sybase.PublishQueue: Class
com.webmethods.jms.db.impl.sybase.PublishQueue removed

com.webmethods.jms.db.impl.sybase.PurgeEvents: Class
com.webmethods.jms.db.impl.sybase.PurgeEvents removed

com.webmethods.jms.um.UmJMSClient: Class com.webmethods.jms.um.UmJMSClient removed

com.webmethods.jms.um.UmJMSConnProvider: Class
com.webmethods.jms.um.UmJMSConnProvider removed

electric.util.holder.ArrayOfbyteInOut: Class electric.util.holder.ArrayOfbyteInOut removed

electric.util.holder.ArrayOfbyteOut: Class electric.util.holder.ArrayOfbyteOut removed

com.webmethods.portal.bizPolicy.command.system.xml.XMLImport: Field
OVERWRITE_PERMISSIONS_KEY has been removed, but it was previously a constant

com.webmethods.portal.service.dir.IDirService: Method 'public boolean supportsNestedGroups()' has been added to an interface

com.webmethods.caf.faces.application.CAFStateManager: Class
com.webmethods.caf.faces.application.CAFStateManager removed

com.webmethods.caf.faces.application.CAFStateManager\$TreeStructure: Class
com.webmethods.caf.faces.application.CAFStateManager\$TreeStructure removed

com.webmethods.caf.faces.portlet.PortletViewFragmentPhaseListener: Class
com.webmethods.caf.faces.portlet.PortletViewFragmentPhaseListener removed

com.webmethods.caf.faces.portlet.PortletViewFragmentPhaseListenerWrapper: Class
com.webmethods.caf.faces.portlet.PortletViewFragmentPhaseListenerWrapper removed

com.webmethods.caf.faces.portlet.PortletViewHandler: Method 'protected void
initResponse(javax.faces.context.FacesContext, javax.faces.component.UIViewRoot)' has been removed

com.webmethods.caf.faces.portlet.PortletViewHandler: Method 'protected void
renderResponse(javax.faces.context.FacesContext, javax.faces.component.UIViewRoot)' has been
removed

com.webmethods.caf.faces.render.html.command.CommandFormRenderer: In method 'protected
java.lang.String getTagName()' the number of arguments has changed

com.webmethods.caf.faces.render.html.command.DisjointFormRenderer: In method 'protected
java.lang.String getTagName()' the number of arguments has changed

com.webmethods.caf.faces.view.BaseViewHandler: Field STATE_KEY has been removed, but it was
previously a constant

com.webmethods.caf.faces.view.BaseViewHandler: Method 'protected void
initResponse(javax.faces.context.FacesContext, javax.faces.component.UIViewRoot)' has been removed

com.webmethods.caf.faces.view.BaseViewHandler: Method 'protected void
renderResponse(javax.faces.context.FacesContext, javax.faces.component.UIViewRoot)' has been
removed

com.webmethods.caf.faces.view.CafViewDeclarationLanguage: Field INJECT_STATE has been
removed, but it was previously a constant

com.webmethods.caf.faces.view.CafViewDeclarationLanguage: Field NO_RENDER has been removed,
but it was previously a constant

com.webmethods.caf.faces.view.CafViewDeclarationLanguage: Field STATE_KEY has been removed,
but it was previously a constant

com.webmethods.caf.faces.view.CafViewDeclarationLanguage: Field VIEW_FRAGMENT has been
removed, but it was previously a constant

com.webmethods.caf.faces.view.CafViewDeclarationLanguage: Field VIEW_FRAGMENT_CLIENT_ID
has been removed, but it was previously a constant

com.webmethods.caf.faces.view.CafViewDeclarationLanguage: Return type of method 'protected void
initResponse(javax.faces.context.FacesContext, javax.faces.component.UIViewRoot)' has been changed
to javax.faces.context.ResponseWriter

com.webmethods.caf.faces.view.CafViewDeclarationLanguage: Method 'protected void
renderResponse(javax.faces.context.FacesContext, javax.faces.component.UIViewRoot)' has been
removed

com.webmethods.caf.faces.view.ViewFragmentPhaseListener: Class
com.webmethods.caf.faces.view.ViewFragmentPhaseListener removed

Release 9.9

Added API/ Description

com.webmethods.caf.faces.data.task.ITaskInfo: Method 'public java.lang.Integer getIsMandatory()' has been added to an interface

com.webmethods.caf.faces.data.task.ITaskInfo: Method 'public void setIsMandatory(java.lang.Integer)' has been added to an interface

com.webmethods.caf.wsclient.saml.IArtifactFactory: Method 'public java.lang.String validateSAMLResponse(javax.servlet.http.HttpServletRequest, java.lang.String)' has been added to an interface

com.webmethods.portal.bizPolicy.biz.access.IAccessPolicy: Method 'public
com.webmethods.portal.service.view.IListView
listSecurityRealmObjects(com.webmethods.portal.bizPolicy.IContext,
com.webmethods.portal.service.meta2.thing.IThingID)' has been added to an interface

com.webmethods.portal.mech.socialbpm.comments.ICommentsMechanics: Method 'public
java.util.List getAllTaskAttachments(java.lang.String, int, int)' has been added to an interface

com.webmethods.portal.mech.socialbpm.comments.ICommentsMechanics: Method 'public
java.lang.Integer getAllTaskAttachmentsCount(java.lang.String)' has been added to an interface

com.webmethods.portal.mech.socialbpm.comments.ICommentsMechanics: Method 'public
java.util.List getTaskComments(java.lang.String, int, int)' has been added to an interface

com.webmethods.portal.mech.socialbpm.comments.ICommentsMechanics: Method 'public
java.lang.Integer getTaskCommentsCount(int)' has been added to an interface

com.webmethods.portal.mech.socialbpm.comments.ICommentsMechanics: Method 'public
java.lang.Integer getTaskCommentsCount(java.lang.String)' has been added to an interface

com.webmethods.portal.mech.subscription.ISubscribableMechanics: Method 'public void
checkViewSubscription(com.webmethods.portal.system.IURI,
com.webmethods.portal.service.meta2.thing.IThingID, java.util.Map,
com.webmethods.portal.service.meta2.thing.IThingID)' has been added to an interface

com.webmethods.portal.service.socialbpm.comments.ICommentsService: Method 'public java.util.List
getAllTaskAttachments(java.lang.String, int, int)' has been added to an interface

com.webmethods.portal.service.socialbpm.comments.ICommentsService: Method 'public
java.lang.Integer getAllTaskAttachmentsCount(java.lang.String)' has been added to an interface

com.webmethods.portal.service.socialbpm.comments.ICommentsService: Method 'public java.util.List
getTaskComments(java.lang.String, int, int)' has been added to an interface

com.webmethods.portal.service.socialbpm.comments.ICommentsService: Method 'public

Added API/ Description

java.lang.Integer getTaskCommentsCount(int)' has been added to an interface

com.webmethods.portal.service.socialbpm.comments.ICommentsService: Method 'public java.lang.Integer getTaskCommentsCount(java.lang.String)' has been added to an interface

com.webmethods.portal.service.task.ITask: Method 'public java.lang.Integer getIsMandatory()' has been added to an interface

com.webmethods.portal.service.task.ITaskDefinition: Method 'public java.lang.String getTaskDescription()' has been added to an interface

Removed API/ Description

com.webmethods.caf.faces.component.gmap.GMarkerGroup: Removed javax.faces.event.SystemEventListener from the set of implemented interfaces

com.webmethods.caf.faces.component.gmap.GMarkerList: Removed javax.faces.event.SystemEventListener from the set of implemented interfaces

com.webmethods.caf.faces.component.logic.AsyncIterator: Removed javax.faces.event.SystemEventListener from the set of implemented interfaces

com.webmethods.caf.faces.component.logic.Import: Removed javax.faces.event.SystemEventListener from the set of implemented interfaces

com.webmethods.caf.faces.component.logic.ImportTemplate: Removed javax.faces.event.SystemEventListener from the set of implemented interfaces

com.webmethods.caf.faces.component.logic.Iterator: Removed javax.faces.event.SystemEventListener from the set of implemented interfaces

com.webmethods.caf.faces.component.nav.Breadcrumbs: Removed javax.faces.event.SystemEventListener from the set of implemented interfaces

com.webmethods.caf.faces.component.nav.FirstLevelList: Removed javax.faces.event.SystemEventListener from the set of implemented interfaces

com.webmethods.caf.faces.component.nav.NavList: Removed javax.faces.event.SystemEventListener from the set of implemented interfaces

com.webmethods.caf.faces.component.nav.PopupMenus: Removed javax.faces.event.SystemEventListener from the set of implemented interfaces

com.webmethods.caf.faces.component.nav.SecondLevelList: Removed javax.faces.event.SystemEventListener from the set of implemented interfaces

com.webmethods.caf.faces.component.nav.StaticMenus\$SubList: Removed javax.faces.event.SystemEventListener from the set of implemented interfaces

com.webmethods.caf.faces.component.nav.StaticMenus\$SubSubList: Removed javax.faces.event.SystemEventListener from the set of implemented interfaces

Removed API/ Description

com.webmethods.caf.faces.component.nav.ThirdLevelList: Removed
javax.faces.event.SystemEventListener from the set of implemented interfaces

com.webmethods.caf.faces.component.table.html.AsyncList: Removed
javax.faces.event.SystemEventListener from the set of implemented interfaces

com.webmethods.caf.faces.component.table.html.AsyncListbox: Removed
javax.faces.event.SystemEventListener from the set of implemented interfaces

com.webmethods.caf.faces.component.table.html.AsyncTabsList: Removed
javax.faces.event.SystemEventListener from the set of implemented interfaces

com.webmethods.caf.faces.component.table.html.DataList: Removed
javax.faces.event.SystemEventListener from the set of implemented interfaces

com.webmethods.caf.faces.component.table.html.ListBox: Removed
javax.faces.event.SystemEventListener from the set of implemented interfaces

com.webmethods.caf.faces.component.table.html.TabsList: Removed
javax.faces.event.SystemEventListener from the set of implemented interfaces

com.webmethods.portal.mech.system.ISystemMechanics: Removed
com.webmethods.portal.mech.access.IAccessMechanics from the set of implemented interfaces

com.webmethods.portal.mech.system.ISystemMechanics: Removed
com.webmethods.portal.mech.clipboard.IClipboardMechanics from the set of implemented interfaces

com.webmethods.portal.mech.system.ISystemMechanics: Removed
com.webmethods.portal.mech.storage.IBasicMechanics from the set of implemented interfaces

com.webmethods.portal.mech.system.ISystemMechanics: Removed
com.webmethods.portal.mech.subscription.ISubscribableMechanics from the set of implemented interfaces

com.webmethods.portal.mech.system.ISystemMechanics: Removed
com.webmethods.portal.mech.view.IViewableMechanics from the set of implemented interfaces

com.webmethods.portal.mech.system.impl.SystemMechanics: Removed
com.webmethods.portal.mech.access.IAccessMechanics from the set of implemented interfaces

com.webmethods.portal.mech.system.impl.SystemMechanics: Removed
com.webmethods.portal.mech.clipboard.IClipboardMechanics from the set of implemented interfaces

com.webmethods.portal.mech.system.impl.SystemMechanics: Removed
com.webmethods.portal.mech.storage.IBasicMechanics from the set of implemented interfaces

com.webmethods.portal.mech.system.impl.SystemMechanics: Removed
com.webmethods.portal.mech.subscription.ISubscribableMechanics from the set of implemented interfaces

com.webmethods.portal.mech.system.impl.SystemMechanics: Removed

Removed API/ Description

com.webmethods.portal.mech.view.IViewableMechanics from the set of implemented interfaces

com.webmethods.rtl.script.JspC: Removed java.lang.Cloneable from the set of implemented interfaces

com.webmethods.portal.mech.system.impl.SystemMechanics: Removed

com.webmethods.portal.mech.clipboard.impl.ClipboardMechanics from the list of superclasses

com.webmethods.portal.mech.system.impl.SystemMechanics: Removed

com.webmethods.portal.mech.storage.impl.BasicMechanics from the list of superclasses

com.webmethods.portal.mech.system.impl.SystemMechanics: Removed

com.webmethods.portal.mech.subscription.impl.SubscribableMechanics from the list of superclasses

com.webmethods.portal.mech.system.impl.SystemMechanics: Removed

com.webmethods.portal.mech.view.impl.ViewableMechanics from the list of superclasses

com.webmethods.rtl.script.JspC: Removed org.apache.tools.ant.ProjectComponent from the list of superclasses

com.webmethods.rtl.script.JspC: Removed org.apache.tools.ant.Task from the list of superclasses

com.webmethods.portal.mech.system.impl.SystemMechanics: Removed

com.webmethods.portal.mech.clipboard.impl.ClipboardMechanics from the list of superclasses

com.webmethods.portal.mech.system.impl.SystemMechanics: Removed

com.webmethods.portal.mech.storage.impl.BasicMechanics from the list of superclasses

com.webmethods.portal.mech.system.impl.SystemMechanics: Removed

com.webmethods.portal.mech.subscription.impl.SubscribableMechanics from the list of superclasses

com.webmethods.portal.mech.system.impl.SystemMechanics: Removed

com.webmethods.portal.mech.view.impl.ViewableMechanics from the list of superclasses

com.webmethods.rtl.script.JspC: Removed org.apache.tools.ant.ProjectComponent from the list of superclasses

com.webmethods.rtl.script.JspC: Removed org.apache.tools.ant.Task from the list of superclasses

com.webmethods.caf.faces.component.logic.Import: Method 'public boolean isListenerForSource(java.lang.Object)' has been removed

com.webmethods.caf.faces.component.logic.Import: Method 'public void processEvent(javax.faces.event.SystemEvent)' has been removed

com.webmethods.caf.faces.component.logic.ImportTemplate: Method 'public boolean isListenerForSource(java.lang.Object)' has been removed

com.webmethods.caf.faces.component.logic.ImportTemplate: Method 'public void processEvent(javax.faces.event.SystemEvent)' has been removed

com.webmethods.caf.faces.component.nav.PopupMenus: Method 'protected javax.faces.component.UIColumn getColumn()' has been removed

com.webmethods.caf.faces.component.table.html.DataList: Method 'public boolean

Removed API/ Description

`isListenerForSource(java.lang.Object)` has been removed

`com.webmethods.caf.faces.component.table.html.DataList`: Method `'public void processEvent(javax.faces.event.SystemEvent)'` has been removed

`com.webmethods.caf.faces.component.tree.DataTree`: Method `'protected void autogenerate()'` has been removed

`com.webmethods.portal.service.install.impl.BaseInstallService`: Method `'protected com.webmethods.portal.service.install.IInstallServiceConfig getConfig()'` has been removed

`com.webmethods.portal.service.sql.runtime.base.TaskSearchAll`: Method `'protected void parseSearchQuery(int, java.util.Map, com.webmethods.caf.faces.data.task.impl.TaskSearchQuery, com.webmethods.portal.service.sql.runtime.base.TaskSearchAll$QueryInfo)'` has been removed

`com.webmethods.portal.service.sql.runtime.base.TaskSearchAll`: Method `'protected void parseSearchQueryTerm(int, java.util.Map, com.webmethods.caf.faces.data.task.impl.TaskSearchQueryTerm, com.webmethods.portal.service.sql.runtime.base.TaskSearchAll$QueryInfo)'` has been removed

`com.webmethods.portal.service.sql.runtime.base.TaskSearchFromInboxesPaged`: Method `'protected void parseSearchQueryTerm(int, java.util.Map, com.webmethods.caf.faces.data.task.impl.TaskSearchQueryTerm, com.webmethods.portal.service.sql.runtime.base.TaskSearchAll$QueryInfo)'` has been removed

`com.webmethods.rtl.script.JspC`: Method `'public void init()'` has been removed

`com.softwareag.caf.controls.mwsx.PeoplePickerDialog$FacetsMap`: Class
`com.softwareag.caf.controls.mwsx.PeoplePickerDialog$FacetsMap` removed

`com.softwareag.caf.controls.mwsx.PeopleSwapBox$FacetsMap`: Class
`com.softwareag.caf.controls.mwsx.PeopleSwapBox$FacetsMap` removed

`com.webmethods.caf.faces.component.nav.StaticMenus$ChildrenList`: Class
`com.webmethods.caf.faces.component.nav.StaticMenus$ChildrenList` removed

`com.webmethods.caf.faces.component.nav.StaticMenus$FacetsMap`: Class
`com.webmethods.caf.faces.component.nav.StaticMenus$FacetsMap` removed

`com.webmethods.caf.faces.component.nav.ToggleMenus$ChildrenList`: Class
`com.webmethods.caf.faces.component.nav.ToggleMenus$ChildrenList` removed

`com.webmethods.caf.faces.component.nav.ToggleMenus$FacetsMap`: Class
`com.webmethods.caf.faces.component.nav.ToggleMenus$FacetsMap` removed

`com.webmethods.caf.faces.component.search.SearchBar$FacetsMap`: Class
`com.webmethods.caf.faces.component.search.SearchBar$FacetsMap` removed

`com.webmethods.caf.faces.component.table.SelectRowCheckbox$ChildrenList`: Class
`com.webmethods.caf.faces.component.table.SelectRowCheckbox$ChildrenList` removed

`com.webmethods.caf.faces.component.table.SelectRowCheckbox$FacetsMap`: Class

Removed API/ Description

com.webmethods.caf.faces.component.table.SelectRowCheckbox\$FacetsMap removed

com.webmethods.caf.faces.component.table.html.HtmlTableColumn\$FacetsMap: Class
com.webmethods.caf.faces.component.table.html.HtmlTableColumn\$FacetsMap removed

com.webmethods.caf.faces.component.table.specialized.Newsfeed\$ChildrenList: Class
com.webmethods.caf.faces.component.table.specialized.Newsfeed\$ChildrenList removed

com.webmethods.caf.faces.component.table.specialized.Newsfeed\$FacetsMap: Class
com.webmethods.caf.faces.component.table.specialized.Newsfeed\$FacetsMap removed

com.webmethods.caf.faces.component.util.BaseChildrenList: Class
com.webmethods.caf.faces.component.util.BaseChildrenList removed

com.webmethods.caf.faces.component.util.BaseFacetsAndChildrenIterator: Class
com.webmethods.caf.faces.component.util.BaseFacetsAndChildrenIterator removed

com.webmethods.caf.faces.component.util.BaseFacetsMap: Class
com.webmethods.caf.faces.component.util.BaseFacetsMap removed

com.webmethods.caf.faces.component.util.BaseFacetsMap\$BaseCollection: Class
com.webmethods.caf.faces.component.util.BaseFacetsMap\$BaseCollection removed

com.webmethods.caf.faces.component.util.BaseFacetsMap\$BaseCollection\$BaseIterator: Class
com.webmethods.caf.faces.component.util.BaseFacetsMap\$BaseCollection\$BaseIterator removed

com.webmethods.caf.faces.component.util.BaseFacetsMap\$Entries: Class
com.webmethods.caf.faces.component.util.BaseFacetsMap\$Entries removed

com.webmethods.caf.faces.component.util.BaseFacetsMap\$Entries\$EntrySetIterator: Class
com.webmethods.caf.faces.component.util.BaseFacetsMap\$Entries\$EntrySetIterator removed

com.webmethods.caf.faces.component.util.BaseFacetsMap\$Keys: Class
com.webmethods.caf.faces.component.util.BaseFacetsMap\$Keys removed

com.webmethods.caf.faces.component.util.BaseFacetsMap\$Keys\$KeySetIterator: Class
com.webmethods.caf.faces.component.util.BaseFacetsMap\$Keys\$KeySetIterator removed

com.webmethods.caf.faces.component.util.BaseFacetsMap\$Values: Class
com.webmethods.caf.faces.component.util.BaseFacetsMap\$Values removed

com.webmethods.caf.faces.component.util.BaseFacetsMap\$Values\$ValuesIterator: Class
com.webmethods.caf.faces.component.util.BaseFacetsMap\$Values\$ValuesIterator removed

com.webmethods.portal.bizPolicy.command.install.taskdefs.AntBaseFileListTask: Class
com.webmethods.portal.bizPolicy.command.install.taskdefs.AntBaseFileListTask removed

com.webmethods.portal.bizPolicy.command.install.taskdefs.AntBaseTask: Class
com.webmethods.portal.bizPolicy.command.install.taskdefs.AntBaseTask removed

com.webmethods.portal.bizPolicy.command.install.taskdefs.portlet.GenerateOSGiManifest: Class
com.webmethods.portal.bizPolicy.command.install.taskdefs.portlet.GenerateOSGiManifest removed

Removed API/ Description

com.webmethods.portal.bizPolicy.command.install.taskdefs.portlet.GetPortletInfo: Class
com.webmethods.portal.bizPolicy.command.install.taskdefs.portlet.GetPortletInfo removed

com.webmethods.portal.bizPolicy.command.install.taskdefs.portlet.PostRegisterPortlet: Class
com.webmethods.portal.bizPolicy.command.install.taskdefs.portlet.PostRegisterPortlet removed

com.webmethods.portal.bizPolicy.command.install.taskdefs.portlet.PreRegisterPortlet: Class
com.webmethods.portal.bizPolicy.command.install.taskdefs.portlet.PreRegisterPortlet removed

com.webmethods.portal.bizPolicy.command.install.taskdefs.portlet.PreUnregisterPortlet: Class
com.webmethods.portal.bizPolicy.command.install.taskdefs.portlet.PreUnregisterPortlet removed

com.webmethods.portal.bizPolicy.command.install.taskdefs.skin.CreateSkinInstance: Class
com.webmethods.portal.bizPolicy.command.install.taskdefs.skin.CreateSkinInstance removed

com.webmethods.portal.bizPolicy.command.install.taskdefs.skin.CreateThemeInstance: Class
com.webmethods.portal.bizPolicy.command.install.taskdefs.skin.CreateThemeInstance removed

com.webmethods.portal.bizPolicy.command.install.taskdefs.skin.GetSkinInfo: Class
com.webmethods.portal.bizPolicy.command.install.taskdefs.skin.GetSkinInfo removed

com.webmethods.portal.bizPolicy.command.install.taskdefs.skin.RemoveSkinInstance: Class
com.webmethods.portal.bizPolicy.command.install.taskdefs.skin.RemoveSkinInstance removed

com.webmethods.portal.bizPolicy.command.install.taskdefs.skin.RemoveThemeInstance: Class
com.webmethods.portal.bizPolicy.command.install.taskdefs.skin.RemoveThemeInstance removed

com.webmethods.portal.bizPolicy.command.install.taskdefs.system.CreateDBOTables: Class
com.webmethods.portal.bizPolicy.command.install.taskdefs.system.CreateDBOTables removed

com.webmethods.portal.bizPolicy.command.install.taskdefs.system.DropDBOTables: Class
com.webmethods.portal.bizPolicy.command.install.taskdefs.system.DropDBOTables removed

com.webmethods.portal.bizPolicy.command.install.taskdefs.system.ExecuteCommand: Class
com.webmethods.portal.bizPolicy.command.install.taskdefs.system.ExecuteCommand removed

com.webmethods.portal.bizPolicy.command.install.taskdefs.system.ExecuteTargetLoop: Class
com.webmethods.portal.bizPolicy.command.install.taskdefs.system.ExecuteTargetLoop removed

com.webmethods.portal.bizPolicy.command.install.taskdefs.system.GetComponentInfo: Class
com.webmethods.portal.bizPolicy.command.install.taskdefs.system.GetComponentInfo removed

com.webmethods.portal.bizPolicy.command.install.taskdefs.system.GetIsOSGiRuntime: Class
com.webmethods.portal.bizPolicy.command.install.taskdefs.system.GetIsOSGiRuntime removed

com.webmethods.portal.bizPolicy.command.install.taskdefs.system.GetSystemPath: Class
com.webmethods.portal.bizPolicy.command.install.taskdefs.system.GetSystemPath removed

com.webmethods.portal.bizPolicy.command.install.taskdefs.system.GetComponentInfo: Class
com.webmethods.portal.bizPolicy.command.install.taskdefs.system.GetComponentInfo removed

com.webmethods.portal.bizPolicy.command.install.taskdefs.system.GetIsOSGiRuntime: Class

Removed API/ Description

com.webmethods.portal.bizPolicy.command.install.taskdefs.system.GetIsOSGiRuntime removed

com.webmethods.portal.bizPolicy.command.install.taskdefs.system.GetSystemPath: Class

com.webmethods.portal.bizPolicy.command.install.taskdefs.system.GetSystemPath removed

com.webmethods.portal.bizPolicy.command.install.taskdefs.system.InstallComponent: Class

com.webmethods.portal.bizPolicy.command.install.taskdefs.system.InstallComponent removed

com.webmethods.portal.bizPolicy.command.install.taskdefs.system.LoadClasses: Class

com.webmethods.portal.bizPolicy.command.install.taskdefs.system.LoadClasses removed

com.webmethods.portal.bizPolicy.command.install.taskdefs.system.LoadConfig: Class

com.webmethods.portal.bizPolicy.command.install.taskdefs.system.LoadConfig removed

com.webmethods.portal.bizPolicy.command.install.taskdefs.system.LookupComponent: Class

com.webmethods.portal.bizPolicy.command.install.taskdefs.system.LookupComponent removed

com.webmethods.portal.bizPolicy.command.install.taskdefs.system.RegisterComponent: Class

com.webmethods.portal.bizPolicy.command.install.taskdefs.system.RegisterComponent removed

com.webmethods.portal.bizPolicy.command.install.taskdefs.system.RunSQLScript: Class

com.webmethods.portal.bizPolicy.command.install.taskdefs.system.RunSQLScript removed

com.webmethods.portal.bizPolicy.command.install.taskdefs.system.UninstallComponent: Class

com.webmethods.portal.bizPolicy.command.install.taskdefs.system.UninstallComponent removed

com.webmethods.portal.bizPolicy.command.install.taskdefs.system.UnregisterComponent: Class

com.webmethods.portal.bizPolicy.command.install.taskdefs.system.UnregisterComponent removed

com.webmethods.portal.mech.install.impl.NativeInstallMechanics: Class

com.webmethods.portal.mech.install.impl.NativeInstallMechanics removed

com.webmethods.portal.service.install.IInstallServiceConfig: Class

com.webmethods.portal.service.install.IInstallServiceConfig removed

com.webmethods.portal.service.install.impl.InstallServiceConfig: Class

com.webmethods.portal.service.install.impl.InstallServiceConfig removed

com.webmethods.portal.service.install.impl.ant.AntInstallService: Class

com.webmethods.portal.service.install.impl.ant.AntInstallService removed

com.webmethods.portal.service.install.impl.ant.AntLogSupport: Class

com.webmethods.portal.service.install.impl.ant.AntLogSupport removed

com.webmethods.portal.service.install.impl.ant.AntRunner: Class

com.webmethods.portal.service.install.impl.ant.AntRunner removed

com.webmethods.portal.service.install.impl.ant.AntRunner\$AntPropertyHelper: Class

com.webmethods.portal.service.install.impl.ant.AntRunner\$AntPropertyHelper removed

com.webmethods.portal.service.install.impl.ant.LpInstallService: Class

com.webmethods.portal.service.install.impl.ant.LpInstallService removed

Removed API/ Description

com.webmethods.portal.service.install.impl.ant.WarLpInstallService: Class
com.webmethods.portal.service.install.impl.ant.WarLpInstallService removed

com.webmethods.rtl.logging.Mws13818Filter: Class com.webmethods.rtl.logging.Mws13818Filter removed

com.webmethods.rtl.util.msg.IRuntimeMessage: Class com.webmethods.rtl.util.msg.IRuntimeMessage removed

com.webmethods.rtl.util.msg.IRuntimeMessageCallback: Class
com.webmethods.rtl.util.msg.IRuntimeMessageCallback removed

com.webmethods.rtl.util.msg.IRuntimeMessageHook: Class
com.webmethods.rtl.util.msg.IRuntimeMessageHook removed

com.webmethods.rtl.util.msg.RuntimeMessageUtil: Class
com.webmethods.rtl.util.msg.RuntimeMessageUtil removed

com.webmethods.rtl.util.msg.RuntimeMessageUtil\$RuntimeListeners: Class
com.webmethods.rtl.util.msg.RuntimeMessageUtil\$RuntimeListeners removed

com.webmethods.rtl.util.msg.RuntimeMessageUtil\$RuntimeMessageListener: Class
com.webmethods.rtl.util.msg.RuntimeMessageUtil\$RuntimeMessageListener removed

com.webmethods.rtl.util.obj.CyclicIterator: Class com.webmethods.rtl.util.obj.CyclicIterator removed

com.webmethods.rtl.util.obj.EmptyEnumeration: Class
com.webmethods.rtl.util.obj.EmptyEnumeration removed

com.webmethods.rtl.util.obj.EmptyIterator: Class com.webmethods.rtl.util.obj.EmptyIterator removed

com.webmethods.rtl.util.obj.FileClassLoader: Class com.webmethods.rtl.util.obj.FileClassLoader removed

com.webmethods.rtl.util.obj.IntMinMaxInfo: Class com.webmethods.rtl.util.obj.IntMinMaxInfo removed

com.webmethods.rtl.util.obj.IntStringMap: Class com.webmethods.rtl.util.obj.IntStringMap removed

com.webmethods.rtl.util.obj.IteratorTools: Class com.webmethods.rtl.util.obj.IteratorTools removed

com.webmethods.rtl.util.obj.PersistentMap: Class com.webmethods.rtl.util.obj.PersistentMap removed

com.webmethods.rtl.util.obj.PropertyGroup: Class com.webmethods.rtl.util.obj.PropertyGroup removed

com.webmethods.rtl.util.obj.PropertyGroups: Class com.webmethods.rtl.util.obj.PropertyGroups removed

com.webmethods.rtl.util.obj.SortableArray: Class com.webmethods.rtl.util.obj.SortableArray removed

com.webmethods.rtl.util.thread.ReadWriteMutex: Class
com.webmethods.rtl.util.thread.ReadWriteMutex removed

Removed API/ Description

com.softwareag.caf.controls.mwsx.PeoplePickerDialog: Removed field m_facets

com.softwareag.caf.controls.mwsx.PeopleSwapBox: Removed field m_facets

com.webmethods.caf.faces.component.behavior.BaseBehavior: Removed field m_for

com.webmethods.caf.faces.component.behavior.CustomDragBehavior: Removed field m_allowDrag

com.webmethods.caf.faces.component.behavior.CustomDragBehavior: Removed field m_cursor

com.webmethods.caf.faces.component.behavior.CustomDragBehavior: Removed field m_move

com.webmethods.caf.faces.component.behavior.CustomDragBehavior: Removed field m_propagateEvent

com.webmethods.caf.faces.component.behavior.CustomDropBehavior: Removed field m_allowDrop

com.webmethods.caf.faces.component.behavior.CustomDropBehavior: Removed field m_handleDrop

com.webmethods.caf.faces.component.behavior.CustomDropBehavior: Removed field m_hoverClass

com.webmethods.caf.faces.component.behavior.CustomDropBehavior: Removed field m_onDropSetValue

com.webmethods.caf.faces.component.behavior.DragToMoveRowsBehavior: Removed field m_add

com.webmethods.caf.faces.component.behavior.DragToMoveRowsBehavior: Removed field m_allowDrag

com.webmethods.caf.faces.component.behavior.DragToMoveRowsBehavior: Removed field m_allowDrop

com.webmethods.caf.faces.component.behavior.DragToMoveRowsBehavior: Removed field m_copy

com.webmethods.caf.faces.component.behavior.DragToMoveRowsBehavior: Removed field m_handleDrop

com.webmethods.caf.faces.component.behavior.DragToMoveRowsBehavior: Removed field m_hoverClass

com.webmethods.caf.faces.component.behavior.DragToMoveRowsBehavior: Removed field m_remove

com.webmethods.caf.faces.component.behavior.DragToMoveRowsBehavior: Removed field m_reorder

com.webmethods.caf.faces.component.behavior.DragToReorderColumnsBehavior: Removed field m_storePreferences

com.webmethods.caf.faces.component.behavior.DragToResizeBehavior: Removed field m_resizeBottom

com.webmethods.caf.faces.component.behavior.DragToResizeBehavior: Removed field m_resizeLeft

com.webmethods.caf.faces.component.behavior.DragToResizeBehavior: Removed field m_resizeRight

Removed API/ Description

com.webmethods.caf.faces.component.behavior.DragToResizeBehavior: Removed field m_resizeTop

com.webmethods.caf.faces.component.behavior.DragToResizeColumnsBehavior: Removed field m_storePreferences

com.webmethods.caf.faces.component.behavior.RaiseOnChangeBehavior: Removed field m_command

com.webmethods.caf.faces.component.behavior.SynchronizeValuesBehavior: Removed field m_with

com.webmethods.caf.faces.component.command.html.AsyncCommandButton: Removed field m_refresh

com.webmethods.caf.faces.component.command.html.AsyncCommandIcon: Removed field m_refresh

com.webmethods.caf.faces.component.command.html.AsyncCommandInterval: Removed field m_interval

com.webmethods.caf.faces.component.command.html.AsyncCommandInterval: Removed field m_waitUntilReloaded

com.webmethods.caf.faces.component.command.html.AsyncCommandLink: Removed field m_refresh

com.webmethods.caf.faces.component.command.html.AsyncHiddenCommand: Removed field m_refresh

com.webmethods.caf.faces.component.command.html.CommandForm: Removed field m_forms

com.webmethods.caf.faces.component.command.html.CommandIcon: Removed field m_alt

com.webmethods.caf.faces.component.command.html.CommandIcon: Removed field m_url

com.webmethods.caf.faces.component.command.html.CommandIcon: Removed field m_urlMouseDown

com.webmethods.caf.faces.component.command.html.CommandIcon: Removed field m_urlMouseover

com.webmethods.caf.faces.component.events.OpenAjaxScript: Removed field openAjaxTopic

com.webmethods.caf.faces.component.events.OpenAjaxScript: Removed field shouldSubscribe

com.webmethods.caf.faces.component.export.AtomFeedIcon: Removed field m_converter

com.webmethods.caf.faces.component.export.AtomFeedIcon: Removed field m_entriesProvider

com.webmethods.caf.faces.component.export.AtomFeedIcon: Removed field m_exportCharacterEncoding

com.webmethods.caf.faces.component.export.AtomFeedIcon: Removed field m_exportFileName

com.webmethods.caf.faces.component.export.AtomFeedIcon: Removed field m_exportForceDownload

com.webmethods.caf.faces.component.export.AtomFeedIcon: Removed field m_feedProvider

com.webmethods.caf.faces.component.export.AtomFeedIcon: Removed field m_feedUrl

Removed API/ Description

com.webmethods.caf.faces.component.export.AtomFeedIcon: Removed field m_for

com.webmethods.caf.faces.component.gmap.GMap: Removed field m_height

com.webmethods.caf.faces.component.gmap.GMap: Removed field m_initialAddress

com.webmethods.caf.faces.component.gmap.GMap: Removed field m_initialCountry

com.webmethods.caf.faces.component.gmap.GMap: Removed field m_key

com.webmethods.caf.faces.component.gmap.GMap: Removed field m_latitude

com.webmethods.caf.faces.component.gmap.GMap: Removed field m_longitude

com.webmethods.caf.faces.component.gmap.GMap: Removed field m_type

com.webmethods.caf.faces.component.gmap.GMap: Removed field m_width

com.webmethods.caf.faces.component.gmap.GMap: Removed field m_zoom

com.webmethods.caf.faces.component.gmap.GMapControl: Removed field m_anchor

com.webmethods.caf.faces.component.gmap.GMapControl: Removed field m_offsetX

com.webmethods.caf.faces.component.gmap.GMapControl: Removed field m_offsetY

com.webmethods.caf.faces.component.gmap.GMapControl: Removed field m_type

com.webmethods.caf.faces.component.gmap.GMapGetCoordsScript: Removed field m_latitude

com.webmethods.caf.faces.component.gmap.GMapGetCoordsScript: Removed field m_longitude

com.webmethods.caf.faces.component.gmap.GMapKey: Removed field m_key

com.webmethods.caf.faces.component.gmap.GMarker: Removed field m_clickable

com.webmethods.caf.faces.component.gmap.GMarker: Removed field m_draggable

com.webmethods.caf.faces.component.gmap.GMarker: Removed field m_icon

com.webmethods.caf.faces.component.gmap.GMarker: Removed field m_iconSizeHeight

com.webmethods.caf.faces.component.gmap.GMarker: Removed field m_iconSizeWidth

com.webmethods.caf.faces.component.gmap.GMarker: Removed field m_initialAddress

com.webmethods.caf.faces.component.gmap.GMarker: Removed field m_initialCountry

com.webmethods.caf.faces.component.gmap.GMarker: Removed field m_latitude

com.webmethods.caf.faces.component.gmap.GMarker: Removed field m_longitude

com.webmethods.caf.faces.component.gmap.GMarker: Removed field m_selected

com.webmethods.caf.faces.component.gmap.GMarker: Removed field m_title

com.webmethods.caf.faces.component.gmap.GMarkerGroup: Removed field m_groupProvider

Removed API/ Description

com.webmethods.caf.faces.component.gmap.GMarkerList: Removed field m_clickable
com.webmethods.caf.faces.component.gmap.GMarkerList: Removed field m_draggable
com.webmethods.caf.faces.component.gmap.GMarkerList: Removed field m_icon
com.webmethods.caf.faces.component.gmap.GMarkerList: Removed field m_iconSizeHeight
com.webmethods.caf.faces.component.gmap.GMarkerList: Removed field m_iconSizeWidth
com.webmethods.caf.faces.component.gmap.GMarkerList: Removed field m_initialAddress
com.webmethods.caf.faces.component.gmap.GMarkerList: Removed field m_initialCountry
com.webmethods.caf.faces.component.gmap.GMarkerList: Removed field m_latitude
com.webmethods.caf.faces.component.gmap.GMarkerList: Removed field m_longitude
com.webmethods.caf.faces.component.gmap.GMarkerList: Removed field m_multiple
com.webmethods.caf.faces.component.gmap.GMarkerList: Removed field m_title
com.webmethods.caf.faces.component.gmap.GMarkerList: Removed field m_multiple
com.webmethods.caf.faces.component.gmap.GMarkerList: Removed field m_title
com.webmethods.caf.faces.component.input.DateInput: Removed field m_pattern
com.webmethods.caf.faces.component.input.DateInput: Removed field m_showMonthAndYearMenus
com.webmethods.caf.faces.component.input.DateInput: Removed field m_showSeconds
com.webmethods.caf.faces.component.input.DateInput: Removed field m_showTime
com.webmethods.caf.faces.component.input.DateInput: Removed field m_showTimezone
com.webmethods.caf.faces.component.input.DateInput: Removed field m_timezone
com.webmethods.caf.faces.component.input.DateInput: Removed field m_valuePattern
com.webmethods.caf.faces.component.input.DateInput: Removed field m_yearMenuRange
com.webmethods.caf.faces.component.input.DateRangeInput: Removed field m_futureRanges
com.webmethods.caf.faces.component.input.DateRangeInput: Removed field m_label
com.webmethods.caf.faces.component.input.DateRangeInput: Removed field m_layout
com.webmethods.caf.faces.component.input.DateRangeInput: Removed field m_pastRanges
com.webmethods.caf.faces.component.logic.If: Removed field m_value
com.webmethods.caf.faces.component.logic.Import: Removed field m_value
com.webmethods.caf.faces.component.logic.ImportTemplate: Removed field m_value
com.webmethods.caf.faces.component.logic.LoadResourceBundle: Removed field m_basename

Removed API/ Description

com.webmethods.caf.faces.component.logic.LoadResourceBundle: Removed field m_var
com.webmethods.caf.faces.component.logic.VariableContainer: Removed field m_value
com.webmethods.caf.faces.component.logic.VariableContainer: Removed field m_var
com.webmethods.caf.faces.component.message.FormattedMessage: Removed field m_showDetail
com.webmethods.caf.faces.component.message.FormattedMessages: Removed field m_showDetail
com.webmethods.caf.faces.component.message.SpecificFormattedMessages: Removed field m_for
com.webmethods.caf.faces.component.message.SpecificMessages: Removed field m_for
com.webmethods.caf.faces.component.mws_ui.MwsResourceInclude: Removed field renderer
com.webmethods.caf.faces.component.mws_ui.MwsResourceInclude: Removed field uri
com.webmethods.caf.faces.component.nav.StaticMenus: Removed field m_appNavBean
com.webmethods.caf.faces.component.nav.StaticMenus: Removed field m_children
com.webmethods.caf.faces.component.nav.StaticMenus: Removed field m_facets
com.webmethods.caf.faces.component.nav.ToggleMenus: Removed field m_appNavBean
com.webmethods.caf.faces.component.nav.ToggleMenus: Removed field m_children
com.webmethods.caf.faces.component.nav.ToggleMenus: Removed field m_facets
com.webmethods.caf.faces.component.output.Chart: Removed field m_barPadding
com.webmethods.caf.faces.component.output.Chart: Removed field m_barWidth
com.webmethods.caf.faces.component.output.Chart: Removed field m_color
com.webmethods.caf.faces.component.output.Chart: Removed field m_gridColor
com.webmethods.caf.faces.component.output.Chart: Removed field m_gridStyle
com.webmethods.caf.faces.component.output.Chart: Removed field m_height
com.webmethods.caf.faces.component.output.Chart: Removed field m_legendLocation
com.webmethods.caf.faces.component.output.Chart: Removed field m_legendStyleClass
com.webmethods.caf.faces.component.output.Chart: Removed field m_numberofGridLines
com.webmethods.caf.faces.component.output.Chart: Removed field m_padding
com.webmethods.caf.faces.component.output.Chart: Removed field m_rowColors
com.webmethods.caf.faces.component.output.Chart: Removed field m_series
com.webmethods.caf.faces.component.output.Chart: Removed field m_showLegend
com.webmethods.caf.faces.component.output.Chart: Removed field m_type

Removed API/ Description

com.webmethods.caf.faces.component.output.Chart: Removed field m_width
com.webmethods.caf.faces.component.output.ChartDataColumn: Removed field m_color
com.webmethods.caf.faces.component.output.ChartDataColumn: Removed field m_toolTip
com.webmethods.caf.faces.component.output.ChartDataColumn: Removed field m_value
com.webmethods.caf.faces.component.output.ChartLabelColumn: Removed field m_label
com.webmethods.caf.faces.component.output.Custom: Removed field m_name
com.webmethods.caf.faces.component.output.Icon: Removed field m_converter
com.webmethods.caf.faces.component.output.Icon: Removed field m_label
com.webmethods.caf.faces.component.output.Icon: Removed field m_url
com.webmethods.caf.faces.component.output.Icon: Removed field m_urlMousedown
com.webmethods.caf.faces.component.output.Icon: Removed field m_urlMouseover
com.webmethods.caf.faces.component.output.html.HtmlButton: Removed field m_accesskey
com.webmethods.caf.faces.component.output.html.HtmlButton: Removed field m_alt
com.webmethods.caf.faces.component.output.html.HtmlButton: Removed field m_dir
com.webmethods.caf.faces.component.output.html.HtmlButton: Removed field m_disabled
com.webmethods.caf.faces.component.output.html.HtmlButton: Removed field m_image
com.webmethods.caf.faces.component.output.html.HtmlButton: Removed field m_label
com.webmethods.caf.faces.component.output.html.HtmlButton: Removed field m_lang
com.webmethods.caf.faces.component.output.html.HtmlButton: Removed field m_onblur
com.webmethods.caf.faces.component.output.html.HtmlButton: Removed field m_onclick
com.webmethods.caf.faces.component.output.html.HtmlButton: Removed field m_ondblclick
com.webmethods.caf.faces.component.output.html.HtmlButton: Removed field m_onfocus
com.webmethods.caf.faces.component.output.html.HtmlButton: Removed field m_onkeydown
com.webmethods.caf.faces.component.output.html.HtmlButton: Removed field m_onmouseout
com.webmethods.caf.faces.component.output.html.HtmlButton: Removed field m_onmouseover
com.webmethods.caf.faces.component.output.html.HtmlButton: Removed field m_onmouseup
com.webmethods.caf.faces.component.output.html.HtmlButton: Removed field m_readonly
com.webmethods.caf.faces.component.output.html.HtmlButton: Removed field m_style
com.webmethods.caf.faces.component.output.html.HtmlButton: Removed field m_styleClass

Removed API/ Description

com.webmethods.caf.faces.component.output.html.HtmlButton: Removed field m_tabindex
com.webmethods.caf.faces.component.output.html.HtmlButton: Removed field m_title
com.webmethods.caf.faces.component.output.html.HtmlButton: Removed field m_type
com.webmethods.caf.faces.component.output.html.HtmlButton: Removed field m_width
com.webmethods.caf.faces.component.output.html.HtmlLink: Removed field m_label
com.webmethods.caf.faces.component.output.refresh.RefreshButton: Removed field m_for
com.webmethods.caf.faces.component.output.refresh.RefreshIcon: Removed field m_for
com.webmethods.caf.faces.component.output.refresh.RefreshInterval: Removed field m_for
com.webmethods.caf.faces.component.output.refresh.RefreshInterval: Removed field m_interval
com.webmethods.caf.faces.component.output.refresh.RefreshInterval: Removed field m_waitUntilReloaded
com.webmethods.caf.faces.component.output.refresh.RefreshLink: Removed field m_for
com.webmethods.caf.faces.component.panel.BaseHideablePanel: Removed field m_disableWhenHidden
com.webmethods.caf.faces.component.panel.BaseHideablePanel: Removed field m_lazy
com.webmethods.caf.faces.component.panel.BaseHideablePanel: Removed field m_refreshOnShow
com.webmethods.caf.faces.component.panel.BaseHideablePanel: Removed field m_suppressInputs
com.webmethods.caf.faces.component.panel.BaseHideablePanel: Removed field m_twoPass
com.webmethods.caf.faces.component.panel.BaseHideablePanel: Removed field m_visible
com.webmethods.caf.faces.component.panel.OverlayPanel: Removed field m_hideEffect
com.webmethods.caf.faces.component.panel.OverlayPanel: Removed field m_showEffect
com.webmethods.caf.faces.component.panel.PopupPanel: Removed field m_click
com.webmethods.caf.faces.component.panel.PopupPanel: Removed field m_close
com.webmethods.caf.faces.component.panel.PopupPanel: Removed field m_closeOnClick
com.webmethods.caf.faces.component.panel.PopupPanel: Removed field m_forRightClick
com.webmethods.caf.faces.component.panel.PopupPanel: Removed field m_hideEffect
com.webmethods.caf.faces.component.panel.PopupPanel: Removed field m_hideEffectOptions
com.webmethods.caf.faces.component.panel.PopupPanel: Removed field m_hover
com.webmethods.caf.faces.component.panel.PopupPanel: Removed field m_position
com.webmethods.caf.faces.component.panel.PopupPanel: Removed field m_showEffect

Removed API/ Description

com.webmethods.caf.faces.component.panel.PopupPanel: Removed field m_showEffectOptions

com.webmethods.caf.faces.component.panel.PropertyLine: Removed field m_description

com.webmethods.caf.faces.component.panel.PropertyLine: Removed field m_label

com.webmethods.caf.faces.component.panel.PropertyLine: Removed field m_overflow

com.webmethods.caf.faces.component.panel.PropertyLine: Removed field m_parentId

com.webmethods.caf.faces.component.panel.StackPanel: Removed field m_value

com.webmethods.caf.faces.component.panel.StaticCell: Removed field m_align

com.webmethods.caf.faces.component.panel.StaticCell: Removed field m_height

com.webmethods.caf.faces.component.panel.StaticCell: Removed field m_width

com.webmethods.caf.faces.component.panel.StaticRow: Removed field m_height

com.webmethods.caf.faces.component.panel.StaticRow: Removed field m_width

com.webmethods.caf.faces.component.search.BaseSearchControlHelper: Removed field fQuerySupplied

com.webmethods.caf.faces.component.search.BaseSearchControlHelper: Removed field fQuerySuppliedExpr

com.webmethods.caf.faces.component.search.SearchBar: Removed field m_facets

com.webmethods.caf.faces.component.select.FilterInput: Removed field m_labelText

com.webmethods.caf.faces.component.select.FilterInput: Removed field m_showGoButton

com.webmethods.caf.faces.component.select.SelectMany: Removed field m_filter

com.webmethods.caf.faces.component.select.SelectMany: Removed field m_other

com.webmethods.caf.faces.component.select.SelectMany: Removed field m_sortByLabel

com.webmethods.caf.faces.component.select.SelectOne: Removed field m_filter

com.webmethods.caf.faces.component.select.SelectOne: Removed field m_other

com.webmethods.caf.faces.component.select.SelectOne: Removed field m_sortByLabel

com.webmethods.caf.faces.component.select.html.HtmlSelectBoolean: Removed field m_accesskey

com.webmethods.caf.faces.component.select.html.HtmlSelectBoolean: Removed field m_dir

com.webmethods.caf.faces.component.select.html.HtmlSelectBoolean: Removed field m_disabled

com.webmethods.caf.faces.component.select.html.HtmlSelectBoolean: Removed field m_lang

com.webmethods.caf.faces.component.select.html.HtmlSelectBoolean: Removed field m_accesskey

com.webmethods.caf.faces.component.select.html.HtmlSelectBoolean: Removed field m_dir

Removed API/ Description

com.webmethods.caf.faces.component.select.html.HtmlSelectBoolean: Removed field m_disabled

com.webmethods.caf.faces.component.select.html.HtmlSelectBoolean: Removed field m_lang

com.webmethods.caf.faces.component.select.html.HtmlSelectBoolean: Removed field m_name

com.webmethods.caf.faces.component.select.html.HtmlSelectBoolean: Removed field m_onblur

com.webmethods.caf.faces.component.select.html.HtmlSelectBoolean: Removed field m_onchange

com.webmethods.caf.faces.component.select.html.HtmlSelectBoolean: Removed field m_onclick

com.webmethods.caf.faces.component.select.html.HtmlSelectBoolean: Removed field m_ondblclick

com.webmethods.caf.faces.component.select.html.HtmlSelectBoolean: Removed field m_onfocus

com.webmethods.caf.faces.component.select.html.HtmlSelectBoolean: Removed field m_onkeydown

com.webmethods.caf.faces.component.select.html.HtmlSelectBoolean: Removed field m_onkeypress

com.webmethods.caf.faces.component.select.html.HtmlSelectBoolean: Removed field m_onkeyup

com.webmethods.caf.faces.component.select.html.HtmlSelectBoolean: Removed field m_onmousedown

com.webmethods.caf.faces.component.select.html.HtmlSelectBoolean: Removed field m_onmousemove

com.webmethods.caf.faces.component.select.html.HtmlSelectBoolean: Removed field m_onmouseout

com.webmethods.caf.faces.component.select.html.HtmlSelectBoolean: Removed field m_onmouseover

com.webmethods.caf.faces.component.select.html.HtmlSelectBoolean: Removed field m_onmouseup

com.webmethods.caf.faces.component.select.html.HtmlSelectBoolean: Removed field m_readonly

com.webmethods.caf.faces.component.select.html.HtmlSelectBoolean: Removed field m_size

com.webmethods.caf.faces.component.select.html.HtmlSelectBoolean: Removed field m_style

com.webmethods.caf.faces.component.select.html.HtmlSelectBoolean: Removed field m_styleClass

com.webmethods.caf.faces.component.select.html.HtmlSelectBoolean: Removed field m_tabindex

com.webmethods.caf.faces.component.select.html.HtmlSelectBoolean: Removed field m_title

com.webmethods.caf.faces.component.select.html.HtmlSelectMany: Removed field m_accesskey

com.webmethods.caf.faces.component.select.html.HtmlSelectMany: Removed field m_border

com.webmethods.caf.faces.component.select.html.HtmlSelectMany: Removed field m_dir

com.webmethods.caf.faces.component.select.html.HtmlSelectMany: Removed field m_disabled

com.webmethods.caf.faces.component.select.html.HtmlSelectMany: Removed field m_disabledClass

com.webmethods.caf.faces.component.select.html.HtmlSelectMany: Removed field m_enabledClass

Removed API/ Description

com.webmethods.caf.faces.component.select.html.HtmlSelectMany: Removed field m_lang
com.webmethods.caf.faces.component.select.html.HtmlSelectMany: Removed field m_layout
com.webmethods.caf.faces.component.select.html.HtmlSelectMany: Removed field m_onblur
com.webmethods.caf.faces.component.select.html.HtmlSelectMany: Removed field m_onchange
com.webmethods.caf.faces.component.select.html.HtmlSelectMany: Removed field m_onclick
com.webmethods.caf.faces.component.select.html.HtmlSelectMany: Removed field m_ondblclick
com.webmethods.caf.faces.component.select.html.HtmlSelectMany: Removed field m_onfocus
com.webmethods.caf.faces.component.select.html.HtmlSelectMany: Removed field m_onkeydown
com.webmethods.caf.faces.component.select.html.HtmlSelectMany: Removed field m_onkeypress
com.webmethods.caf.faces.component.select.html.HtmlSelectMany: Removed field m_onkeyup
com.webmethods.caf.faces.component.select.html.HtmlSelectMany: Removed field m_onmousedown
com.webmethods.caf.faces.component.select.html.HtmlSelectMany: Removed field m_onmousemove
com.webmethods.caf.faces.component.select.html.HtmlSelectMany: Removed field m_onmouseout
com.webmethods.caf.faces.component.select.html.HtmlSelectMany: Removed field m_onmouseover
com.webmethods.caf.faces.component.select.html.HtmlSelectMany: Removed field m_onmouseup
com.webmethods.caf.faces.component.select.html.HtmlSelectMany: Removed field m_onselect
com.webmethods.caf.faces.component.select.html.HtmlSelectMany: Removed field m_readonly
com.webmethods.caf.faces.component.select.html.HtmlSelectMany: Removed field m_size
com.webmethods.caf.faces.component.select.html.HtmlSelectMany: Removed field m_style
com.webmethods.caf.faces.component.select.html.HtmlSelectMany: Removed field m_styleClass
com.webmethods.caf.faces.component.select.html.HtmlSelectMany: Removed field m_tabindex
com.webmethods.caf.faces.component.select.html.HtmlSelectOne: Removed field m_onblur
com.webmethods.caf.faces.component.select.html.HtmlSelectOne: Removed field m_onchange
com.webmethods.caf.faces.component.select.html.HtmlSelectOne: Removed field m_onclick
com.webmethods.caf.faces.component.select.html.HtmlSelectOne: Removed field m_ondblclick
com.webmethods.caf.faces.component.select.html.HtmlSelectOne: Removed field m_onfocus
com.webmethods.caf.faces.component.select.html.HtmlSelectOne: Removed field m_onkeydown
com.webmethods.caf.faces.component.select.html.HtmlSelectOne: Removed field m_onkeypress
com.webmethods.caf.faces.component.select.html.HtmlSelectOne: Removed field m_onkeyup

Removed API/ Description

com.webmethods.caf.faces.component.select.html.HtmlSelectOne: Removed field m_onmousedown
com.webmethods.caf.faces.component.select.html.HtmlSelectOne: Removed field m_onmousemove
com.webmethods.caf.faces.component.select.html.HtmlSelectOne: Removed field m_onmouseout
com.webmethods.caf.faces.component.select.html.HtmlSelectOne: Removed field m_onmouseover
com.webmethods.caf.faces.component.select.html.HtmlSelectOne: Removed field m_onmouseup
com.webmethods.caf.faces.component.select.html.HtmlSelectOne: Removed field m_onselect
com.webmethods.caf.faces.component.select.html.HtmlSelectOne: Removed field m_readonly
com.webmethods.caf.faces.component.select.html.HtmlSelectOne: Removed field m_size
com.webmethods.caf.faces.component.select.html.HtmlSelectOne: Removed field m_style
com.webmethods.caf.faces.component.select.html.HtmlSelectOne: Removed field m_styleClass
com.webmethods.caf.faces.component.select.html.HtmlSelectOne: Removed field m_tabindex
com.webmethods.caf.faces.component.select.html.HtmlSelectOne: Removed field m_title
com.webmethods.caf.faces.component.table.AddRow: Removed field m_addLastRowOnly
com.webmethods.caf.faces.component.table.AddRow: Removed field m_for
com.webmethods.caf.faces.component.table.AddRow: Removed field m_row
com.webmethods.caf.faces.component.table.AddRowIcon: Removed field m_title
com.webmethods.caf.faces.component.table.AddRowIcon: Removed field m_url
com.webmethods.caf.faces.component.table.AddRowIcon: Removed field m_urlMouseDown
com.webmethods.caf.faces.component.table.AddRowIcon: Removed field m_urlMouseover
com.webmethods.caf.faces.component.table.BaseExtendedColumn: Removed field m_align
com.webmethods.caf.faces.component.table.BaseExtendedColumn: Removed field m_ascending
com.webmethods.caf.faces.component.table.BaseExtendedColumn: Removed field m_exportable
com.webmethods.caf.faces.component.table.BaseExtendedColumn: Removed field m_group
com.webmethods.caf.faces.component.table.BaseExtendedColumn: Removed field m_hidden
com.webmethods.caf.faces.component.table.BaseExtendedColumn: Removed field m_label
com.webmethods.caf.faces.component.table.BaseExtendedColumn: Removed field m_nowrap
com.webmethods.caf.faces.component.table.BaseExtendedColumn: Removed field m_optional
com.webmethods.caf.faces.component.table.BaseExtendedColumn: Removed field m_ordinal
com.webmethods.caf.faces.component.table.BaseExtendedColumn: Removed field m_secondary

Removed API/ Description

com.webmethods.caf.faces.component.table.BaseExtendedColumn: Removed field m_secondaryEnd
com.webmethods.caf.faces.component.table.BaseExtendedColumn: Removed field m_secondaryStart
com.webmethods.caf.faces.component.table.BaseExtendedColumn: Removed field m_sort
com.webmethods.caf.faces.component.table.BaseExtendedColumn: Removed field m_valign
com.webmethods.caf.faces.component.table.BaseExtendedColumn: Removed field m_width
com.webmethods.caf.faces.component.table.BaseSelectRow: Removed field m_accesskey
com.webmethods.caf.faces.component.table.BaseSelectRow: Removed field m_disabled
com.webmethods.caf.faces.component.table.BaseSelectRow: Removed field m_multiple
com.webmethods.caf.faces.component.table.BaseSelectRow: Removed field m_tabindex
com.webmethods.caf.faces.component.table.DataPager: Removed field m_for
com.webmethods.caf.faces.component.table.DataPages: Removed field m_maxPages
com.webmethods.caf.faces.component.table.DataPages: Removed field m_showAlways
com.webmethods.caf.faces.component.table.MoveRowIcon: Removed field m_title
com.webmethods.caf.faces.component.table.MoveRowIcon: Removed field m_url
com.webmethods.caf.faces.component.table.MoveRowIcon: Removed field m_urlMouseDown
com.webmethods.caf.faces.component.table.MoveRowIcon: Removed field m_urlMouseover
com.webmethods.caf.faces.component.table.PrevNext: Removed field m_expandToEdges
com.webmethods.caf.faces.component.table.PrevNext: Removed field m_nextIconUrl
com.webmethods.caf.faces.component.table.PrevNext: Removed field m_nextText
com.webmethods.caf.faces.component.table.PrevNext: Removed field m_prevIconUrl
com.webmethods.caf.faces.component.table.PrevNext: Removed field m_prevText
com.webmethods.caf.faces.component.table.PrevNext: Removed field m_showAlways
com.webmethods.caf.faces.component.table.RemoveRow: Removed field m_for
com.webmethods.caf.faces.component.table.RemoveRow: Removed field m_removeLastRow
com.webmethods.caf.faces.component.table.RemoveRow: Removed field m_row
com.webmethods.caf.faces.component.table.RemoveRowIcon: Removed field m_title
com.webmethods.caf.faces.component.table.RemoveRowIcon: Removed field m_url
com.webmethods.caf.faces.component.table.RemoveRowIcon: Removed field m_urlMouseDown
com.webmethods.caf.faces.component.table.RemoveRowIcon: Removed field m_urlMouseover

Removed API/ Description

com.webmethods.caf.faces.component.table.SelectRow: Removed field m_accesskey
com.webmethods.caf.faces.component.table.SelectRow: Removed field m_disabled
com.webmethods.caf.faces.component.table.SelectRow: Removed field m_for
com.webmethods.caf.faces.component.table.SelectRow: Removed field m_multiple
com.webmethods.caf.faces.component.table.SelectRow: Removed field m_tabindex
com.webmethods.caf.faces.component.table.SelectRowCheckbox: Removed field m_children
com.webmethods.caf.faces.component.table.SelectRowCheckbox: Removed field m_facets
com.webmethods.caf.faces.component.table.html.AsyncList: Removed field m_bufferChunk
com.webmethods.caf.faces.component.table.html.AsyncList: Removed field m_bufferMax
com.webmethods.caf.faces.component.table.html.AsyncList: Removed field m_bufferMin
com.webmethods.caf.faces.component.table.html.AsyncList: Removed field m_clientSideCache
com.webmethods.caf.faces.component.table.html.AsyncList: Removed field m_flashOnChange
com.webmethods.caf.faces.component.table.html.AsyncList: Removed field m_progressDelay
com.webmethods.caf.faces.component.table.html.AsyncList: Removed field m_progressMsg
com.webmethods.caf.faces.component.table.html.AsyncList: Removed field m_suppressInputs
com.webmethods.caf.faces.component.table.html.AsyncListbox: Removed field m_rowClasses
com.webmethods.caf.faces.component.table.html.AsyncTable: Removed field m_bufferChunk
com.webmethods.caf.faces.component.table.html.AsyncTable: Removed field m_bufferMax
com.webmethods.caf.faces.component.table.html.AsyncTable: Removed field m_bufferMin
com.webmethods.caf.faces.component.table.html.AsyncTable: Removed field m_clientSideCache
com.webmethods.caf.faces.component.table.html.AsyncTable: Removed field m_flashOnChange
com.webmethods.caf.faces.component.table.html.AsyncTable: Removed field m_progressDelay
com.webmethods.caf.faces.component.table.html.AsyncTable: Removed field m_progressMsg
com.webmethods.caf.faces.component.table.html.AsyncTable: Removed field m_suppressInputs
com.webmethods.caf.faces.component.table.html.CalendarTable: Removed field dayVar
com.webmethods.caf.faces.component.table.html.CalendarTable: Removed field eventVar
com.webmethods.caf.faces.component.table.html.CalendarTable: Removed field m_allDay
com.webmethods.caf.faces.component.table.html.CalendarTable: Removed field m_calendarEndDate
com.webmethods.caf.faces.component.table.html.CalendarTable: Removed field m_calendarStartDate

Removed API/ Description

com.webmethods.caf.faces.component.table.html.CalendarTable: Removed field m_displayUnits

com.webmethods.caf.faces.component.table.html.CalendarTable: Removed field m_events

com.webmethods.caf.faces.component.table.html.CalendarTable: Removed field m_eventsSet

com.webmethods.caf.faces.component.table.html.CalendarTable: Removed field m_initialDate

com.webmethods.caf.faces.component.table.html.DataList: Removed field m_marker

com.webmethods.caf.faces.component.table.html.DataList: Removed field m_selected

com.webmethods.caf.faces.component.table.html.DataList: Removed field m_selectedRowClass

com.webmethods.caf.faces.component.table.html.DataTable: Removed field createdToOriginalRowIds

com.webmethods.caf.faces.component.table.html.DataTable: Removed field filter

com.webmethods.caf.faces.component.table.html.DataTable: Removed field first

com.webmethods.caf.faces.component.table.html.DataTable: Removed field firstSet

com.webmethods.caf.faces.component.table.html.DataTable: Removed field originalToCreatedRowIds

com.webmethods.caf.faces.component.table.html.DataTable: Removed field var

com.webmethods.caf.faces.component.table.html.HtmlTableColumn: Removed field m_facets

com.webmethods.caf.faces.component.table.html.ListBox: Removed field m_rowClasses

com.webmethods.caf.faces.component.table.specialized.Newsfeed: Removed field m_children

com.webmethods.caf.faces.component.table.specialized.Newsfeed: Removed field m_facets

com.webmethods.caf.faces.component.table.specialized.Newsfeed: Removed field m_layout

com.webmethods.caf.faces.component.table.specialized.Newsfeed: Removed field m_size

com.webmethods.caf.faces.component.table.specialized.Newsfeed: Removed field m_url

com.webmethods.caf.faces.component.toggle.InitiateToggle: Removed field m_for

com.webmethods.caf.faces.component.toggle.OneWayToggle: Removed field m_for

com.webmethods.caf.faces.component.toggle.OneWayToggle: Removed field m_way

com.webmethods.caf.faces.component.toggle.html.HtmlOneWayToggle: Removed field m_disabled

com.webmethods.caf.faces.component.toggle.html.HtmlOneWayToggle: Removed field m_disabledClass

com.webmethods.caf.faces.component.toggle.html.HtmlOneWayToggle: Removed field m_enabledClass

com.webmethods.caf.faces.component.toggle.html.HtmlOneWayToggle: Removed field m_width

com.webmethods.caf.faces.component.toggle.html.HtmlOneWayToggleCheckbox: Removed field

Removed API/ Description

m_checked

com.webmethods.caf.faces.component.toggle.html.HtmlOneWayToggleCheckbox: Removed field m_checkedWhenVisible

com.webmethods.caf.faces.component.toggle.html.HtmlToggle: Removed field m_disabled

com.webmethods.caf.faces.component.toggle.html.HtmlToggle: Removed field m_disabledClass

com.webmethods.caf.faces.component.toggle.html.HtmlToggle: Removed field m_enabledClass

com.webmethods.caf.faces.component.toggle.html.HtmlToggle: Removed field m_layout

com.webmethods.caf.faces.component.toggle.html.HtmlToggle: Removed field m_width

com.webmethods.caf.faces.component.tree.AsyncTree: Removed field m_initialDepth

com.webmethods.caf.faces.component.tree.AsyncTree: Removed field m_progressDelay

com.webmethods.caf.faces.component.tree.AsyncTree: Removed field m_progressFlashOnComplete

com.webmethods.caf.faces.component.tree.AsyncTree: Removed field m_progressMsg

com.webmethods.caf.faces.component.tree.AsyncTree: Removed field m_refillDepth

com.webmethods.caf.faces.component.tree.AsyncTree: Removed field m_refreshOnShow

com.webmethods.caf.faces.component.tree.AsyncTree: Removed field m_suppressInputs

com.webmethods.caf.faces.component.tree.BaseTreeControl: Removed field m_collapseAllIcon

com.webmethods.caf.faces.component.tree.BaseTreeControl: Removed field m_collapseIcon

com.webmethods.caf.faces.component.tree.BaseTreeControl: Removed field m_expandAllIcon

com.webmethods.caf.faces.component.tree.BaseTreeControl: Removed field m_expandIcon

com.webmethods.caf.faces.component.tree.BaseTreeControl: Removed field m_leafIcon

com.webmethods.caf.faces.component.tree.BaseTreeControl: Removed field m_lineBottomIcon

com.webmethods.caf.faces.component.tree.BaseTreeControl: Removed field m_lineIcon

com.webmethods.caf.faces.component.tree.BaseTreeControl: Removed field m_lineNoneIcon

com.webmethods.caf.faces.component.tree.BaseTreeControl: Removed field m_lineTopIcon

com.webmethods.caf.faces.component.tree.BaseTreeControl: Removed field m_loadingIcon

com.webmethods.caf.faces.component.tree.BaseTreeControl: Removed field m_showSortLink

com.webmethods.caf.faces.view.BaseViewHandler: Removed field RE_FE_URL

com.webmethods.portal.faces.view.PortalViewHandler: Removed field RE_FE_URL

com.webmethods.portal.taglib.PortalIterationTagSupport: Removed field EMPTY_ITERATOR

Release 9.8

Added API	Description
In Java 8, a sort (Comparator) method was added to the java.util.List interface.	<p>The My webMethods Server IListView interface extends the java.util.List interface, and has its own "sort" method with the same name but with a different method signature, which is not an allowed overwrite.</p> <p>To resolve the issue, the "throws PortalException" declaration has been removed from the IListView#sort(Comparator) method, so that it is compatible with the method in the List interface.</p>

10.0 Copyright Information

Copyright © 2018 Software AG, Darmstadt, Germany and/or Software AG USA Inc., Reston, VA, USA, and/or its subsidiaries and/or its affiliates and/or their licensors.

The name Software AG and all Software AG product names are either trademarks or registered trademarks of Software AG and/or Software AG USA Inc. and/or its subsidiaries and/or its affiliates and/or their licensors. Other company and product names mentioned herein may be trademarks of their respective owners.

Detailed information on trademarks and patents owned by Software AG and/or its subsidiaries is located at <http://softwareag.com/licenses>.

This software may include portions of third-party products. For third-party copyright notices, license terms, additional rights or restrictions, please refer to "License Texts, Copyright Notices and Disclaimers of Third Party Products". For certain specific third-party license restrictions, please refer to section E of the Legal Notices available under "License Terms and Conditions for Use of Software AG Products / Copyright and Trademark Notices of Software AG Products". These documents are part of the product documentation, located at <http://softwareag.com/licenses> and/or in the root installation directory of the licensed product(s).

11.0 Support

Visit the [Empower website](#) to learn about support policies and critical alerts, read technical articles and papers, download products and fixes, submit feature/enhancement requests, and more.

Visit the [TECHcommunity website](#) to access additional articles, demos, and tutorials, technical information, samples, useful resources, online discussion forums, and more.

MWS-RM-102-20180417