# System Requirements for Software AG Products (Adabas and Natural, Apama, Integration & API)

## Table of Contents:

## Supported Platforms for Software AG Cloud Products

| Product Name | Processor | Windows Server 2012 Datacenter and Standard Edition — Amazon EC2 64-bit | Windows Server 2012 Datacenter and Standard Edition — Microsoft Azure | Windows Server 2016 Datacenter and Standard Edition — Amazon EC2 64-bit | Windows Server 2016 Datacenter and Standard Edition — Microsoft Azure | Windows Server 2019 Datacenter and Standard Edition — Amazon EC2 64-bit | Windows Server 2019 Datacenter and Standard Edition — Microsoft Azure | Red Hat Enterprise Linux Server [1] 7.x — Amazon EC2 64-bit | Red Hat Enterprise Linux Server [1] 7.x — Microsoft Azure | Red Hat Enterprise Linux Server [1] 8.x — Amazon EC2 64-bit | Red Hat Enterprise Linux Server [1] 8.x — Microsoft Azure | CentOS 7.x — Amazon EC2 64-bit | CentOS 7.x — Microsoft Azure | CentOS 8.x [5] |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Apama Server | 10.5 | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| Apama Capital Markets Foundation | 10.5 | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| Apama Capital Markets Adapters | 10.5 | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| Apama Predictive Analytics | 10.5 | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| Common C/C++ Runtime | 19.10 | ✓ | ✓ | ✓ | ✓ | | | | | | | | | |
| ApplinX [2] | 10.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| EntireX [2] | 10.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| Natural Screen Tester | 1.4 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | | | | ✓ | ✓ | |
| Software AG MashZone NextGen | 10.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| webMethods API Gateway | 10.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| webMethods API Gateway Data Store | 10.5 | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | | ✓ | ✓ | |
| webMethods API Portal | 10.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| webMethods Microgateway | 10.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | | ✓ | ✓ | |
| CentraSite | 10.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | | ✓ | ✓ | |
| Software AG Command Central | 10.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| webMethods Platform Manager | 10.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |

## Supported Platforms for Software AG Cloud Products

| Product Name | Processor | Windows Server 2012 Datacenter and Standard Edition — Amazon EC2 64-bit | Windows Server 2012 Datacenter and Standard Edition — Microsoft Azure | Windows Server 2016 Datacenter and Standard Edition — Amazon EC2 64-bit | Windows Server 2016 Datacenter and Standard Edition — Microsoft Azure | Windows Server 2019 Datacenter and Standard Edition — Amazon EC2 64-bit | Windows Server 2019 Datacenter and Standard Edition — Microsoft Azure | Red Hat Enterprise Linux Server [1] 7.x — Amazon EC2 64-bit | Red Hat Enterprise Linux Server [1] 7.x — Microsoft Azure | Red Hat Enterprise Linux Server [1] 8.x — Amazon EC2 64-bit | Red Hat Enterprise Linux Server [1] 8.x — Microsoft Azure | CentOS 7.x — Amazon EC2 64-bit | CentOS 7.x — Microsoft Azure | CentOS 8.x [5] |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| webMethods Asset Build Environment | 10.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| webMethods Deployer | 10.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| webMethods Integration Server | 10.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| webMethods Microservices Runtime | 10.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | | ✓ | ✓ | |
| webMethods Trading Networks | 10.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| webMethods ActiveTransfer Agent | 10.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | | ✓ | ✓ | |
| webMethods ActiveTransfer Gateway | 10.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | | ✓ | ✓ | |
| webMethods ActiveTransfer Server | 10.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| Software AG Universal Messaging | 10.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| Software AG Universal Messaging - C++ Clients | 10.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | | ✓ | ✓ | |
| Software AG Digital Event Services | 10.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| webMethods Event Routing | 10.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | | ✓ | ✓ | |
| webMethods Broker | 10.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| webMethods Logging Utility | 9.6 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| Terracotta | 10.5 | ✓ | ✓ | ✓ | ✓ | (✓)[4] | (✓)[4] | ✓ | ✓ | | | (✓)[4] | (✓)[4] | |
| Terracotta Ehcache | 10.5 | ✓ | ✓ | ✓ | ✓ | (✓)[4] | (✓)[4] | | | | | (✓)[4] | (✓)[4] | |

## Supported Platforms for Software AG Cloud Products

| Product Name | Processor | Windows Server 2012 Datacenter and Standard Edition | | Windows Server 2016 Datacenter and Standard Edition | | Windows Server 2019 Datacenter and Standard Edition | | Red Hat Enterprise Linux Server [1] 7.x | | Red Hat Enterprise Linux Server [1] 8.x | | CentOS 7.x | | CentOS 8.x [5] |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | Amazon EC2 64-bit | Microsoft Azure | Amazon EC2 64-bit | Microsoft Azure | Amazon EC2 64-bit | Microsoft Azure | Amazon EC2 64-bit | Microsoft Azure | Amazon EC2 64-bit | Microsoft Azure | Amazon EC2 64-bit | Microsoft Azure | |
| BigMemory Max | 4.3.8 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| My webMethods Server | 10.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| webMethods Task Engine | 10.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| webMethods Business Rules | 10.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| webMethods Monitor | 10.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| webMethods Process Engine | 10.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| webMethods Business Console | 10.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| webMethods AgileApps Cloud | 10.13 | | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | | ✓ | ✓ | |
| webMethods CloudStreams Server | 10.5 | ✓ | ✓ | ✓ | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| webMethods OneData | 10.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| webMethods Locate | 10.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | | ✓ | ✓ | |
| webMethods Application Platform Server | 10.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | | ✓ | ✓ | |
| webMethods Database Configuration | 10.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| webMethods Infrastructure Data Collector | 10.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| webMethods Optimize for B2B | 10.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| webMethods Optimize for Infrastructure | 10.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |

## Supported Platforms for Software AG Cloud Products

| Product Name | Processor | Windows Server 2012 Datacenter and Standard Edition | | Windows Server 2016 Datacenter and Standard Edition | | Windows Server 2019 Datacenter and Standard Edition | | Red Hat Enterprise Linux Server [1] 7.x | | Red Hat Enterprise Linux Server [1] 8.x | | CentOS 7.x | | CentOS 8.x [5] |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | Amazon EC2 64-bit | Microsoft Azure | Amazon EC2 64-bit | Microsoft Azure | Amazon EC2 64-bit | Microsoft Azure | Amazon EC2 64-bit | Microsoft Azure | Amazon EC2 64-bit | Microsoft Azure | Amazon EC2 64-bit | Microsoft Azure | |
| webMethods Optimize for Process | 10.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| webMethods Mobile Designer | 10.3 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | | ✓ | ✓ | |
| webMethods Adapter Development Kit | 6.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | | ✓ | ✓ | |
| webMethods Test Suite | 10.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | | ✓ | ✓ | |
| webMethods Tamino XML Server | 10.3 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | | ✓ | ✓ | |
| XTools | 9.7 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | | ✓ | ✓ | |
| Zementis Server [3] | 10.5 | ✓ | ✓ | | | | | ✓ | ✓ | | | ✓ | ✓ | |
| Integration Server Package for Zementis | 10.5 | ✓ | ✓ | | | | | ✓ | ✓ | | | ✓ | ✓ | |
| Zementis Plugin Library [3] | 10.5 | ✓ | ✓ | | | | | ✓ | ✓ | | | ✓ | ✓ | |

**Notes:**

[1] Red Had Enterprise Linux Server includes the Base Server and Advanced Platform.

[2] ApplinX and EntireX support additional operating systems. For more information, see the product Release Notes

[3] Zementis also supports Ubuntu 16.04, Debian 9, and other platforms. For more information, see the product documentation.

[4] Terracotta products support Docker (kernel engine 3.10+) and Kubernetes. For more information, see the product documentation.

[5] Support for CentOS Linux 8, as a rebuild of RHEL 8, stops at the end of 2021. Due to unavailability of manufacturer support, Software AG discontinues support for CentOS 8 for all product versions, effective immediately.

**For more details, see the "General Information and Disclaimers" section at the end of this document.**

## Supported RDBMSs for Software AG Cloud Products

| Product Name | RDBMS | Oracle RDS | Amazon Aurora PostgreSQL | SQL Server RDS | SQL Server Azure PaaS |
|---|---|---|---|---|---|
| Apama Server | 10.5 | | | | |
| Software AG MashZone NextGen | 10.5 | | | | |
| My webMethods Server | 10.5 | ✓ | ✓ | ✓ | ✓ |
| webMethods Business Console | 10.5 | | ✓ | ✓ | ✓ |
| webMethods Integration Server | 10.5 | ✓ | ✓ | ✓ | ✓ |
| webMethods Microservices Runtime | 10.5 | | | | |
| webMethods API Portal | 10.5 | | | ✓ | ✓ |
| webMethods Trading Networks | 10.5 | ✓ | ✓ | ✓ | ✓ |
| webMethods ActiveTransfer Server | 10.5 | ✓ | ✓ | ✓ | ✓ |
| webMethods AgileApps Cloud | 10.13 | | | | |
| webMethods CloudStreams Server | 10.5 | ✓ | ✓ | ✓ | ✓ |
| webMethods Process Engine | 10.5 | ✓ | ✓ | ✓ | ✓ |
| webMethods Monitor | 10.5 | ✓ | ✓ | ✓ | ✓ |
| webMethods Business Rules | 10.5 | ✓ | ✓ | ✓ | ✓ |
| webMethods Optimize  for Process & Optimize for B2B | 10.5 | ✓ | ✓ | ✓ | ✓ |
| webMethods OneData | 10.5 | | | | |
| webMethods Database Configuration | 10.5 | ✓ | ✓ | ✓ | ✓ |
| Zementis Server | 10.5 | | | | |

**For more details, see the "General Information and Disclaimers" section at the end of this document.**

| Supported Browsers | | | | | | | |
| --- | --- | --- | --- | --- | --- | --- | --- |
| **Product Name** | **Browser** **Version** | **Microsoft IE/Edge** | | **Mozilla Firefox** | **Google Chrome** | **Safari 11** | |
| | | **IE 11.x** | **Edge** | **ESR 60** | | **desktop** | **mobile** |
| Apama Server | 10.5 | ✓ | ✓ | ✓ | ✓ | | |
| ApplinX | 10.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Cumulocity IoT Edge | 10.5 | (✓)[2] | ✓ | ✓ | ✓ | | ✓ |
| CentraSite | 10.5 | ✓ | ✓ | ✓ | ✓ | | |
| My webMethods Server | 10.5 | ✓ | ✓ | ✓ | ✓ | | |
| Software AG Command Central | 10.5 | ✓ | ✓ | ✓ | ✓ | | |
| Software AG Designer | 10.5 | ✓ | ✓ | ✓ | ✓ | ✓ | |
| Software AG MashZone NextGen | 10.5 | ✓ | ✓ | ✓ | ✓ | ✓ | |
| Big Memory Max | 4.3.8 | ✓ | ✓ | ✓ | ✓ | | |
| Terracotta | 10.5 | ✓ | ✓ | ✓ | ✓ | | |
| Terracotta Ehcache | 10.5 | ✓ | ✓ | ✓ | ✓ | | |
| Software AG Universal Messaging | 10.5 | ✓ | ✓ | ✓ | ✓ | | |
| webMethods ActiveTransfer Server | 10.5 | ✓ | ✓ | ✓ | ✓ | | |
| webMethods AgileApps Cloud*[1] | 10.13 | | ✓ | ✓ | ✓ | | |
| webMethods API Gateway | 10.5 | ✓ | ✓ | ✓ | ✓ | | |
| webMethods API Portal | 10.5 | ✓ | ✓ | ✓ | ✓ | | |
| Software AG Cloud Infrastructure | 1.4 | | ✓ | ✓ | ✓ | | |
| webMethods Cloud Container | 2.1 | ✓ | ✓ | ✓ | ✓ | | |
| webMethods Integration Cloud | 6.1 | ✓ | ✓ | ✓ | ✓ | | |
| webMethods.io B2B | 1.3 | | ✓ | ✓ | ✓ | | |
| webMethods.io Integration | 2.1 | | | ✓ | ✓ | ✓ | |
| webMethods Application Platform | 10.5 | ✓ | ✓ | ✓ | ✓ | | |
| webMethods Broker | 10.5 | ✓ | ✓ | ✓ | ✓ | | |
| webMethods Business Console | 10.5 | ✓ | ✓ | ✓ | ✓ | | |
| webMethods Business Rules | 10.5 | ✓ | ✓ | ✓ | ✓ | | |
| webMethods CloudStreams Server | 10.5 | ✓ | ✓ | ✓ | ✓ | ✓ | |
| webMethods Deployer | 10.5 | ✓ | ✓ | ✓ | ✓ | | |
| webMethods Integration Server | 10.5 | ✓ | ✓ | ✓ | ✓ | | |
| webMethods Integration Cloud | 10.5 | ✓ | ✓ | ✓ | ✓ | ✓ | |
| webMethods Microservices Runtime | 10.5 | ✓ | ✓ | ✓ | ✓ | | |
| webMethods Monitor | 10.5 | ✓ | ✓ | ✓ | ✓ | | |
| webMethods OneData | 10.5 | ✓ | ✓ | ✓ | ✓ | | ✓ |

| Supported Browsers | | | | | | | |
|---|---|---|---|---|---|---|---|
| | Browser | Microsoft IE/Edge | | Mozilla Firefox | Google Chrome | Safari 11 | |
| Product Name | Version | IE 11.x | Edge | ESR 60 | | desktop | mobile |
| webMethods Optimize | 10.5 | ✓ | ✓ | ✓ | ✓ | | |
| webMethods Trading Networks | 10.5 | ✓ | ✓ | ✓ | ✓ | | |
| Zementis Server | 10.5 | ✓ | | ✓ | ✓ | ✓ | |

**Notes:**

[1] AgileApps process modeling is only supported on Mozilla Firefox.

[2] Cumulocity IoT Edge is fully functional on Internet Explorer 11. However, layouts may not be perfect in all cases.

**For more details, see the "General Information and Disclaimers" section at the end of this document.**

## Supported On-Premises Platforms for Software AG Products

| Operating System | | Windows Server 2012 Datacenter and Standard Edition | Windows Server 2016 Datacenter and Standard Edition | Windows Server 2019 Datacenter and Standard Edition | Windows 8.x Pro and Enterprise | Windows 10 Pro and Enterprise | Suse Linux Enterprise Server | Suse Linux Enterprise Server | Red Hat Enterprise Linux Server [1] | | | CentOS | | Solaris | AIX | | macOS |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **Version** | | R2 | | | | | 12 SPx | 15 SPx | 7.x | | 8.x | 7.x | 8.x [13] | 11 | 7.1 | 7.2 | 10.14 |
| **Product Name** | Processor | x86-64 [3] | x86-64 [3] | x86-64 [3] | x86-64 | x86-64 | x86-64 | x86-64 | x86-64 [3] | IBM System z 64-bit | x86-64 | x86-64 | | SPARC 64 | Power64-bit | Power64-bit | |
| Apama Server [4] | 10.5 | | ✓ | ✓ | ✓ | ✓ | ✓ | | ✓ | | ✓ | ✓ | | | | | |
| Apama Capital Markets Foundation [4] | 10.5 | | ✓ | ✓ | ✓ | ✓ | ✓ | | ✓ | | | ✓ | | | | | |
| Apama Capital Markets Adapters [4] | 10.5 | | ✓ | ✓ | ✓ | ✓ | ✓ | | ✓ | | | ✓ | | | | | |
| Apama Predictive Analytics [4] | 10.5 | | ✓ | ✓ | ✓ | ✓ | ✓ | | ✓ | | ✓ | ✓ | | | | | |
| Common C/C++ Runtime | 19.10 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | | | | | | | | | |
| ApplinX [2] | 10.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | ✓ | ✓ | | ✓ | | ✓ | ✓ | ✓ | |
| EntireX [2] | 10.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | ✓ | ✓ | | ✓ | | ✓ | ✓ | ✓ | |
| Natural Screen Tester | 1.4 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | ✓ | ✓ | | ✓ | | ✓ | ✓ | ✓ | |
| Software AG MashZone NextGen | 10.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | ✓ | ✓ | | | | | ✓ |
| webMethods API Gateway | 10.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | ✓ | ✓ | | ✓ | ✓ | | |
| webMethods API Gateway Data Store | 10.5 | | ✓ | ✓ | ✓ | | | ✓ | | ✓ | | | ✓ | | | | | |
| webMethods API Portal | 10.5 | ✓ | ✓ | ✓ | ✓ | | ✓ | ✓ | ✓ | (✓)[9] | | ✓ | (✓)[9] | | | | | |
| webMethods Microgateway | 10.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | ✓ | | | ✓ | | | | | |
| CentraSite | 10.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | (✓)[5] | ✓ | ✓ | |
| Software AG Command Central | 10.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | ✓ | ✓ | | ✓ | ✓ | ✓ | ✓ |
| webMethods Platform Manager | 10.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | (✓)[12] | ✓ | ✓ | | ✓ | ✓ | ✓ | ✓ |
| webMethods Asset Build Environment | 10.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | ✓ | ✓ | ✓ | ✓ |

## Supported On-Premises Platforms for Software AG Products

| Product Name | Processor | Win Server 2012 DC/Std R2 x86-64[3] | Win Server 2016 DC/Std x86-64[3] | Win Server 2019 DC/Std x86-64[3] | Win 8.x Pro/Ent x86-64 | Win 10 Pro/Ent x86-64 | Suse Linux Ent Server 12 SPx x86-64 | Suse Linux Ent Server 15 SPx x86-64 | Red Hat Ent Linux Server[1] 7.x x86-64[3] | Red Hat Ent Linux Server[1] IBM System z 64-bit | Red Hat Ent Linux Server[1] 8.x x86-64 | CentOS 7.x x86-64 | CentOS 8.x[13] | Solaris 11 SPARC 64 | AIX 7.1 Power64-bit | AIX 7.2 Power64-bit | macOS 10.14 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| webMethods Deployer | 10.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | ✓ | ✓ | ✓ | ✓ |
| webMethods Integration Server[7] | 10.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | ✓ | ✓ | ✓ | ✓ |
| webMethods Microservices Runtime | 10.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | ✓ | | ✓ | ✓ | | ✓ | ✓ | ✓ | ✓ |
| webMethods Trading Networks | 10.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | ✓ | ✓ | | ✓ | ✓ | ✓ | ✓ |
| webMethods ActiveTransfer Agent | 10.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | ✓ | | ✓ | ✓ | | ✓ | ✓ | ✓ | ✓ |
| webMethods ActiveTransfer Gateway | 10.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | ✓ | | ✓ | ✓ | | ✓ | ✓ | ✓ | ✓ |
| webMethods ActiveTransfer Server | 10.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | ✓ | ✓ | | ✓ | ✓ | ✓ | ✓ |
| Software AG Universal Messaging[11] | 10.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | ✓ | ✓ | | ✓ | ✓ | ✓ | ✓ |
| Software AG Universal Messaging - C++ Clients | 10.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | ✓ | | | ✓ | | | | | ✓ |
| Software AG Digital Event Services | 10.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | ✓ | | ✓ | ✓ | | ✓ | ✓ | ✓ | ✓ |
| webMethods Event Routing | 10.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | ✓ | | ✓ | ✓ | | ✓ | ✓ | ✓ | ✓ |
| webMethods Broker | 10.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | ✓ | ✓ | ✓ | ✓ | | ✓ | ✓ | ✓ | ✓ |
| webMethods Logging Utility | 9.6 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | ✓ | ✓ | ✓ | ✓ | | ✓ | ✓ | ✓ | ✓ |
| Terracotta | 10.5 | ✓ | ✓ | ✓ | ✓ | | ✓ | ✓ | ✓ | (✓)[10] | | ✓ | (✓)[10] | | | | |
| Terracotta Ehcache | 10.5 | ✓ | ✓ | ✓ | ✓ | | ✓ | ✓ | (✓)[10] | | | (✓)[10] | | | | | |
| BigMemory Max | 4.3.8 | ✓ | ✓ | ✓ | ✓ | | ✓ | ✓ | ✓ | (✓)[6] | ✓ | ✓ | | (✓)[6] | (✓)[6] | (✓)[6] | |
| My webMethods Server | 10.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | ✓ | ✓ | ✓ | |

## Supported On-Premises Platforms for Software AG Products

| Product Name | Processor | Windows Server 2012 Datacenter and Standard Edition R2 — x86-64 [3] | Windows Server 2016 Datacenter and Standard Edition — x86-64 [3] | Windows Server 2019 Datacenter and Standard Edition — x86-64 [3] | Windows 8.x Pro and Enterprise — x86-64 | Windows 10 Pro and Enterprise — x86-64 | Suse Linux Enterprise Server 12 SPx — x86-64 | Suse Linux Enterprise Server 15 SPx — x86-64 | Red Hat Enterprise Linux Server [1] 7.x — x86-64 [3] | Red Hat Enterprise Linux Server [1] 7.x — IBM System z 64-bit | Red Hat Enterprise Linux Server [1] 8.x — x86-64 | CentOS 7.x — x86-64 | CentOS 8.x [13] | Solaris 11 — SPARC 64 | AIX 7.1 — Power64-bit | AIX 7.2 — Power64-bit | macOS 10.14 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| webMethods Task Engine | 10.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | ✓ | ✓ | ✓ | |
| webMethods Business Rules | 10.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | ✓ | ✓ | ✓ | |
| webMethods Monitor | 10.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | ✓ | ✓ | ✓ | |
| webMethods Process Engine | 10.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | ✓ | ✓ | ✓ | |
| webMethods Business Console | 10.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | ✓ | ✓ | ✓ | |
| webMethods AgileApps Cloud | 10.13 | | ✓ | ✓ | | | ✓ | | ✓ | | | ✓ | | | | | |
| webMethods CloudStreams Server | 10.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | ✓ | ✓ | ✓ | ✓ |
| webMethods OneData | 10.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | ✓ | ✓ | ✓ | | ✓ | ✓ | ✓ | |
| webMethods Locate | 10.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | | ✓ | ✓ | ✓ | | | | | |
| webMethods Application Platform Server | 10.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | | ✓ | ✓ | ✓ | | ✓ | ✓ | ✓ | |
| webMethods Database Configuration | 10.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | ✓ | ✓ | ✓ | ✓ |
| webMethods Infrastructure Data Collector | 10.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | ✓ | ✓ | ✓ | |
| webMethods Optimize for B2B | 10.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | ✓ | ✓ | ✓ | |
| webMethods Optimize for Infrastructure | 10.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | ✓ | ✓ | ✓ | |
| webMethods Optimize for Process | 10.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | ✓ | ✓ | ✓ | |
| webMethods Mobile Designer | 10.3 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | | ✓ | | ✓ | | | | | ✓ |
| webMethods Adapter Development Kit | 6.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | | ✓ | ✓ | ✓ | | ✓ | ✓ | ✓ | |

## Supported On-Premises Platforms for Software AG Products

| Product Name | Processor | Windows Server 2012 Datacenter and Standard Edition — R2 — x86-64 [3] | Windows Server 2016 Datacenter and Standard Edition — x86-64 [3] | Windows Server 2019 Datacenter and Standard Edition — x86-64 [3] | Windows 8.x Pro and Enterprise — x86-64 | Windows 10 Pro and Enterprise — x86-64 | Suse Linux Enterprise Server — 12 SPx — x86-64 | Suse Linux Enterprise Server — 15 SPx — x86-64 | Red Hat Enterprise Linux Server [1] — 7.x — x86-64 [3] | Red Hat Enterprise Linux Server [1] — 7.x — IBM System z 64-bit | Red Hat Enterprise Linux Server [1] — 8.x — x86-64 | CentOS — 7.x — x86-64 | CentOS — 8.x [13] — x86-64 | Solaris — 11 — SPARC 64 | AIX — 7.1 — Power64-bit | AIX — 7.2 — Power64-bit | macOS — 10.14 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| webMethods Test Suite | 10.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | ✓ | | ✓ | ✓ | ✓ | ✓ |
| webMethods Web Reader | 10.3 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | | | | ✓ | ✓ | ✓ |
| webMethods Tamino XML Server | 10.3 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | ✓ | | ✓ | ✓ | ✓ | |
| XTools | 9.7 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | | ✓ | | | | | |
| Zementis Server [8] | 10.5 | ✓ | ✓ | | ✓ | ✓ | | | ✓ | | | ✓ | | | | | ✓ |
| Integration Server Package for Zementis | 10.5 | ✓ | ✓ | | ✓ | ✓ | | | ✓ | | | ✓ | | | | | ✓ |
| Zementis Plugin Library [8] | 10.5 | ✓ | ✓ | | ✓ | ✓ | | | ✓ | | | ✓ | | | | | ✓ |

**Notes:**

[1] Red Had Enterprise Linux Server includes the Base Server and Advanced Platform.

[2] ApplinX and EntireX support additional operating systems. For more information, see the product

[3] Also supported on VMWare ESX 5.x.

[4] Apama Support is very specific: Win2012 is R2 only; Win8 is 8.1 only. Additional OS are also supported. For more information, see the product documentation.

[5] CentraSite on Solaris SPARC requires Oracle Solaris Version 11.3.25.3.0 (Support Repository Update 25, October 2017) or higher.

[6] BigMemory Max supports the listed platforms only when used with webMethods produ

[7] Integration Agent is supported on the same platforms as Integration Server with the exception of Mac OS.

[8] Zementis also supports Ubuntu 16.04, Debian 9, and other platforms. For more information, see the product documentation.

[9] API Portal supports version 7.4 of RHEL and CentOS.

[10] Terracotta products support Docker (kernel engine 3.10+) and Kubernetes. For more information, see the product documentation.

[11] Universal Messaging shared memory drivers are currently not supported. For more information, see the product documentation.

[12] You can install Software AG Platform Manager with Software AG Installer on zLinux, but the installation cannot be managed in Command Cetral.

[13] Support for CentOS Linux 8, as a rebuild of RHEL 8, stops at the end of 2021. Due to unavailability of manufacturer support, Software AG discontinues support for CentOS 8 for all product versions, effective immediately.

**For more details, see the "General Information and Disclaimers" section at the end of this document.**

## Supported Operating System Platforms for Software AG Designer

Software AG supports all listed operating systems and the following operating systems on premise: Windows Server 2012, 2016, and 2019, and Red Hat Linux Enterprise Server 7 and 8.

| Operating System | | Windows Server 2012 Datacenter and Standard Edition | | Windows Server 2016 Datacenter and Standard Edition | Windows Server 2019 Datacenter and Standard Edition | Windows 8.x Pro and Enterprise | Windows 10 Pro and Enterprise | Suse Linux Enterprise Server | Suse Linux Enterprise Server | Red Hat Enterprise Linux | | CentOS | | macOS |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **Version** | | | R2 | | | | | 12 SPx | 15 SPx | 7.x | 8.x | 7.x | 8.x [2] | 10.14 |
| **Product Name** | Processor | x86-64 | x86-64 | x86-64 | x86-64 | x86-64 | x86-64 | x86-64 | x86-64 | x86-64 *1 | x86-64 *1 | x86-64 | | x86-64 |
| Software AG Designer Plug-ins: | 10.5 | | | | | | | | | | | | | |
| Apama | 10.5 | | ✓ | ✓ | ✓ | ✓ | ✓ | | | | | | | |
| CentraSite SOA Governance | 10.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | ✓ | | ✓ | | |
| Local Service Development | 10.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | ✓ | ✓ | ✓ | | ✓ |
| Software AG Digital Event Services | 10.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | ✓ | ✓ | ✓ | | ✓ |
| webMethods Application Platform Development Plug-in | 10.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | ✓ | | ✓ | | |
| webMethods ApplinX | 10.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | | | | | | |
| webMethods Business Rules | 10.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | |
| webMethods CloudStreams Development | 10.5 | ✓ | ✓ | ✓ | | ✓ | ✓ | ✓ | | ✓ | ✓ | ✓ | | ✓ |
| webMethods Composite Application Framework | 10.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | ✓ | ✓ | ✓ | | |
| webMethods EntireX | 10.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | ✓ | | ✓ | | |
| webMethods Event Routing | 10.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | ✓ | ✓ | ✓ | | |
| webMethods Mobile Development | 10.3 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | ✓ | | ✓ | | ✓ |
| webMethods Process Development | 10.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | |
| webMethods Process Simulation | 10.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | |
| webMethods Service Development | 10.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | ✓ | ✓ | ✓ | | ✓ |
| webMethods Tamino XML Server | 10.3 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | ✓ | | ✓ | | |
| webMethods Test Suite | 10.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | ✓ | | ✓ |

**Notes:**

[1] Software AG also supports this OS on VMWare ESX 5.x

[2] Support for CentOS Linux 8, as a rebuild of RHEL 8, stops at the end of 2021. Due to unavailability of manufacturer support, Software AG discontinues support for CentOS 8 for all product versions, effective immediately.

**For more details, see the "General Information and Disclaimers" section at the end of this document.**

| Supported Operating System Platforms | | | | | | | |
| --- | --- | --- | --- | --- | --- | --- | --- |
| Operating System | | z/OS | | | z/VSE | BS2000 | |
| Product Name | Version | 2.2 | 2.3 | 2.4 | 6.2 | 10.0 | 11.0 |
| Adabas Caching Facility | 8.4.3 | ✓ | ✓ | ✓ | | | |
| Adabas Delta Save Facility | 8.4.3 | ✓ | ✓ | ✓ | | | |
| EntireX | 10.5 | ✓ | ✓ | ✓ | | | |
| Adabas Enabler for zIIP | 8.4.3 | ✓ | ✓ | ✓ | | | |
| Adabas Online Services | 8.4.3 | ✓ | ✓ | ✓ | | | |
| Mainframe License Check [1] | 1.3.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |

**Notes:**

[1] Part of product packages.

**For more details, see the "General Information and Disclaimers" section at the end of this document.**

## Containers and Orchestration

**Any OCI-compliant container runtime should work. If you encounter an issue with your specific OCI runtime, you will be required to reproduce it on one of the supported platforms.**

| Product Name | Type | Base Image | | | | | | | Orchestrator | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | Version | CentOS 7.x | CentOS 8.x [3] | RedHat 7.x | Ubuntu 18.04 | Alpine 3.10 | Windows Server 2016 | Windows 10 | Docker Compose | OpenShift | Kubernetes |
| Apama Server | 10.5 | ✓ | | ✓ | ✓ | | | | | | |
| ApplinX | 10.5 | ✓ | | ✓ | | | | | | | |
| webMethods Integration Server [2] | 10.5 | ✓ | | ✓ | ✓ | | ✓ | ✓ | ✓ | (✓)[1] | (✓)[1] |
| webMethods Microservices Runtime | 10.5 | ✓ | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Software AG Command Central | 10.5 | ✓ | | ✓ | | | | | ✓ | | ✓ |
| webMethods Platform Manager | 10.5 | ✓ | | ✓ | | | | | ✓ | | ✓ |
| Software AG Universal Messaging | 10.5 | ✓ | | ✓ | | | | | ✓ | | |
| Terracotta | 10.5 | ✓ | | ✓ | ✓ | | | | ✓ | | ✓ |
| BigMemory Max | 4.3.8 | ✓ | | ✓ | ✓ | | | | ✓ | | ✓ |
| webMethods API Gateway | 10.5 | ✓ | | ✓ | | | | | ✓ | | ✓ |
| webMethods API Portal | 10.5 | | | | | ✓ | | | ✓ | ✓ | ✓ |
| webMethods Microgateway | 10.5 | | | | | ✓ | | | ✓ | | ✓ |

**Notes:**

[1] Only available on Integration Server with Microservices Runtime capabilities enabled.

[2] Integration Server support does not extend to the base image and any fixes or patches issued by the base Docker image provider.

[3] Support for CentOS Linux 8, as a rebuild of RHEL 8, stops at the end of 2021. Due to unavailability of manufacturer support, Software AG discontinues support for CentOS 8 for all product versions, effective immediately.

**For more details, see the "General Information and Disclaimers" section at the end of this document.**

| Supported Hypervisors | | | | |
| --- | --- | --- | --- | --- |
| Product Name | Hypervisor Version | VMware ESXi 6.5 and 6.7 | VMware Workstation Pro and Player 15.x | Microsoft Hyper-V Windows 10 Pro and Enterprise, version 1809 (as Host OS) |
| *Cumulocity IoT Edge* | *10.5* | ✓ | ✓ | ✓ |

## Supported RDBMSs for On-Premises Software AG Products

Software AG products with version 10.5 that support DB2, MySQL Enterprise Edition, Oracle, PostgreSQL, or SQL Server use DataDirect Connect JDBC database driver 6.0.0 to communicate with those RDBMSs. Software AG provides updates for the DataDirect Connect JDBC database driver on Software AG Update Manager and Software AG Command Central. Software AG products that support MySQL Community Edition use the MySQL Community Edition database driver to communicate with the RDBMS. For more information, see the "Installing Software AG Products" guide.

| Product Name | RDBMS Version | Oracle 12c | Oracle 19c | PostGreSQL 10.x | 11.x | 13.x | DB2 LUW 10.5 | 11.1 | 11.5 | SQL Server 2016 | 2017 | 2019 | MySQL Community Edition 5.7 | Enterprise Edition 5.7 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Apama Server [1] | 10.5 | ✓ | | | | | ✓ | | | ✓ | ✓ | | ✓ | |
| Software AG MashZone NextGen [1,2] | 10.5 | ✓ | ✓ | ✓ | ✓ | | ✓ | | | ✓ | ✓ | ✓ | ✓ | ✓ |
| webMethods Integration Server [3] | 10.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| webMethods Microservices Runtime [3] | 10.5 | ✓ | ✓ | ✓ | | | ✓ | | | ✓ | | ✓ | ✓ | ✓ |
| webMethods Trading Networks [4] | 10.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| webMethods AgileApps Cloud [5] | 10.13 | | | | | | ✓ | | | | | | ✓ | ✓ |
| My webMethods Server | 10.5 | ✓ | ✓ | (✓)[6] | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| webMethods ActiveTransfer Server | 10.5 | ✓ | ✓ | ✓ | (✓)[7] | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| webMethods API Gateway | 10.5 | | ✓ | | | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | |
| webMethods API Portal | 10.5 | ✓ | ✓ | | | | | ✓ | | ✓ | ✓ | ✓ | | |
| webMethods Business Console | 10.5 | ✓ | ✓ | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| webMethods Business Rules | 10.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| webMethods CloudStreams Server | 10.5 | ✓ | ✓ | ✓ | ✓ | ✓ | | ✓ | | ✓ | ✓ | ✓ | ✓ | |
| webMethods Database Configuration | 10.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| webMethods Monitor | 10.5 | ✓ | ✓ | (✓)[8] | (✓)[8] | (✓)[8] | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| webMethods OneData | 10.5 | ✓ | | | | | | | | ✓ | ✓ | ✓ | | |
| webMethods Optimize | 10.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| webMethods Process Engine | 10.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Zementis Server | 10.5 | | | | | | | | | ✓ | | | ✓ | |

**Notes:**

[2] MashZone NextGen supports JDBC drivers 11.2.0.2.0 and higher.

[3] Integration Server and Microservice Runtime also support Amazon Relational Database Service (Amazon RDS).

[4] Trading Networks also supports MySQL 8.0 Community and Enterprise editions.

[5] For on-premises, AgileApps Cloud supports Community Edition and Enterprise Edition for MySQL versions 5.6 and 5.7. For cloud, AgileApps Cloud supports Amazon RDS.

[6] TaskArchive is not supported.

[7] Active Transfer Archive is not supported.

[8] Reporting and Staging are not supported.

**For more details, see the "General Information and Disclaimers" section at the end of this document.**

| Delivered JDKs for On-Premises Software AG Products | | | | | |
|---|---|---|---|---|---|
| Operating System | | Windows / Linux / Solaris | AIX | Linux IBM System z | macOS |
| Product Name | Version | Zulu Java 8.40 (1.8.0_222) | IBM Java 1.8.0 SR5 FP35 | IBM Java 1.8.0 SR5 FP35 | Zulu Java 8.40 (1.8.0_222) |
| Apama Server | 10.5 | ✓ | | | |
| webMethods API Gateway | 10.5 | ✓ | ✓ | | |
| webMethods API Portal | 10.5 | ✓ | | | |
| webMethods Microgateway | 10.5 | ✓ | | | |
| CentraSite | 10.5 | ✓ | ✓ | ✓ | |
| webMethods Tamino XML Server | 10.5 | ✓ | | | |
| Software AG MashZone NextGen | 10.5 | ✓ | | | ✓ |
| webMethods ApplinX | 10.5 | ✓ | ✓ | ✓ | |
| webMethods EntireX | 10.5 | ✓ | ✓ | ✓ | |
| webMethods Integration Server | 10.5 | ✓ | ✓ | ✓ | ✓ |
| webMethods Microservices Runtime | 10.5 | ✓ | ✓ | ✓ | ✓ |
| webMethods Application Platform Server | 10.5 | ✓ | ✓ | ✓ | |
| My webMethods Server | 10.5 | ✓ | ✓ | ✓ | |
| webMethods Task Engine | 10.5 | ✓ | ✓ | ✓ | |
| Software AG Command Central | 10.5 | ✓ | ✓ | ✓ | ✓ |
| webMethods Platform Manager | 10.5 | ✓ | ✓ | ✓ | ✓ |
| webMethods Deployer | 10.5 | ✓ | ✓ | ✓ | ✓ |
| webMethods Asset Build Environment | 10.5 | ✓ | ✓ | ✓ | ✓ |
| Software AG Installer | 10.5 | ✓ | ✓ | ✓ | ✓ |
| Software AG Update Manager | 10.5 | ✓ | ✓ | ✓ | ✓ |
| Software AG Designer | 10.5 | ✓ | | | ✓ |
| Software AG Universal Messaging [1] | 10.5 | ✓ | ✓ | ✓ | ✓ |
| Software AG Digital Event Services | 10.5 | ✓ | ✓ | ✓ | ✓ |
| webMethods Event Routing | 10.5 | ✓ | ✓ | ✓ | ✓ |
| webMethods Broker | 10.5 | ✓ | ✓ | ✓ | |
| webMethods Logging Utility | 9.6 | ✓ | ✓ | ✓ | ✓ |
| Terracotta | 10.5 | ✓ | | | |
| Terracotta Ehcache | 10.5 | ✓ | | | |
| BigMemory Max [1] | 4.3.8 | ✓ | ✓ | ✓ | |
| BigMemory Web Sessions | 4.3.8 | ✓ | | | |
| webMethods Trading Networks | 10.5 | ✓ | ✓ | ✓ | |

| Delivered JDKs for On-Premises Software AG Products | | | | | |
|---|---|---|---|---|---|
| **Operating System** | | **Windows / Linux / Solaris** | **AIX** | **Linux IBM System z** | **macOS** |
| **Product Name** | **Version** | **Zulu Java 8.40 (1.8.0_222)** | **IBM Java 1.8.0 SR5 FP35** | **IBM Java 1.8.0 SR5 FP35** | **Zulu Java 8.40 (1.8.0_222)** |
| webMethods ActiveTransfer Agent | 10.5 | ✓ | ✓ | ✓ | ✓ |
| webMethods ActiveTransfer Gateway | 10.5 | ✓ | ✓ | ✓ | ✓ |
| webMethods ActiveTransfer Server | 10.5 | ✓ | ✓ | ✓ | ✓ |
| webMethods AgileApps Cloud | 10.13 | ✓ | | | |
| webMethods Mobile Designer | 10.3 | ✓ | | | ✓ |
| webMethods CloudStreams Server | 10.5 | ✓ | | | ✓ |
| webMethods Monitor | 10.5 | ✓ | ✓ | ✓ | |
| webmethods Business Rules | 10.5 | ✓ | ✓ | ✓ | |
| webMethods Process Engine | 10.5 | ✓ | ✓ | ✓ | |
| webMethods OneData | 10.5 | ✓ | ✓ | | |
| webMethods Database Component Configurator | 10.5 | ✓ | ✓ | ✓ | ✓ |
| webMethods Infrastructure Data Collector | 10.5 | ✓ | ✓ | ✓ | |
| webMethods Optimize for B2B | 10.5 | ✓ | ✓ | ✓ | |
| webMethods Optimize for Infrastructure | 10.5 | ✓ | ✓ | ✓ | |
| webMethods Optimize for Process | 10.5 | ✓ | ✓ | ✓ | |
| Integration Server Package for Zementis | 10.5 | ✓ | | ✓ | |
| Zementis Server | 10.5 | ✓ | | | ✓ |
| Zementis Plugin Library | 10.5 | ✓ | | | ✓ |

**Notes:**

[1] Universal Messaging and Terracotta BigMemory support additional JDKs. For more information, see the product documentation.

**For more details, see the "General Information and Disclaimers" section at the end of this document.**

## Supported Application Servers

| Additional Application Servers | | Apache Tomcat | | | | IBM WebSphere | JBoss/WildFly | | | Jetty | Oracle BEA Weblogic |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Product Name | Version | 7.0 | 8.0 | 8.5 (Software AG Runtime) | 9.0 | 8.5 | EAP 7.1 | EAP 6.4 | 15.1 | 9.0 | 12.2 |
| Apama Server [1] | 10.5 | | | ✓ | | ✓ | | | | | ✓ |
| ApplinX | 10.5 | | | ✓ | ✓ | | | | (✓)[*3] | | |
| EntireX | 10.5 | | | ✓ | ✓ | ✓ | | | | | |
| BigMemory Max | 4.3.8 | ✓ | ✓ | ✓ | | ✓ | | ✓ | | ✓ | ✓ |
| BigMemory Web Sessions | 4.3.8 | ✓ | ✓ | ✓ | | ✓ | | ✓ | | ✓ | ✓ |
| Software AG Universal Messaging [2] | 10.5 | | | | | ✓ | ✓ | ✓ | | | |
| webMethods Broker [4] | 10.5 | | | | | ✓ | ✓ | ✓ | | | ✓ |
| Zementis Server | 10.5 | ✓ | ✓ | ✓ | ✓ | ✓ | | | | | |

**Notes:**

[1] Application server support applies to Apama dashboards.

[2] Refers to the supported application server for the JMS Resource Adapter. The Universal Messaging Resource Adapter is explicitly tested and supported on the platforms specified in the table above. Software AG will take support issues on other platforms, but will try to reproduce issues on one of the supported platforms. If the issue is not reproducible, report this to your application server vendor.

[3] Support also extends to JBoss/Wildfly versions 8, 9 and 10.

[4] webMethods Broker supports application servers based on Java EE standards by way of the Java EE Connector Architecture (JCA) 1.5 and JMS Application Server Facilities (ASF). webMethods Broker includes a resource adapter that works with JCA 1.5, uses the JMS client library, and integrates well with application servers. You can use webMethods Broker with application servers using either the JCA resource adapter or ASF. webMethods Broker is tested to work with Oracle WebLogic, JBoss enterprise editions, and IBM WebSphere application servers. Software AG Support will handle any issues pertaining to resource adapter operation with JCA 1.5 or ASF. For issues specific to the application server configuration or the JCA container of the application server, report those issues to the respective application server vendors.

**For more details, see the "General Information and Disclaimers" section at the end of this document.**

# General Information and Disclaimers

This document will be updated whenever additional support becomes available.

Language packs are available for some products on all supported operating systems except macOS.

webMethods products support their database components on all platforms on which the RDBMS vendor supports the RDBMS. Unless otherwise stated, all webMethods products include the client component of the DataDirect Connect JDBC 6.0.0 driver.

The JDKs listed on the "Delivered JDKs" page are part of the 10.5 release delivery.

Unless otherwise stated, all products support only the application server that is included with the suite. For additional application server support, please contact your Software AG representative.

Unless otherwise stated in the Software AG product documentation, Software AG encourages installing the latest service packs, patch-bundles, and fixes for the supported operating systems and products, if recommended by the respective vendor. Please report defects resulting from third-party fixes, patches, and service packs directly to the vendor.

Unless stipulated in a special arrangement, Software AG supports software operation only on the supported Linux distributions mentioned in this document. You can run Software AG products on other Linux distributions. If they encounter an issue that might be related to Software AG products, Technical Services might ask the customer to reproduce the issue on the supported Red Hat or SUSE distributions that are supported before analyzing the issue further.

Software AG tests its software against specific versions of operating systems and supported products (RDBMSs, JDKs, browsers, application servers, directory servers) and not specifically against all possible combinations of patches, fixes, and hardware that might comprise a platform. Therefore, Software AG might not use the exact same versions of fixes, patches, and service packs for operating systems and supported software products when troubleshooting a customer issue.