

# **webMethods Mobile Designer Native User Interface Reference**

Version 9.10

April 2016

This document applies to webMethods Mobile Designer Version 9.10 and to all subsequent releases.

Specifications contained herein are subject to change and these changes will be reported in subsequent release notes or new editions.

Copyright © 2011-2016 Software AG, Darmstadt, Germany and/or Software AG USA Inc., Reston, VA, USA, and/or its subsidiaries and/or its affiliates and/or their licensors.

The name Software AG and all Software AG product names are either trademarks or registered trademarks of Software AG and/or Software AG USA Inc. and/or its subsidiaries and/or its affiliates and/or their licensors. Other company and product names mentioned herein may be trademarks of their respective owners.

Detailed information on trademarks and patents owned by Software AG and/or its subsidiaries is located at <http://softwareag.com/licenses>.

Use of this software is subject to adherence to Software AG's licensing conditions and terms. These terms are part of the product documentation, located at <http://softwareag.com/licenses> and/or in the root installation directory of the licensed product(s).

This software may include portions of third-party products. For third-party copyright notices, license terms, additional rights or restrictions, please refer to "License Texts, Copyright Notices and Disclaimers of Third Party Products". For certain specific third-party license restrictions, please refer to section E of the Legal Notices available under "License Terms and Conditions for Use of Software AG Products / Copyright and Trademark Notices of Software AG Products". These documents are part of the product documentation, located at <http://softwareag.com/licenses> and/or in the root installation directory of the licensed product(s).

# Table of Contents

<b>About this Guide.....</b>	<b>5</b>
Document Conventions.....	5
Online Information.....	6
<b>Mobile Designer Native User Interface.....</b>	<b>7</b>
About the Native User Interface (NativeUI) Library.....	8
Look-and-Feel When Using the NativeUI Library.....	8
About Using the NativeUI Library.....	10
Mobile Application Design.....	11
Hierarchy of NativeUI Objects for a User Interface.....	12
Indicating that a Project Uses the NativeUI Library.....	15
Setting Up the Application Code to Use the NativeUI Library.....	15
Setting and Querying NativeUI Object Attributes.....	16
Handling Events Generated by User Actions.....	16
Transitioning Between Windows and Views.....	18
Defining the Layout of Objects in the User Interface.....	19
Controlling the Inner Padding of Parent Objects.....	19
Positioning Elements in a Parent Object.....	21
Sizing Child Elements.....	23
Controlling the Vertical Spacing Between Child Elements.....	25
Controlling the Horizontal Alignment of Elements.....	26
Using Tables to Control the Layout of Elements.....	27
Managing Object Focus.....	32
Adding Support for Right-to-Left Languages.....	33
Using Multiple Panes for Tablet User Interfaces.....	36
Managing the Layout of Panes.....	37
Designing Applications to Run on Both Tablets and Smaller Devices.....	38
Determining the Device Size at Run Time.....	38
Adding Panes to a Window.....	39
Side Views or Panes?.....	40
JavaScript Bridge.....	41
Maintaining good security.....	41
Sending a message to JavaScript from Java.....	42
Sending a message to Java from JavaScript.....	42
<b>Native User Interface (NativeUI) Objects.....</b>	<b>43</b>
About the NativeUI Objects.....	45
nUIAlertDialog.....	46
nUIButtonElement.....	50
nUICheckboxButton.....	51
nUIContainerElement.....	53

---

nUIDateEntry.....	55
nUIDialogWindow.....	58
nUIDisplayObject.....	63
nUIDropdownlistEntry.....	63
nUIElementDisplay.....	66
nUIEntryElement.....	67
nUIImageElement.....	69
nUINavbuttonElement.....	69
nUINavView.....	73
nUIObject.....	78
nUIProgressanimElement.....	78
nUIRadioCheckbox.....	81
nUISearchEntry.....	83
nUISeparatorElement.....	85
nUISpacerElement.....	87
nUITableButton.....	87
nUITablecellElement.....	88
nUITableElement.....	89
nUITablerowElement.....	91
nUITextfieldElement.....	91
nUITimerObject.....	93
nUIViewDisplay.....	93
nUIWebView.....	98
nUIWebViewCallBack.....	102
nUIWebViewElement.....	102
nUIWindowDisplay.....	105

---

## About this Guide

---

This guide describes the Mobile Designer native user interface that you can use to create user interfaces for mobile applications. It contains information for both application designers who want to design user interfaces for mobile applications and developers who want to code user interfaces for mobile applications.

## Document Conventions

---

Convention	Description
<b>Bold</b>	Identifies elements on a screen.
Narrowfont	Identifies storage locations for services on webMethods Integration Server, using the convention <i>folder.subfolder:service</i> .
UPPERCASE	Identifies keyboard keys. Keys you must press simultaneously are joined with a plus sign (+).
<i>Italic</i>	Identifies variables for which you must supply values specific to your own situation or environment. Identifies new terms the first time they occur in the text.
Monospace font	Identifies text you must type or messages displayed by the system.
{ }	Indicates a set of choices from which you must choose one. Type only the information inside the curly braces. Do not type the { } symbols.
	Separates two mutually exclusive choices in a syntax line. Type one of these choices. Do not type the   symbol.
[ ]	Indicates one or more options. Type only the information inside the square brackets. Do not type the [ ] symbols.
...	Indicates that you can type multiple options of the same type. Type only the information. Do not type the ellipsis (...).

---

## Online Information

---

### Software AG Documentation Website

You can find documentation on the Software AG Documentation website at <http://documentation.softwareag.com>. The site requires Empower credentials. If you do not have Empower credentials, you must use the TECHcommunity website.

### Software AG Empower Product Support Website

You can find product information on the Software AG Empower Product Support website at <https://empower.softwareag.com>.

To submit feature/enhancement requests, get information about product availability, and download products, go to [Products](#).

To get information about fixes and to read early warnings, technical papers, and knowledge base articles, go to the [Knowledge Center](#).

### Software AG TECHcommunity

You can find documentation and other technical information on the Software AG TECHcommunity website at <http://techcommunity.softwareag.com>. You can:

- Access product documentation, if you have TECHcommunity credentials. If you do not, you will need to register and specify "Documentation" as an area of interest.
- Access articles, code samples, demos, and tutorials.
- Use the online discussion forums, moderated by Software AG professionals, to ask questions, discuss best practices, and learn how other customers are using Software AG technology.
- Link to external websites that discuss open standards and web technology.

---

# 1 Mobile Designer Native User Interface

---

■ About the Native User Interface (NativeUI) Library .....	8
■ Look-and-Feel When Using the NativeUI Library .....	8
■ About Using the NativeUI Library .....	10
■ Mobile Application Design .....	11
■ Hierarchy of NativeUI Objects for a User Interface .....	12
■ Indicating that a Project Uses the NativeUI Library .....	15
■ Setting Up the Application Code to Use the NativeUI Library .....	15
■ Setting and Querying NativeUI Object Attributes .....	16
■ Handling Events Generated by User Actions .....	16
■ Transitioning Between Windows and Views .....	18
■ Defining the Layout of Objects in the User Interface .....	19
■ Managing Object Focus .....	32
■ Adding Support for Right-to-Left Languages .....	33
■ Using Multiple Panes for Tablet User Interfaces .....	36
■ JavaScript Bridge .....	41

---

## About the Native User Interface (NativeUI) Library

---

The webMethods Mobile Designer native user interface (NativeUI) library provides a standard way to create user interfaces that match the expected behavior of a platform. For example, you can use the NativeUI library to define a user interface that works equally well on the Android, iOS, Windows Phone, Windows 8 (x86 architecture version), and Windows RT (ARM architecture version) platforms. The resulting user interface typically matches the behavior and look-and-feel that is expected on each target device. For more information, see ["Look-and-Feel When Using the NativeUI Library" on page 8](#).

**Note:** For Windows 8 and RT, only Windows Store/Metro applications are supported. See also the list of SDK versions that Mobile Designer supports in *Using webMethods Mobile Designer*.

Mobile Designer is installed with several sample applications, many of which use the NativeUI library. The NativeUI library is made up of several objects. The descriptions of these objects in ["Native User Interface \(NativeUI\) Objects" on page 43](#) include code samples that illustrate how to use each of the NativeUI objects.

Some NativeUI objects are relatively simple, such as buttons or text entry fields. Others objects are more complex, such as navigation bars or scrollable containers. Each of the NativeUI objects maps to an object on the target device, allowing the user interface to adapt to all target platforms, including devices with touchscreen user interfaces, physical keyboards, and other input methods.

---

## Look-and-Feel When Using the NativeUI Library

---

You use the NativeUI library to create the user interface for your mobile application. When you compile your application, Mobile Designer translates the NativeUI classes into the class that will execute when the application is running on the target device. This class controls how a NativeUI object behaves and looks on the target device. The class to which Mobile Designer translates a NativeUI class depends on whether the NativeUI library has platform-specific support for the platform.

- When the NativeUI library includes platform-specific support for a platform, Mobile Designer translates the NativeUI classes into platform-specific classes. As a result, a user interface object renders as expected on the target device, using the platform look-and-feel and behavior.

The NativeUI provides support for several platforms, such as Android, iOS, Windows Phone, Windows 8, and Windows RT.

For example, if you use the NativeUI object `nUICheckboxButton` and compile your application for an iOS device, Mobile Designer translates NativeUI object

`UIButton` to the iOS `UISwitch` class. As a result, when the user interface displays on the iOS device, it uses the iOS `UISwitch` class to render the check box.

- When the NativeUI library does *not* include platform-specific support for a platform, Mobile Designer uses a general, graphical skin. In this case, the user interface renders on the target device using a general graphical skin rather than a platform-specific look-and-feel.

The general graphical skin renders all of the available NativeUI objects, including features such as on-screen pop-up keyboards.

### NativeUI and Phoney Skins

Phoney is a phone simulator that is not platform-specific. You can use Phoney to test your mobile applications. For more information, see *Using webMethods Mobile Designer*.

When you use the NativeUI library for your mobile application user interface and run the application in Phoney, the look-and-feel for the user interface depends on whether Mobile Designer provides platform-specific skins for the platform you are simulating in Phoney.

- When Mobile Designer includes platform-specific skins for a simulated platform, Phoney renders the user interface using the Phoney platform-specific skin.

The platform-specific Phoney skins do not provide an exact representation of how the user interface will look on the platform. However, the platform-specific Phoney skins do allow you to get a better idea of how your application's user interface looks in the target platform. The Phoney skins attempt to match a platform's look-and-feel.

- When Mobile Designer does *not* include a platform-specific skin for a simulated platform, Phoney renders the user interface using the general graphical skin.

While developing your mobile applications, using Phoney saves you time because you can use Phoney to quickly visualize your application's user interface rather than having to deploy your application to a target device.

### Phoney Skins for the iOS Platform

The look-and-feel for the iOS platform changed between iOS 6 and iOS 7. Mobile Designer provides Phoney skins for both the iOS 6 and iOS 7 version. By default, the version of the iOS Phoney skin that Mobile Designer uses depends on the type of iOS device you are simulating in Phoney.

- If you are simulating an iOS device that supports iOS 7, Mobile Designer uses the iOS 7 Phoney skin if the simulated iOS device.
- If you are simulating an iOS device that does *not* support iOS 7, Mobile Designer uses the iOS 6 Phoney skin.

The iOS devices that do *not* support iOS 7 are the first generation iPhone, iPhone 3G, iPhone 3GS, first generation iPad, first generation iPod Touch, iPod Touch 2G, iPod Touch 3G and iPod Touch 4G.

You can override the default that Phoney uses for an iOS device using the `MD_PFRENDERER_IOS_VERSION` run-time parameter. Set the

`MD_PFPRENDERER_IOS_VERSION` to 6 to explicitly indicate you want to use the iOS 6 Phoney skin or 7 to explicitly indicate you want to use the iOS 7 Phoney skin.

If you want the setting to apply to all iOS devices that your application supports, set the parameter in the `project_defaults.xml` file, which is located in the project's target folder. To apply the setting to a specific iOS device, set the property in the target file for that iOS device, `target_name.xml`.

For example, if you are simulating an iPhone 5 in Phoney and want to use the iOS 6 Phoney skin, use:

```
<param name="MD_PFPRENDERER_IOS_VERSION" int="6"/>
```

For more information about setting parameters, see *Using webMethods Mobile Designer*.

## About Using the NativeUI Library

---

Use the NativeUI library to develop the user interface for a mobile application. It is recommended that you have your mobile application user interface design complete before starting to develop it using the NativeUI library.

### Design Considerations

When designing the user interface:

- Review information about designing mobile applications. See "[Mobile Application Design](#)" on page 11.
- Understand the NativeUI object hierarchy. See "[Hierarchy of NativeUI Objects for a User Interface](#)" on page 12.
- If the application will run on a tablet device, you can design the user interface to use multiple panes. See "[Using Multiple Panes for Tablet User Interfaces](#)" on page 36.
- If you want the application to run on both tablet devices and smaller devices, you need to design for both. See "[Designing Applications to Run on Both Tablets and Smaller Devices](#)" on page 38.

### Developing the User Interface Using the NativeUI Library

To create a user interface using the NativeUI library, use the Mobile Designer Java API, specifically the classes in the `com.softwareag.mobile.runtime.nui` package. The classes in this package control the NativeUI objects at the specific device level. Each NativeUI object maps to a platform-specific object for a target device, such as Apple's iPhone 4 and Google's Android. Additionally, you can write your own extensions to the Mobile Designer NativeUI by extending any of the supplied classes or by creating new classes that add functionality.

To use the NativeUI library for an application, you must set up the Mobile Designer project to indicate that the library is needed when compiling the application. For more information, see "[Indicating that a Project Uses the NativeUI Library](#)" on page 15.

See the following for information that is useful when coding the application:

- ["Setting Up the Application Code to Use the NativeUI Library"](#) on page 15
- ["Setting and Querying NativeUI Object Attributes"](#) on page 16
- ["Handling Events Generated by User Actions"](#) on page 16
- ["Transitioning Between Windows and Views"](#) on page 18
- ["Defining the Layout of Objects in the User Interface"](#) on page 19
- ["Managing Object Focus"](#) on page 32
- ["Adding Support for Right-to-Left Languages"](#) on page 33
- ["Using Multiple Panes for Tablet User Interfaces"](#) on page 36

## Mobile Application Design

---

Before coding a mobile application, you should design the application and determine its user interface.

### Designing a Mobile Application

The first stage in a development process is design. Designing a mobile application involves defining the content, goals, and process flow of the application. During this stage, you should not be concerned with how the user will physically interact with the application. It is recommended that the outcome of the design phase is a thorough flow diagram that will enable you to effectively develop the application.

### Designing the Mobile Application User Interface

After you design the application, you know the underlying processes that the application will need. You then design the user interface to determine how the user will interact with the application to achieve the application's intended functionality and goals.

When designing the user interface, determine the best way to present the required information to the user. A good approach is to start with a hub-and-spoke style application map that defines screens and the interactions with those screens to achieve all steps within the application process flow. You can then draft the various individual screens using wireframe illustrations.

The Mobile Designer NativeUI library simplifies designing the user interface because it allows you to be less concerned with platform-specific differences of the target devices.

When designing a user interface for a mobile device, keep in mind:

- The size of a mobile device is much smaller than traditional, desktop applications. As a result, you will need to divide the information that you present to the user into multiple screens. Mobile applications tend to use a linear methodology, allowing the user to move from one screen to the next working on a single task at a time.

- Screen resolution can vary within platforms. As a result, deploying to a particular platform might mean building the application at more than one resolution. For example, Android devices running version 2.3 often had screen resolutions of 320x480 pixels. However, it is not uncommon for Android devices running version 4.0 to have resolutions of 720x1280 pixels. Using the NativeUI simplifies this because the NativeUI adapts to the varying screens sizes and resolutions, allowing text, buttons, and other user interface objects to render correctly. However, you still need to carefully consider the position and size of the objects you display in the user interface, including graphic images.
- High-resolution tablet devices require very large-size graphics for their high-density screens, that is more pixels per inch (PPI).
- Avoid designing a platform-specific user interface for an application that will run on many platforms. For example, if you design your application's user interface using Windows Phone user interface design, the unique interface mechanics of Windows Phone might be impossible to render on other platforms. Additionally, users might find the unique interface mechanics hard to use because they are unfamiliar with them.
- Using the NativeUI library with little to no custom objects reduces issues, such as resolution dependency, localization, and accessibility.
- Be aware that user interface elements might not render the same way within a platform due to changes between versions of the platform. For example, the design of the Apple iOS On/Off switch changed visually between version 4.x and 5.x of the operating system. Also, the Apple iOS numeric keypad looks different on the iPad from the iPhone.

## Hierarchy of NativeUI Objects for a User Interface


---

The NativeUI follows a strict hierarchy of visible components.

- **Windows** are at the top of the user interface hierarchy.

A window defines the visible bounds of the NativeUI display. The application first displays a window. The application can then add views (that is, menus and screens) and other items related to the application inside the window. A window can:

  - Use the device's full display
  - Use the device's full display excluding a status bar
  - Be a dialog that uses only a portion of the device's display




An application might only require one window that the application uses to display each of the application screens as the user navigates between them. However, if the application requires window overlay, you can add multiple window support to the application.

Depending on the requirements of the window and the target platform, different additional features might be present. For example, on some platforms an overlay dialog might include a title bar that allows a user to reposition the dialog on device's display. Another example is that a title bar might contain a Close button.

If an application runs on a tablet device, you might want to use multiple panes within a window. You can then add views into the panes. For more information, see ["Using Multiple Panes for Tablet User Interfaces"](#) on page 36.


- **Views** are second level in the user interface hierarchy.

The application displays a view within a window. Views are analogous to individual menus or screens in a user interface flow. A view can have a header bar, soft key labels, or encompass the entire window. Mobile Designer provides some custom views that automate the creation of common displays. For example, the `nUINavigationController` object is a view for navigation.



- **Elements** are the last level of the user interface hierarchy.

Applications can add elements into views. Elements are singular display items or control items. Elements can have focus, and they can be selected. Examples of elements are images, buttons, and text fields.



Elements can visually respond differently on different platforms and devices. For example, an edit field might present an overlay keyboard on one device to enter the data, while on another device, edit could represent an in-line triple-tap text entry.

## Indicating that a Project Uses the NativeUI Library

If you want to use the NativeUI library for the user interface of an application, you must configure the Mobile Designer project for that application to indicate:

- You want Mobile Designer to include the NativeUI library when compiling the application.
- You want the core canvas hierarchy to include the `CanvasNativeUI` class. For more information about the `CanvasNativeUI` class, see *webMethods Mobile Designer Java API Reference*.

### To specify that a project uses the NativeUI library:

1. Open the `_defaults.xml` file, which is located in the project's targets directory.
2. Add the following NativeUI properties to the `_defaults.xml` file, specifying the values shown:

```
<property name="project.runtime.uses.nativeui" value="true"/>
<property name="mobiledesigner.runtime.core.class.ui" value="nui"/>
```

3. Save and close the `_defaults.xml` file.

## Setting Up the Application Code to Use the NativeUI Library

When coding the application, be sure to import `com.softwareag.mobile.runtime.nui.*` and extend the `CanvasNativeUI` class.

### To set up the application code to use the NativeUI library

1. Add the following line to the application to import `com.softwareag.mobile.runtime.nui.*`.

```
import com.softwareag.mobile.runtime.nui.*
```

2. Add a line to the application similar to the following to extend the `CanvasNativeUI` class.

```
public class MyCanvas extends CanvasNativeUI
```

In this example, the primary canvas class is `MyCanvas.java`. In the sample code line, replace `MyCanvas` with the name of the primary canvas class you are using.

3. Add lines to the application that are similar to the following so that the primary canvas class implements the `onCreateMainWindow` and `nUIEventCallback` methods.

```
protected nUIWindowDisplay onCreateMainWindow()
public boolean nUIEventCallback(nUIObject object, int evt_type)
```

When the application starts, the NativeUI system is initialized. After the NativeUI system is initialized, the application invokes the `onCreateMainWindow` method to create your primary `nUIWindowDisplay`.

**Caution:** The application should not try to create any NativeUI components until after invoking `onCreateMainWindow`. Platform-specific setup occurs along with the creation of the main window.

## Setting and Querying NativeUI Object Attributes

The NativeUI objects have attributes associated with them. For example, an object might have a `Width` attribute or a `Height` attribute.

You can set attribute values in two ways:

- You can initially set an attribute value for an object by passing the value as part of the object's constructor when creating the object.
- After the object is created, you can change the value using a setter, for example `setWidth()`.

**Note:** You cannot change attribute values that are set in the constructor unless there is a corresponding setter for the attribute.

In addition to setting attribute values, once an attribute is created, you can query its value using a getter, for example `getWidth()`.

**Note:** You might have to wait until the element is drawn on the screen before getting platform-level display metrics, such as the object's width, height, and X/Y coordinates. For example, some platform widgets might return misleading values for their height, such as 0 (zero), when the widget has not been rendered on the screen.

## Handling Events Generated by User Actions

When a user interacts with the application, for example, pressing a button in the user interface, events can be generated.

### About Listeners

You should set up the application so that it listens for events and takes appropriate measures to handle events. To listen for events, set up the application to implement the `nUIEventListener` class and register the classes as event listeners. As a result, the application receives events related to the currently active NativeUI object.

You can define listeners for individual NativeUI objects so that an object can have its own listener or an alternate listener. To do so, add the listener directly to the object using `nUIObject.addEventListener()`.

## Types of Events

The types of events for which an application can listen are defined in the `nUIConstants` class. For more information, see *webMethods Mobile Designer Java API Reference*.

An application can listen for:

- Events that the NativeUI system generates

When a user interacts with a NativeUI object in an application's user interface, the NativeUI system generates an event. For example, an `EVT_GAIN_FOCUS` event is generated when an object gains focus. The events that the NativeUI system can generate are defined by `com.softwareag.mobile.runtime.nui.nUIConstants`.

- HTTP events

The HTTP events are `EVT_TRIGGER_HTTP_SUCCESS` and `EVT_TRIGGER_HTTP_FAIL`. These events are not related to any specific Mobile Designer classes. The HTTP events are available if the application requires this functionality.

- Custom-defined events

You can define custom events. `CUSTOM_EVENT_CODE0` is the first constant value that is not reserved for use within the NativeUI system. When defining custom events, you can assign constant values that are equal to or greater than this value.

## Sample Code that Manages Event Handling

The following code sample shows how the Mobile Designer NativeUIHelloWorld sample application manages event handling:

```
//see MyCanvas.java
public boolean nUIEventCallback(nUIObject object, int evt_type)
{
    switch (object.nuiid)
    {
        case NUIID_START_PROGRESS:
            if(evt_type == EVT_TRIGGER)
                transitionToView (main_view, onCreateEndView());
            break;
        case NUIID_END_BACK:
            if(evt_type == EVT_TRIGGER)
                transitionToView (main_view, onCreateStartView());
            break;
    }
    return true;
}
```

## Setting a Unique Identifier for NativeUI Objects So that You Can Identify Them When Listening for Events

When an event occurs, the NativeUI system passes the NativeUI object that generated the event and the event type to the event listener. Each NativeUI object has a unique identifier. This unique identifier is the *nuiid* value that the application passed to the constructor when creating the NativeUI object. In this example that uses

`NUIID_START_PROGRESS`, the following code shows the `NUIID_START_PROGRESS` unique identifier:

```
//Specify the ID for the start progress button.
//Use any number as long as it is unique.
public static final int NUIID_START_PROGRESS = 0x01020101;

//After specifying the ID, in onCreateStartView()
start_view.add(new UIButtonElement(NUIID_START_PROGRESS, "Progress");
```

**Tip:** If you are not concerned about events for a NativeUI object, specify a `-1` for the `nuiid` value that you pass to the constructor.

### Return Values from Event Processing

After an application handles an event, it should return `true` or `false` to indicate whether the NativeUI system should perform the default behavior for the event. In most cases, the application should return `true` to indicate that the NativeUI system should perform its default behavior for the event.

## Transitioning Between Windows and Views

An application initially displays a window. Once a window is displayed, to display a view within a window or display another window, the application needs to perform a transition to the new location.

- To transition to a new view within a window, use the `transitionTo` and `transitionFrom` methods in the `nUIWindowDisplay` class.
- To transition to a new window, use the `nUIController` class.

For more information about the `nUIWindowDisplay` and `nUIController` classes, see *webMethods Mobile Designer Java API Reference*.

The following code sample is a portion of the code from the Mobile Designer NativeUIHelloWorld sample application. It shows how to use the `transitionTo` and `transitionFrom` methods in an application:

```
private void transitionToView(nUIViewDisplay new_view, int pane)
{
    int transition = nUIController.TRANSITION_APPEAR;
    nUIViewDisplay old_view = main_view;
    if (old_view != null)
    {
        if(old_view.nuiid < new_view.nuiid)
            transition = nUIController.TRANSITION_LEFT;
        else if(old_view.nuiid > new_view.nuiid)
            transition = nUIController.TRANSITION_RIGHT;
        main_window.transitionFrom(old_view,transition, pane);
    }
    main_window.add(new_view);
    main_window.transitionTo(new_view, transition, pane);
    main_view = new_view;
}
```

The code sample illustrates how to replace a window's current view with a new one by:

1. Using the `transitionFrom` method to transition away from the current view.
2. Using the `add` method to add the new view to the window.
3. Using the `transitionTo` method to transition to the newly added view.

The code sample uses a view's unique identifier to determine the transition direction (either `TRANSITION_LEFT` or `TRANSITION_RIGHT`). If the new view has a lower unique identifier, the code transitions one way. If the new view has a higher unique identifier, it transitions the other way. This transition logic represents only one approach. There are other transition logic approaches that you can use to meet the requirements of your mobile application.

The NativeUI systems supports the following transition properties that are defined in the `com.softwareag.mobile.runtime.nui.nUIController` class:

- `TRANSITION_APPEAR`
- `TRANSITION_FADE`
- `TRANSITION_LEFT`
- `TRANSITION_RIGHT`
- `TRANSITION_UP`
- `TRANSITION_DOWN`

All platforms support the `TRANSITION_APPEAR` property. However, platforms might substitute alternative solutions for the other `nUIController` class transition properties.

## Defining the Layout of Objects in the User Interface

---


To create a user interface, code the application to first add a window object. Inside a window, place a view. The application can then add additional NativeUI objects into the view. For more information, see "[Hierarchy of NativeUI Objects for a User Interface](#)" on [page 12](#).

NativeUI objects can be thought of as parent objects and elements. *Parent objects* contain other NativeUI objects, which are referred to as *elements*. Examples of parent objects are views, scrollable containers, and table cells. Examples of elements are text entry fields, buttons, and images.


## Controlling the Inner Padding of Parent Objects

Parent objects have *inner padding*. If an object is displayable, that is an object that inherits from `nUIDisplayObject`, and is also an object in which you can insert child elements, you can control a parent object's inner padding using the following attributes of the parent object:

Inner Padding Attribute	Description
InnerX	Defines the distance from the parent object's left edge to where child elements are drawn.
InnerY	Defines the distance from the parent object's top edge to where child elements are drawn.
InnerWidth	Defines the parent object's usable width in which you can add content.
InnerHeight	Defines the parent object's usable height in which you can add content.



The parent object's inner padding causes the child elements to be indented from the edges of the parent. This is a useful concept to take advantage of when you do not want items to touch the edges of screens or borders.



The NativeUI objects have default inner padding values. At the `nUIDisplayObject` level, all the attribute values are set to 0 (zero). However, the attribute values are overridden for some displayable NativeUI objects to match the expectations for each platform. Specifically, the objects for tables, views, and scrollable containers might override the default values. When using NativeUI objects for an application, you can override the default inner padding attribute values to meet the needs of your application.

If you set the attribute value for `InnerX`, but not `InnerWidth`, by default the `InnerWidth` value is determined by mirroring the `InnerX` padding on the other side.

```
InnerWidth = overall_width_available - (2 * InnerX)
```

Similarly, if you set the attribute value for `InnerY`, but not `InnerHeight`, by default the `InnerHeight` value is determined by mirroring the `InnerY` padding on the bottom edge.


```
InnerHeight = overall_height_available - (2 * InnerY)
```

If you do not want to use this default behavior, you can explicitly set the `InnerWidth` and `InnerHeight` attributes for an object.

**Note:** If you explicitly set the `InnerWidth` and `InnerHeight` attributes to set the width and height of the parent object, your application logic will also have to handle any size adjustments due to the resizing of the parent object or changes to orientation of the device.


## Positioning Elements in a Parent Object

By default, when an application adds elements to a parent object, the elements are positioned vertically, one below the other, starting at the top of the parent object.




The elements are indented based on the inner padding of the parent object. When originally displayed the first element is spaced from the top of the parent object based on the vertical inner padding. For more info, see ["Controlling the Inner Padding of Parent Objects"](#) on page 19.

If you place elements in a scrollable parent object, for example a view or scrollable container, when a user scrolls through the contents, the top padding is not maintained.



If you want to position child elements side by side within a parent object, use a table and place elements within table cells. For more information, see ["Using Tables to Control the Layout of Elements"](#) on page 27.



As an alternative to using the default layout or positioning elements using a table, you can use absolute positioning. To do so, set the `x`, `y`, and `width` attributes of the child elements that you add to the parent object. While absolute positioning gives you the

greatest amount of control for exact positioning, using absolute positioning prevents the application's user interface from automatically adapting to:

- Different size devices
- Different size of user interface elements among the various platforms
- Re-aligning user interface elements when the orientation of the device is changed

If you use absolute positioning, you must add logic to your application to handle these types of issues.


## Sizing Child Elements

The height of a child element is determined by the data for the element.


**Note:** For most elements (buttons, text, images, etc.), using the `Height` attribute to explicitly set the number of pixels for the element's height is not recommended.

For the width of an element, you can use the default, or you can set the child element's `width` attribute to explicitly specify the number of pixels to use for the element's width.

The default element width is the width of its parent object minus the inner padding. For more information about a parent object's inner padding, see "[Controlling the Inner Padding of Parent Objects](#)" on page 19.




If you nest parent objects, child elements placed in the inner parent object are narrower because the inner padding values are compounded. For example, you might nest a scrollable container inside a view. Elements added to the view have the width of the view's inner width. However, elements added to the scrollable container are narrower due to the inner padding of both the view and the scrollable container.




When nesting NativeUI objects, you might want to adjust the inner padding of objects. For example, in the example of a scrollable container inside the view, if you set the scrollable container's `InnerX` to 0 (zero), the widths of the elements both in the view and the scrollable container will be the same.

In other instances, you might want to remove the inner padding from the outer NativeUI object. For example, you might have a view that contains a scrollable container, but no other child elements. The scrollable container might contain additional elements. In this situation, the inner padding of the view compounded with the inner padding of the scrollable container results in wasted screen space. As a result, you might want to set the view's `InnerX` and `InnerY` values to 0 to remove excess padding.




View and Scrollable Container  
Both Use Inner Padding



Only Scrollable Container  
Has Inner Padding

## Controlling the Vertical Spacing Between Child Elements


By default, the space between the elements is determined by the `interElementYSpacing` attribute of the parent view. The application can alter the space between the elements by specifying a pixel value for the parent view's `interElementYSpacing` attribute.



If you want additional space between two elements, use the following NativeUI objects:

- Insert the `nUISpacerElement` NativeUI object to add additional white space between two elements. Use the `nUISpacerElement` NativeUI object's `Height` attribute to specify the pixel height of the white space.
- Insert the `nUISeparatorElement` NativeUI object to display a horizontal line between two elements. Use the `nUISeparatorElement` NativeUI object's `Height` attribute to specify the pixel height of the `nUISeparatorElement` object. The horizontal line displays in the vertical center of the object.

When determining the vertical height you want to use for the `nUISpacerElement` and `nUISeparatorElement` objects, take into consideration that the parent view's `interElementYSpacing` also displays around the object.




**Note:** When using grouped buttons on platforms where grouped buttons are supported (primarily iOS), buttons in the same group will not have vertical space between them, regardless of the value of the parent view's `interElementYSpacing` attribute.

## Controlling the Horizontal Alignment of Elements

You can control the horizontal alignment of some elements. If a NativeUI object has a `setAlign` method, for example, `UITextFieldElement` object, you can use the method to control the object's horizontal alignment to align its contents left, center, or right within the parent object. Similarly, other NativeUI objects might use a `setAlign` method, such as the `UIImageElement` object.

Even if visually, an element does not use the full screen width, as usual, subsequent elements are added one below the other. For example, consider an example where you have two text elements, where the first is left-aligned and the second is right-aligned. Visually, the text in the elements might not span the entire width of the screen.



## Using Tables to Control the Layout of Elements

If you want a more complex layout than just elements positioned vertically, one below the other, you can use tables for your layout. When you use tables, you can:

- Use background colors to shade the background of the entire table, entire rows, and/or individual cells.
- Add borders around cells and control the thickness of the cell borders.
- Position elements side by side by placing the elements in table cells.
- Span cells horizontally and or vertically.


Using tables allows you to precisely position elements while still allowing your user interface to scale to all devices, platforms, font sizes and orientations.

### Controlling Inner Padding and Spacing In Tables

When using tables ([nUITableElement](#) objects) for element layout, you need to consider the table's inner padding and the cell spacing within a table. Additionally, table cells ([nUITablecellElement](#) objects) also have inner padding. You control inner padding and spacing using the following attributes.

NativeUI Object	Attribute	Description
Table (nUITableElement object)	InnerX	Defines the distance from the table's left edge to where table cells are drawn.
	InnerY	Defines the distance from the table's top edge to where table cells are drawn.
	InnerWidth	Defines the table's usable width in which you can add content.
	InnerHeight	Defines the table's usable height in which you can add content.
	cellSpacingWidth	Defines the distance between the table columns.
	cellSpacingHeight	Defines the distance between table rows.

NativeUI Object	Attribute	Description
Table cell ( <code>nUITablecellElement</code> object)	<code>InnerX</code>	Defines the distance from a cell's left edge to where child elements are drawn.
	<code>InnerY</code>	Defines the distance from a cell's top edge to where child elements are drawn.
	<code>InnerWidth</code>	Defines a cell's usable width in which you can add content.
	<code>InnerHeight</code>	Defines a cell's usable height in which you can add content.




The use of `InnerX`, `InnerY`, `InnerWidth`, and `InnerHeight` attributes in tables and table cells is the same as for any parent object. For more information, see ["Controlling the Inner Padding of Parent Objects"](#) on page 19.

### Adding Background Colors and Borders

You can set the background color of tables (`nUITableElement` objects), table rows (`nUITablerowElement` objects), and table cells (`nUITablecellElement` objects). Additionally, you can add borders around the cells in a table. You control background colors and borders using the following attributes.

<b>NativeUI Object</b>	<b>Attribute</b>	<b>Description</b>
Table (nUITableElement object)	Bgcolor	Defines the background color for the entire table.
	CellBorderColor	Defines the color for the borders drawn around the cells in the table.
	CellBorderThickness	Defines the width of the borders drawn around the cells in the table. Specify a pixel value for the width. If you do not want the cells to have a border, specify 0 (zero).
Table row (nUITablerowElement object)	Bgcolor	Defines the background color for an entire row.
Table cell (nUITablecellElement object)	Bgcolor	Defines the background color for a cell.

The following illustrates using the attributes for background color and cell borders.



In the illustration above:

- For row 1, the row background color is set to green. Because no background colors are set for the cells in row 1, the row background color displays in the cells.
- For row 2, the background color for the row is not set. As a result, the table background color displays for the row. Cells 1 and 3 in row 2 have a background color set to blue. The background color is not set for the cell 2 in row 2, so it takes on the background color of the table.
- The table's cell borders are set to dark blue. As a result, all cells in the table have a dark blue border.

### Sizing Table Columns, Rows, Cells, and the Elements Placed in Cells


When you add a table ([nUITableElement](#) object) to a parent object, the table uses the full width available in the parent object. The following describes how columns, rows, cells, and elements are sized.

- **For columns**, you specify the relative column width sizes when using the constructor to create a [nUITableElement](#) object. For example, if you specify 1, 2, 1, the constructor creates a table with 3 columns where column 1 and 3 are half the size of column 2. In other words, column 1 uses 25% of the table width, column 2 uses 50% of the table width, and column 3 uses the remaining 25%.
- **For table rows** ([nUITablerowElement](#) objects), by default, the height of a row is determined by the height of the cells that the row contains. If you want, you can set the `Height` attribute of a [nUITablerowElement](#) object to specify a pixel value to use for the row

height. However, if the cells in the table are larger than the pixel value you specify, the content is clipped.

- **For cells** (`nUITableViewCellElement` objects):
  - Cell width is determined by the size of the column in which the cell resides, and also taking into consideration the column spacing, which is the gap between columns in the table. The column spacing is set using the `CellSpacingWidth` attribute of the `nUITableViewCellElement` object.
  - Cell height, by default, is determined by the height of the cell's contents and inner padding. If you want, you can set the `Height` attribute of a `nUITableViewCellElement` object to specify a pixel value to use for the cell height. However, if the contents of a cell is larger than the pixel value you specify, the content is clipped.

You can span table cells both horizontally or vertically. To span cells horizontally, use the `Hspan` attribute of the `nUITableViewCellElement` object. To span cells vertically, use the `Vspan` attribute of the `nUITableViewCellElement` object.




- **For elements** that you place in table cells, the element width and height is determined the same as placing the elements in any parent object. For more information, see ["Sizing Child Elements" on page 23](#).

### Positioning Elements in Table Cells


When an application adds elements into a table cell, the elements are positioned vertically, one below the other, starting at the top of the table cell. The elements are indented based on the table cell's inner padding. You can control the spacing between elements in a table cell the same as you control vertical spacing for any parent object. For more information, see ["Controlling the Vertical Spacing Between Child Elements" on page 25](#).

You can leave cells empty. For example, an application might use a single row table with column widths set to 25%, 50%, 25% of the table width. To have a button that is 50% the

size of the table width display in the center of the screen, the application can place the button in the center cell, leaving the outer cells empty.



You can use the `VAlign` attribute of the `nUITableCellElement` object to vertically align the contents of a cell. This is useful when tables contain cells that are vertically spanned, and also when the elements in table cells can potentially be of different heights (images, text, buttons, etc.). The `VAlign` attribute allows applications to vertically align elements in a manner that looks good on the device.



## Managing Object Focus

In an application's user interface, when a NativeUI object gains focus, its appearance changes to indicate that it is ready for user interaction, such as to receive input from a finger tap or keyboard. How the appearance of a NativeUI object changes depends on the platform. Platforms use different visual clues, such as highlighting the object, making the object visually distinct, or changing the color of the background behind the object.

The NativeUI system has default behavior for whether a newly added object gains focus. By default, when adding a view to a window or a focusable NativeUI object to a view, the following behavior occurs:

- If the parent object does not already contain an object that has focus, the newly added object gains focus.
- If the parent contains an object that has focus, the focus does not change when the new object is added to the view or window.

You can override the default behavior for NativeUI objects that are a subclass of the `nUIDisplayObject` class by using the `parent.setChildFocus(child_to_focus_on)` method.

## Adding Support for Right-to-Left Languages

The right-to-left (RTL) or left-to-right (LTR) property of a writing system is commonly referred to as its *directionality*. The NativeUI library has methods to support locales that require right-to-left directionality, such as Hebrew and Arabic.

You can change the directionality of the entire application's user interface to use right-to-left directionality. However, if necessary, an application can use a mix of right-to-left and left-to-right directionality.

Based on the platform on which an application is running, using right-to-left directionality for a user interface might change:

- Default alignment of the NativeUI objects and the text within the objects
- Position of the Back buttons and header menus within the user interface
- Ordering of the columns within the `nUITableElement` NativeUI object
- Positioning of the carat within the `nUIEntryElement` NativeUI object

### Controlling the Directionality of an Application

The following table describes the NativeUI classes and methods you use to control directionality of an application:

NativeUI Class	Description
<code>nUIConstants</code>	Use the following integers to represent the directionality: <ul style="list-style-type: none"> <li>■ <code>TEXT_DIRECTION_LTR</code> for left-to-right directionality</li> <li>■ <code>TEXT_DIRECTION_RTL</code> for right-to-left directionality</li> </ul>
<code>nUIController</code>	Use the following methods to control the global behavior of the application: <ul style="list-style-type: none"> <li>■ <code>deviceSupportsAppDirectionality()</code> method</li> </ul>

NativeUI Class	Description
	<p>The <code>deviceSupportsAppDirectionality()</code> method indicates whether the platform supports a specified directionality at run time. The method returns <code>true</code> if the platform supports the directionality or <code>false</code> if it does not. The method might return <code>false</code> for one of the following reasons:</p> <ul style="list-style-type: none"> <li>■ Directionality support for the platform was unavailable through the NativeUI system at the current time.</li> <li>■ The device's locale settings do not allow a directionality change at the current time.</li> <li>■ The platform does not support the directionality due to other platform-specific issues.</li> </ul> <p>■ <code>void setAppDirectionality(int direction)</code> method</p> <p>Use the <code>void setAppDirectionality(int direction)</code> method to set the directionality. For <code>direction</code>, specify either <code>TEXT_DIRECTION_RTL</code> for right-to-left or <code>TEXT_DIRECTION_LTR</code> for left-to-right.</p> <p>After changing the directionality, the <code>getAppDirectionality()</code> method immediately reflects the new direction.</p> <p>At the application's next update cycle iteration, the NativeUI heartbeat thread invokes <code>CanvasNativeUI.appDirectionalityChanged()</code> with the new direction.</p> <div style="background-color: #f0f0f0; padding: 10px; border: 1px solid #ccc;"> <p><b>Note:</b> You can override the <code>CanvasNativeUI.appDirectionalityChanged()</code> method in your <code>Canvas</code> class if you need to handle changes in the application directionality. Because your initial <code>Canvas</code> class already extends <code>CanvasNativeUI</code>, you do not have to use a separate class to override this function.</p> </div> <p>■ <code>getAppDirectionality()</code> method</p> <p>The <code>getAppDirectionality()</code> method returns the application's current global directionality setting, either <code>TEXT_DIRECTION_LTR</code> or <code>TEXT_DIRECTION_RTL</code>.</p>
<p><code>nUITableElement</code></p>	<p>Use the following methods to manage the directionality within a <code>nUITableElement</code> NativeUI object:</p> <ul style="list-style-type: none"> <li>■ Use the <code>setIgnoreDirectionality()</code> method to have the NativeUI system ignore the application's current directionality setting.</li> </ul> <p>If an application's directionality is set to right-to-left, by default, the table's column order is reversed. If you do not want the columns reversed, use this method to ignore the directionality setting for the table columns. For example, you might want this</p>

NativeUI Class	Description
	<p>if the table contains images that you want displayed in a specific order regardless of the application's directionality.</p> <ul style="list-style-type: none"> <li>■ Use the <code>getIgnoreDirectionality()</code> method to determine whether the application directionality will affect the ordering of columns within the table. The method returns <code>true</code> if column ordering will be affected by the application directionality or <code>false</code> if column ordering will not be affected.</li> </ul>

### Exceptions to Right-to-Left Directionality

The following lists situations when the application's directionality is not enforced:

- If an application explicitly sets the position of a NativeUI object, for example, using the `setX` method, the NativeUI system does not override the position. Similarly, if an application explicitly sets the alignment of a NativeUI object, for example, using the `setHAlign` method, the NativeUI system does not override the alignment. Only NativeUI objects that have the default position and alignment are subject to directionality changes.
- The `nUIWebViewElement` and `nUIWebView` NativeUI objects are not subject to the application's directionality. To change the directionality of text within these NativeUI objects, use the HTML `DIR` attribute, for example, `<HTML DIR="RTL">` or `<p DIR="RTL">`.
- The charting APIs are not subject to the directionality of an application. In most platforms, right-to-left text displays using a right-to-left direction. However, chart and axis reordering is not performed.

### Platform-Specific Notes and Issues

When an application uses a right-to-left directionality, how objects in the user interface display depends on the platform's support for right-to-left setups. Wherever possible, the NativeUI system attempts to use the platform-specific conventions for when a device uses a right-to-left locale.

Platform	Notes
Android	<ul style="list-style-type: none"> <li>■ Android version 11 and higher support right-to-left directionality. In previous versions, right-to-left support depends on OEM additions to the Android code base to ensure font availability and right-to-left text rendering.</li> <li>■ The <code>nUICheckboxButton</code>, <code>nUIRadioCheckbox</code>, and <code>nUIDropdownlistEntry</code> NativeUI objects display using left-to-right directionality. Additionally, non-custom dialog boxes, that is, those created using the <code>nUIAlertDialog</code> NativeUI object, might also retain left-to-right alignments.</li> </ul>

Platform	Notes
iOS	<ul style="list-style-type: none"> <li>■ The following NativeUI objects display using left-to-right directionality. <ul style="list-style-type: none"> <li>■ <code>nUICheckboxButton</code></li> <li>■ <code>nUIDropdownlistEntry</code></li> <li>■ <code>nUIRadioCheckbox</code></li> <li>■ <code>nUINavigationController</code></li> </ul> </li> <li>■ The buttons within a <code>nUIDialogWindow</code> NativeUI object display using a left-to-right directionality.</li> </ul>
Windows Phone Windows 8 Windows RT	<ul style="list-style-type: none"> <li>■ At this time, Windows Phone, Windows 8 and Windows RT do not support right-to-left directionality.</li> </ul>
J2ME (Phoney)	<ul style="list-style-type: none"> <li>■ The NativeUI system attempts to provide directionality features similar to those that other platforms provide. In general, the NativeUI system makes the functionality align with that provided by Android and iOS.</li> </ul>

## Using Multiple Panes for Tablet User Interfaces


The NativeUI window object, `nUIWindowDisplay`, allows you to define multiple panes in a window. Using multiple panes in a window is primarily useful when creating user interfaces for tablet devices that have larger screen sizes.

By default, the `nUIWindowDisplay` object has two panes, one with a `nUIViewDisplay` object for the main pane and a `nUINavigationController` object for navigation. You can configure the `nUIWindowDisplay` object to accept additional `nUIViewDisplay` and `nUINavigationController` objects, allowing the application to use multiple panes to take advantage of the larger screen size.

**Important:** Before creating an application that uses multiple panes, ensure the target platforms on which the application will run support windows with multiple panes.

### NativeUIDemo Sample

The Mobile Designer NativeUIDemo sample application is an example of an application that uses multiple panes. It is also an example of an application that runs on both tablet devices and smaller devices, altering the user interface based on the device size. The following shows a screenshot of the NativeUIDemo.



If the NativeUIDemo application determines that it is running on a tablet device, it uses multiple panes. To determine whether it is running on a tablet, the application derives the screen size of the device on which it is running. The NativeUIDemo sample considers a tablet to be a device with a screen size that exceeds six inches diagonally. For more information, see ["Determining the Device Size at Run Time" on page 38](#).

## Managing the Layout of Panes

The common layout for tablet applications in landscape mode is to divide the screen into two panes with a smaller, navigation pane and a larger, main pane.

When using the NativeUI, you have complete control over the layout of the panes. By default, the `nUIWindowDisplay` object has a navigation pane and a main pane. The main pane occupies all space that is not used by the navigation pane. You can add additional panes and divide the window into as many panes as you need.

You should carefully plan how to arrange and size the panes. Consider how the panes will work on screens with differing resolutions and how device orientation will affect the usability of the application.

**Important:** It is recommended that you do not use overlapping panes.

You can add logic to your application that determines the size of the panes at run time. For example, the NativeUIDemo sample uses a flexible method to determine the size of its panes. The application sets the width of the left pane to the smaller of either 40% of the overall screen width or 2 inches. As a result, the user interface is usable even if

the application is running on a small table in portrait mode. The application sets the height of the left pane to the full screen height less the height of the navigation bar. The right, main pane fills the remaining space. For more information, see ["Adding Panes to a Window" on page 39](#).

## Designing Applications to Run on Both Tablets and Smaller Devices

You can create applications that support both multiple panes aimed for larger devices, such as tablets, and single screens aimed for smaller devices, such as smartphones. When designing the application, it is recommended that you initially design the application flow for the multiple-pane version as a set of features that you can degrade gracefully to accommodate the single-screen version. Alternatively, you can design the single-screen version, and after the application is complete, convert it to a multiple-pane application.

When designing the application flow, be sure to consider the differences between displaying information using multiple panes vs. a single pane. For example, the flow for a single-screen application tends to be linear. Because the logic is more linear, the behavior of the Back button is somewhat predictable. When designing the application flow for an application that will use multiple panes, you can divide the tasks between the panes. Action in one pane can trigger changes in other panes. Because of the possibility of changes being triggered in separate panes, in a multiple-pane application, it is less obvious how and when to display the Back button.

Another example of a difference is the navigation bar. For a single-screen application that is aimed for smaller devices with limited screen size, you might need to limit the icons displayed on the navigation bar. When using multiple panes for a larger device, you have more room to display icons. Additionally, you can split the contents of the navigation bar across multiple panes.

When creating an application that supports both multiple-pane and single-screen versions, you need to add logic to determine when to use the logic for the multiple-pane version or the single-screen version. One method is to base the decision by determining the size of the device. For more information, see ["Determining the Device Size at Run Time" on page 38](#).

## Determining the Device Size at Run Time

If a target platform supports multiple panes, one way to determine whether to use the multiple-pane logic rather than use a single-screen logic is by determining the size of the device on which the application is running. After determining the size of the device, the application can then execute the appropriate logic for the device size.

At run time, the physical screen size of the device is not available because this value is not stored anywhere. However, the application can determine the screen size by checking the screen resolution against the screen's pixels per inch (PPI). The screen resolution and PPI values are stored in the device profile. At run time, the application can query the values using the `CURRENT_SCREEN_WIDTH`,

`CURRENT_SCREEN_HEIGHT` and `CURRENT_SCREEN_PPI` variables, which are part of the `com.softwaeag.mobile.runtime.core.CanvasDimensions` class.

**Note:** Not all device profiles will contain PPI information. Handsets targets that are "generic for any resolution" (that is, `Android3xAPI`) will use a dynamic canvas and will set `CURRENT_SCREEN_PPI` directly, as will targets for specific handsets. Generic targets for a given resolution (that is, `Android320x480` and `WindowsPhoneWVGA`) will need to query `System.getProperty("mobiledesigner.display.ppi")` directly.

You code the application to determine what size is considered a tablet. For example, the logic might consider that any device with a screen size that exceeds six inches diagonally is a tablet.

To see sample code that performs this logic, review the code in the Mobile Designer `NativeUIDemo` sample.

## Adding Panes to a Window

By default, the NativeUI `nUIWindowDisplay` object has two panes, `Pane 0` and `Pane 1`. `Pane 1` is for navigation using the `nUINavigationController` object. `Pane 0` is the main pane and occupies all space that `Pane 1` does not use.

The code examples in this section show how to add an additional third pane to the left side of a window.

The following code example is for a `setPaneDimensions` method. It defines the dimensions for three panes: the main pane, the navigation pane, and the additional side pane. The code explicitly defines the dimensions of the side pane and the navigation pane. The side pane occupies 40% of the total screen width or two inches, whichever is the smaller. The pane for the navigation bar uses the full width of the screen. The main pane occupies the remaining available space.

```
int mainpane = 0;
int navpane = 1;
int sidepane = 2;
nUIWindowDisplay main_window;
nUINavigationController main_navbar_view;
protected void setPaneDimensions()
{
    int sidepane_width = Math.min ((CURRENT_SCREEN_WIDTH * 40) / 100,
CURRENT_SCREEN_PPI * 2);
    int navbar_height = 0;
    if (main_navbar_view != null)
//the navigation bar is not used everywhere in the application
    {
        navbar_height = main_navbar_view.getHeight ();
    }
    int height = main_window.getHeight ();
    main_window.setPaneDimensions (sidepane, new int [] { 0, 0, sidepane_width,
height - navbar_height });
    main_window.setPaneDimensions (mainpane, new int [] { sidepane_width, 0,
CURRENT_SCREEN_WIDTH - sidepane_width, height - navbar_height });
//navigation pane is full-width and calculated automatically.
}
```

After defining the `setPaneDimensions` method, it can be invoked during `onCreateMainWindow` when creating the main window of the application. By doing so, the `setPaneDimensions` method creates the pane structure. You should define the pane structure as soon as the screen dimensions and screen pixels per inch (PPI) are available.

The following code example shows how to create the main pane, navigation pane, and side pane, as well as showing how to set transitions. Note that the logic adds the navigation pane before setting the pane dimensions so that the `setPaneDimensions` method can adjust the height.

```
nUIViewDisplay main_view, side_view;
//onCreateMainWindow is called from CanvasNativeUI.
protected nUIWindowDisplay onCreateMainWindow()
{
    main_window = new nUIWindowDisplay(NUIID_MAIN_WINDOW);
    main_window.add(onCreateMainNavbarView());
    main_view = onCreateMainView();
    side_view = onCreateSideView();
    setPaneDimensions(); //size panes according to contents
    transitionToView(main_view, mainpane);
    transitionToView(side_view, sidepane);
    return main_window;
}
```

**Note:** By default, the NativeUI system assumes that the application uses two panes, Pane 0 and Pane 1, and uses the default size for each. If an application uses additional panes, the NativeUI system must be aware of the additional panes. To do so, in `onCreateMainWindow`, the application logic should call the `setPaneDimensions` method before adding content to panes higher than 1. In the above example, that means before adding content to the additional side pane, Pane 2.

As shown in the code sample below, you can also use the `setPaneDimensions` method to handle changing the pane sizes when the orientation of a device changes, for example, turning an iPad from landscape to portrait. Whenever the orientation of a device changes, `sizeChanged()` is called.

```
public void sizeChanged(int new_width, int new_height)
{
    // IMPORTANT to do this first to enable internal handling
    // that needs to happen when the canvas size changes.
    super.sizeChanged (new_width, new_height);

    setPaneDimensions ();
}
```

## Side Views or Panes?

As well as using the concept of panes to manage `nUIViewDisplay` objects within a `nUIWindowDisplay`, it is also possible to nominate views as "side views". These can be used to provide pop-open "side menu" or "toolbox"-style functionality for an application. The table below will compare and contrast the use of panes and side views. As a general rule of thumb, side views will be more useful for phone screens than on tablet devices, but are available for both.

## Side View

Pop-open when needed.

Will obscure or displace other content when open (possibly including `nUINavigationController`).

Can be defined once to provide a global pop-open "toolbox" for the entire application.

Only 2 side views per Window possible at once (left and right).

Fixed x/y positions and height (width configurable).

More space-efficient with smaller devices.

Blocks interaction in other Views when visible.

## Panes

Intended to be always-open.

Exists in its own space within the Window.

Usually changes content throughout the application's life-cycle.

Multiple panes possible.

Arbitrary layouts possible.

Better side-by-side layout of data and controls for larger devices.

Allows for interaction across multiple Views concurrently.

## JavaScript Bridge

With version 9.10 of Mobile Designer, it is now possible to exchange messages between compiled Java code and a running JavaScript instance inside a `nUIWebView` or `nUIWebViewElement`.

**Note:** While most JavaScript engines implement a wide set of common functionalities, care must be taken to detect and handle any differences between the various platforms. Mobile Designer will not attempt to adjust your HTML or JavaScript code in order to make it more compatible.

## Maintaining good security

It is important to be aware that exchanging messages between JavaScript and Java can have various security implications. It is vital, therefore, that the developer considers fully which web pages may be loaded inside a `nUIWebView` or `nUIWebViewElement`, which messages may potentially be passed to and from that page, and how they are handled.

The developer may wish to consider implementing some or all of the items on this non-exhaustive list:

- Checking `Object.equals()` on the `nUIWebView` or `nUIWebViewElement` making calls from JavaScript into Java.
- Using `processURL()` callbacks to create a URL whitelisting system and/or tracking the currently loaded web page.
- Passing a *secret token* into JavaScript from Java or an external server before accepting calls from JavaScript back into Java.
- Disabling callbacks with a boolean until they are expected.
- Obfuscating JavaScript code for release builds.

## Sending a message to JavaScript from Java

Messages are sent using the `callJavaScript()` method on the `nUIWebView` or `nUIWebViewElement`. The developer needs to specify the name of a JavaScript function to call, and an array of `java.lang.String` objects for the function's arguments. If no arguments are required, a `String` array of length 0 should be used. Example for two JavaScript functions, `myFirstMethod()` and `mySecondMethodWithArgs(param1, param2)`:

```
//call myFirstMethod() to do something
myWebView.callJavaScript("myFirstMethod", new String[]{});
//call mySecondMethodWithArgs with "one" and "two" as arguments
myWebView.callJavaScript("mySecondMethodWithArgs", new String[]{"one", "two"});
```

Using `callJavaScript()` in this manner will cause execution on the Java side to wait for a return value. It is also possible to pass an additional parameter to `callJavaScript()` that will allow the JavaScript function to return a `String` value to Java. Pass in a reference to a class that implements the NativeUI interface `com.softwareag.mobile.runtime.nui.IJSCallback`.

## Sending a message to Java from JavaScript

Sometimes, events inside the browser may require the support of additional Java code, either for speed, or to add functionality. For this purpose, Mobile Designer provides an additional callback method in `nUIWebViewCallbackExt` that developers can implement. This method is called `onJavaScriptCallback()`. After creating a `nUIWebViewCallbackExt` and associating it with a `nUIWebView` or `nUIWebViewElement`, this callback can be accessed through the JavaScript function `MDInterface.javaScriptCallback(clazz, method, parameters)`. It is expected that *clazz* and *method* will be directly convertible from a JavaScript-style `var` into a `java.lang.String`, and the *parameters* argument will become an array of `Strings`. On the Java side, the developer will need to implement the logic required to handle the `onJavaScriptCallback()` method. Calls coming from the JavaScript side will be routed directly to this method. Although the parameters passed suggest the use of class names and methods, this is not set in stone, and the developer may wish to implement logic that differs from this pattern.

## 2 Native User Interface (NativeUI) Objects

■ About the NativeUI Objects .....	45
■ nUIAlertDialog .....	46
■ nUIButtonElement .....	50
■ nUICheckboxButton .....	51
■ nUIContainerElement .....	53
■ nUIDateEntry .....	55
■ nUIDialogWindow .....	58
■ nUIDisplayObject .....	63
■ nUIDropdownlistEntry .....	63
■ nUIElementDisplay .....	66
■ nUIEntryElement .....	67
■ nUIImageElement .....	69
■ nUINavbuttonElement .....	69
■ nUINavView .....	73
■ nUIObject .....	78
■ nUIProgressanimElement .....	78
■ nUIRadioCheckbox .....	81
■ nUISearchEntry .....	83
■ nUISeparatorElement .....	85
■ nUISpacerElement .....	87
■ nUITableButton .....	87
■ nUITablecellElement .....	88
■ nUITableElement .....	89
■ nUITablerowElement .....	91
■ nUITextfieldElement .....	91
■ nUITimerObject .....	93

■ nUIViewDisplay .....	93
■ nUIWebView .....	98
■ nUIWebViewCallBack .....	102
■ nUIWebViewElement .....	102
■ nUIWindowDisplay .....	105

---

## About the NativeUI Objects

---

The webMethods Mobile Designer native user interface (NativeUI) library provides a standard way to create user interfaces for mobile applications that run on multiple platforms. The NativeUI library is made up of NativeUI objects.

The NativeUI library includes platform-specific support for several platforms. When the NativeUI has platform-specific support, the NativeUI maps each NativeUI object to a platform-specific object for a target device. As a result, when the user interface is rendered on a target device, the user interface displays using the platform-specific object. For example, you might want to include a check box in the mobile application's user interface. To do so, you can use the NativeUI object `nUICheckboxButton`. The `nUICheckboxButton` object maps to:

- `android.widget.CheckBox` for an Android device
- `UISwitch` for an iOS device
- `ToggleButton` for a Windows Phone device
- `Windows.UI.Xaml.Controls.Button` for a Windows RT/Windows 8 device

If you are developing an application for a platform for which the NativeUI library does *not* have platform-specific support the NativeUI library includes general versions of the objects. As a result, when the user interface is rendered on a target device, the user interface displays using the general graphical object.

For more information about the look-and-feel of the NativeUI objects, see "[Look-and-Feel When Using the NativeUI Library](#)" on page 8.

This Mobile Designer documentation describes the NativeUI objects in the NativeUI library. The description includes screen shots to provide samples for how an object displays on the various platforms. The screen shot for the "Other" platform illustrates the general graphical skin that is used for a platform for which the NativeUI library does not include platform-specific support. For additional information about the NativeUI objects, see information about the `com.softwareag.mobile.runtime.nui` package in the *webMethods Mobile Designer Java API Reference*.

### Naming Conventions for NativeUI Objects

The names of the NativeUI objects begin with the prefix "nUI", followed by the object's name, which is then followed by the name of the object's parent. For example, the NativeUI check box object is a subtype of the NativeUI button object. Its name is `nUICheckboxButton`, where the object's name is `Checkbox` and parent name is `Button`.

### Font Sizes Used Text in the NativeUI Objects

When displaying text in a NativeUI object, the font size of the text is based on the platform's user interface guidelines and usability requirements. The font sizes are expressed as the following:

- `nUIConstants.size_tiny`

- `nUIConstants.size_small`
- `nUIConstants.size_medium`
- `nUIConstants.size_large`
- `nUIConstants.size_huge`

Typically, a NativeUI object uses the medium size font on most devices. You cannot override the default font sizes. However, some elements will allow you to override the font size used on a per-object basis, either expressed as a percentage value of the predefined sizes, or as a direct value.

The physical size of a font on one platform might not match the physical size on another platform. For example, a large, medium, or small font on an Android device might not match the small, medium, and large font sizes on iOS devices.

## nUIAlertDialog

---

### `com.softwareag.mobile.runtime.nui.nUIAlertDialog`

Use to display a small pop-up that contains information. Use the pop-up to:

- Present information to the user.
- Interact with the user by displaying a simple question, for example, a question requiring a “yes” or “no” answer.

### Usage Notes

- Include at least one button in a `nUIAlertDialog` object.
- The following are platform-specific considerations:

<b>Android</b>	Android devices support no more than three buttons and ignores additional buttons.
<b>iOS</b>	When using more than two buttons, iOS devices stack the buttons vertically in an alert dialog. Software AG recommends limiting the number of buttons to four or five.
<b>Windows Phone</b>	Windows Phone devices use the button labels as the determinant for the number of buttons allowed in the alert dialog. Software AG recommends limiting the number of buttons to five when the labels are short, averaging four letters. Windows Phone devices might truncate labels if screen space is not available.

Windows RT  
Windows 8

Windows RT/Windows 8 support no more than three buttons and ignores additional buttons.

### Example

This code sample displays an alert dialog with two buttons. Illustrations of how the example code is rendered on various platforms follows the code sample.

```
nUIAlertDialog alertDialog = new nUIAlertDialog  
(  
    NUIID_MY_ALERT_DIALOG,  
    "Lorem Ipsum",  
    "Dolor sit amet?",  
    new String[]{"Lorem", "Ipsum"},  
    new int[]{NUIID_BUTTON_LOREM, NUIID_BUTTON_IPSUM}  
);
```

### Platform

### Platform-Specific Class and Illustration

#### Android

Dialogs and the `android.app.AlertDialog`



#### iOS 7

`UIAlertView`

**Platform**

**Platform-Specific Class and Illustration**

---



**iOS 6**

**UIAlertView**



**Windows Phone**

**Popup**

**Platform**


**Platform-Specific Class and Illustration**



Windows RT  
Windows 8

Windows.UI.Popups.MessageDialog

**Other**



## nUIButtonElement

### com.softwareag.mobile.runtime.nui.nUIButtonElement

Use to display a single button that contains a text label.

#### Usage Notes

- The nUIButtonElement class extends the nUIElementDisplay class.
- Based on the platform, the nUIButtonElement object exhibits different behavior and appearance.
- The following lists the default horizontal text alignment of the button label based on the platform:


<b>Android</b>	Button label is aligned left
<b>iOS</b>	Button label is aligned left
<b>Windows Phone</b>	Button label is aligned centered
Windows RT Windows 8	Button label is aligned centered

#### Example

This code sample displays a button. Illustrations of how the example code is rendered on various platforms follows the code sample.

```
view.add(new nUIButtonElement(NUIID_MY_BUTTON, "nUIButtonElement"));
```

Platform	Platform-Specific Class and Illustration
<b>Android</b>	android.widget.Button 
<b>iOS 7</b>	UIButton 
<b>iOS 6</b>	UIButton



Platform	Platform-Specific Class and Illustration
	
Windows Phone	<p>Windows system <code>Button</code> class</p> <p>For more information, see <a href="#">System.Windows.Controls.Button</a>.</p> 
Windows RT Windows 8	<code>Windows.UI.Xaml.Controls.Button</code>
Other	

## nUICheckboxButton

`com.softwareag.mobile.runtime.nui.nUICheckboxButton`

Use to display a check box.

### Usage Notes

- Valid states for the check box are 0 (zero) meaning clear and 1 (one) meaning selected.
- The `nUICheckboxButton` object provides the following check box types. Use the type that is most appropriate for your application's target platforms.
  - `nUICheckboxButton.TYPE_DEFAULT`, which indicates the application uses the check box type that is considered the most appropriate for the target platform.
  - `nUICheckboxButton.TYPE_OFF_ON` indicates a check box that uses "On" and "Off".
  - `nUICheckboxButton.TYPE_YES_NO` specifies a check box that uses "Yes" and "No". For platforms that do not support yes/no check boxes, Mobile Designer implements a `nUIButtonElement` object with equivalent "Yes" and "No" text labels.

The default state for a check box is 0 (zero), meaning clear, off, or no.

**Example**

This code sample displays a check box. Illustrations of how the example code is rendered on various platforms follows the code sample.

```
view.add(new nUICheckboxButton(NUIID_MY_CHECKBOX, "nUICheckboxButton"));
```

<b>Platform</b>	<b>Platform-Specific Class and Illustration</b>	
<b>Android</b>	android.widget.CheckBox	
	<b>Cleared</b>	<b>Selected</b>
		
<b>iOS 7</b>	UISwitch	
	<b>Cleared</b>	<b>Selected</b>
		
<b>iOS 6</b>	UISwitch	
	<b>Cleared</b>	<b>Selected</b>
		
<b>Windows Phone</b>	ToggleButton	
	<b>Cleared</b>	<b>Selected</b>
		
Windows RT Windows 8	Windows.UI.Xaml.Controls.CheckBox	
<b>Other</b>	<b>Cleared</b>	<b>Selected</b>
		

## nUIContainerElement

### com.softwareag.mobile.runtime.nui.nUIContainerElement

Use to display a container that holds other NativeUI objects.

You can set the container's attributes to allow scrolling. For example, the application might use the container to hold long pieces of text that exceeds the viewable area, allowing the user to scroll through the text.

#### Usage Notes

- Set the `Height` attribute to set height of the object. By default, the `nUIContainerElement` object occupies the remaining width of the parent object. However, you can adjust the width of the `nUIContainerElement` object using the `Width` attribute.
- If you want to use a scrolling `nUIContainerElement` object in a view, ensure that the parent `nUIViewDisplay` object does not allow scrolling.

**Caution:** Setting the `Hscrollable` attribute to `true` to allow horizontal scrolling currently results in undefined behavior.

- The following are platform-specific considerations:

<b>Android</b>	The <code>InnerX</code> and <code>InnerY</code> default values are 0 (zero).
<b>iOS</b>	The <code>InnerX</code> and <code>InnerY</code> default values are 0 (zero).
<b>Windows Phone</b>	The <code>InnerX</code> and <code>InnerY</code> default values are 0 (zero).
Windows RT Windows 8	The <code>InnerX</code> and <code>InnerY</code> default values are 0 (zero).





#### Example

This code sample displays the `nUIContainerElement` object between two `nUIButtonElement` objects. Illustrations of how the example code is rendered on various platforms follows the code sample.


```
//Add buttons to help demonstrate the bounds of the container.
view.add(new nUIButtonElement(-1, "nUIButtonElement 1"));


nUIContainerElement my_container = new nUIContainerElement(-1);
my_container.setHeight(150);
my_container.add(new nUITextfieldElement(-1, LOREM_IPSUM_STRING));
view.add(my_container);

view.add(new nUIButtonElement(-1, "nUIButtonElement 2"));
```

Platform	Platform-Specific Class and Illustration
<b>Android</b>	android.widget.ScrollView with RelativeLayout.LayoutParams 
<b>iOS 7</b>	UIView with a UIScrollView 
<b>iOS 6</b>	UIView with a UIScrollView 
<b>Windows Phone</b>	System.Windows.Controls.Canvas with the ScrollViewer 
Windows RT Windows 8	Windows.UI.Xaml.Controls.Canvas with internal ScrollViewer

Platform	Platform-Specific Class and Illustration
----------	--

Other	
-------	---



## nUIDateEntry

`com.softwareag.mobile.runtime.nui.nUIDateEntry`

Use to display a date or time selector control.

### Usage Notes

- Use the `Format` attribute to indicate whether you want a date or time selector control:

For this type of selector	Specify the following for the <code>Format</code> attribute
Date with day, month, and year	<code>nUIDateEntry.dd_MM_yyyy</code>
Time with hours and minutes	<code>nUIDateEntry.HH_mm</code>

- When getting the `Date` attribute after an `EVT_POST_EDIT` call to a `nUIDateEntry` object, only the information for the requested `Format` is valid. Data outside the specific `Format` is undefined.

### Example

This code sample displays a date selector control. Illustrations of how the example code is rendered on various platforms follows the code sample.

```
view.add(new nUIDateEntry(NUIID_MY_DATE, null)); //null = current date
```

Platform	Platform-Specific Class and Illustration
----------	--

Android	DatePickerDialog
---------	------------------


---

**Platform**      **Platform-Specific Class and Illustration**


---

**Closed****Open****iOS 7**

UIDatePicker


**Closed****Open****iOS 6**

UIDatePicker

**Platform****Platform-Specific Class and Illustration****Closed****Open****Windows Phone**

Microsoft.Phone.Controls.DatePicker or TimePicker

For information, see [User Experience Design Guidelines for Windows Phone](#).

**Closed****Open**

Platform	Platform-Specific Class and Illustration
Windows RT Windows 8	Windows.UI.Xaml.Controls.Button and ListBox
Other	<div style="display: flex; justify-content: space-around;"> <div style="text-align: center;"> <p>Closed</p>  </div> <div style="text-align: center;"> <p>Open</p>  </div> </div>

## nUIDialogWindow

### com.softwareag.mobile.runtime.nui.nUIDialogWindow

Use to display a pop-up window.

#### Usage Notes

- You can add a [nUIViewDisplay](#) object to the nUIDialogWindow object.
- The nUIDialogWindow object does not support multiple panes, the [nUINavView](#) object, or [nUINavbuttonElement](#) object.

#### Example

This code sample displays a pop-up window. Illustrations of how the example code is rendered on various platforms follows the code sample.

```
nUIDialogWindow custom_dialog = new nUIDialogWindow(NUIID_MY_CUSTOM_DIALOG);
nUIViewDisplay view = new nUIViewDisplay(-1);
view.add(new nUITextfieldElement(-1, "Lorem"));
```


```

view.add(new nUIEntryElement(NUIID_ENTRYELEMENT_IPSUM, "Ipsum"));
view.add(new nUIEntryElement(NUIID_ENTRYELEMENT_DOLOR, "Dolor"));
nUITableElement button_table = new nUITableElement(-1, new int[]{50, 50});
nUITablerowElement tr = new nUITablerowElement(-1);
{
    nUITablecellElement tc = new nUITablecellElement(-1);
    {
        tc.add(new nUIButtonElement(NUIID_BUTTON_SIT, "Sit"));
    }
    tr.add(tc);
    tc = new nUITablecellElement(-1);
    {
        tc.add(new nUIButtonElement(NUIID_BUTTON_AMET, "Amet"));
    }
    tr.add(tc);
}
button_table.add(tr);
view.add(button_table);
custom_dialog.add(view);

```

**Platform****Platform-Specific Class and Illustration****Android**

android.app.Dialog

**iOS 7 - iPhone**

UIView initialized with a UIModalPresentationFormSheet

**Note:** On an iPhone, the `nUIDialogWindow` object occupies the entire screen.

**Platform****Platform-Specific Class and Illustration****iOS 7 - iPad**

UIView initialized with a UIModalPresentationFormSheet

**iOS 6- iPhone**

UIView initialized with a UIModalPresentationFormSheet in iOS 6

**Note:** On an iPhone, the `nUIDialogWindow` object occupies the entire screen.

**Platform****Platform-Specific Class and Illustration****iOS 6 - iPad**

UIView initialized with a UIModalPresentationFormSheet in iOS 6

**Windows Phone**

System.Windows.Controls.Primitives.Popup

**Platform**

**Platform-Specific Class and Illustration**



Windows RT  
Windows 8

Windows.UI.Xaml.Controls.Primitives.Popup

**Other**



---

## nUIDisplayObject

---

### com.softwareag.mobile.runtime.nui.nUIDisplayObject

The `nUIDisplayObject` class is a base class for Display NativeUI objects. The `nUIElementDisplay`, `nUIViewDisplay`, and `nUIWindowDisplay` classes extend the `nUIDisplayObject` class.

#### Usage Notes

- When specifying the `Width` and `Right` attributes, you can specify just one of these attributes. Mobile Designer infers the value of the attribute you do not define from the value of the defined attribute.
- When specifying the `Height` and `Bottom` attributes, you can specify just one of these attributes. Mobile Designer infers the value of the attribute you do not define from the value of the defined attribute.
- The `X` and `Left` coordinate position attributes are equivalent. You can specify just one of them.
- The `Y` and `Right` coordinate position attributes are equivalent. You can specify just one of them.
- The default value for inner padding attributes is 0 (zero).

Display objects, such as tables and views, might override the default inner padding values.

- By default, the inner width and height values match the values for the `X` and `Y` padding on the `Right` and `Bottom` of the object.

You can configure the object's `Width` and `Height` attribute values to prevent this duplication.

---

## nUIDropdownlistEntry

---

### com.softwareag.mobile.runtime.nui.nUIDropdownlistEntry

Use to display a drop-down list that contains selection items.

#### Usage Notes

- If a drop-down list contains less than five items, consider using the [nUIRadioCheckbox](#) object instead.


#### Example

This code sample displays a drop-down list. Illustrations of how the example code is rendered on various platforms follows the code sample.

```
String[] list_items = new String[] {"Lorem", "ipsum", "dolor", "sit", "amet"};  
view.add(new nUIDropdownlistEntry(NUIID_MY_DROPDOWNLIST, list_items));
```

Platform	Platform-Specific Class and Illustration
----------	--

Android	android.widget.Spinner
---------	------------------------

**Closed****Open**


iOS 7	UIPickerView
-------	--------------

Platform	Platform-Specific Class and Illustration
----------	--

**Closed**



**Open**




**iOS 6**

UIPickerView

**Closed**





**Open**



**Windows Phone**

System.Windows.Controls.ListBox

Platform	Platform-Specific Class and Illustration	
Windows RT Windows 8	<b>Closed</b> 	<b>Open</b> 
	Windows.UI.Xaml.Controls.ListBox	
<b>Other</b>	<b>Closed</b> 	<b>Open</b> 

## nUIElementDisplay

### com.softwareag.mobile.runtime.nui.nUIElementDisplay

The nUIElementDisplay class is the base class for Element NativeUI objects. The nUIElementDisplay class overrides the parent's  $y$  attribute and inner padding values.

By default, Element NativeUI objects display one below the other in their parent unless the application specifically position the Element objects.

## nUIEntryElement

### com.softwareag.mobile.runtime.nui.nUIEntryElement

Use to display a text entry box. You can restrict the user input to alphanumeric characters or only numbers. You can mask the field's contents, making the field suitable for a user to enter passwords or personal identifier numbers (PIN)s.

#### Usage Notes

- Set the `Format` attribute to indicate the type of text allowable in the text entry field. Use one of the following values:

Value	Meaning
**	Alphanumeric field
N*	Numeric-only field
H**	Hidden (masked) alphanumeric password field
HN*	Hidden (masked) PIN field

- If the value of the `Format` attribute includes `H` indicating a hidden (masked) field, the value of the `Lines` attribute is always set to 1. The `Lines` attribute sets the number of text entry lines in the `nUIEntryElement` NativeUI object.
- Use the `HintText` attribute to provide text to indicate what the user should enter in the entry field. The text displays in the entry field, typically in a light gray, and disappears as soon as the user starts typing in the field.




The following lists platform considerations:

<b>iOS</b>	Hint text does not display in multi-line entry boxes.
<b>Windows Phone</b>	Hint text does not display in hidden (masked) alphanumeric password fields or hidden (masked) PIN fields.

#### Example

This code sample displays a text box. Illustrations of how the example code is rendered on various platforms follows the code sample.

```
view.add(new nUIEntryElement(NUIID_MY_ENTRY, "nUIEntryElement"));
```

Platform	Platform-Specific Class and Illustration	
Android	android.widget.EditText	
	<b>Normal</b> 	<b>With Focus</b> 
iOS 7	UITextField for a single-line text box UITextView for a multi-line text box	
	<b>Normal</b> 	<b>With Focus</b> 
iOS 6	UITextField for a single-line text box UITextView for a multi-line text box	
	<b>Normal</b> 	<b>With Focus</b> 
Windows Phone	System.Windows.Controls.TextBox	
	<b>Normal</b> 	<b>With Focus</b> 
Windows RT Windows 8	Windows.UI.Xaml.Controls.TextBox or PasswordBox	
Other	<b>Normal</b> 	<b>With Focus</b> 

## nUIImageElement

`com.softwareag.mobile.runtime.nui.nUIImageElement`

Use to display an image.

### Usage Notes

- You can make a simple image behave like a button and generate `EVT_TRIGGER` events by calling `setTriggerable(true)` when creating the image.
- The following are platform-specific considerations:

<b>Android</b>	The <code>nUIImageElement</code> object is the <code>android.widget.ImageView</code> class.
<b>iOS</b>	The <code>nUIImageElement</code> object is the <code>UIImage</code> class. For more information, see iOS Developer Library's <a href="#">Drawing and Creating Images</a> .
<b>Windows Phone</b>	The <code>nUIImageElement</code> object is the <code>System.Windows.Controls.Image</code> class.
Windows RT Windows 8	The <code>nUIImageElement</code> object is the <code>Windows.UI.Xaml.Controls.Image</code> class.

## nUINavbuttonElement

`com.softwareag.mobile.runtime.nui.nUINavbuttonElement`

Use to display a button within a `nUIViewDisplay` object or a `nUINavView` object.

### Usage Notes

- To use the `nUINavbuttonElement` object as a **Back** button, set the `nUINavbuttonElement` object's `Type` attribute to `nUINavbuttonElement.TYPE_BACK`.

**Note:** Do not use the `nUINavbuttonElement` object as a **Back** button in a `nUINavView`.

- When using the `nUINavbuttonElement` object as a **Back** button in a `nUIViewDisplay` object, you do not need to define an icon to use for the `nUINavbuttonElement` object.

When a user presses a physical **Back** button or touches a Back area on a touchscreen, the `nUINavbuttonElement` object reacts to the user interaction.

- When using the `nUINavbuttonElement` object as a button in a `nUINavView` object, define the `Text` and `Icon` attributes for the button.
- When specifying an image with the `Icon` attribute, the file must be a PNG file. For information about using graphics in a mobile application, see [Preparing Graphics for Your Mobile Application](#) and [Icon Creation and Usage for webMethods Mobile Designer](#).
- The following are platform-specific considerations:

#### Android

- The `nUINavbuttonElement` object is a `android.view.MenuItem` class. For more information, see [Menus](#).
- When you use the `nUINavbuttonElement` object in a `nUINavView` object, at least the `Text` or the `Icon` attributes must be supplied.
- When you use the `nUINavbuttonElement` object in a `nUIViewDisplay` object:
  - The button displays in the header bar. This support is only available if `android.nativeui.view.header.version` is set to the newer style header bar introduced with Ice Cream Sandwich.
  - If you set the `Type` attribute to `nUINavbuttonElement.TYPE_BACK`, if the Android device has a physical Back button, the Back button is used. Otherwise, if the newer style header bar introduced with Ice Cream Sandwich is in use, Android draws a Back button in the header.
  - If you use the `HeaderText` attribute and space is not available for both the header text and the `nUINavbuttonElement` objects, the header text is truncated.
  - It is recommended that you insert no more than 3 `nUINavbuttonElement` objects in a `nUIViewDisplay` object.
  - The `Icon` attribute is required. The icon will be used if it is supplied. If not, the `Text` attribute is used instead. Please provide a brief text for the attribute because the text will be cropped at a width 1.5 times the width of the standard Icon width.

- The size of the image you specify with the `Icon` attribute for a pop-up menu is based on the density of the screen of the device:
  - Low density (ldpi) images is 36x36 pixels.
  - Medium density (mdpi) images is 48x48 pixels.
  - High density (hdpi) images is 72x72 pixels.

**Note:** Extra high density (xdpi) is not applicable.

- The size of the image you specify with the `Icon` attribute for an action bar is based on the density of the screen of the device:
  - Medium density (mdpi) images is 32x32 pixels.
  - High density (hdpi) images is 48x48 pixels.
  - Extra high density (xdpi) images is 64x64 pixels.

**Note:** Low density (ldpi) is not applicable.

## iOS

- The `nUINavigationController` object is a `UITabBarItem` class.
- When you use the `nUINavigationController` object in a `nUINavigationController` object:
  - The `Text` and `Icon` attributes are required.
  - When specifying an image with the `Icon` attribute, the image should be 32x32 pixels for a non-Retina display or 64x64 pixels for a Retina display. Additionally, the image should be black on transparent. The iOS device automatically adds highlighting and gradients at run time.
- When you use the `nUINavigationController` object in a `nUINavigationController` object:
  - The button displays in the header bar.
  - If you set the `Type` attribute to `nUINavigationController.Type_Back`, the button displays in the left of the header.
  - The `Icon` or `Text` attribute is required. If you specify both, `Icon` is used.
  - If you specify only the `Text` attribute, the iOS devices draws the text inside a button.

- When specifying an image with the `Icon` attribute, it is recommended that the image be 24x24 pixels for a non-Retina display or 48x48 pixels for a Retina display. The iOS device draws the icon without additional borders.
  - If you use the `HeaderText` attribute and space is not available for both the header text and the `nUINavigationController` objects, the header text is truncated.
  - For an iPhone running iOS, it is recommended that you insert no more than 3 `nUINavigationController` objects in a `nUIViewDisplay` object.
  - For an iPad running iOS, it is recommended that you insert no more than 6 `nUINavigationController` objects in a `nUIViewDisplay` object.
- Windows Phone**
- The `nUINavigationController` object is a `ApplicationBarIconButton` or `ApplicationBarItem` class.
  - When you use the `nUINavigationController` object in a `nUINavigationController` object:
    - The `Text` and `Icon` attributes are required. For more information, see [Application Bar Overview for Windows Phone](#).
    - When specifying an image with the `Icon` attribute, the image should be 27x27 pixels. Additionally, the image should be white on transparent. The Windows Phone device automatically adds the circle around the icon at run time.
  - When you use the `nUINavigationController` object in a `nUIViewDisplay` object:
    - The button displays in a pop-up menu.
    - If you set the `Type` attribute to `nUINavigationController.TYPE_BACK`, the Windows Phone device uses the physical Back button and does not draw a Back button.
    - The `Text` attribute is required.
    - You can insert any number of `nUINavigationController` objects in a `nUIViewDisplay` object.
- Windows RT  
Windows 8**
- The `nUINavigationController` object is a `Windows.UI.Xaml.Controls.Button` class.
  - When specifying an image with the `Icon` attribute, the image should be 48x48 pixels. When you use the

nUINavbuttonElement object in a nUINavView object, the Windows RT/Windows 8 device automatically adds the circle around the icon at run time. Otherwise, you have to add the circle yourself.

- You can insert any number of nUINavbuttonElement objects in a nUINavView or nUIViewDisplay object, limited only by the screen width.
- When you use the nUINavbuttonElement object in a nUINavView object, the Text and Icon attributes are required.
- When you use the nUINavbuttonElement object in a nUIViewDisplay object:
  - The button displays in the header bar.
  - The Icon attribute is required.

## nUINavView

### com.softwareag.mobile.runtime.nui.nUINavView

Use to display the navigation view.

The navigation view has different formats based on the platform. For example, for some platforms the navigation view might display as a menu bar that is always visible and uses both icons and text. For other platforms, the navigation view might have hidden menu items that are displayed only when a user presses a button.

### Usage Notes

- You can add nUINavbuttonElement objects to the nUINavView object.

**Note:** The nUINavbuttonElement object should *not* represent Back buttons. That is, the object's Type attribute should *not* be set to nUINavbuttonElement.TYPE\_BACK.

- The following are platform-specific considerations:

#### Android

- Software AG recommends limiting the number of buttons you add to a nUINavView object to six buttons. If you add more than six buttons, a **more** button displays on some Android devices.
- Android devices support two formats of the navigation view. Set the android.nativeui.navview.version property to control the format you want to use. You can set this property in the project's \_defaults\_.xml file or in the

handset-specific targets xml file. These files are located in the project's targets directory.

- Set the property to 1 to use the older style pop-up menu that Android 2.3 and earlier used.
- Set the property to 2 to use the newer style menu introduced with Ice Cream Sandwich.

<b>iOS</b>	■ Software AG recommends limiting the number of buttons you add to a UINavigationController object on an iPhone in full-screen portrait mode to eight buttons.
<b>Windows Phone</b>	■ Software AG recommends limiting the number of buttons you add to a UINavigationController object to five buttons. If you add more than five buttons, five display and the remaining buttons are accessible through the pop-up menu as a list without icons.
Windows RT Windows 8	<ul style="list-style-type: none"> <li>■ The navigation view displays as a pop-up menu that occupies the full width of the screen.</li> <li>■ Software AG recommends creating only one UINavigationController object at a time.</li> <li>■ Software AG recommends limiting the number of buttons you add to a UINavigationController object to six buttons.</li> </ul>

## Example

This code sample displays a navigation view. Illustrations of how the example code is rendered on various platforms follows the code sample.

```
protected UINavigationController onCreateMainNavbarView()
{
//loadImage calls Image.createImage() with the appropriate path and file
extension.
    navbar_view = new UINavigationController(NUIID_NAV_VIEW);
    navbar_view.setVscrollable(false);
    navbar_view.setBackgroundColor (0);
    navbar_view.add(new UINavigationControllerElement(-1, "Lorem",
                                                    loadImage ("ChartArea")));
    navbar_view.add(new UINavigationControllerElement(-1, "Ipsum",
                                                    loadImage ("ChartPie")));
    navbar_view.add(new UINavigationControllerElement(-1, "Dolor",
                                                    loadImage ("ChartBar")));
    return navbar_view;
}
```

## Platform

## Platform-Specific Class and Illustration


Android -  
Ice Cream Sandwich

Custom code to emulate a split [Action Bar](#)

**Platform**


**Platform-Specific Class and Illustration**

---



Android -  
2.3

android.view.Menu




iOS 7

UITabBar


**Platform**

**Platform-Specific Class and Illustration**



iOS 6

UITabBar




Windows Phone -  
compact

Microsoft.Phone.Shell.ApplicationBar

**Platform**


**Platform-Specific Class and Illustration**

---



Windows Phone -  
expanded

Microsoft.Phone.Shell.ApplicationBar



Windows RT  
Windows 8

Windows.UI.Xaml.Controls.AppBar

Platform	Platform-Specific Class and Illustration
Other	

## nUIObject

**com.softwareag.mobile.runtime.nui.nUIObject**

The nUIObject class is the base class for all NativeUI objects. Do not instantiate this object directly.

## nUIProgressanimElement

**com.softwareag.mobile.runtime.nui.nUIProgressanimElement**

Use to display an animated status indicator that an application can display to indicate background activity is in progress.

### Example

This code sample displays a status indicator. Illustrations of how the example code is rendered on various platforms follows the code sample.


```
view.add(new nUIProgressanimElement(NUIID_MY_PROGRESSANIM));
```

Platform	Platform-Specific Class and Illustration
Android	android.widget.ProgressBar

---


**Platform****Platform-Specific Class and Illustration**

---

**iOS 7**

UIActivityIndicatorView

**Note:** The progress indicator is in the top right of the screen.


**iOS 6**

UIActivityIndicatorView


---

**Platform****Platform-Specific Class and Illustration**

---

**Windows Phone**`System.Windows.Controls.ProgressBar`


**Note:** You can display the progress animation object as part of the header bar of the current view.

**Windows RT**`Windows.UI.Xaml.Controls.ProgressBar`

Platform	Platform-Specific Class and Illustration
----------	--

Windows 8	
-----------	--

Other	
-------	--



## nUIRadioCheckbox

**com.softwareag.mobile.runtime.nui.nUIRadioCheckbox**

Use to display a single radio button that uses two states, selected or cleared.

### Usage Notes

- You can place a radio button in a group with other radio buttons, and enable the user to select only one of the available radio button options. To do so, set the `GroupID` attribute of the buttons in the group to the same value.

### Example

This code sample displays a radio button. Illustrations of how the example code is rendered on various platforms follows the code sample.

```
view.add(new nUIRadioCheckbox(NUIID_MY_RADIOCHECKBOX, "nUIRadioCheckbox"));
```

Platform	Platform-Specific Class and Illustration
----------	--

Android	android.widget.RadioButton
---------	----------------------------

Platform	Platform-Specific Class and Illustration	
	<b>Cleared</b>	<b>Selected</b>
		
iOS 7	UIButton	
	<b>Note:</b> The radio button displays a check next to the selected item.	
	<b>Cleared</b>	<b>Selected</b>
		
iOS 6	UIButton	
	<b>Note:</b> The radio button displays a check next to the selected item.	
	<b>Cleared</b>	<b>Selected</b>
		
Windows Phone	RadioButton	
	<b>Cleared</b>	<b>Selected</b>
		
Windows RT Windows 8	Windows.UI.Xaml.Controls.RadioButton	
Other	<b>Cleared</b>	<b>Selected</b>
		

## nUISearchEntry

### com.softwareag.mobile.runtime.nui.nUISearchEntry

Use to display a search entry field. You can restrict the user input to alphanumeric characters or only numbers.

**Note:** The nUISearchEntry NativeUI object is similar to the [nUIEntryElement](#) NativeUI object except that the nUISearchEntry object does not allow masking the entry field.

### Usage Notes

- Set the `Format` attribute to indicate the type of text allowable in the text entry field. Use one of the following values:

Value	Meaning
**	Alphanumeric field
N*	Numeric-only field

- The entered text is always visible in the search entry field. If you need to mask the field's contents, for example to use for a field where a user enters passwords or personal identifier numbers (PIN)s, use [nUIEntryElement](#) object instead.
- Use the `HintText` attribute to provide text to indicate what the user should enter in the entry field. The text displays in the entry field, typically in a light gray, and disappears as soon as the user starts typing in the field.
- The following are platform-specific considerations:

<b>Android</b>	<ul style="list-style-type: none"> <li>■ Android devices generate an <code>EVT_TRIGGER</code> event when a user selects the button adjacent to the text field.</li> </ul>
<b>iOS</b>	<ul style="list-style-type: none"> <li>■ iOS devices generate an <code>EVT_TRIGGER</code> event when a user presses the Search or Enter key.</li> <li>■ Hint text does not display in multi-line entry boxes.</li> </ul>
<b>Windows Phone</b>	<ul style="list-style-type: none"> <li>■ Windows Phone devices generate an <code>EVT_TRIGGER</code> event when a user selects the button adjacent to the text field or when a user presses a Search or Enter key.</li> </ul>
Windows RT Windows 8	<ul style="list-style-type: none"> <li>■ Windows RT/Windows 8 devices generate an <code>EVT_TRIGGER</code> event when a user selects the button</li> </ul>

adjacent to the text field or when a user presses the Enter key.

#### Other

- Devices generate an EVT\_TRIGGER event when a user presses the Search or Enter key.

#### Example

This code sample displays a search entry field. Illustrations of how the example code is rendered on various platforms follows the code sample.

```
view.add(new nUISearchEntry(NUIID_MY_SEARCH_ENTRY, "nUISearchEntry"));
```

Platform	Platform-Specific Class and Illustration
Android (API < 14)	<p>Custom object based around android.widget.EditText with an android.widget.ImageButton</p> <p><b>Normal</b></p>  <p><b>With Focus</b></p> 
Android (API >= 14)	<p>android.widget.SearchView</p> <p><b>Normal</b></p>  <p><b>With Focus</b></p> 
iOS 7	<p>UISearchBar</p> <p><b>Normal</b></p>  <p><b>With Focus</b></p> 
iOS 6	<p>UISearchBar</p> <p><b>Normal</b></p>  <p><b>With Focus</b></p> 

Platform	Platform-Specific Class and Illustration	
Windows Phone	TextBox with the Button	
	<b>Normal</b> 	<b>With Focus</b> 
Windows RT Windows 8	Custom element based on Windows.UI.Xaml.Controls.Button and TextBox	
Other	<b>Normal</b> 	<b>With Focus</b> 

## nUISeparatorElement

`com.softwareag.mobile.runtime.nui.nUISeparatorElement`

Use to display a horizontal line that separates blocks of content.

### Usage Notes






- Setting the `Height` attribute alters the padding above and below the horizontal separator line. It does not alter the size of the line itself.

### Example

This code sample displays a horizontal separator line. Illustrations of how the example code is rendered on various platforms follows the code sample.

```
view.add(new nUISeparatorElement(-1))
```

Platform	Platform-Specific Class and Illustration
Android	Custom <code>android.view.View</code>

Platform	Platform-Specific Class and Illustration
	
iOS 7	UIView customized with a horizontal rule between content blocks
	
iOS 6	UIView customized with a horizontal rule between content blocks
	
Windows Phone	System.Windows.Controls.Border
	
Other	

## nUISpacerElement

### com.softwareag.mobile.runtime.nui.nUISpacerElement

Use to add blank space between NativeUI objects to create extra padding.

#### Usage Notes

- Use the `Height` attribute to set the appropriate size for the blank space.
- You can set the height directly using `setHeight()`.

## nUITableButton

### com.softwareag.mobile.runtime.nui.nUITableButton

Use to display a table that contains other NativeUI objects and acts as a button.

#### Example

This code sample displays a `nUITableButton` object that contains an image and text. Illustrations of how the example code is rendered on various platforms follows the code sample.

```
nUITableElement table;
nUITablerowElement tr;
nUITablecellElement tc;

//loadImage calls Image.createImage() with the appropriate path and file extension.
Image person = loadImage("PersonRealisticSingle");
table = new nUITableElement(-1, new int[]{30,70});
{
    tr = new nUITablerowElement(-1);
    {
        tc = new nUITablecellElement(-1);
        {
            tc.add(new nUIImageElement(-1, person));
            tc.setVspan(2);
            tc.setVAlign(nUIConstants.center);
        }
        tr.add(tc);

        tc = new nUITablecellElement(-1);
        {
            nUITextfieldElement header = new nUITextfieldElement(-1, "Lorem
Ipsum.");
            header.setHAlign(nUIConstants.left);
            tc.add(header);
        }
        tr.add(tc);
    }
    table.add(tr);




    tr = new nUITablerowElement(-1);
    {
```

```

//empty cell, cell above us spans into here.
tc = new UITableViewCellElement(-1);
tr.add(tc);

tc = new UITableViewCellElement(-1);
{
    UITextFieldElement details = new UITextFieldElement(-1, "Dolor
sit amet, consectetur adipiscing elit, sed do eiusmod tempor.");
    details.setMaxLines(2);
    details.setFontSize(nUIConstants.size_small);
    details.setHAlign(nUIConstants.left);
    tc.add(details);
}
tr.add(tc);
}
table.add(tr);
}
UITableViewButton person_with_text =
    new UITableViewButton(NUIID_MY_PERSON_TABLEBUTTON);
person_with_text.add(table);
view.add(person_with_text);

```

Platform	Illustration
Android	
iOS 7	
iOS 6	
Windows Phone	
Other	

## nUITableViewCell

**com.softwareag.mobile.runtime.nui.nUITableViewCell**

Use to add a table cell to a table row ([UITableViewRowElement](#)).

### Usage Notes

- The `nUITableCellElement` object sets the `InnerX` attribute to `screen_width` divided by 128, and `InnerY` attribute to `screen_height` divided by 256 on all platforms.
- A table cell can contain more than one child object. The table cell objects are positioned and aligned in a manner similar to a `nUIViewDisplay` object.
- Use the `Bgcolor` attribute to set the table cell's background color. To specify a color, set the `Bgcolor` attribute to an integer that is based on a 32-bit Alpha Red Green Blue (ARGB) format. You can use any solid color. If you specify an Alpha value that is not opaque (0xFF), the behavior of the table cell object is undefined.

## nUITableElement

### `com.softwareag.mobile.runtime.nui.nUITableElement`

Use to display a table that is composed of `nUITableRowElement` and `nUITableCellElement` objects.

### Usage Notes

- Use the `Bgcolor` attribute to set the table's background color. By default, the background color is transparent. To change the color, set the `Bgcolor` attribute to an integer that is based on a 32-bit Alpha Red Green Blue (ARGB) format. You can use any solid color. If you specify an Alpha value that is not opaque (0xFF), the behavior of the table object is undefined.
- Use the `RelWidths` attribute to specify an array of integer values that provide a relative width for each column.
- A table occupies the space available from the parent container, minus any padding. The actual pixel width of each column is determined using the following formula:  

$$\text{column\_px\_width} = (\text{table\_px\_width} * \text{column\_rel\_width}) / \text{sum\_of\_all\_rel\_widths}$$
- Consider the width limitations of the target devices when determining the number of columns to use in a table.

### Examples

- This code sample creates a table with two equal-width columns.

```
new nUITableElement(-1, new int [] { 1, 1 });
```

- This code sample uses percentage values to create a table with three columns, where the middle column is twice as wide as the first and last columns. The column percentages should add up to 100%.


```
new nUITableElement(-1, new int [] { 25, 50, 25 });
```

- This code sample creates a table using `nUITableElement`, `nUITableButton`, `nUITablerowElement`, and `nUITablecellElement`. Illustrations of how the example code is rendered on various platforms follows the code sample.

```
nUITableElement table;
nUITablerowElement tr;
nUITablecellElement tc;
table = new nUITableElement(-1, new int [] { 70, 30 });
{
    tr = new nUITablerowElement (-1);
    {
        tc = new nUITablecellElement (-1);
        {
            tc.add(new nUITextfieldElement (-1, "Lorem"));
        }
        tr.add (tc);

        tc = new nUITablecellElement (-1);
        {
            tc.add(new nUITextfieldElement (-1, "ipsum"));
        }
        tr.add (tc);
    }
    table.add (tr);

    tr = new nUITablerowElement (-1);
    {
        tc = new nUITablecellElement (-1);
        {
            tc.add(new nUIButtonElement (-1, "dolor"));
        }
        tr.add (tc);
        tc = new nUITablecellElement (-1);
        {
            tc.add(new nUIButtonElement (-1, "sit"));
        }
        tr.add (tc);
    }
    table.add (tr);
}
view.add(table);
```

Platform	Illustration
Android	
iOS 7	
iOS 6	

Platform	Illustration
Windows Phone	
Other	

## nUITablerowElement

### com.softwareag.mobile.runtime.nui.nUITablerowElement

Use to add a row to a table ([nUITableElement](#)). The table row contains one or more [nUITablecellElement](#) objects.

#### Usage Notes

- Use the `Bgcolor` attribute to set the table row's background color. By default, the background color is transparent. To change the color, set the `Bgcolor` attribute to an integer that is based on a 32-bit Alpha Red Green Blue (ARGB) format. You can use any solid color. If you specify an Alpha value that is not opaque (0xFF), the behavior of the table row object is undefined.

## nUITextfieldElement

### com.softwareag.mobile.runtime.nui.nUITextfieldElement

Use to display plain text in a label or for a block of text.

#### Usage Notes

- The following are platform-specific considerations:

#### Android


- By default, the `HAlign` attribute, which specifies the horizontal alignment of the text, is set to `left`.
- By default, the `TextColor` attribute, which specifies the text color, is set to `white`.
- For the `ClipType` attribute, Android devices support `CLIP_TYPE_CLIP`, which indicates that Android devices truncate the text if it is too long to display.

- iOS**
- By default, the `HALign` attribute, which specifies the horizontal alignment of the text, is set to `center`.
  - By default, the `TextColor` attribute, which specifies the text color, is set to `black`.
  - For the `ClipType` attribute, iOS devices support `CLIP_TYPE_ELLIPSIS`, which indicates that iOS devices truncate the text that is too long to display and add an ellipsis to indicate the text has been truncated.
- Windows Phone**
- By default, the `HALign` attribute, which specifies the horizontal alignment of the text, is set to `left`.
  - By default, the `TextColor` attribute, which specifies the text color, is set to `black` when using a light theme and is set to `white` when using a dark theme. For more information, see [Theme Resources for Windows Phone](#).
  - For the `ClipType` attribute, Windows Phones support the following:
    - `CLIP_TYPE_CLIP`, which indicates that Windows Phones truncate the text if it is too long to display. This is the default.
    - `CLIP_TYPE_ELLIPSIS`, which indicates that Windows Phones truncate the text that is too long to display and add an ellipsis to indicate the text has been truncated.

### Example

This code sample displays plain text. Illustrations of how the example code is rendered on various platforms follows the code sample.

```
view.add(new nUITextfieldElement(NUIID_MY_TEXTFIELD, "nUITextfieldElement"));
```

Platform	Platform-Specific Class and Illustration
Android	TextView 
iOS 7	UILabel 
iOS 6	UILabel

Platform	Platform-Specific Class and Illustration
	
Windows Phone	System.Windows.Controls.TextBlock 
Other	

## nUITimerObject

### com.softwareag.mobile.runtime.nui.nUITimerObject

Use to add a timer object that waits a set period of time and then performs an automatic callback event after the time period elapses.

#### Usage Notes

- You can use the timer object to count up to a timestamp as a literal value. Set the `ActionTime` attribute to the required timestamp value and set the `Time` attribute using `System.currentTimeMillis()`.

## nUIViewDisplay

### com.softwareag.mobile.runtime.nui.nUIViewDisplay

Use to create a view that contains other NativeUI objects. A view can contain any object except a [nUIWindowDisplay](#) object or another `nUIViewDisplay` object.

#### Usage Notes

- You can add a view (`nUIViewDisplay`) to a [nUIWindowDisplay](#) object.
- The following are platform-specific considerations:
  - Android devices support two formats for the header bar. Set the `android.nativeui.navview.version` property to control the format you want to use. You can set this property in the project's `_defaults.xml` file or in the handset-specific targets xml file. These files are located in the project's targets directory.
    - Set the property to 1 to use the older style pop-up menu that Android 2.3 and earlier used.

- Set the property to 2 to use the newer style menu introduced with Ice Cream Sandwich.
- The `InnerX` and `InnerY` attributes are set as follows:

<u>Platform</u>	<u>InnerX Attribute Value</u>	<u>InnerY Attribute Value</u>
<b>Android</b>	0 (zero)	0 (zero)
<b>iOS</b>	<i>screen_width / 40</i>	0 (zero)
<b>Windows Phone</b>	<i>screen_width / 40</i>	<i>screen_height / 40</i>

- The following tables lists the number of `nUINavbuttonElement` objects that you can display in a `nUIViewDisplay` object based on platform:

<u>Platform</u>	<u>nUINavbuttonElement objects allowed in a nUIViewDisplay object</u>
<b>Android</b>	1-3
<b>iOS</b>	<b>iPhone:</b> 1-3 <b>iPad:</b> 1-6
<b>Windows Phone</b>	No limit

- With Windows Phone and Windows RT/Windows 8 platforms, there is a limitation imposed on the size of images used for the background. This is approximately 2000 pixels for Windows Phone, and 8000 pixels for Windows RT/8. This can become noticeable if the background is set to scroll with the content in the View.

### Example

This code sample creates a view. Illustrations of how the example code is rendered on various platforms follows the code sample.

```
nUIViewDisplay view = new nUIViewDisplay(NUIID_WEBVIEWELEMENT_VIEW);
view.setHeaderText("nUIViewDisplay");

nUINavbuttonElement ne = new nUINavbuttonElement(NUIID_BACK_BUTTON, "Back",
nUINavbuttonElement.TYPE_BACK, null);
view.add(ne);
```


<u>Platform</u>	<u>Platform-Specific Class and Illustration</u>
Android - Ice Cream Sandwich	View

---

**Platform****Platform-Specific Class and Illustration**

---


For more information about user interface design on Android devices, see [Android User Interface](#).



Android -  
2.3

View

For more information about user interface design on Android devices, see [Android User Interface](#).




**Platform**

**Platform-Specific Class and Illustration**

---


iOS 7

UIView



iOS 6

UIView




**Windows Phone**

System.Windows.Controls.ContentControl

**Platform**

**Platform-Specific Class and Illustration**


---



---

**Platform****Platform-Specific Class and Illustration**

---

**Other**

## nUIWebView

---

**com.softwareag.mobile.runtime.nui.nUIWebView**

Use to create a container for the [nUIWebviewElement](#) object, which is an object that allows for the display of rich web content. This Object allows the developer to pass messages between the Java code and the JavaScript runtime in the browser. For guidelines on how to approach this, see "[JavaScript Bridge](#)" on page 41.

**Usage Notes**

- The browser engines that mobile platforms use have differences in terms of how they display objects and support of JavaScript. You might need to develop platform-specific changes to support your content. Mobile Designer does not change your raw HTML content.

- Avoid invoking the Javascript `alert()` method from inside a `nUIWebView` object. For security reasons, some manufacturers configure their devices to block displaying an alert dialog that results from a call to the Javascript `alert()` call. As an alternative, consider one of the following:
  - Pass an event back to your Java code using a class that implements `nUIWebViewCallBack`, which in turn can then open a `nUIAlertDialog` object, if an alert dialog is required.
  - Use other web-based elements to display the alert information directly within your web page.
- The Windows RT/Windows 8 platform does not support locally hosted images in a `nUIWebView`.
- There are two properties that react slightly differently depending on the platform.
  - `bgcolor`

The `bgcolor` can be set at any time under iOS, and the web page will be redrawn to react to the change. Under Android, the changes to the `bgcolor` will only take affect when the webview redraws in response to changes in content (i.e. when the `setURL()` or `setHTMLText()` methods are called). For both platforms, the extent to which the web content is effected by this call is dependant on the rendering engine used in the browser itself, as well as the HTML content being displayed.
  - `Scaling web content to fit`

This property is only usable on iOS. All other platforms ignore it. The setting will only affect page contents when the content of the page is changed (i.e. via `setURL()` or `setHTMLText()`).

There is currently no support for altering `bgcolor`, changing the scaling of content to fit or enabling/disabling overscrolling for Phoney or the C# platforms (Win Phone, RT).

### Example

This code sample creates a Web view with navigation to the parent menu. Illustrations of how the example code is rendered on various platforms follows the code sample.

```
protected nUIWebViewDisplay onCreateWebView()
{
    nUIWebView web_view = new nUIWebView(NUIID_WEB_VIEW);
    web_view.setHeadertext("nUIWebView");
    web_view.setURL("http://www.wikipedia.org/");
    nUINavbuttonElement ne = new nUINavbuttonElement(NUIID_BACK_TO_START_BUTTON,
    "Back",
    nUINavbuttonElement.TYPE_BACK, null);
    web_view.add(ne);
    return web_view;
}
```

Platform	Platform-Specific Class and Illustration
----------	--

Android	android.webkit.WebView
---------	------------------------

## Platform

## Platform-Specific Class and Illustration



iOS 7

UIWebView



iOS 6

UIWebView

## Platform

## Platform-Specific Class and Illustration



## Windows Phone

## Microsoft.Phone.Controls.WebBrowser

Windows RT  
Windows 8

## Windows.UI.Xaml.Controls.WebView

---

Platform	Platform-Specific Class and Illustration
Other	The <code>nUIWebView</code> object is not supported when deployed on mobile devices, but will be provided through JavaFX (if available) when running in Phoney.

---

## nUIWebViewCallback

---

Use to monitor when a user clicks a URL, and control the resulting action that the application takes in response to the user clicking the URL.

To use `nUIWebViewCallback`, register a class that implements `nUIWebViewCallback` with the web-based NativeUI object that contains the URL you want to monitor, for example, a `nUIWebView` or `nUIWebViewElement` object. When a user clicks a URL in the web-based NativeUI object, the application code can then take an appropriate action. For example, you might code the application to:

- Change the URL before passing it to the containing web-based NativeUI object to redirect the NativeUI object.
- Return a null to prevent a page load. This is useful when navigation to a new URL is not needed.
- Queue a new NativeUI event to allow the web-based NativeUI object to interact with the rest of the application.

### Usage Notes

- The Windows RT/Windows 8 platform does not support URL events via `nUIWebViewCallback`.

---

## nUIWebViewElement

---

### `com.softwareag.mobile.runtime.nui.nUIWebViewElement`

Use to display rich Web content from a local or remote source. This Object allows the developer to pass messages between the Java code and the JavaScript runtime in the browser. For guidelines on how to approach this, see "[JavaScript Bridge](#)" on page 41.

### Usage Notes

- The browser engines that mobile platforms use have differences in terms of how they display objects and support of JavaScript. You might need to develop platform-specific changes to support your content. Mobile Designer does not change your raw HTML content.
- Avoid invoking the Javascript `alert()` method from inside a `nUIWebViewElement` object. For security reasons, some manufacturers configure their devices to block displaying

an alert dialog that results from a call to the Javascript `alert()` call. As an alternative, consider one of the following:

- Pass an event back to your Java code using a class that implements `nUIWebViewCallBack`, which in turn can then open a `nUIAlertDialog` object, if an alert dialog is required.
- Use other web-based elements to display the alert information directly within your web page.
- The Windows RT/Windows 8 platform does not support locally hosted images in a `nUIWebViewElement`.
- There are two properties that react slightly differently depending on the platform.
  - `bgcolor`

The `bgcolor` can be set at any time under iOS, and the web page will be redrawn to react to the change. Under Android, the changes to the `bgcolor` will only take affect when the webview redraws in response to changes in content (i.e. when the `setURL()` or `setHTMLText()` methods are called). For both platforms, the extent to which the web content is effected by this call is dependant on the rendering engine used in the browser itself, as well as the HTML content being displayed.
  - `Scaling web content to fit`

This property is only usable on iOS. All other platforms ignore it. The setting will only affect page contents when the content of the page is changed (i.e. via `setURL()` or `setHTMLText()`).

There is currently no support for altering `bgcolor`, changing the scaling of content to fit or enabling/disabling overscrolling for Phoney or the C# platforms (Win Phone, RT).

### Example

This code sample displays rich web content from a website. Illustrations of how the example code is rendered on various platforms follows the code sample.

```
nUIWebViewElement webelement =
    new nUIWebViewElement(NUIID_MY_WEBVIEWELEMENT);
webelement.setHeight(250);
webelement.setURL("http://www.wikipedia.org/");
view.add(webelement);
```

Platform	Platform-Specific Class and Illustration
Android	android.webkit.WebView

**Platform****Platform-Specific Class and Illustration**

iOS 7

UIWebView



iOS 6

UIWebView



Windows Phone

Microsoft.Phone.Controls.WebBrowser



Windows RT

Windows.UI.Xaml.Controls.WebView

<b>Platform</b>	<b>Platform-Specific Class and Illustration</b>
-----------------	---

Windows 8	
-----------	--

<b>Other</b>	The <code>nUIWebViewElement</code> object is not supported when deployed on mobile devices, but will be provided through JavaFX (if available) when running in Phoney.
--------------	--

---

## nUIWindowDisplay

---

`com.softwareag.mobile.runtime.nui.nUIWindowDisplay`

Use to add a window.

### Usage Notes

- By default, the window has two panes, Pane 0 and Pane 1.
  - Use Pane 0 for the main pane. It occupies all available space.
  - Use Pane 1 for navigation using the [nUINavView](#) object.
- Panes are useful when supporting large mobile devices, such as tablets. For information about using panes, see "[About the Native User Interface \(NativeUI\) Library](#)" on page 8.
- You can add a [nUIViewDisplay](#) object to a `nUIWindowDisplay` object.
- Windows can also hold `nUIViewDisplay` Objects as "side views", to provide a pop-open side menu throughout the application.