

webMethods Composite Application Development 9.10 Readme

April 2016

This file contains important information you must read before using webMethods Composite Application Development 9.10. You can find system requirements, user documentation, and installation and upgrade instructions on the [Documentation website](#) or the [TECHcommunity website](#). At those locations, you can also find suite-related security and globalization information.

Included in this file is information about functionality that has been added, removed, deprecated, or changed for this product. Deprecated functionality continues to work and is supported by Software AG, but may be removed in a future release. Software AG recommends against using deprecated functionality in new projects.

| | | |
|------|---|----|
| 1.0 | Critical Information | 1 |
| 2.0 | Known Issues | 2 |
| 3.0 | Usage Notes | 3 |
| 4.0 | Fixes Included in Each Release | 3 |
| 5.0 | Other Resolved Issues | 4 |
| 6.0 | Documentation Changes | 6 |
| 7.0 | Terminology Changes | 6 |
| 8.0 | Added, Removed, Deprecated, or Changed Items | 7 |
| 9.0 | Added, Removed, Deprecated, or Changed APIs | 13 |
| 10.0 | Copyright Information | 45 |
| 11.0 | Support | 45 |

1.0 Critical Information

This section lists any critical issues for the current release that were known when this readme was published. For critical information found later, go to the Knowledge Center on the [Empower website](#).

2.0 Known Issues

This section lists any issues for the current release that were known when this readme was published. For known issues found later, go to the Knowledge Center on the [Empower website](#).

- MWS-17792
The Formatted Date Time Converter CAF control does not work properly.
The Formatted Date Time Converter defaults to the user's time zone instead of to the time zone set in the converter.
There is currently no workaround for this issue.
- MWS-16031
The time zone of the Date Range Input CAF control does not match the user's time zone in My webMethods.
When a Date Range Input control is added to a portlet, the time zone of the Date Range Input control does not match the user's preferred time zone.
There is currently no workaround for this issue.
- WMC-3695
In My webMethods, refreshing an OpenCAF page results in an empty JSF component tree.
After you refresh two or more times an OpenCAF page with disabled partial state saving, the JSF component tree becomes empty, and the server displays an empty page.
There is currently no workaround for this issue.
- WMC-3340
In My webMethods, toggling a CAF control that is not rendered on the screen refreshes the portlet page.
When you use a CAF control that supports toggling and set the "rendered" property of that control to "false", toggling the control refreshes the whole page.
There is currently no workaround for this issue.

3.0 Usage Notes

This section provides any additional information you need to work with the current release of this product.

4.0 Fixes Included in Each Release

This section lists the latest fix level that has been included in each release for each product component. A release is listed in this section only if changes occurred in that release. Go to the Knowledge Center on the [Empower website](#) for detailed information about fixes.

Release 9.10

- DES_9.8_CAD_Fix1
- DES_9.7_CAD_Fix2
- DES_9.0_SP1_CAD_Fix1

Release 9.9

- DES_9.7_CAD_Fix1
- DES_9.6_CAD_Fix4
- DES_9.5_SP1_CAD_Fix1

Release 9.8

- DES_9.6_CAD_Fix2
- DES_8.2_SP1_CAD_Fix10

Release 9.7

- DES_9.6_CAD_Fix1
- DES_8.2_SP1_CAD_Fix10

Release 9.6

- DES_8.2_SP1_CAD_Fix8

5.0 Other Resolved Issues

This section lists the issues that were resolved in each release but were not part of the fixes listed in the previous section. A release is listed in this section only if changes occurred in that release.

Release 9.9

- MWS-14667
Converting Composite Application Framework (CAF) applications to OpenCAF does not update navigation rules.
When a CAF application is converted to OpenCAF, the navigation rules in the CAF faces-config.xml files are not updated to reference OpenCAF .xhtml files. The navigation rules still have references to removed .view files.
This issue is now resolved.
- MWS-14666
After converting a Task List Management CAF portlet to OpenCAF, clicking the Return button on the Task List Management page results in a javax.portlet.PortletException with the following message: "Cannot remove the same component twice".
This issue is now resolved.

Release 9.7

- WMD-3528
The Task Node does not display in Solutions View.
After a Designer restart, the Task Node does not display in Solutions View in a Mobile Application Project.
This issue is now resolved.
- WMD-3529
The Bindings view in Designer throws an exception.
The Bindings view in Designer displays a "Could not create the view: com.webmethods.caf.faces.data.views.PageDataView" error message for a task in a Mobile Application Project.
This issue is now resolved.
- WS-20830
JSF core components and renderers are being overridden by My webMethods Server custom implementations.
My webMethods Server overrides basic JSF component classes and renderers. This results in the usage of certain base JSF tags to render and behave like My webMethods Server-specific components instead.
This issue is now resolved.

Release 9.6

- WMC-2522
An invalid session token is detected.
When web services are called from a command button action, a "[POP.016.0056] Invalid session token detected. Please reload the page" message is displayed.
This issue is now resolved.

- WMC-2567
Web Service Generation (WS-Stack) fails and no operations can be selected.
In Designer, when you attempt to create a new web service connector using the new web service connector wizard, the "Select Operation" wizard step displays no operations to select.
This issue is now resolved.

- WMC-2574
An issue exists with hideable panel refresh.
The hideable panel refresh seems to save the state from the previous time it was refreshed, so when the data is displayed again, it shows the previous values.
This issue is now resolved.

- BPMSWEB-1860
Designer should display an error when a user enters an incorrect value for the value property of a Combo box select item.
Currently, Designer only displays a warning when a user enters an incorrect value for the value property of a Combo box select item. However, this incorrect value could cause class cast exceptions. The warning needs to be changed to be an error so that user fixes this problem before deploying their application to My webMethods Server.
This issue is now resolved.

- BPMSWEB-1853
The default Java package name in Designer should be changed so it is unique for Java classes generated in each project.
If a user wants to export a package from a WAR file or Utility Jar project, the Java package name should be unique so it doesn't collide with other components.
Proposed change is from the previous default java package:
 com.webmethods.caf
to:
 caf.\${project_type}.\${project_name}
Where \${project_type} is replaced with "war" or "jar" depending on the type of the project and \${project_name} is replaced with the name of the project.
This issue is now resolved.

Release 9.5

- WMC-2442

If form validation fails on a submit, all the form values are reset to the last successful submit. When you submit a form and if the fields have not been filled in correctly, the field values are reverted to the last properly submitted ones and not the ones present when the form did not pass validation. This problem mainly occurs with Simple List and Dropdown components. This issue is now resolved.

- MWS-10922

Problems result when a full-page refresh is not performed. Page-loading performance issues and rendering problems can occur when a full-page refresh is not performed. This issue is now resolved.

6.0 Documentation Changes

This section describes significant changes to the documentation, such as the addition, relocation, or removal of product guides, online help, chapters, or other major content. A release is listed in this section only if changes occurred in that release.

Release 9.10

A new topic, “Working with Gadgets”, has been added to the *webMethods CAF Development Help* online help and PDF guide.

Release 9.9

A new topic, “Getting Started with OpenCAF Shell Page Development”, has been added to the *webMethods CAF Development Help* online help.

Release 9.8

A new chapter, “Getting Started with OpenCAF Shell Page Development”, has been added to the *webMethods CAF Development Help* PDF guide.

7.0 Terminology Changes

A release is listed in this section only if changes occurred in that release.

8.0 Added, Removed, Deprecated, or Changed Items

This section lists functionality, controls, portlets, properties, or other items that have been added, removed, deprecated, or changed. A release is listed in this section only if changes occurred in that release.

Release 9.10

| Added Item | Description |
|--|---|
| Drag And Drop File Input CAF control | Replaces the Drag And Drop applet. |
| Client-side validation support for the CAF File Validator | <p>With the recent HTML5 changes in browsers, it is now possible to perform client-side validation of the value specified in the file input element.</p> <p>Client-side validation prevents uploading the wrong type of file to the server or uploading files that are too large.</p> <p>The browsers that support this capability are:</p> <ul style="list-style-type: none">Google Chrome version 6.0 and higherInternet Explorer version 10.0 and higherFirefox version 3.6 and higher <p>For browsers that do not support HTML5, server-side validation would have to be performed instead.</p> |
| Support for the "multiple" attribute in the File Input CAF control | <p>With the "multiple" attribute enabled, you can select and upload more than one file using the File Input control.</p> <p>When the "multiple" attribute is enabled, the value of the control should be bound to a List<Part> object.</p> <p>The browsers that support this capability are:</p> <ul style="list-style-type: none">Google Chrome version 6.0 and higherInternet Explorer version 10.0 and higherFirefox version 3.6 and higher <p>If using other browsers, you can select only a single file through the File Input control.</p> |

| Added Item | Description |
|--|---|
| <p>Support for standard JavaServer Faces (JSF) 2 methods to do Ajax requests</p> <p>webMethods Task Development now supports the String List data type when you configure task assignees with a webMethods Business Rules decision table in Software AG Designer.</p> | <p>CAF used a proprietary technique for performing partial page updates (Ajax) before the JSF standard offered support for Ajax requests. Now CAF supports the JSF 2.x standard for doing Ajax requests, replacing the proprietary technique.</p> <p>You can assign a task to multiple user IDs by using a String List in the assignee field of your IS document type. For more information about working with task assignments, see <i>webMethods BPM Task Development Help</i>.</p> |

| Changed Item | Description |
|--|---|
| <p>The Attachments List CAF control has been improved.</p> <p>The SOAP Monitor, Color Picker, and File Attachment applets have been converted to CAF components.</p> <p>The CAF project classpath has been simplified.</p> | <p>The changes to the Attachments List control include replacing the Java applet-based drag and drop panel with an HTML5-based equivalent.</p> <p>In more recent versions of Chrome and Firefox applets are disabled by default and must be manually enabled. Applets represent security risks.</p> <p>When you create a new portlet application or web application project in Software AG Designer, on the JSF Capabilities page of the new project wizard, selecting the CAF Libraries JSF implementation library now displays the following message: 'The targeted "My webMethods Server" runtime will contribute the libraries required by this facet to the project classpath.'</p> <p>Also, when you specify project properties by right-clicking the project and going to Properties > Project Facets > Java Server Faces > CAF Libraries, the properties wizard displays the same message.</p> <p>To clean up the project classpath for existing projects, right-click the project and go to CAF Tools > Repair CAF Project.</p> |

| Deprecated Item | Replacement, if any |
|---------------------------|---------------------|
| <p>Applet CAF control</p> | |

Release 9.9

| Changed Item | Description |
|--|--|
| The internal structure of the Import Template View CAF control | Instead of being direct children of the Import Template View control, the controls loaded from the imported view are now held in a new "__viewLoaded" facet. However, because a facet can contain only one component, the imported controls are wrapped in a UIPanel control. As a result, the direct parent of the imported controls is the UIPanel wrapper, and the Import Template View control, in turn, is the parent of the UIPanel wrapper. |

Release 9.8

| Changed Item | Description |
|---|--|
| Update JSF library to version 2.2.8. | The JSF library is updated to version 2.2.8 to integrate bug fixes from the community. |
| Switch to new JSF 2.2 tag library namespaces. | In JSF 2.2, the core JSF tag library namespaces that start with <code>http://java.sun.com/jsf/</code> are renamed to <code>http://xmlns.jcp.org/jsf/*</code> . CAF has switched to using the new namespaces for new projects in order to avoid using deprecated items. |

Release 9.7

| Added Item | Description |
|------------------------------|--|
| Search Bar + Results portlet | A predefined portlet that provides both the search bar and the search results, requiring no portlet-to-portlet wiring. When you select this portlet type, use the Display Style list to select table results, tree results, or a display that can be toggled from table to tree. |
| Redisplay property | JSF 2.0 added a new property to <code>UIMessage</code> named "redisplay" that can be used to indicate whether a <code>FacesMessage</code> should be redisplayed if it has already been rendered by another control. This property value is set to "True" to render the message even if it has already been rendered by another control. The default value is true. |

| Added Item | Description |
|--|--|
| Added a large number of base JSF components. | <p>OpenCAF has added the ability for customers to include the following JSF components to their application projects:</p> <ul style="list-style-type: none"> • h:button • h:column • h:commandButton • h:commandLink • h:dataTable • h:form • h:graphicImage • h:inputHidden • h:inputText • h:inputTextarea • h:inputSecret • h:link • h:message • h:messages • h:outputFormat • h:outputLabel • h:outputLink • h:outputText • h:selectBooleanCheckbox • h:selectManyListbox • h:selectManyCheckbox • h:selectManyMenu • h:selectOneListbox • h:selectOneMenu • h:selectOneRadio |
| Added pass-through attributes for existing JSF components. | <p>Existing JSF components can now implement new HTML5 attributes such as the type attribute for input elements and supporting values such as text, search, email, url, tel, number, and date. Use the following namespace to enable pass-through attributes</p> <p><code><?xml:namespace prefix="http://java.sun.com/jsf/passthrough"/></code></p> |

| Changed Item | Description |
|---|--|
| Change "AppEditor Application" template selection name to "OpenCAF Shell" | When a user creates a new portlet application project, one of the currently available project templates names has been renamed from "AppEditor Application" to "OpenCAF Shell" |

| Changed Item | Description |
|--|---|
| <p>Changes to <code>javax.faces.PROJECT_STAGE</code>.</p> | <p>For version 9.7, the default value of the "javax.faces.PROJECT_STAGE" context parameter is set to "Development" when My webMethods Server is running in debug mode. When My webMethods Server is not running in debug mode, the value defaults to "Production".</p> <p>When the "javax.faces.PROJECT_STAGE" is set as "Development", the Mojarra JSF library included with CAF does some additional checks and will report some additional errors that you would not see otherwise. For more information, see:</p> <p>https://blogs.oracle.com/rlubke/entry/jsf_2_0_new_feature2</p> <p>https://weblogs.java.net/blog/driscoll/archive/2009/09/28/jsf-20-reminder-project-stage</p> |
| <p>Change CAF WAR file build script to put the compiled classes into a JAR file.</p> | <p>Build scripts for WAR files now zip up all compiled classes into a JAR file that is placed in the WEB-INF/lib folder instead of copying each of the individual .class files into the WEB-INF/classes folder. This will help to reduce errors related to "Too many open files."</p> |
| <p>Changes when existing VDL files convert to new taglib values during runtime and import.</p> | <p>When importing a portlet application project or running the "migrate to JSF 2x" menu option, Designer converts existing VDL files taglibs to the updated values. Existing view files inside a My webMethods Server system have their values remapped when the file is read and no conversion is needed by the user.</p> |
| <p>Changes to Script block</p> | <p>A Script block works improperly in .xhtml VDL files. Users should convert their script blocks to basic script. For example:</p> <pre data-bbox="699 1398 1122 1587"> <script type="text/javascript"> <![CDATA[JavaScript content]]> </script> </pre> |

Release 9.6

| Deprecated Item | Replacement, if any |
|---|---|
| BaseFacesBean.OUTCOME_OK BaseFacesBean.OUTCOME_ERROR | With the implementation of JavaServer Faces (JSF) version 2.x, these two actions are now deprecated. With JSF version 2.x or later, if you haven't defined an explicit <navigation-rule> in faces-config.xml for the outcome string, then the outcome string returned from an action handler method is expected to be null or the viewId of the page to switch to. You would want to return null if you want to stay on the same page, or the target viewId if you want the action to switch to a different view. Please see section 7.4.2 of the JSF 2.x specification if you want more details about the default navigation handler algorithm. As a result, we marked the BaseFacesBean.OUTCOME_OK and BaseFacesBean.OUTCOME_ERROR fields as deprecated to discourage their usage in future projects. So if your portlet is returning OUTCOME_OK or OUTCOME_ERROR from your action handler, you probably want to return null instead. |
| The 'for' attribute of the 'Equal' validator | The 'for' attribute of the 'Equal' validator is deprecated and hidden because it is a reserved attribute name for validators in JSF facelets. Use 'componentId' as the attribute name instead. When loading/exporting/converting an existing .view file, the attribute is renamed automatically. |
| Default Navigation Rules | Default Navigation Rules are being deprecated as the rules are no longer needed for new projects. |

9.0 Added, Removed, Deprecated, or Changed APIs

Release 9.10

Added API/ Description

com.webmethods.portal.bizPolicy.biz.access.IAccessPolicy: Method 'public

com.webmethods.portal.service.view.IListView

listSecurityRealmObjects(com.webmethods.portal.bizPolicy.IContext,

com.webmethods.portal.service.meta2.thing.IThingID)' has been added to an interface

com.webmethods.portal.mech.subscription.ISubscribableMechanics: Method 'public void

checkViewSubscription(com.webmethods.portal.system.IURI,

com.webmethods.portal.service.meta2.thing.IThingID, java.util.Map,

com.webmethods.portal.service.meta2.thing.IThingID)' has been added to an interface

com.webmethods.portal.bizPolicy.biz.IBizPolicyResolver: Method 'public

com.webmethods.portal.bizPolicy.biz.IBizPolicy getBizPolicyByType(java.lang.String, java.util.Map)'

has been added to an interface

com.webmethods.caf.wsclient.saml.IArtifactFactory: Method 'public java.lang.String

getAssertion(java.lang.String, java.lang.String[], java.util.Map)' has been added to an interface

com.webmethods.caf.wsclient.saml.IArtifactFactory: Method 'public java.lang.String

getAssertion(java.lang.String, java.lang.String[], java.util.Map, java.util.Map)' has been added to an interface

com.webmethods.caf.wsclient.session.IWSClientSession: Method 'public java.util.Map

getSessionCookieMap()' has been added to an interface

com.webmethods.caf.wsclient.session.IWSClientSession: Method 'public void

setSessionCookieMap(java.util.Map)' has been added to an interface

com.webmethods.caf.wsclient.session.IWSClientSessionManager: Method 'public

com.webmethods.caf.wsclient.session.IWSClientSessionPool

getSessionPool(com.webmethods.caf.wsclient.proxy.IWSClientProxy, java.lang.String)' has been added to an interface

com.webmethods.caf.faces.data.task.ITaskInfo: Method 'public java.util.Date getTaskScheduleDate()'

has been added to an interface

com.webmethods.caf.faces.data.task.ITaskInfo: Method 'public void setCreatedDate(java.util.Date)' has been added to an interface

com.webmethods.caf.faces.data.task.ITaskInfo: Method 'public void

setTaskScheduleDate(java.util.Date)' has been added to an interface

com.webmethods.portal.service.task.ITask: Method 'public java.util.Date getTaskScheduleDate()' has

been added to an interface

Changed API/ Description

com.webmethods.portal.event.system.ICriterionEvent\$IListener: Parameter 1 of 'public void onEvent(com.webmethods.portal.event.system.ISubscriptionEvent)' has changed its type to com.webmethods.portal.event.system.ICriterionEvent

com.webmethods.portal.event.system.ICriterionEvent\$ISynchronousListener: Parameter 1 of 'public void onSynchronousEvent(com.webmethods.portal.event.system.ISubscriptionEvent)' has changed its type to com.webmethods.portal.event.system.ICriterionEvent

com.webmethods.portal.service.access.impl.MwsObjectAclManager: In method 'protected int countAceProperties(java.util.List)' the number of arguments has changed

com.webmethods.caf.wsclient.session.impl.WSClientSessionManager: Parameter 2 of 'protected java.lang.String getSessionPoolID(com.webmethods.caf.wsclient.proxy.IWSClientProxy, com.webmethods.caf.wsclient.AuthCredentials)' has changed its type to java.lang.String

Removed API/ Description

com.webmethods.portal.mech.system.ISystemMechanics: Removed
com.webmethods.portal.mech.access.IAccessMechanics from the set of implemented interfaces

com.webmethods.portal.mech.system.ISystemMechanics: Removed
com.webmethods.portal.mech.clipboard.IClipboardMechanics from the set of implemented interfaces

com.webmethods.portal.mech.system.ISystemMechanics: Removed
com.webmethods.portal.mech.storage.IBasicMechanics from the set of implemented interfaces

com.webmethods.portal.mech.system.ISystemMechanics: Removed
com.webmethods.portal.mech.subscription.ISubscribableMechanics from the set of implemented interfaces

com.webmethods.portal.mech.system.ISystemMechanics: Removed
com.webmethods.portal.mech.view.IViewableMechanics from the set of implemented interfaces

com.webmethods.portal.mech.system.impl.SystemMechanics: Removed
com.webmethods.portal.mech.access.IAccessMechanics from the set of implemented interfaces

com.webmethods.portal.mech.system.impl.SystemMechanics: Removed
com.webmethods.portal.mech.clipboard.IClipboardMechanics from the set of implemented interfaces

com.webmethods.portal.mech.system.impl.SystemMechanics: Removed
com.webmethods.portal.mech.storage.IBasicMechanics from the set of implemented interfaces

com.webmethods.portal.mech.system.impl.SystemMechanics: Removed
com.webmethods.portal.mech.subscription.ISubscribableMechanics from the set of implemented interfaces

com.webmethods.portal.mech.system.impl.SystemMechanics: Removed
com.webmethods.portal.mech.view.IViewableMechanics from the set of implemented interfaces

com.webmethods.portal.mech.system.impl.SystemMechanics: Removed
com.webmethods.portal.mech.clipboard.impl.ClipboardMechanics from the list of superclasses

com.webmethods.portal.mech.system.impl.SystemMechanics: Removed
com.webmethods.portal.mech.storage.impl.BasicMechanics from the list of superclasses

com.webmethods.portal.mech.system.impl.SystemMechanics: Removed
com.webmethods.portal.mech.subscription.impl.SubscribableMechanics from the list of superclasses

com.webmethods.portal.mech.system.impl.SystemMechanics: Removed
com.webmethods.portal.mech.view.impl.ViewableMechanics from the list of superclasses

com.webmethods.portal.webapp.jetty7.WebApplicationInstallService: Removed field
COMPONENT_DELETE_RETRIES

com.webmethods.portal.service.global.impl.LanguagePackManager: Field QUERY_STRING has been
removed, but it was previously a constant

com.webmethods.caf.faces.convert.FormattedDateTimeConverter: Method 'protected
java.text.DateFormat setupGMTDateTimeFormatter(javax.faces.context.FacesContext)' has been
removed

com.webmethods.portal.mech.socialbpm.comments.ICommentsMechanics: Method 'public
java.util.List getTaskCommentsByProcessModelId(java.lang.String, int, int, int)' has been added to an
interface

com.webmethods.portal.service.socialbpm.comments.ICommentsService: Method 'public java.util.List
getPaginatedTaskCommentsByProcessModelId(java.lang.String, int, int, int)' has been added to an
interface

com.webmethods.portal.service.dir.IRoleSystem: Method 'public void
clearCache(com.webmethods.portal.service.dir.IDirPrincipal)' has been added to an interface

com.webmethods.portal.mech.dir.IPrincipalMechanics: Method 'public void
fireRoleMembershipEvent(com.webmethods.portal.service.meta2.thing.IThingID,
com.webmethods.portal.system.IURI, com.webmethods.portal.service.dir.IDirPrincipalList,
com.webmethods.portal.service.dir.IDirPrincipalList, int)' has been added to an interface

move the com.webmethods.jms.** packages from caf-server bundle to a unique package name

com.webmethods.jms.JMSPhaseProvider: Class com.webmethods.jms.JMSPhaseProvider removed

com.webmethods.jms.db.DbJMSClient: Class com.webmethods.jms.db.DbJMSClient removed

com.webmethods.jms.db.DbJMSConnProvider: Class com.webmethods.jms.db.DbJMSConnProvider
removed

com.webmethods.jms.db.impl.JMSConnection: Class com.webmethods.jms.db.impl.JMSConnection
removed

com.webmethods.jms.db.impl.JMSConnection\$CompressedObject: Class
com.webmethods.jms.db.impl.JMSConnection\$CompressedObject removed

com.webmethods.jms.db.impl.JMSDestination: Class com.webmethods.jms.db.impl.JMSDestination removed

com.webmethods.jms.db.impl.JMSDispatcherThread: Class
com.webmethods.jms.db.impl.JMSDispatcherThread removed

com.webmethods.jms.db.impl.JMSEvent: Class com.webmethods.jms.db.impl.JMSEvent removed

com.webmethods.jms.db.impl.JMSMessage: Class com.webmethods.jms.db.impl.JMSMessage removed

com.webmethods.jms.db.impl.JMSMessageConsumer: Class
com.webmethods.jms.db.impl.JMSMessageConsumer removed

com.webmethods.jms.db.impl.JMSMessageProducer: Class
com.webmethods.jms.db.impl.JMSMessageProducer removed

com.webmethods.jms.db.impl.JMSObjectMessage: Class
com.webmethods.jms.db.impl.JMSObjectMessage removed

com.webmethods.jms.db.impl.JMSPollThread: Class com.webmethods.jms.db.impl.JMSPollThread removed

com.webmethods.jms.db.impl.JMSQueue: Class com.webmethods.jms.db.impl.JMSQueue removed

com.webmethods.jms.db.impl.JMSQueuePollThread: Class
com.webmethods.jms.db.impl.JMSQueuePollThread removed

com.webmethods.jms.db.impl.JMSQueueReceiver: Class
com.webmethods.jms.db.impl.JMSQueueReceiver removed

com.webmethods.jms.db.impl.JMSQueueSender: Class
com.webmethods.jms.db.impl.JMSQueueSender removed

com.webmethods.jms.db.impl.JMSQueueSession: Class
com.webmethods.jms.db.impl.JMSQueueSession removed

com.webmethods.jms.db.impl.JMSSession: Class com.webmethods.jms.db.impl.JMSSession removed

com.webmethods.jms.db.impl.JMSTopic: Class com.webmethods.jms.db.impl.JMSTopic removed

com.webmethods.jms.db.impl.JMSTopicBatchMessage: Class
com.webmethods.jms.db.impl.JMSTopicBatchMessage removed

com.webmethods.jms.db.impl.JMSTopicPublisher: Class
com.webmethods.jms.db.impl.JMSTopicPublisher removed

com.webmethods.jms.db.impl.JMSTopicSession: Class com.webmethods.jms.db.impl.JMSTopicSession removed

com.webmethods.jms.db.impl.JMSTopicSubscriber: Class
com.webmethods.jms.db.impl.JMSTopicSubscriber removed

com.webmethods.jms.db.impl.QueueFactory: Class com.webmethods.jms.db.impl.QueueFactory removed

com.webmethods.jms.db.impl.TopicFactory: Class com.webmethods.jms.db.impl.TopicFactory removed

com.webmethods.jms.db.impl.db2.EventDelivered: Class
com.webmethods.jms.db.impl.db2.EventDelivered removed

com.webmethods.jms.db.impl.db2.EventPoll: Class com.webmethods.jms.db.impl.db2.EventPoll removed

com.webmethods.jms.db.impl.db2.EventSave: Class com.webmethods.jms.db.impl.db2.EventSave removed

com.webmethods.jms.db.impl.db2.GetSqlTime: Class com.webmethods.jms.db.impl.db2.GetSqlTime removed

com.webmethods.jms.db.impl.db2.PublishQueue: Class
com.webmethods.jms.db.impl.db2.PublishQueue removed

com.webmethods.jms.db.impl.db2.PurgeEvents: Class com.webmethods.jms.db.impl.db2.PurgeEvents removed

com.webmethods.jms.db.impl.db2.PurgeInactiveSubscriptions: Class
com.webmethods.jms.db.impl.db2.PurgeInactiveSubscriptions removed

com.webmethods.jms.db.impl.db2.RegisterDestination: Class
com.webmethods.jms.db.impl.db2.RegisterDestination removed

com.webmethods.jms.db.impl.db2.RegisterSubscription: Class
com.webmethods.jms.db.impl.db2.RegisterSubscription removed

com.webmethods.jms.db.impl.db2.UnregisterSubscription: Class
com.webmethods.jms.db.impl.db2.UnregisterSubscription removed

com.webmethods.jms.db.impl.db2.UpdateSubscriptions: Class
com.webmethods.jms.db.impl.db2.UpdateSubscriptions removed

com.webmethods.jms.db.impl.mssql.EventDelivered: Class
com.webmethods.jms.db.impl.mssql.EventDelivered removed

com.webmethods.jms.db.impl.mssql.EventPoll: Class com.webmethods.jms.db.impl.mssql.EventPoll removed

com.webmethods.jms.db.impl.mssql.EventSave: Class com.webmethods.jms.db.impl.mssql.EventSave removed

com.webmethods.jms.db.impl.mssql.GetSqlTime: Class
com.webmethods.jms.db.impl.mssql.GetSqlTime removed

com.webmethods.jms.db.impl.mssql.PublishQueue: Class
com.webmethods.jms.db.impl.mssql.PublishQueue removed

com.webmethods.jms.db.impl.mssql.PurgeEvents: Class
com.webmethods.jms.db.impl.mssql.PurgeEvents removed

com.webmethods.jms.db.impl.mssql.PurgeInactiveSubscriptions: Class
com.webmethods.jms.db.impl.mssql.PurgeInactiveSubscriptions removed

com.webmethods.jms.db.impl.mssql.RegisterDestination: Class
com.webmethods.jms.db.impl.mssql.RegisterDestination removed

com.webmethods.jms.db.impl.mssql.RegisterSubscription: Class
com.webmethods.jms.db.impl.mssql.RegisterSubscription removed

com.webmethods.jms.db.impl.mssql.UnregisterSubscription: Class
com.webmethods.jms.db.impl.mssql.UnregisterSubscription removed

com.webmethods.jms.db.impl.mssql.UpdateSubscriptions: Class
com.webmethods.jms.db.impl.mssql.UpdateSubscriptions removed

com.webmethods.jms.db.impl.mysql.EventDelivered: Class
com.webmethods.jms.db.impl.mysql.EventDelivered removed

com.webmethods.jms.db.impl.mysql.EventPoll: Class com.webmethods.jms.db.impl.mysql.EventPoll
removed

com.webmethods.jms.db.impl.mysql.EventSave: Class com.webmethods.jms.db.impl.mysql.EventSave
removed

com.webmethods.jms.db.impl.mysql.GetSqlTime: Class
com.webmethods.jms.db.impl.mysql.GetSqlTime removed

com.webmethods.jms.db.impl.mysql.PublishQueue: Class
com.webmethods.jms.db.impl.mysql.PublishQueue removed

com.webmethods.jms.db.impl.mysql.PurgeEvents: Class
com.webmethods.jms.db.impl.mysql.PurgeEvents removed

com.webmethods.jms.db.impl.mysql.PurgeInactiveSubscriptions: Class
com.webmethods.jms.db.impl.mysql.PurgeInactiveSubscriptions removed

com.webmethods.jms.db.impl.mysql.RegisterDestination: Class
com.webmethods.jms.db.impl.mysql.RegisterDestination removed

com.webmethods.jms.db.impl.mysql.RegisterSubscription: Class
com.webmethods.jms.db.impl.mysql.RegisterSubscription removed

com.webmethods.jms.db.impl.mysql.UnregisterSubscription: Class
com.webmethods.jms.db.impl.mysql.UnregisterSubscription removed

com.webmethods.jms.db.impl.mysql.UpdateSubscriptions: Class
com.webmethods.jms.db.impl.mysql.UpdateSubscriptions removed

com.webmethods.jms.db.impl.oracle.EventDelivered: Class
com.webmethods.jms.db.impl.oracle.EventDelivered removed

com.webmethods.jms.db.impl.oracle.EventPoll: Class com.webmethods.jms.db.impl.oracle.EventPoll
removed

com.webmethods.jms.db.impl.oracle.EventSave: Class com.webmethods.jms.db.impl.oracle.EventSave removed

com.webmethods.jms.db.impl.oracle.GetSqlTime: Class
com.webmethods.jms.db.impl.oracle.GetSqlTime removed

com.webmethods.jms.db.impl.oracle.PublishQueue: Class
com.webmethods.jms.db.impl.oracle.PublishQueue removed

com.webmethods.jms.db.impl.oracle.PurgeEvents: Class
com.webmethods.jms.db.impl.oracle.PurgeEvents removed

com.webmethods.jms.db.impl.oracle.PurgeInactiveSubscriptions: Class
com.webmethods.jms.db.impl.oracle.PurgeInactiveSubscriptions removed

com.webmethods.jms.db.impl.oracle.RegisterDestination: Class
com.webmethods.jms.db.impl.oracle.RegisterDestination removed

com.webmethods.jms.db.impl.oracle.RegisterSubscription: Class
com.webmethods.jms.db.impl.oracle.RegisterSubscription removed

com.webmethods.jms.db.impl.oracle.UnregisterSubscription: Class
com.webmethods.jms.db.impl.oracle.UnregisterSubscription removed

com.webmethods.jms.db.impl.oracle.UpdateSubscriptions: Class
com.webmethods.jms.db.impl.oracle.UpdateSubscriptions removed

com.webmethods.jms.db.impl.sybase.EventPoll: Class com.webmethods.jms.db.impl.sybase.EventPoll removed

com.webmethods.jms.db.impl.sybase.PublishQueue: Class
com.webmethods.jms.db.impl.sybase.PublishQueue removed

com.webmethods.jms.db.impl.sybase.PurgeEvents: Class
com.webmethods.jms.db.impl.sybase.PurgeEvents removed

com.webmethods.jms.um.UmJMSClient: Class com.webmethods.jms.um.UmJMSClient removed

com.webmethods.jms.um.UmJMSSConnProvider: Class
com.webmethods.jms.um.UmJMSSConnProvider removed

electric.util.holder.ArrayOfbyteInOut: Class electric.util.holder.ArrayOfbyteInOut removed

electric.util.holder.ArrayOfbyteOut: Class electric.util.holder.ArrayOfbyteOut removed

com.webmethods.portal.bizPolicy.command.system.xml.XMLImport: Field
OVERWRITE_PERMISSIONS_KEY has been removed, but it was previously a constant

com.webmethods.portal.service.dir.IDirService: Method 'public boolean supportsNestedGroups()' has been added to an interface

com.webmethods.caf.faces.application.CAFStateManager: Class
com.webmethods.caf.faces.application.CAFStateManager removed

com.webmethods.caf.faces.application.CAFStateManager\$TreeStructure: Class
com.webmethods.caf.faces.application.CAFStateManager\$TreeStructure removed

com.webmethods.caf.faces.portlet.PortletViewFragmentPhaseListener: Class
com.webmethods.caf.faces.portlet.PortletViewFragmentPhaseListener removed

com.webmethods.caf.faces.portlet.PortletViewFragmentPhaseListenerWrapper: Class
com.webmethods.caf.faces.portlet.PortletViewFragmentPhaseListenerWrapper removed

com.webmethods.caf.faces.portlet.PortletViewHandler: Method 'protected void
initResponse(javax.faces.context.FacesContext, javax.faces.component.UIViewRoot)' has been removed

com.webmethods.caf.faces.portlet.PortletViewHandler: Method 'protected void
renderResponse(javax.faces.context.FacesContext, javax.faces.component.UIViewRoot)' has been
removed

com.webmethods.caf.faces.render.html.command.CommandFormRenderer: In method 'protected
java.lang.String getTagName()' the number of arguments has changed

com.webmethods.caf.faces.render.html.command.DisjointFormRenderer: In method 'protected
java.lang.String getTagName()' the number of arguments has changed

com.webmethods.caf.faces.view.BaseViewHandler: Field STATE_KEY has been removed, but it was
previously a constant

com.webmethods.caf.faces.view.BaseViewHandler: Method 'protected void
initResponse(javax.faces.context.FacesContext, javax.faces.component.UIViewRoot)' has been removed

com.webmethods.caf.faces.view.BaseViewHandler: Method 'protected void
renderResponse(javax.faces.context.FacesContext, javax.faces.component.UIViewRoot)' has been
removed

com.webmethods.caf.faces.view.CafViewDeclarationLanguage: Field INJECT_STATE has been
removed, but it was previously a constant

com.webmethods.caf.faces.view.CafViewDeclarationLanguage: Field NO_RENDER has been removed,
but it was previously a constant

com.webmethods.caf.faces.view.CafViewDeclarationLanguage: Field STATE_KEY has been removed,
but it was previously a constant

com.webmethods.caf.faces.view.CafViewDeclarationLanguage: Field VIEW_FRAGMENT has been
removed, but it was previously a constant

com.webmethods.caf.faces.view.CafViewDeclarationLanguage: Field VIEW_FRAGMENT_CLIENT_ID
has been removed, but it was previously a constant

com.webmethods.caf.faces.view.CafViewDeclarationLanguage: Return type of method 'protected void
initResponse(javax.faces.context.FacesContext, javax.faces.component.UIViewRoot)' has been changed
to javax.faces.context.ResponseWriter

com.webmethods.caf.faces.view.CafViewDeclarationLanguage: Method 'protected void renderResponse(javax.faces.context.FacesContext, javax.faces.component.UIViewRoot)' has been removed

com.webmethods.caf.faces.view.ViewFragmentPhaseListener: Class
com.webmethods.caf.faces.view.ViewFragmentPhaseListener removed

Release 9.9

Added API/ Description

com.webmethods.caf.faces.data.task.ITaskInfo: Method 'public java.lang.Integer getIsMandatory()' has been added to an interface

com.webmethods.caf.faces.data.task.ITaskInfo: Method 'public void setIsMandatory(java.lang.Integer)' has been added to an interface

com.webmethods.caf.wsclient.saml.IArtifactFactory: Method 'public java.lang.String validateSAMLResponse(javax.servlet.http.HttpServletRequest, java.lang.String)' has been added to an interface

com.webmethods.portal.bizPolicy.biz.access.IAccessPolicy: Method 'public
com.webmethods.portal.service.view.IListView
listSecurityRealmObjects(com.webmethods.portal.bizPolicy.IContext,
com.webmethods.portal.service.meta2.thing.IThingID)' has been added to an interface

com.webmethods.portal.mech.socialbpm.comments.ICommentsMechanics: Method 'public
java.util.List getAllTaskAttachments(java.lang.String, int, int)' has been added to an interface

com.webmethods.portal.mech.socialbpm.comments.ICommentsMechanics: Method 'public
java.lang.Integer getAllTaskAttachmentsCount(java.lang.String)' has been added to an interface

com.webmethods.portal.mech.socialbpm.comments.ICommentsMechanics: Method 'public
java.util.List getTaskComments(java.lang.String, int, int)' has been added to an interface

com.webmethods.portal.mech.socialbpm.comments.ICommentsMechanics: Method 'public
java.lang.Integer getTaskCommentsCount(int)' has been added to an interface

com.webmethods.portal.mech.socialbpm.comments.ICommentsMechanics: Method 'public
java.lang.Integer getTaskCommentsCount(java.lang.String)' has been added to an interface

com.webmethods.portal.mech.subscription.ISubscribableMechanics: Method 'public void
checkViewSubscription(com.webmethods.portal.system.IURI,
com.webmethods.portal.service.meta2.thing.IThingID, java.util.Map,
com.webmethods.portal.service.meta2.thing.IThingID)' has been added to an interface

com.webmethods.portal.service.socialbpm.comments.ICommentsService: Method 'public java.util.List
getAllTaskAttachments(java.lang.String, int, int)' has been added to an interface

com.webmethods.portal.service.socialbpm.comments.ICommentsService: Method 'public
java.lang.Integer getAllTaskAttachmentsCount(java.lang.String)' has been added to an interface

Added API/ Description

com.webmethods.portal.service.socialbpm.comments.ICommentsService: Method 'public java.util.List getTaskComments(java.lang.String, int, int)' has been added to an interface

com.webmethods.portal.service.socialbpm.comments.ICommentsService: Method 'public java.lang.Integer getTaskCommentsCount(int)' has been added to an interface

com.webmethods.portal.service.socialbpm.comments.ICommentsService: Method 'public java.lang.Integer getTaskCommentsCount(java.lang.String)' has been added to an interface

com.webmethods.portal.service.task.ITask: Method 'public java.lang.Integer getIsMandatory()' has been added to an interface

com.webmethods.portal.service.task.ITaskDefinition: Method 'public java.lang.String getTaskDescription()' has been added to an interface

Removed API/ Description

com.webmethods.caf.faces.component.gmap.GMarkerGroup: Removed javax.faces.event.SystemEventListener from the set of implemented interfaces

com.webmethods.caf.faces.component.gmap.GMarkerList: Removed javax.faces.event.SystemEventListener from the set of implemented interfaces

com.webmethods.caf.faces.component.logic.AsyncIterator: Removed javax.faces.event.SystemEventListener from the set of implemented interfaces

com.webmethods.caf.faces.component.logic.Import: Removed javax.faces.event.SystemEventListener from the set of implemented interfaces

com.webmethods.caf.faces.component.logic.ImportTemplate: Removed javax.faces.event.SystemEventListener from the set of implemented interfaces

com.webmethods.caf.faces.component.logic.Iterator: Removed javax.faces.event.SystemEventListener from the set of implemented interfaces

com.webmethods.caf.faces.component.nav.Breadcrumbs: Removed javax.faces.event.SystemEventListener from the set of implemented interfaces

com.webmethods.caf.faces.component.nav.FirstLevelList: Removed javax.faces.event.SystemEventListener from the set of implemented interfaces

com.webmethods.caf.faces.component.nav.NavList: Removed javax.faces.event.SystemEventListener from the set of implemented interfaces

com.webmethods.caf.faces.component.nav.PopupMenus: Removed javax.faces.event.SystemEventListener from the set of implemented interfaces

com.webmethods.caf.faces.component.nav.SecondLevelList: Removed javax.faces.event.SystemEventListener from the set of implemented interfaces

com.webmethods.caf.faces.component.nav.StaticMenus\$SubList: Removed

Removed API/ Description

javax.faces.event.SystemEventListener from the set of implemented interfaces

com.webmethods.caf.faces.component.nav.StaticMenus\$SubSubList: Removed
javax.faces.event.SystemEventListener from the set of implemented interfaces

com.webmethods.caf.faces.component.nav.ThirdLevelList: Removed
javax.faces.event.SystemEventListener from the set of implemented interfaces

com.webmethods.caf.faces.component.table.html.AsyncList: Removed
javax.faces.event.SystemEventListener from the set of implemented interfaces

com.webmethods.caf.faces.component.table.html.AsyncListbox: Removed
javax.faces.event.SystemEventListener from the set of implemented interfaces

com.webmethods.caf.faces.component.table.html.AsyncTabsList: Removed
javax.faces.event.SystemEventListener from the set of implemented interfaces

com.webmethods.caf.faces.component.table.html.DataList: Removed
javax.faces.event.SystemEventListener from the set of implemented interfaces

com.webmethods.caf.faces.component.table.html.ListBox: Removed
javax.faces.event.SystemEventListener from the set of implemented interfaces

com.webmethods.caf.faces.component.table.html.TabsList: Removed
javax.faces.event.SystemEventListener from the set of implemented interfaces

com.webmethods.portal.mech.system.ISystemMechanics: Removed
com.webmethods.portal.mech.access.IAccessMechanics from the set of implemented interfaces

com.webmethods.portal.mech.system.ISystemMechanics: Removed
com.webmethods.portal.mech.clipboard.IClipboardMechanics from the set of implemented interfaces

com.webmethods.portal.mech.system.ISystemMechanics: Removed
com.webmethods.portal.mech.storage.IBasicMechanics from the set of implemented interfaces

com.webmethods.portal.mech.system.ISystemMechanics: Removed
com.webmethods.portal.mech.subscription.ISubscribableMechanics from the set of implemented interfaces

com.webmethods.portal.mech.system.ISystemMechanics: Removed
com.webmethods.portal.mech.view.IViewableMechanics from the set of implemented interfaces

com.webmethods.portal.mech.system.impl.SystemMechanics: Removed
com.webmethods.portal.mech.access.IAccessMechanics from the set of implemented interfaces

com.webmethods.portal.mech.system.impl.SystemMechanics: Removed
com.webmethods.portal.mech.clipboard.IClipboardMechanics from the set of implemented interfaces

com.webmethods.portal.mech.system.impl.SystemMechanics: Removed
com.webmethods.portal.mech.storage.IBasicMechanics from the set of implemented interfaces

com.webmethods.portal.mech.system.impl.SystemMechanics: Removed

Removed API/ Description

com.webmethods.portal.mech.subscription.ISubscribableMechanics from the set of implemented interfaces

com.webmethods.portal.mech.system.impl.SystemMechanics: Removed

com.webmethods.portal.mech.view.IViewableMechanics from the set of implemented interfaces

com.webmethods.rtl.script.JspC: Removed java.lang.Cloneable from the set of implemented interfaces

com.webmethods.portal.mech.system.impl.SystemMechanics: Removed

com.webmethods.portal.mech.clipboard.impl.ClipboardMechanics from the list of superclasses

com.webmethods.portal.mech.system.impl.SystemMechanics: Removed

com.webmethods.portal.mech.storage.impl.BasicMechanics from the list of superclasses

com.webmethods.portal.mech.system.impl.SystemMechanics: Removed

com.webmethods.portal.mech.subscription.impl.SubscribableMechanics from the list of superclasses

com.webmethods.portal.mech.system.impl.SystemMechanics: Removed

com.webmethods.portal.mech.view.impl.ViewableMechanics from the list of superclasses

com.webmethods.rtl.script.JspC: Removed org.apache.tools.ant.ProjectComponent from the list of superclasses

com.webmethods.rtl.script.JspC: Removed org.apache.tools.ant.Task from the list of superclasses

com.webmethods.portal.mech.system.impl.SystemMechanics: Removed

com.webmethods.portal.mech.clipboard.impl.ClipboardMechanics from the list of superclasses

com.webmethods.portal.mech.system.impl.SystemMechanics: Removed

com.webmethods.portal.mech.storage.impl.BasicMechanics from the list of superclasses

com.webmethods.portal.mech.system.impl.SystemMechanics: Removed

com.webmethods.portal.mech.subscription.impl.SubscribableMechanics from the list of superclasses

com.webmethods.portal.mech.system.impl.SystemMechanics: Removed

com.webmethods.portal.mech.view.impl.ViewableMechanics from the list of superclasses

com.webmethods.rtl.script.JspC: Removed org.apache.tools.ant.ProjectComponent from the list of superclasses

com.webmethods.rtl.script.JspC: Removed org.apache.tools.ant.Task from the list of superclasses

com.webmethods.caf.faces.component.logic.Import: Method 'public boolean isListenerForSource(java.lang.Object)' has been removed

com.webmethods.caf.faces.component.logic.Import: Method 'public void processEvent(javax.faces.event.SystemEvent)' has been removed

com.webmethods.caf.faces.component.logic.ImportTemplate: Method 'public boolean isListenerForSource(java.lang.Object)' has been removed

com.webmethods.caf.faces.component.logic.ImportTemplate: Method 'public void processEvent(javax.faces.event.SystemEvent)' has been removed

Removed API/ Description

com.webmethods.caf.faces.component.nav.PopupMenus: Method 'protected javax.faces.component.UIColumn getColumn()' has been removed

com.webmethods.caf.faces.component.table.html.DataList: Method 'public boolean isListenerForSource(java.lang.Object)' has been removed

com.webmethods.caf.faces.component.table.html.DataList: Method 'public void processEvent(javax.faces.event.SystemEvent)' has been removed

com.webmethods.caf.faces.component.tree.DataTree: Method 'protected void autogenerate()' has been removed

com.webmethods.portal.service.install.impl.BaseInstallService: Method 'protected com.webmethods.portal.service.install.IInstallServiceConfig getConfig()' has been removed

com.webmethods.portal.service.sql.runtime.base.TaskSearchAll: Method 'protected void parseSearchQuery(int, java.util.Map, com.webmethods.caf.faces.data.task.impl.TaskSearchQuery, com.webmethods.portal.service.sql.runtime.base.TaskSearchAll\$QueryInfo)' has been removed

com.webmethods.portal.service.sql.runtime.base.TaskSearchAll: Method 'protected void parseSearchQueryTerm(int, java.util.Map, com.webmethods.caf.faces.data.task.impl.TaskSearchQueryTerm, com.webmethods.portal.service.sql.runtime.base.TaskSearchAll\$QueryInfo)' has been removed

com.webmethods.portal.service.sql.runtime.base.TaskSearchFromInboxesPaged: Method 'protected void parseSearchQueryTerm(int, java.util.Map, com.webmethods.caf.faces.data.task.impl.TaskSearchQueryTerm, com.webmethods.portal.service.sql.runtime.base.TaskSearchAll\$QueryInfo)' has been removed

com.webmethods.rtl.script.JspC: Method 'public void init()' has been removed

com.softwareag.caf.controls.mwsx.PeoplePickerDialog\$FacetsMap: Class
com.softwareag.caf.controls.mwsx.PeoplePickerDialog\$FacetsMap removed

com.softwareag.caf.controls.mwsx.PeopleSwapBox\$FacetsMap: Class
com.softwareag.caf.controls.mwsx.PeopleSwapBox\$FacetsMap removed

com.webmethods.caf.faces.component.nav.StaticMenus\$ChildrenList: Class
com.webmethods.caf.faces.component.nav.StaticMenus\$ChildrenList removed

com.webmethods.caf.faces.component.nav.StaticMenus\$FacetsMap: Class
com.webmethods.caf.faces.component.nav.StaticMenus\$FacetsMap removed

com.webmethods.caf.faces.component.nav.ToggleMenus\$ChildrenList: Class
com.webmethods.caf.faces.component.nav.ToggleMenus\$ChildrenList removed

com.webmethods.caf.faces.component.nav.ToggleMenus\$FacetsMap: Class
com.webmethods.caf.faces.component.nav.ToggleMenus\$FacetsMap removed

com.webmethods.caf.faces.component.search.SearchBar\$FacetsMap: Class
com.webmethods.caf.faces.component.search.SearchBar\$FacetsMap removed

Removed API/ Description

com.webmethods.caf.faces.component.table.SelectRowCheckbox\$ChildrenList: Class
com.webmethods.caf.faces.component.table.SelectRowCheckbox\$ChildrenList removed

com.webmethods.caf.faces.component.table.SelectRowCheckbox\$FacetsMap: Class
com.webmethods.caf.faces.component.table.SelectRowCheckbox\$FacetsMap removed

com.webmethods.caf.faces.component.table.html.HtmlTableColumn\$FacetsMap: Class
com.webmethods.caf.faces.component.table.html.HtmlTableColumn\$FacetsMap removed

com.webmethods.caf.faces.component.table.specialized.Newsfeed\$ChildrenList: Class
com.webmethods.caf.faces.component.table.specialized.Newsfeed\$ChildrenList removed

com.webmethods.caf.faces.component.table.specialized.Newsfeed\$FacetsMap: Class
com.webmethods.caf.faces.component.table.specialized.Newsfeed\$FacetsMap removed

com.webmethods.caf.faces.component.util.BaseChildrenList: Class
com.webmethods.caf.faces.component.util.BaseChildrenList removed

com.webmethods.caf.faces.component.util.BaseFacetsAndChildrenIterator: Class
com.webmethods.caf.faces.component.util.BaseFacetsAndChildrenIterator removed

com.webmethods.caf.faces.component.util.BaseFacetsMap: Class
com.webmethods.caf.faces.component.util.BaseFacetsMap removed

com.webmethods.caf.faces.component.util.BaseFacetsMap\$BaseCollection: Class
com.webmethods.caf.faces.component.util.BaseFacetsMap\$BaseCollection removed

com.webmethods.caf.faces.component.util.BaseFacetsMap\$BaseCollection\$BaseIterator: Class
com.webmethods.caf.faces.component.util.BaseFacetsMap\$BaseCollection\$BaseIterator removed

com.webmethods.caf.faces.component.util.BaseFacetsMap\$Entries: Class
com.webmethods.caf.faces.component.util.BaseFacetsMap\$Entries removed

com.webmethods.caf.faces.component.util.BaseFacetsMap\$Entries\$EntrySetIterator: Class
com.webmethods.caf.faces.component.util.BaseFacetsMap\$Entries\$EntrySetIterator removed

com.webmethods.caf.faces.component.util.BaseFacetsMap\$Keys: Class
com.webmethods.caf.faces.component.util.BaseFacetsMap\$Keys removed

com.webmethods.caf.faces.component.util.BaseFacetsMap\$Keys\$KeySetIterator: Class
com.webmethods.caf.faces.component.util.BaseFacetsMap\$Keys\$KeySetIterator removed

com.webmethods.caf.faces.component.util.BaseFacetsMap\$Values: Class
com.webmethods.caf.faces.component.util.BaseFacetsMap\$Values removed

com.webmethods.caf.faces.component.util.BaseFacetsMap\$Values\$ValuesIterator: Class
com.webmethods.caf.faces.component.util.BaseFacetsMap\$Values\$ValuesIterator removed

com.webmethods.portal.bizPolicy.command.install.taskdefs.AntBaseFileListTask: Class
com.webmethods.portal.bizPolicy.command.install.taskdefs.AntBaseFileListTask removed

com.webmethods.portal.bizPolicy.command.install.taskdefs.AntBaseTask: Class

Removed API/ Description

com.webmethods.portal.bizPolicy.command.install.taskdefs.AntBaseTask removed

com.webmethods.portal.bizPolicy.command.install.taskdefs.portlet.GenerateOSGiManifest: Class
com.webmethods.portal.bizPolicy.command.install.taskdefs.portlet.GenerateOSGiManifest removed

com.webmethods.portal.bizPolicy.command.install.taskdefs.portlet.GetPortletInfo: Class
com.webmethods.portal.bizPolicy.command.install.taskdefs.portlet.GetPortletInfo removed

com.webmethods.portal.bizPolicy.command.install.taskdefs.portlet.PostRegisterPortlet: Class
com.webmethods.portal.bizPolicy.command.install.taskdefs.portlet.PostRegisterPortlet removed

com.webmethods.portal.bizPolicy.command.install.taskdefs.portlet.PreRegisterPortlet: Class
com.webmethods.portal.bizPolicy.command.install.taskdefs.portlet.PreRegisterPortlet removed

com.webmethods.portal.bizPolicy.command.install.taskdefs.portlet.PreUnregisterPortlet: Class
com.webmethods.portal.bizPolicy.command.install.taskdefs.portlet.PreUnregisterPortlet removed

com.webmethods.portal.bizPolicy.command.install.taskdefs.skin.CreateSkinInstance: Class
com.webmethods.portal.bizPolicy.command.install.taskdefs.skin.CreateSkinInstance removed

com.webmethods.portal.bizPolicy.command.install.taskdefs.skin.CreateThemeInstance: Class
com.webmethods.portal.bizPolicy.command.install.taskdefs.skin.CreateThemeInstance removed

com.webmethods.portal.bizPolicy.command.install.taskdefs.skin.GetSkinInfo: Class
com.webmethods.portal.bizPolicy.command.install.taskdefs.skin.GetSkinInfo removed

com.webmethods.portal.bizPolicy.command.install.taskdefs.skin.RemoveSkinInstance: Class
com.webmethods.portal.bizPolicy.command.install.taskdefs.skin.RemoveSkinInstance removed

com.webmethods.portal.bizPolicy.command.install.taskdefs.skin.RemoveThemeInstance: Class
com.webmethods.portal.bizPolicy.command.install.taskdefs.skin.RemoveThemeInstance removed

com.webmethods.portal.bizPolicy.command.install.taskdefs.system.CreateDBOTables: Class
com.webmethods.portal.bizPolicy.command.install.taskdefs.system.CreateDBOTables removed

com.webmethods.portal.bizPolicy.command.install.taskdefs.system.DropDBOTables: Class
com.webmethods.portal.bizPolicy.command.install.taskdefs.system.DropDBOTables removed

com.webmethods.portal.bizPolicy.command.install.taskdefs.system.ExecuteCommand: Class
com.webmethods.portal.bizPolicy.command.install.taskdefs.system.ExecuteCommand removed

com.webmethods.portal.bizPolicy.command.install.taskdefs.system.ExecuteTargetLoop: Class
com.webmethods.portal.bizPolicy.command.install.taskdefs.system.ExecuteTargetLoop removed

com.webmethods.portal.bizPolicy.command.install.taskdefs.system.GetComponentInfo: Class
com.webmethods.portal.bizPolicy.command.install.taskdefs.system.GetComponentInfo removed

com.webmethods.portal.bizPolicy.command.install.taskdefs.system.GetIsOSGiRuntime: Class
com.webmethods.portal.bizPolicy.command.install.taskdefs.system.GetIsOSGiRuntime removed

com.webmethods.portal.bizPolicy.command.install.taskdefs.system.GetSystemPath: Class
com.webmethods.portal.bizPolicy.command.install.taskdefs.system.GetSystemPath removed

Removed API/ Description

com.webmethods.portal.bizPolicy.command.install.taskdefs.system.GetComponentInfo: Class
com.webmethods.portal.bizPolicy.command.install.taskdefs.system.GetComponentInfo removed

com.webmethods.portal.bizPolicy.command.install.taskdefs.system.GetIsOSGiRuntime: Class
com.webmethods.portal.bizPolicy.command.install.taskdefs.system.GetIsOSGiRuntime removed

com.webmethods.portal.bizPolicy.command.install.taskdefs.system.GetSystemPath: Class
com.webmethods.portal.bizPolicy.command.install.taskdefs.system.GetSystemPath removed

com.webmethods.portal.bizPolicy.command.install.taskdefs.system.InstallComponent: Class
com.webmethods.portal.bizPolicy.command.install.taskdefs.system.InstallComponent removed

com.webmethods.portal.bizPolicy.command.install.taskdefs.system.LoadClasses: Class
com.webmethods.portal.bizPolicy.command.install.taskdefs.system.LoadClasses removed

com.webmethods.portal.bizPolicy.command.install.taskdefs.system.LoadConfig: Class
com.webmethods.portal.bizPolicy.command.install.taskdefs.system.LoadConfig removed

com.webmethods.portal.bizPolicy.command.install.taskdefs.system.LookupComponent: Class
com.webmethods.portal.bizPolicy.command.install.taskdefs.system.LookupComponent removed

com.webmethods.portal.bizPolicy.command.install.taskdefs.system.RegisterComponent: Class
com.webmethods.portal.bizPolicy.command.install.taskdefs.system.RegisterComponent removed

com.webmethods.portal.bizPolicy.command.install.taskdefs.system.RunSQLScript: Class
com.webmethods.portal.bizPolicy.command.install.taskdefs.system.RunSQLScript removed

com.webmethods.portal.bizPolicy.command.install.taskdefs.system.UninstallComponent: Class
com.webmethods.portal.bizPolicy.command.install.taskdefs.system.UninstallComponent removed

com.webmethods.portal.bizPolicy.command.install.taskdefs.system.UnregisterComponent: Class
com.webmethods.portal.bizPolicy.command.install.taskdefs.system.UnregisterComponent removed

com.webmethods.portal.mech.install.impl.NativeInstallMechanics: Class
com.webmethods.portal.mech.install.impl.NativeInstallMechanics removed

com.webmethods.portal.service.install.IInstallServiceConfig: Class
com.webmethods.portal.service.install.IInstallServiceConfig removed

com.webmethods.portal.service.install.impl.InstallServiceConfig: Class
com.webmethods.portal.service.install.impl.InstallServiceConfig removed

com.webmethods.portal.service.install.impl.ant.AntInstallService: Class
com.webmethods.portal.service.install.impl.ant.AntInstallService removed

com.webmethods.portal.service.install.impl.ant.AntLogSupport: Class
com.webmethods.portal.service.install.impl.ant.AntLogSupport removed

com.webmethods.portal.service.install.impl.ant.AntRunner: Class
com.webmethods.portal.service.install.impl.ant.AntRunner removed

com.webmethods.portal.service.install.impl.ant.AntRunner\$AntPropertyHelper: Class

Removed API/ Description

com.webmethods.portal.service.install.impl.ant.AntRunner\$AntPropertyHelper removed

com.webmethods.portal.service.install.impl.ant.LpInstallService: Class
com.webmethods.portal.service.install.impl.ant.LpInstallService removed

com.webmethods.portal.service.install.impl.ant.WarLpInstallService: Class
com.webmethods.portal.service.install.impl.ant.WarLpInstallService removed

com.webmethods.rtl.logging.Mws13818Filter: Class com.webmethods.rtl.logging.Mws13818Filter removed

com.webmethods.rtl.util.msg.IRuntimeMessage: Class com.webmethods.rtl.util.msg.IRuntimeMessage removed

com.webmethods.rtl.util.msg.IRuntimeMessageCallback: Class
com.webmethods.rtl.util.msg.IRuntimeMessageCallback removed

com.webmethods.rtl.util.msg.IRuntimeMessageHook: Class
com.webmethods.rtl.util.msg.IRuntimeMessageHook removed

com.webmethods.rtl.util.msg.RuntimeMessageUtil: Class
com.webmethods.rtl.util.msg.RuntimeMessageUtil removed

com.webmethods.rtl.util.msg.RuntimeMessageUtil\$RuntimeListeners: Class
com.webmethods.rtl.util.msg.RuntimeMessageUtil\$RuntimeListeners removed

com.webmethods.rtl.util.msg.RuntimeMessageUtil\$RuntimeMessageListener: Class
com.webmethods.rtl.util.msg.RuntimeMessageUtil\$RuntimeMessageListener removed

com.webmethods.rtl.util.obj.CyclicIterator: Class com.webmethods.rtl.util.obj.CyclicIterator removed

com.webmethods.rtl.util.obj.EmptyEnumeration: Class
com.webmethods.rtl.util.obj.EmptyEnumeration removed

com.webmethods.rtl.util.obj.EmptyIterator: Class com.webmethods.rtl.util.obj.EmptyIterator removed

com.webmethods.rtl.util.obj.FileClassLoader: Class com.webmethods.rtl.util.obj.FileClassLoader removed

com.webmethods.rtl.util.obj.IntMinMaxInfo: Class com.webmethods.rtl.util.obj.IntMinMaxInfo removed

com.webmethods.rtl.util.obj.IntStringMap: Class com.webmethods.rtl.util.obj.IntStringMap removed

com.webmethods.rtl.util.obj.IteratorTools: Class com.webmethods.rtl.util.obj.IteratorTools removed

com.webmethods.rtl.util.obj.PersistentMap: Class com.webmethods.rtl.util.obj.PersistentMap removed

com.webmethods.rtl.util.obj.PropertyGroup: Class com.webmethods.rtl.util.obj.PropertyGroup removed

com.webmethods.rtl.util.obj.PropertyGroups: Class com.webmethods.rtl.util.obj.PropertyGroups removed

Removed API/ Description

com.webmethods.rtl.util.obj.SortableArray: Class com.webmethods.rtl.util.obj.SortableArray removed

com.webmethods.rtl.util.thread.ReadWriteMutex: Class

com.webmethods.rtl.util.thread.ReadWriteMutex removed

com.softwareag.caf.controls.mwsx.PeoplePickerDialog: Removed field m_facets

com.softwareag.caf.controls.mwsx.PeopleSwapBox: Removed field m_facets

com.webmethods.caf.faces.component.behavior.BaseBehavior: Removed field m_for

com.webmethods.caf.faces.component.behavior.CustomDragBehavior: Removed field m_allowDrag

com.webmethods.caf.faces.component.behavior.CustomDragBehavior: Removed field m_cursor

com.webmethods.caf.faces.component.behavior.CustomDragBehavior: Removed field m_move

com.webmethods.caf.faces.component.behavior.CustomDragBehavior: Removed field
m_propagateEvent

com.webmethods.caf.faces.component.behavior.CustomDropBehavior: Removed field m_allowDrop

com.webmethods.caf.faces.component.behavior.CustomDropBehavior: Removed field m_handleDrop

com.webmethods.caf.faces.component.behavior.CustomDropBehavior: Removed field m_hoverClass

com.webmethods.caf.faces.component.behavior.CustomDropBehavior: Removed field
m_onDropSetValue

com.webmethods.caf.faces.component.behavior.DragToMoveRowsBehavior: Removed field m_add

com.webmethods.caf.faces.component.behavior.DragToMoveRowsBehavior: Removed field
m_allowDrag

com.webmethods.caf.faces.component.behavior.DragToMoveRowsBehavior: Removed field
m_allowDrop

com.webmethods.caf.faces.component.behavior.DragToMoveRowsBehavior: Removed field m_copy

com.webmethods.caf.faces.component.behavior.DragToMoveRowsBehavior: Removed field
m_handleDrop

com.webmethods.caf.faces.component.behavior.DragToMoveRowsBehavior: Removed field
m_hoverClass

com.webmethods.caf.faces.component.behavior.DragToMoveRowsBehavior: Removed field
m_remove

com.webmethods.caf.faces.component.behavior.DragToMoveRowsBehavior: Removed field
m_reorder

com.webmethods.caf.faces.component.behavior.DragToReorderColumnsBehavior: Removed field
m_storePreferences

com.webmethods.caf.faces.component.behavior.DragToResizeBehavior: Removed field

Removed API/ Description

m_resizeBottom

com.webmethods.caf.faces.component.behavior.DragToResizeBehavior: Removed field m_resizeLeft

com.webmethods.caf.faces.component.behavior.DragToResizeBehavior: Removed field m_resizeRight

com.webmethods.caf.faces.component.behavior.DragToResizeBehavior: Removed field m_resizeTop

com.webmethods.caf.faces.component.behavior.DragToResizeColumnsBehavior: Removed field m_storePreferences

com.webmethods.caf.faces.component.behavior.RaiseOnChangeBehavior: Removed field m_command

com.webmethods.caf.faces.component.behavior.SynchronizeValuesBehavior: Removed field m_with

com.webmethods.caf.faces.component.command.html.AsyncCommandButton: Removed field m_refresh

com.webmethods.caf.faces.component.command.html.AsyncCommandIcon: Removed field m_refresh

com.webmethods.caf.faces.component.command.html.AsyncCommandInterval: Removed field m_interval

com.webmethods.caf.faces.component.command.html.AsyncCommandInterval: Removed field m_waitUntilReloaded

com.webmethods.caf.faces.component.command.html.AsyncCommandLink: Removed field m_refresh

com.webmethods.caf.faces.component.command.html.AsyncHiddenCommand: Removed field m_refresh

com.webmethods.caf.faces.component.command.html.CommandForm: Removed field m_forms

com.webmethods.caf.faces.component.command.html.CommandIcon: Removed field m_alt

com.webmethods.caf.faces.component.command.html.CommandIcon: Removed field m_url

com.webmethods.caf.faces.component.command.html.CommandIcon: Removed field m_urlMouseDown

com.webmethods.caf.faces.component.command.html.CommandIcon: Removed field m_urlMouseover

com.webmethods.caf.faces.component.events.OpenAjaxScript: Removed field openAjaxTopic

com.webmethods.caf.faces.component.events.OpenAjaxScript: Removed field shouldSubscribe

com.webmethods.caf.faces.component.export.AtomFeedIcon: Removed field m_converter

com.webmethods.caf.faces.component.export.AtomFeedIcon: Removed field m_entriesProvider

com.webmethods.caf.faces.component.export.AtomFeedIcon: Removed field m_exportCharacterEncoding

com.webmethods.caf.faces.component.export.AtomFeedIcon: Removed field m_exportFileName

Removed API/ Description

com.webmethods.caf.faces.component.export.AtomFeedIcon: Removed field m_exportForceDownload
com.webmethods.caf.faces.component.export.AtomFeedIcon: Removed field m_feedProvider
com.webmethods.caf.faces.component.export.AtomFeedIcon: Removed field m_feedUrl
com.webmethods.caf.faces.component.export.AtomFeedIcon: Removed field m_for
com.webmethods.caf.faces.component.gmap.GMap: Removed field m_height
com.webmethods.caf.faces.component.gmap.GMap: Removed field m_initialAddress
com.webmethods.caf.faces.component.gmap.GMap: Removed field m_initialCountry
com.webmethods.caf.faces.component.gmap.GMap: Removed field m_key
com.webmethods.caf.faces.component.gmap.GMap: Removed field m_latitude
com.webmethods.caf.faces.component.gmap.GMap: Removed field m_longitude
com.webmethods.caf.faces.component.gmap.GMap: Removed field m_type
com.webmethods.caf.faces.component.gmap.GMap: Removed field m_width
com.webmethods.caf.faces.component.gmap.GMap: Removed field m_zoom
com.webmethods.caf.faces.component.gmap.GMapControl: Removed field m_anchor
com.webmethods.caf.faces.component.gmap.GMapControl: Removed field m_offsetX
com.webmethods.caf.faces.component.gmap.GMapControl: Removed field m_offsetY
com.webmethods.caf.faces.component.gmap.GMapControl: Removed field m_type
com.webmethods.caf.faces.component.gmap.GMapGetCoordsScript: Removed field m_latitude
com.webmethods.caf.faces.component.gmap.GMapGetCoordsScript: Removed field m_longitude
com.webmethods.caf.faces.component.gmap.GMapKey: Removed field m_key
com.webmethods.caf.faces.component.gmap.GMarker: Removed field m_clickable
com.webmethods.caf.faces.component.gmap.GMarker: Removed field m_draggable
com.webmethods.caf.faces.component.gmap.GMarker: Removed field m_icon
com.webmethods.caf.faces.component.gmap.GMarker: Removed field m_iconSizeHeight
com.webmethods.caf.faces.component.gmap.GMarker: Removed field m_iconSizeWidth
com.webmethods.caf.faces.component.gmap.GMarker: Removed field m_initialAddress
com.webmethods.caf.faces.component.gmap.GMarker: Removed field m_initialCountry
com.webmethods.caf.faces.component.gmap.GMarker: Removed field m_latitude
com.webmethods.caf.faces.component.gmap.GMarker: Removed field m_longitude

Removed API/ Description

com.webmethods.caf.faces.component.gmap.GMarker: Removed field m_selected
com.webmethods.caf.faces.component.gmap.GMarker: Removed field m_title
com.webmethods.caf.faces.component.gmap.GMarkerGroup: Removed field m_groupProvider
com.webmethods.caf.faces.component.gmap.GMarkerList: Removed field m_clickable
com.webmethods.caf.faces.component.gmap.GMarkerList: Removed field m_draggable
com.webmethods.caf.faces.component.gmap.GMarkerList: Removed field m_icon
com.webmethods.caf.faces.component.gmap.GMarkerList: Removed field m_iconSizeHeight
com.webmethods.caf.faces.component.gmap.GMarkerList: Removed field m_iconSizeWidth
com.webmethods.caf.faces.component.gmap.GMarkerList: Removed field m_initialAddress
com.webmethods.caf.faces.component.gmap.GMarkerList: Removed field m_initialCountry
com.webmethods.caf.faces.component.gmap.GMarkerList: Removed field m_latitude
com.webmethods.caf.faces.component.gmap.GMarkerList: Removed field m_longitude
com.webmethods.caf.faces.component.gmap.GMarkerList: Removed field m_multiple
com.webmethods.caf.faces.component.gmap.GMarkerList: Removed field m_title
com.webmethods.caf.faces.component.gmap.GMarkerList: Removed field m_multiple
com.webmethods.caf.faces.component.gmap.GMarkerList: Removed field m_title
com.webmethods.caf.faces.component.input.DateInput: Removed field m_pattern
com.webmethods.caf.faces.component.input.DateInput: Removed field m_showMonthAndYearMenus
com.webmethods.caf.faces.component.input.DateInput: Removed field m_showSeconds
com.webmethods.caf.faces.component.input.DateInput: Removed field m_showTime
com.webmethods.caf.faces.component.input.DateInput: Removed field m_showTimezone
com.webmethods.caf.faces.component.input.DateInput: Removed field m_timezone
com.webmethods.caf.faces.component.input.DateInput: Removed field m_valuePattern
com.webmethods.caf.faces.component.input.DateInput: Removed field m_yearMenuRange
com.webmethods.caf.faces.component.input.DateRangeInput: Removed field m_futureRanges
com.webmethods.caf.faces.component.input.DateRangeInput: Removed field m_label
com.webmethods.caf.faces.component.input.DateRangeInput: Removed field m_layout
com.webmethods.caf.faces.component.input.DateRangeInput: Removed field m_pastRanges
com.webmethods.caf.faces.component.logic.If: Removed field m_value

Removed API/ Description

com.webmethods.caf.faces.component.logic.Import: Removed field m_value
com.webmethods.caf.faces.component.logic.ImportTemplate: Removed field m_value
com.webmethods.caf.faces.component.logic.LoadResourceBundle: Removed field m_basename
com.webmethods.caf.faces.component.logic.LoadResourceBundle: Removed field m_var
com.webmethods.caf.faces.component.logic.VariableContainer: Removed field m_value
com.webmethods.caf.faces.component.logic.VariableContainer: Removed field m_var
com.webmethods.caf.faces.component.message.FormattedMessage: Removed field m_showDetail
com.webmethods.caf.faces.component.message.FormattedMessages: Removed field m_showDetail
com.webmethods.caf.faces.component.message.SpecificFormattedMessages: Removed field m_for
com.webmethods.caf.faces.component.message.SpecificMessages: Removed field m_for
com.webmethods.caf.faces.component.mws_ui.MwsResourceInclude: Removed field renderer
com.webmethods.caf.faces.component.mws_ui.MwsResourceInclude: Removed field uri
com.webmethods.caf.faces.component.nav.StaticMenus: Removed field m_appNavBean
com.webmethods.caf.faces.component.nav.StaticMenus: Removed field m_children
com.webmethods.caf.faces.component.nav.StaticMenus: Removed field m_facets
com.webmethods.caf.faces.component.nav.ToggleMenus: Removed field m_appNavBean
com.webmethods.caf.faces.component.nav.ToggleMenus: Removed field m_children
com.webmethods.caf.faces.component.nav.ToggleMenus: Removed field m_facets
com.webmethods.caf.faces.component.output.Chart: Removed field m_barPadding
com.webmethods.caf.faces.component.output.Chart: Removed field m_barWidth
com.webmethods.caf.faces.component.output.Chart: Removed field m_color
com.webmethods.caf.faces.component.output.Chart: Removed field m_gridColor
com.webmethods.caf.faces.component.output.Chart: Removed field m_gridStyle
com.webmethods.caf.faces.component.output.Chart: Removed field m_height
com.webmethods.caf.faces.component.output.Chart: Removed field m_legendLocation
com.webmethods.caf.faces.component.output.Chart: Removed field m_legendStyleClass
com.webmethods.caf.faces.component.output.Chart: Removed field m_numberofGridLines
com.webmethods.caf.faces.component.output.Chart: Removed field m_padding
com.webmethods.caf.faces.component.output.Chart: Removed field m_rowColors

Removed API/ Description

com.webmethods.caf.faces.component.output.Chart: Removed field m_series
com.webmethods.caf.faces.component.output.Chart: Removed field m_showLegend
com.webmethods.caf.faces.component.output.Chart: Removed field m_type
com.webmethods.caf.faces.component.output.Chart: Removed field m_width
com.webmethods.caf.faces.component.output.ChartDataColumn: Removed field m_color
com.webmethods.caf.faces.component.output.ChartDataColumn: Removed field m_toolTip
com.webmethods.caf.faces.component.output.ChartDataColumn: Removed field m_value
com.webmethods.caf.faces.component.output.ChartLabelColumn: Removed field m_label
com.webmethods.caf.faces.component.output.Custom: Removed field m_name
com.webmethods.caf.faces.component.output.Icon: Removed field m_converter
com.webmethods.caf.faces.component.output.Icon: Removed field m_label
com.webmethods.caf.faces.component.output.Icon: Removed field m_url
com.webmethods.caf.faces.component.output.Icon: Removed field m_urlMouseDown
com.webmethods.caf.faces.component.output.Icon: Removed field m_urlMouseover
com.webmethods.caf.faces.component.output.html.HtmlButton: Removed field m_accesskey
com.webmethods.caf.faces.component.output.html.HtmlButton: Removed field m_alt
com.webmethods.caf.faces.component.output.html.HtmlButton: Removed field m_dir
com.webmethods.caf.faces.component.output.html.HtmlButton: Removed field m_disabled
com.webmethods.caf.faces.component.output.html.HtmlButton: Removed field m_image
com.webmethods.caf.faces.component.output.html.HtmlButton: Removed field m_label
com.webmethods.caf.faces.component.output.html.HtmlButton: Removed field m_lang
com.webmethods.caf.faces.component.output.html.HtmlButton: Removed field m_onblur
com.webmethods.caf.faces.component.output.html.HtmlButton: Removed field m_onclick
com.webmethods.caf.faces.component.output.html.HtmlButton: Removed field m_ondblclick
com.webmethods.caf.faces.component.output.html.HtmlButton: Removed field m_onfocus
com.webmethods.caf.faces.component.output.html.HtmlButton: Removed field m_onkeydown
com.webmethods.caf.faces.component.output.html.HtmlButton: Removed field m_onmouseout
com.webmethods.caf.faces.component.output.html.HtmlButton: Removed field m_onmouseover
com.webmethods.caf.faces.component.output.html.HtmlButton: Removed field m_onmouseup

Removed API/ Description

com.webmethods.caf.faces.component.output.html.HtmlButton: Removed field m_readonly
com.webmethods.caf.faces.component.output.html.HtmlButton: Removed field m_style
com.webmethods.caf.faces.component.output.html.HtmlButton: Removed field m_styleClass
com.webmethods.caf.faces.component.output.html.HtmlButton: Removed field m_tabindex
com.webmethods.caf.faces.component.output.html.HtmlButton: Removed field m_title
com.webmethods.caf.faces.component.output.html.HtmlButton: Removed field m_type
com.webmethods.caf.faces.component.output.html.HtmlButton: Removed field m_width
com.webmethods.caf.faces.component.output.html.HtmlLink: Removed field m_label
com.webmethods.caf.faces.component.output.refresh.RefreshButton: Removed field m_for
com.webmethods.caf.faces.component.output.refresh.RefreshIcon: Removed field m_for
com.webmethods.caf.faces.component.output.refresh.RefreshInterval: Removed field m_for
com.webmethods.caf.faces.component.output.refresh.RefreshInterval: Removed field m_interval
com.webmethods.caf.faces.component.output.refresh.RefreshInterval: Removed field m_waitUntilReloaded
com.webmethods.caf.faces.component.output.refresh.RefreshLink: Removed field m_for
com.webmethods.caf.faces.component.panel.BaseHideablePanel: Removed field m_disableWhenHidden
com.webmethods.caf.faces.component.panel.BaseHideablePanel: Removed field m_lazy
com.webmethods.caf.faces.component.panel.BaseHideablePanel: Removed field m_refreshOnShow
com.webmethods.caf.faces.component.panel.BaseHideablePanel: Removed field m_suppressInputs
com.webmethods.caf.faces.component.panel.BaseHideablePanel: Removed field m_twoPass
com.webmethods.caf.faces.component.panel.BaseHideablePanel: Removed field m_visible
com.webmethods.caf.faces.component.panel.OverlayPanel: Removed field m_hideEffect
com.webmethods.caf.faces.component.panel.OverlayPanel: Removed field m_showEffect
com.webmethods.caf.faces.component.panel.PopupPanel: Removed field m_click
com.webmethods.caf.faces.component.panel.PopupPanel: Removed field m_close
com.webmethods.caf.faces.component.panel.PopupPanel: Removed field m_closeOnClick
com.webmethods.caf.faces.component.panel.PopupPanel: Removed field m_forRightClick
com.webmethods.caf.faces.component.panel.PopupPanel: Removed field m_hideEffect
com.webmethods.caf.faces.component.panel.PopupPanel: Removed field m_hideEffectOptions

Removed API/ Description

com.webmethods.caf.faces.component.panel.PopupPanel: Removed field m_hover

com.webmethods.caf.faces.component.panel.PopupPanel: Removed field m_position

com.webmethods.caf.faces.component.panel.PopupPanel: Removed field m_showEffect

com.webmethods.caf.faces.component.panel.PopupPanel: Removed field m_showEffectOptions

com.webmethods.caf.faces.component.panel.PropertyLine: Removed field m_description

com.webmethods.caf.faces.component.panel.PropertyLine: Removed field m_label

com.webmethods.caf.faces.component.panel.PropertyLine: Removed field m_overflow

com.webmethods.caf.faces.component.panel.PropertyLine: Removed field m_parentId

com.webmethods.caf.faces.component.panel.StackPanel: Removed field m_value

com.webmethods.caf.faces.component.panel.StaticCell: Removed field m_align

com.webmethods.caf.faces.component.panel.StaticCell: Removed field m_height

com.webmethods.caf.faces.component.panel.StaticCell: Removed field m_width

com.webmethods.caf.faces.component.panel.StaticRow: Removed field m_height

com.webmethods.caf.faces.component.panel.StaticRow: Removed field m_width

com.webmethods.caf.faces.component.search.BaseSearchControlHelper: Removed field fQuerySupplied

com.webmethods.caf.faces.component.search.BaseSearchControlHelper: Removed field fQuerySuppliedExpr

com.webmethods.caf.faces.component.search.SearchBar: Removed field m_facets

com.webmethods.caf.faces.component.select.FilterInput: Removed field m_labelText

com.webmethods.caf.faces.component.select.FilterInput: Removed field m_showGoButton

com.webmethods.caf.faces.component.select.SelectMany: Removed field m_filter

com.webmethods.caf.faces.component.select.SelectMany: Removed field m_other

com.webmethods.caf.faces.component.select.SelectMany: Removed field m_sortByLabel

com.webmethods.caf.faces.component.select.SelectOne: Removed field m_filter

com.webmethods.caf.faces.component.select.SelectOne: Removed field m_other

com.webmethods.caf.faces.component.select.SelectOne: Removed field m_sortByLabel

com.webmethods.caf.faces.component.select.html.HtmlSelectBoolean: Removed field m_accesskey

com.webmethods.caf.faces.component.select.html.HtmlSelectBoolean: Removed field m_dir

com.webmethods.caf.faces.component.select.html.HtmlSelectBoolean: Removed field m_disabled

Removed API/ Description

com.webmethods.caf.faces.component.select.html.HtmlSelectBoolean: Removed field m_lang

com.webmethods.caf.faces.component.select.html.HtmlSelectBoolean: Removed field m_accesskey

com.webmethods.caf.faces.component.select.html.HtmlSelectBoolean: Removed field m_dir

com.webmethods.caf.faces.component.select.html.HtmlSelectBoolean: Removed field m_disabled

com.webmethods.caf.faces.component.select.html.HtmlSelectBoolean: Removed field m_lang

com.webmethods.caf.faces.component.select.html.HtmlSelectBoolean: Removed field m_name

com.webmethods.caf.faces.component.select.html.HtmlSelectBoolean: Removed field m_onblur

com.webmethods.caf.faces.component.select.html.HtmlSelectBoolean: Removed field m_onchange

com.webmethods.caf.faces.component.select.html.HtmlSelectBoolean: Removed field m_onclick

com.webmethods.caf.faces.component.select.html.HtmlSelectBoolean: Removed field m_ondblclick

com.webmethods.caf.faces.component.select.html.HtmlSelectBoolean: Removed field m_onfocus

com.webmethods.caf.faces.component.select.html.HtmlSelectBoolean: Removed field m_onkeydown

com.webmethods.caf.faces.component.select.html.HtmlSelectBoolean: Removed field m_onkeypress

com.webmethods.caf.faces.component.select.html.HtmlSelectBoolean: Removed field m_onkeyup

com.webmethods.caf.faces.component.select.html.HtmlSelectBoolean: Removed field m_onmousedown

com.webmethods.caf.faces.component.select.html.HtmlSelectBoolean: Removed field m_onmousemove

com.webmethods.caf.faces.component.select.html.HtmlSelectBoolean: Removed field m_onmouseout

com.webmethods.caf.faces.component.select.html.HtmlSelectBoolean: Removed field m_onmouseover

com.webmethods.caf.faces.component.select.html.HtmlSelectBoolean: Removed field m_onmouseup

com.webmethods.caf.faces.component.select.html.HtmlSelectBoolean: Removed field m_readonly

com.webmethods.caf.faces.component.select.html.HtmlSelectBoolean: Removed field m_size

com.webmethods.caf.faces.component.select.html.HtmlSelectBoolean: Removed field m_style

com.webmethods.caf.faces.component.select.html.HtmlSelectBoolean: Removed field m_styleClass

com.webmethods.caf.faces.component.select.html.HtmlSelectBoolean: Removed field m_tabindex

com.webmethods.caf.faces.component.select.html.HtmlSelectBoolean: Removed field m_title

com.webmethods.caf.faces.component.select.html.HtmlSelectMany: Removed field m_accesskey

com.webmethods.caf.faces.component.select.html.HtmlSelectMany: Removed field m_border

com.webmethods.caf.faces.component.select.html.HtmlSelectMany: Removed field m_dir

Removed API/ Description

com.webmethods.caf.faces.component.select.html.HtmlSelectMany: Removed field m_disabled
com.webmethods.caf.faces.component.select.html.HtmlSelectMany: Removed field m_disabledClass
com.webmethods.caf.faces.component.select.html.HtmlSelectMany: Removed field m_enabledClass
com.webmethods.caf.faces.component.select.html.HtmlSelectMany: Removed field m_lang
com.webmethods.caf.faces.component.select.html.HtmlSelectMany: Removed field m_layout
com.webmethods.caf.faces.component.select.html.HtmlSelectMany: Removed field m_onblur
com.webmethods.caf.faces.component.select.html.HtmlSelectMany: Removed field m_onchange
com.webmethods.caf.faces.component.select.html.HtmlSelectMany: Removed field m_onclick
com.webmethods.caf.faces.component.select.html.HtmlSelectMany: Removed field m_ondblclick
com.webmethods.caf.faces.component.select.html.HtmlSelectMany: Removed field m_onfocus
com.webmethods.caf.faces.component.select.html.HtmlSelectMany: Removed field m_onkeydown
com.webmethods.caf.faces.component.select.html.HtmlSelectMany: Removed field m_onkeypress
com.webmethods.caf.faces.component.select.html.HtmlSelectMany: Removed field m_onkeyup
com.webmethods.caf.faces.component.select.html.HtmlSelectMany: Removed field m_onmousedown
com.webmethods.caf.faces.component.select.html.HtmlSelectMany: Removed field m_onmousemove
com.webmethods.caf.faces.component.select.html.HtmlSelectMany: Removed field m_onmouseout
com.webmethods.caf.faces.component.select.html.HtmlSelectMany: Removed field m_onmouseover
com.webmethods.caf.faces.component.select.html.HtmlSelectMany: Removed field m_onmouseup
com.webmethods.caf.faces.component.select.html.HtmlSelectMany: Removed field m_onselect
com.webmethods.caf.faces.component.select.html.HtmlSelectMany: Removed field m_readonly
com.webmethods.caf.faces.component.select.html.HtmlSelectMany: Removed field m_size
com.webmethods.caf.faces.component.select.html.HtmlSelectMany: Removed field m_style
com.webmethods.caf.faces.component.select.html.HtmlSelectMany: Removed field m_styleClass
com.webmethods.caf.faces.component.select.html.HtmlSelectMany: Removed field m_tabindex
com.webmethods.caf.faces.component.select.html.HtmlSelectOne: Removed field m_onblur
com.webmethods.caf.faces.component.select.html.HtmlSelectOne: Removed field m_onchange
com.webmethods.caf.faces.component.select.html.HtmlSelectOne: Removed field m_onclick
com.webmethods.caf.faces.component.select.html.HtmlSelectOne: Removed field m_ondblclick
com.webmethods.caf.faces.component.select.html.HtmlSelectOne: Removed field m_onfocus

Removed API/ Description

com.webmethods.caf.faces.component.select.html.HtmlSelectOne: Removed field m_onkeydown
com.webmethods.caf.faces.component.select.html.HtmlSelectOne: Removed field m_onkeypress
com.webmethods.caf.faces.component.select.html.HtmlSelectOne: Removed field m_onkeyup
com.webmethods.caf.faces.component.select.html.HtmlSelectOne: Removed field m_onmousedown
com.webmethods.caf.faces.component.select.html.HtmlSelectOne: Removed field m_onmousemove
com.webmethods.caf.faces.component.select.html.HtmlSelectOne: Removed field m_onmouseout
com.webmethods.caf.faces.component.select.html.HtmlSelectOne: Removed field m_onmouseover
com.webmethods.caf.faces.component.select.html.HtmlSelectOne: Removed field m_onmouseup
com.webmethods.caf.faces.component.select.html.HtmlSelectOne: Removed field m_onselect
com.webmethods.caf.faces.component.select.html.HtmlSelectOne: Removed field m_readonly
com.webmethods.caf.faces.component.select.html.HtmlSelectOne: Removed field m_size
com.webmethods.caf.faces.component.select.html.HtmlSelectOne: Removed field m_style
com.webmethods.caf.faces.component.select.html.HtmlSelectOne: Removed field m_styleClass
com.webmethods.caf.faces.component.select.html.HtmlSelectOne: Removed field m_tabindex
com.webmethods.caf.faces.component.select.html.HtmlSelectOne: Removed field m_title
com.webmethods.caf.faces.component.table.AddRow: Removed field m_addLastRowOnly
com.webmethods.caf.faces.component.table.AddRow: Removed field m_for
com.webmethods.caf.faces.component.table.AddRow: Removed field m_row
com.webmethods.caf.faces.component.table.AddRowIcon: Removed field m_title
com.webmethods.caf.faces.component.table.AddRowIcon: Removed field m_url
com.webmethods.caf.faces.component.table.AddRowIcon: Removed field m_urlMouseDown
com.webmethods.caf.faces.component.table.AddRowIcon: Removed field m_urlMouseover
com.webmethods.caf.faces.component.table.BaseExtendedColumn: Removed field m_align
com.webmethods.caf.faces.component.table.BaseExtendedColumn: Removed field m_ascending
com.webmethods.caf.faces.component.table.BaseExtendedColumn: Removed field m_exportable
com.webmethods.caf.faces.component.table.BaseExtendedColumn: Removed field m_group
com.webmethods.caf.faces.component.table.BaseExtendedColumn: Removed field m_hidden
com.webmethods.caf.faces.component.table.BaseExtendedColumn: Removed field m_label
com.webmethods.caf.faces.component.table.BaseExtendedColumn: Removed field m_nowrap

Removed API/ Description

com.webmethods.caf.faces.component.table.BaseExtendedColumn: Removed field m_optional
com.webmethods.caf.faces.component.table.BaseExtendedColumn: Removed field m_ordinal
com.webmethods.caf.faces.component.table.BaseExtendedColumn: Removed field m_secondary
com.webmethods.caf.faces.component.table.BaseExtendedColumn: Removed field m_secondaryEnd
com.webmethods.caf.faces.component.table.BaseExtendedColumn: Removed field m_secondaryStart
com.webmethods.caf.faces.component.table.BaseExtendedColumn: Removed field m_sort
com.webmethods.caf.faces.component.table.BaseExtendedColumn: Removed field m_valign
com.webmethods.caf.faces.component.table.BaseExtendedColumn: Removed field m_width
com.webmethods.caf.faces.component.table.BaseSelectRow: Removed field m_accesskey
com.webmethods.caf.faces.component.table.BaseSelectRow: Removed field m_disabled
com.webmethods.caf.faces.component.table.BaseSelectRow: Removed field m_multiple
com.webmethods.caf.faces.component.table.BaseSelectRow: Removed field m_tabindex
com.webmethods.caf.faces.component.table.DataPager: Removed field m_for
com.webmethods.caf.faces.component.table.DataPages: Removed field m_maxPages
com.webmethods.caf.faces.component.table.DataPages: Removed field m_showAlways
com.webmethods.caf.faces.component.table.MoveRowIcon: Removed field m_title
com.webmethods.caf.faces.component.table.MoveRowIcon: Removed field m_url
com.webmethods.caf.faces.component.table.MoveRowIcon: Removed field m_urlMouseDown
com.webmethods.caf.faces.component.table.MoveRowIcon: Removed field m_urlMouseover
com.webmethods.caf.faces.component.table.PrevNext: Removed field m_expandToEdges
com.webmethods.caf.faces.component.table.PrevNext: Removed field m_nextIconUrl
com.webmethods.caf.faces.component.table.PrevNext: Removed field m_nextText
com.webmethods.caf.faces.component.table.PrevNext: Removed field m_prevIconUrl
com.webmethods.caf.faces.component.table.PrevNext: Removed field m_prevText
com.webmethods.caf.faces.component.table.PrevNext: Removed field m_showAlways
com.webmethods.caf.faces.component.table.RemoveRow: Removed field m_for
com.webmethods.caf.faces.component.table.RemoveRow: Removed field m_removeLastRow
com.webmethods.caf.faces.component.table.RemoveRow: Removed field m_row
com.webmethods.caf.faces.component.table.RemoveRowIcon: Removed field m_title

Removed API/ Description

com.webmethods.caf.faces.component.table.RemoveRowIcon: Removed field m_url
com.webmethods.caf.faces.component.table.RemoveRowIcon: Removed field m_urlMouseDown
com.webmethods.caf.faces.component.table.RemoveRowIcon: Removed field m_urlMouseover
com.webmethods.caf.faces.component.table.SelectRow: Removed field m_accesskey
com.webmethods.caf.faces.component.table.SelectRow: Removed field m_disabled
com.webmethods.caf.faces.component.table.SelectRow: Removed field m_for
com.webmethods.caf.faces.component.table.SelectRow: Removed field m_multiple
com.webmethods.caf.faces.component.table.SelectRow: Removed field m_tabindex
com.webmethods.caf.faces.component.table.SelectRowCheckbox: Removed field m_children
com.webmethods.caf.faces.component.table.SelectRowCheckbox: Removed field m_facets
com.webmethods.caf.faces.component.table.html.AsyncList: Removed field m_bufferChunk
com.webmethods.caf.faces.component.table.html.AsyncList: Removed field m_bufferMax
com.webmethods.caf.faces.component.table.html.AsyncList: Removed field m_bufferMin
com.webmethods.caf.faces.component.table.html.AsyncList: Removed field m_clientSideCache
com.webmethods.caf.faces.component.table.html.AsyncList: Removed field m_flashOnChange
com.webmethods.caf.faces.component.table.html.AsyncList: Removed field m_progressDelay
com.webmethods.caf.faces.component.table.html.AsyncList: Removed field m_progressMsg
com.webmethods.caf.faces.component.table.html.AsyncList: Removed field m_suppressInputs
com.webmethods.caf.faces.component.table.html.AsyncListbox: Removed field m_rowClasses
com.webmethods.caf.faces.component.table.html.AsyncTable: Removed field m_bufferChunk
com.webmethods.caf.faces.component.table.html.AsyncTable: Removed field m_bufferMax
com.webmethods.caf.faces.component.table.html.AsyncTable: Removed field m_bufferMin
com.webmethods.caf.faces.component.table.html.AsyncTable: Removed field m_clientSideCache
com.webmethods.caf.faces.component.table.html.AsyncTable: Removed field m_flashOnChange
com.webmethods.caf.faces.component.table.html.AsyncTable: Removed field m_progressDelay
com.webmethods.caf.faces.component.table.html.AsyncTable: Removed field m_progressMsg
com.webmethods.caf.faces.component.table.html.AsyncTable: Removed field m_suppressInputs
com.webmethods.caf.faces.component.table.html.CalendarTable: Removed field dayVar
com.webmethods.caf.faces.component.table.html.CalendarTable: Removed field eventVar

Removed API/ Description

com.webmethods.caf.faces.component.table.html.CalendarTable: Removed field m_allDay

com.webmethods.caf.faces.component.table.html.CalendarTable: Removed field m_calendarEndDate

com.webmethods.caf.faces.component.table.html.CalendarTable: Removed field m_calendarStartDate

com.webmethods.caf.faces.component.table.html.CalendarTable: Removed field m_displayUnits

com.webmethods.caf.faces.component.table.html.CalendarTable: Removed field m_events

com.webmethods.caf.faces.component.table.html.CalendarTable: Removed field m_eventsSet

com.webmethods.caf.faces.component.table.html.CalendarTable: Removed field m_initialDate

com.webmethods.caf.faces.component.table.html.DataList: Removed field m_marker

com.webmethods.caf.faces.component.table.html.DataList: Removed field m_selected

com.webmethods.caf.faces.component.table.html.DataList: Removed field m_selectedRowClass

com.webmethods.caf.faces.component.table.html.DataTable: Removed field createdToOriginalRowIds

com.webmethods.caf.faces.component.table.html.DataTable: Removed field filter

com.webmethods.caf.faces.component.table.html.DataTable: Removed field first

com.webmethods.caf.faces.component.table.html.DataTable: Removed field firstSet

com.webmethods.caf.faces.component.table.html.DataTable: Removed field originalToCreatedRowIds

com.webmethods.caf.faces.component.table.html.DataTable: Removed field var

com.webmethods.caf.faces.component.table.html.HtmlTableColumn: Removed field m_facets

com.webmethods.caf.faces.component.table.html.ListBox: Removed field m_rowClasses

com.webmethods.caf.faces.component.table.specialized.Newsfeed: Removed field m_children

com.webmethods.caf.faces.component.table.specialized.Newsfeed: Removed field m_facets

com.webmethods.caf.faces.component.table.specialized.Newsfeed: Removed field m_layout

com.webmethods.caf.faces.component.table.specialized.Newsfeed: Removed field m_size

com.webmethods.caf.faces.component.table.specialized.Newsfeed: Removed field m_url

com.webmethods.caf.faces.component.toggle.InitiateToggle: Removed field m_for

com.webmethods.caf.faces.component.toggle.OneWayToggle: Removed field m_for

com.webmethods.caf.faces.component.toggle.OneWayToggle: Removed field m_way

com.webmethods.caf.faces.component.toggle.html.HtmlOneWayToggle: Removed field m_disabled

com.webmethods.caf.faces.component.toggle.html.HtmlOneWayToggle: Removed field m_disabledClass

com.webmethods.caf.faces.component.toggle.html.HtmlOneWayToggle: Removed field

Removed API/ Description

`m_enabledClass`

`com.webmethods.caf.faces.component.toggle.html.HtmlOneWayToggle`: Removed field `m_width`

`com.webmethods.caf.faces.component.toggle.html.HtmlOneWayToggleCheckbox`: Removed field `m_checked`

`com.webmethods.caf.faces.component.toggle.html.HtmlOneWayToggleCheckbox`: Removed field `m_checkedWhenVisible`

`com.webmethods.caf.faces.component.toggle.html.HtmlToggle`: Removed field `m_disabled`

`com.webmethods.caf.faces.component.toggle.html.HtmlToggle`: Removed field `m_disabledClass`

`com.webmethods.caf.faces.component.toggle.html.HtmlToggle`: Removed field `m_enabledClass`

`com.webmethods.caf.faces.component.toggle.html.HtmlToggle`: Removed field `m_layout`

`com.webmethods.caf.faces.component.toggle.html.HtmlToggle`: Removed field `m_width`

`com.webmethods.caf.faces.component.tree.AsyncTree`: Removed field `m_initialDepth`

`com.webmethods.caf.faces.component.tree.AsyncTree`: Removed field `m_progressDelay`

`com.webmethods.caf.faces.component.tree.AsyncTree`: Removed field `m_progressFlashOnComplete`

`com.webmethods.caf.faces.component.tree.AsyncTree`: Removed field `m_progressMsg`

`com.webmethods.caf.faces.component.tree.AsyncTree`: Removed field `m_refillDepth`

`com.webmethods.caf.faces.component.tree.AsyncTree`: Removed field `m_refreshOnShow`

`com.webmethods.caf.faces.component.tree.AsyncTree`: Removed field `m_suppressInputs`

`com.webmethods.caf.faces.component.tree.BaseTreeControl`: Removed field `m_collapseAllIcon`

`com.webmethods.caf.faces.component.tree.BaseTreeControl`: Removed field `m_collapseIcon`

`com.webmethods.caf.faces.component.tree.BaseTreeControl`: Removed field `m_expandAllIcon`

`com.webmethods.caf.faces.component.tree.BaseTreeControl`: Removed field `m_expandIcon`

`com.webmethods.caf.faces.component.tree.BaseTreeControl`: Removed field `m_leafIcon`

`com.webmethods.caf.faces.component.tree.BaseTreeControl`: Removed field `m_lineBottomIcon`

`com.webmethods.caf.faces.component.tree.BaseTreeControl`: Removed field `m_lineIcon`

`com.webmethods.caf.faces.component.tree.BaseTreeControl`: Removed field `m_lineNoneIcon`

`com.webmethods.caf.faces.component.tree.BaseTreeControl`: Removed field `m_lineTopIcon`

`com.webmethods.caf.faces.component.tree.BaseTreeControl`: Removed field `m_loadingIcon`

`com.webmethods.caf.faces.component.tree.BaseTreeControl`: Removed field `m_showSortLink`

`com.webmethods.caf.faces.view.BaseViewHandler`: Removed field `RE_FE_URL`

Removed API/ Description

com.webmethods.portal.faces.view.PortalViewHandler: Removed field RE_FE_URL

com.webmethods.portal.taglib.PortalIterationTagSupport: Removed field EMPTY_ITERATOR

10.0 Copyright Information

Copyright © 2016 Software AG, Darmstadt, Germany and/or Software AG USA Inc., Reston, VA, USA, and/or its subsidiaries and/or its affiliates and/or their licensors.

The name Software AG and all Software AG product names are either trademarks or registered trademarks of Software AG and/or Software AG USA Inc. and/or its subsidiaries and/or its affiliates and/or their licensors. Other company and product names mentioned herein may be trademarks of their respective owners.

Detailed information on trademarks and patents owned by Software AG and/or its subsidiaries is located at <http://softwareag.com/licenses>.

This software may include portions of third-party products. For third-party copyright notices, license terms, additional rights or restrictions, please refer to "License Texts, Copyright Notices and Disclaimers of Third Party Products". For certain specific third-party license restrictions, please refer to section E of the Legal Notices available under "License Terms and Conditions for Use of Software AG Products / Copyright and Trademark Notices of Software AG Products". These documents are part of the product documentation, located at <http://softwareag.com/licenses> and/or in the root installation directory of the licensed product(s).

11.0 Support

Visit the [Empower website](#) to learn about support policies and critical alerts, read technical articles and papers, download products and fixes, submit feature/enhancement requests, and more.

Visit the [TECHcommunity website](#) to access additional articles, demos, and tutorials, technical information, samples, useful resources, online discussion forums, and more.

CAF-RM-910-20160415