

Supported Operating System Platforms

| Operating System | Windows Server 2008 | Windows Server 2008 Standard and Enterprise Edition | | Windows Server 2012 Datacenter and Standard Edition | Windows 7 Professional, Ultimate, Enterprise Edition *4 | | Windows 8 Pro and Enterprise | | Suse Linux Enterprise Server | Red Hat Enterprise Linux Server *1 | | | Solaris | | | HP-UX | AIX | | Mac OS X | | | |
|---|---------------------|---|-------------------|---|---|------------------|------------------------------|--------|------------------------------|------------------------------------|-----------|-------------------|---------------------|-------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|
| | Version | | R2 | | | | | | 11 SPx | 5.x | 6.x | | 10 | 11 *12 | | 11i v3 | 6.1 | 7.1 | 10.8 | | | |
| Processor | x86-64 | x86-64 *5 | Amazon EC2 64-bit | x86-64 *5 | x86 | x86-64 | x86 | x86-64 | x86-64 | IBM System z 64-bit | x86-64 *5 | x86-64 *5 | IBM System z 64-bit | Amazon EC2 64-bit | SPARC 64 *13 | x86-64 | SPARC 64 *13 | x86-64 | IA64 | Power 64-bit | | |
| CentraSite | 9.5 | (✓) ³ | (✓) ³ | (✓) ³ | (✓) ³ | ✓ | (✓) ³ | ✓ | (✓) ³ | ✓ | ✓ | ✓ | ✓ | ✓ | (✓) ⁸ | ✓ | (✓) ⁸ | ✓ | ✓ | ✓ | ✓ | |
| My webMethods Server | 9.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| MashZone | 9.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | ✓ | ✓ | | | | | | | | | | |
| PPM *10 | 9.5 | ✓ | ✓ | | ✓ | ✓ | ✓ | ✓ | ✓ | | | (✓) ¹¹ | | | | | | | | | | |
| webMethods ActiveTransfer Gateway | 9.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| webMethods ActiveTransfer Server | 9.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| webMethods ApplinX *2 | 9.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | ✓ | | ✓ | ✓ | ✓ | |
| webMethods Asset Build Environment | 9.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| webMethods Broker | 9.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | (✓) ⁶ | (✓) ⁶ | (✓) ⁶ | (✓) ⁶ | (✓) ⁶ | (✓) ⁶ | (✓) ⁶ | (✓) ⁶ |
| webMethods Business Rules | 9.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| webMethods CloudStreams Server | 9.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| webMethods Command Central | 9.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| webMethods Content Service Platform Client Components | 9.0 | ✓ | ✓ | | | ✓ | ✓ | | | ✓ | | ✓ | | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| webMethods Content Service Platform Server | 9.0 | ✓ | ✓ | | | ✓ | ✓ | | | ✓ | | ✓ | | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| webMethods Database Configuration | 9.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| webMethods Deployer | 9.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| webMethods EntireX *2 | 9.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | ✓ | | ✓ | ✓ | ✓ | |
| webMethods Events | 9.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| webMethods Infrastructure Data Collector | 9.5 | ✓ | ✓ | ✓ | ✓ | | ✓ | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| webMethods Integration Server | 9.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| webMethods Logging Utility | 9.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| webMethods Mediator | 9.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| webMethods Mobile Designer | 9.5 | | ✓ | | ✓ | (✓) ⁹ | (✓) ⁹ | ✓ | ✓ | | | | | | | | | | | | | ✓ |
| webMethods Monitor | 9.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| webMethods Universal Messaging | 9.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| webMethods OneData | 9.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| webMethods Optimize for B2B | 9.5 | ✓ | ✓ | ✓ | ✓ | | ✓ | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| webMethods Optimize for Infrastructure | 9.5 | ✓ | ✓ | ✓ | ✓ | | ✓ | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| webMethods Optimize for Process | 9.5 | ✓ | ✓ | ✓ | ✓ | | ✓ | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| webMethods Platform Manager | 9.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| webMethods Process Engine | 9.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| webMethods Tamino XML Server | 9.5 | (✓) ³ | (✓) ³ | | (✓) ³ | ✓ | (✓) ³ | ✓ | (✓) ³ | ✓ | | ✓ | ✓ | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| webMethods Task Engine | 9.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| webMethods Trading Networks | 9.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |

Supported Operating System Platforms

For information about the webMethods SAP Process Monitoring Agent and webMethods SAP Adapter, which are components of webMethods Optimize for SAP, see the webMethods Adapter System Requirements.

*¹ Includes the Base Server and Advanced Platform

*² EntireX and ApplinX support additional operating systems. See the Release Notes of these products.

*³ Only 32-Bit product version supported

*⁴ Windows Desktop platforms are supported for webMethods server functionality for development environments only.

*⁵ Also supported on VMware vSphere (ESX/ESXi) 5.x and higher

*⁶ Broker C client library supported for both 32-bit and 64-bit Solaris, HP-UX and AIX

*⁸ Please contact your Software AG representative if you plan to install on a Solaris CMT system.

*⁹ Only Windows 7 Professional is supported

*¹⁰ Includes CVS-2-PPM Extractor, JDBC-2-PPM Extractor and SAP-2-PPM Extractor

All SAP-related PPM products work with the following SAP versions:

SAP R/3 > 4.6C

SAP JCO 3.0.9

*¹¹ SAP content packages are only supported on Windows

*¹² Solaris 11.3 is not supported.

*¹³ SPARC Servers of the Series M7, S7, T7, M8 and T8 are not supported

Language packs are available for webMethods products on all supported operating systems except Mac OS X.

The document will be updated whenever support for additional operating systems is available.

Unless otherwise specified in our documentation, we encourage installing the latest service packs, patch-bundles and fixes for the supported operating systems and products if those are recommended by the respective vendor. Please report defects resulting from 3rd party supplied fixes, patches or service packs to the vendor directly.

Except where otherwise specified by a special arrangement, we support our software operation only on the supported Linux distributions mentioned above. Customers may run webMethods software on Linux distributions like Oracle Linux and other Linux distributions that are stated to be compatible with the Linux distributions supported by webMethods products. If they encounter an issue that might be related to webMethods software, Technical Services may ask the customer to reproduce the issue on the Red Hat or SUSE distributions that are supported before analyzing the issue further.

Software AG tests its software against specific versions of operating systems and supported products (RDBMSs, JDKs, browsers, application servers, directory servers) and not specifically against all possible combinations of patches, fixes and hardware that might comprise that platform. Therefore, Software AG may not use the exact same versions of fixes, patches or service packs for operating systems and supported software products, when troubleshooting a customer issue.

Supported Operating System Platforms for Software AG Designer

| Operating System | | Win Server 2008 Standard and Enterprise Edition | | | Windows Server 2012 Datacenter and Standard Edition | Windows 7 Professional, Ultimate, Enterprise Edition* ¹ | | Windows 8 Pro and Enterprise | | Suse Linux Enterprise Server | Red Hat Enterprise Linux | | |
|--|-----|---|-----------------------|-------------------|---|--|--------|------------------------------|--------|------------------------------|--------------------------|-----------------------|-------------------|
| | | Version | R2 | | | | | | | | 11 SPx | 5.x | 6.x |
| Processor | | x86-64 | x86-64 * ² | Amazon EC2 64-bit | x86-64 | x86 | x86-64 | x86 | x86-64 | x86-64 | x86-64 * ² | x86-64 * ² | Amazon EC2 64-bit |
| Software AG Designer | 9.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| CentraSite SOA Governance | 9.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Fico Blaze Advisor | 9.5 | ✓ | ✓ | | ✓ | ✓ | ✓ | | | | | | |
| webMethods ApplinX | 9.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | | | |
| webMethods Business Rules | 9.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| webMethods CloudStreams Development | 9.5 | ✓ | ✓ | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| webMethods Composite Application Framework | 9.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| webMethods EntireX | 9.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| webMethods Events | 9.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| webMethods Process Development | 9.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| webMethods Process Simulation | 9.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| webMethods Service Development | 9.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| webMethods Tamino XML Server | 9.5 | ✓ | ✓ | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |

*¹ Windows Desktop platforms are supported for webMethods server functionality for development environments only

*² Also supported on VMware vSphere (ESX/ESXi) 5.x and higher

Unless otherwise specified in our documentation, we encourage installing the latest service packs, patch-bundles and fixes for the supported operating systems and products if those are recommended by the respective vendor. Please report defects resulting from 3rd party supplied fixes, patches or service packs to the vendor directly.

Except where otherwise specified by a special arrangement, we support our software operation only on the supported Linux distributions mentioned above. Customers may run webMethods software on Linux distributions like Oracle Linux and other Linux distributions that are stated to be compatible with the Linux distributions supported by webMethods products. If they encounter an issue that might be related to webMethods software, Technical Services may ask the customer to reproduce the issue on the Red Hat or SUSE distributions that are supported before analyzing the issue further.

Software AG tests its software against specific versions of operating systems and supported products (RDBMSs, JDKs, browsers, application servers, directory servers) and not specifically against all possible combinations of patches, fixes and hardware that might comprise that platform. Therefore, Software AG may not use the exact same versions of fixes, patches or service packs for operating systems and supported software products, when troubleshooting a customer issue.

Supported RDBMSs

Unless otherwise mentioned webMethods products support their database components on all platforms on which the RDBMS vendor supports the RDBMS. All webMethods products come with the client component of the DataDirect Connect JDBC 5.1.1 driver. This driver is a Type 5 JDBC driver that does not have a server component. For information about the database components and the webMethods products that use them, see "Installing webMethods Products".

| | | Oracle | | DB2 LUW | | MS SQL Server | |
|--|-----|------------------------------|-------------------|-------------------|------|-------------------|-------------------|
| | | 11 g (R1 / R2) ^{*1} | 12c | 9.7 | 10.1 | 2008 R2 | 2012 |
| My webMethods Server | 9.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| MashZone | 9.5 | (✓) ^{*2} | (✓) ^{*2} | (✓) ^{*2} | | (✓) ^{*2} | (✓) ^{*2} |
| PPM | 9.5 | ✓ | ✓ | ✓ | | (✓) ^{*5} | (✓) ^{*5} |
| JDBC-2-PPM Extractor | 9.5 | (✓) ^{*3} | | (✓) ^{*4} | | (✓) ^{*5} | (✓) ^{*5} |
| webMethods ApplinX | 9.5 | ✓ | ✓ | | | ✓ | ✓ |
| webMethods ActiveTransfer Server | 9.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| webMethods Business Rules | 9.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| webMethods Content Service Platform Server | 9.0 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| webMethods Integration Server | 9.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| webMethods Monitor | 9.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| webMethods OneData | 9.5 | ✓ | ✓ | | | ✓ | ✓ |
| webMethods Optimize | 9.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| webMethods Process Engine | 9.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| webMethods Trading Networks Server | 9.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |

*1 Also supported when implemented as RAC.

*2 Databases are connected via the standardized JDBC interface. The required JDBC drivers are database-specific and are either part of the database installation or can be acquired from the manufacturer of the database system used. The JDBC database connection of ARIS MashZone requires the JDBC driver suitable for the database to be queried. Selecting a suitable JDBC driver is not critical because ARIS MashZone uses standard JDBC features only.

*3 Supported JDBC driver: 11.1.0.6.0 and higher

*4 Supported JDBC driver: IBM DB2 JDBC driver 9.7

*5 Standard and Enterprise Edition are supported
Supported JDBC driver: 4.0.2206.100 and higher. It is mandatory with Java 1.7 to use the sqljdbc4.jar driver.
PPM supports SQL Server databases set up for collation Latin1_General_BIN. SQL Server databases with other collations are not supported. You can assign the collation at the database level.
If you use MS SQL Server 2008 or 2012 on a single database instance and plan to set up a scaled PPM system with one master server and several sub-servers to connect to that instance, you need to ensure that the individual servers (especially master server and sub-servers) access different databases within the instance.

Unless otherwise specified in our documentation, we encourage installing the latest service packs, patch-bundles and fixes for the supported operating systems and products if those are recommended by the respective vendor. Please report defects resulting from 3rd party supplied fixes, patches or service packs to the vendor directly.

Software AG tests its software against specific versions of operating systems and supported products (RDBMSs, JDKs, browsers, application servers, directory servers) and not specifically against all possible combinations of patches, fixes and hardware that might comprise that platform. Therefore, Software AG may not use the exact same versions of fixes, patches or service packs for operating systems and supported software products, when troubleshooting a customer issue.

Supported JDKs

| Operating System | | Windows LINUX Solaris | | HP-UX IA64 | AIX | LINUX IBM System z | Mac OS X |
|--|-----|-----------------------------|--------------------------------------|---------------------|------------------------|-----------------------|-------------------------|
| JDK | | Oracle Java 1.7.0_25 | Oracle Java 1.8.0.1 ^{*1} | HP Java 1.7.0.06 | IBM Java 1.7.0 SR4 FP2 | | Oracle Java 1.7.0_25 |
| CentraSite | 9.5 | ✓ | ✓ | ✓ | ✓ | ✓ | |
| My webMethods Server | 9.5 | ✓ | ✓ | ✓ | ✓ | ✓ | |
| MashZone | 9.5 | ✓ | | | | | |
| PPM | 9.5 | ✓ | | | | | |
| Software AG Designer ^{*2} | 9.5 | ✓ | ✓ | | | | |
| webMethods ActiveTransfer Gateway | 9.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| webMethods ActiveTransfer Server | 9.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| webMethods ApplinX | 9.5 | ✓ | ✓ | ✓ | ✓ | ✓ | |
| webMethods Asset Build Environment | 9.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| webMethods Broker | 9.5 | ✓ | ✓ | ✓ | ✓ | ✓ | |
| webmethods Business Rules | 9.5 | ✓ | ✓ | ✓ | ✓ | ✓ | |
| webMethods CloudStreams Server | 9.5 | ✓ | ✓ | ✓ | ✓ | ✓ | |
| webMethods Command Central | 9.5 | ✓ | ✓ | ✓ | ✓ | ✓ | |
| webMethods Content Service Platform | 9.0 | ✓ | ✓ | ✓ | ✓ | | |
| webMethods Database Component Configurator | 9.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| webMethods Deployer | 9.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| webMethods EntireX | 9.5 | ✓ | ✓ | ✓ | ✓ | ✓ | |
| webMethods Events | 9.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| webMethods Infrastructure Data Collector | 9.5 | ✓ | ✓ | ✓ | ✓ | ✓ | |
| webMethods Installer | 9.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| webMethods Integration Server | 9.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| webMethods Logging Utility | 9.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| webMethods Mediator | 9.5 | ✓ | ✓ | ✓ | ✓ | ✓ | |
| webMethods Mobile Designer | 9.5 | ✓ | ✓ | | | | ✓ |
| webMethods Monitor | 9.5 | ✓ | ✓ | ✓ | ✓ | ✓ | |
| webMethods Universal Messaging | 9.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| webMethods OneData | 9.5 | ✓ | ✓ | ✓ | ✓ | | |
| webMethods Reporting | 9.5 | ✓ | ✓ | ✓ | ✓ | | |
| webMethods Optimize for B2B | 9.5 | ✓ | ✓ | ✓ | ✓ | ✓ | |
| webMethods Optimize for Infrastructure | 9.5 | ✓ | ✓ | ✓ | ✓ | ✓ | |
| webMethods Optimize for Process | 9.5 | ✓ | ✓ | ✓ | ✓ | ✓ | |
| webMethods Platform Manager | 9.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| webMethods Process Engine | 9.5 | ✓ | ✓ | ✓ | ✓ | ✓ | |
| webMethods Task Engine | 9.5 | ✓ | ✓ | ✓ | ✓ | ✓ | |
| webMethods Trading Networks | 9.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |

The JDKs listed above are part of the webMethods 9.5 delivery except for Mac OSX.

^{*1} For Java 8 support you have to install the SJP fix and corresponding product fixes using Software AG Update Manager. For details on install instructions and dependent fixes, please refer to Software AG Java Package 1.8.0.1 readme.

^{*2} For details about OS support please refer to page: Supported Operating System Platforms for Software AG Designer

Unless otherwise specified in our documentation, we encourage installing the latest service packs, patch-bundles and fixes for the supported operating systems and products if those are recommended by the respective vendor. Please report defects resulting from 3rd party supplied fixes, patches or service packs to the vendor directly.

Software AG tests its software against specific versions of operating systems and supported products (RDBMSs, JDKs, browsers, application servers, directory servers) and not specifically against all possible combinations of patches, fixes and hardware that might comprise that platform. Therefore, Software AG may not use the exact same versions of fixes, patches or service packs for operating systems and supported software products, when troubleshooting a customer issue.

Supported Browsers

| | | Microsoft Internet Explorer | Mozilla Firefox 24 and higher | Google Chrome | Safari 6 | |
|-----------------------------------|-----|-----------------------------|-------------------------------|---------------|----------|--------|
| | | 11.x | | | desktop | mobile |
| CentraSite | 9.5 | ✓ | ✓ | ✓ | ✓ | |
| MashZone | 9.5 | ✓ | ✓ | ✓ | | |
| My webMethods Server | 9.5 | ✓ | ✓ | ✓ | ✓ | |
| PPM | 9.5 | ✓ | ✓ | ✓ | | |
| webMethods Active Transfer Server | 9.5 | | ✓ | ✓ | | |
| webMethods ApplinX | 9.5 | ✓ | ✓ | ✓ | | |
| webMethods Broker | 9.5 | ✓ | ✓ | ✓ | | |
| webMethods Business Rules | 9.5 | ✓ | ✓ | ✓ | | |
| webMethods Command Central | 9.5 | ✓ | ✓ | ✓ | | |
| webMethods Deployer | 9.5 | ✓ | ✓ | ✓ | | |
| webMethods Integration Server | 9.5 | ✓ | ✓ | ✓ | | |
| webMethods Mediator | 9.5 | ✓ | ✓ | ✓ | | |
| webMethods Monitor | 9.5 | ✓ | ✓ | ✓ | | |
| webMethods OneData | 9.5 | ✓ | ✓ | ✓ | | ✓ |
| webMethods Optimize | 9.5 | ✓ | ✓ | ✓ | | |
| webMethods Tamino XML Server | 9.5 | ✓ | ✓ | ✓ | | |
| webMethods Trading Networks | 9.5 | ✓ | ✓ | ✓ | | |

*1 Only supported in compatibility mode

Unless otherwise specified in our documentation, we encourage installing the latest service packs, patch-bundles and fixes for the supported operating systems and products if those are recommended by the respective vendor. Please report defects resulting from 3rd party supplied fixes, patches or service packs to the vendor directly.

Software AG tests its software against specific versions of operating systems and supported products (RDBMSs, JDKs, browsers, application servers, directory servers) and not specifically against all possible combinations of patches, fixes and hardware that might comprise that platform. Therefore, Software AG may not use the exact same versions of fixes, patches or service packs for operating systems and supported software products, when troubleshooting a customer issue.

Supported Directory Servers

These LDAP v3 compliant Directory Servers are supported.

| | | IBM Tivoli Directory Server 6 | Microsoft Active Directory Domain Services | Novell eDirectory 8 | OpenLDAP 2 | Oracle Java System Directory Server Enterprise Edition 7 | Oracle Internet Directory 11g | Apache Directory Server 1.5 |
|-------------------------------|-----|-------------------------------|--|---------------------|------------|--|-------------------------------|-----------------------------|
| CentraSite | 9.5 | ✓ | ✓ | ✓ | ✓ | ✓ | | ✓ |
| My webMethods Server | 9.5 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| Mashzone | 9.5 | | ✓ | | ✓ | | | |
| PPM | 9.5 | | ✓ | | ✓ | | | |
| webMethods EntireX | 9.5 | ✓ | ✓ | ✓ | ✓ | ✓ | | ✓ |
| webMethods Integration Server | 9.5 | ✓ | ✓ | ✓ | ✓ | ✓ | | |
| webMethods OneData | 9.5 | | ✓ | | ✓ | | | |

Unless otherwise specified in our documentation, we encourage installing the latest service packs, patch-bundles and fixes for the supported operating systems and products if those are recommended by the respective vendor. Please report defects resulting from 3rd party supplied fixes, patches or service packs to the vendor directly.

Software AG tests its software against specific versions of operating systems and supported products (RDBMSs, JDKs, browsers, application servers, directory servers) and not specifically against all possible combinations of patches, fixes and hardware that might comprise that platform. Therefore, Software AG may not use the exact same versions of fixes, patches or service packs for operating systems and supported software products, when troubleshooting a customer issue.

Supported Application Servers

webMethods products (CentraSite, webMethods Integration Server, webMethods OneData) only support the application server that is included with the suite. For additional application server support please contact your Software AG representative.

EntireX and ApplinX support additional Application Servers.
See the Release Notes of these products.

webMethods Broker supports application servers based on Java EE standards by way of the Java EE Connector Architecture (JCA) 1.5 and JMS Application Server Facilities (ASF). webMethods Broker includes a resource adapter that works with JCA 1.5, uses the JMS client library, and integrates well with application servers. You can use webMethods Broker with application servers using either the JCA resource adapter or ASF. webMethods Broker is tested to work with Oracle WebLogic, JBoss enterprise editions, and IBM WebSphere application servers. Software AG Support will handle any issues pertaining to resource adapter operation with JCA 1.5 or ASF. For issues specific to the application server configuration or the JCA container of the application server, report those issues to the respective application server vendors.

Unless otherwise specified in our documentation, we encourage installing the latest service packs, patch-bundles and fixes for the supported operating systems and products if those are recommended by the respective vendor. Please report defects resulting from 3rd party supplied fixes, patches or service packs to the vendor directly.

Software AG tests its software against specific versions of operating systems and supported products (RDBMSs, JDKs, browsers, application servers, directory servers) and not specifically against all possible combinations of patches, fixes and hardware that might comprise that platform. Therefore, Software AG may not use the exact same versions of fixes, patches or service packs for operating systems and supported software products, when troubleshooting a customer issue.