

Message Class 0800 - webMethods EntireX Adapter

Messages are logged with message class 0800. In the Administrator, section **Settings > Logging** you find the logging settings in the tree for Adapters. See the *webMethods Integration Server Administrator's Guide* for changing the logging settings.

The messages have the format:

0800nnnn

where 0800 is the message class, and

nnnn is the message number in the range 0000 - 9999

Overview of Messages

08000211	08000212	08000213	08000215	08000219	08000220
08000221	08000228	08000229	08000231	08000234	08000236
08000250	08000301	08000310	08000311	08000315	08000333
08000342	08000343	08000362	08000500	08000603	

08000211 <error detail>

Explanation An error occurred during the execution of an adapter service. The error message contains a detailed description of the error.

Action Use error detail to fix.

08000212 WmEntireX: exception during register: <exception detail>

Explanation An error occurred during REGISTER call. This can happen when an adapter listener starts.

Action Use exception detail to fix. This is typically a configuration issue.

08000213 WmEntireX: exception during receive: <exception detail>

Explanation An error occurred during RECEIVE call in an adapter listener.

Action Use exception detail to fix.

08000215 **WmEntireX: connection: unknown resourceDomainName: <name>**

Explanation An internal error occurred.

Action Contact Software AG support.

08000219 **WmEntireX: connection.receive: unknown server command <actual command>**

Explanation <actual command> was sent to the adapter listener. This is unknown and cannot be handled.

Action Change command. The only known command is PING.

08000220 **WmEntireX: connection.receive: conversational call <actual packet type> rejected**

Explanation The adapter listener does not support conversational RPC.

Action Use non-conversational calls.

08000221 **WmEntireX: connection.receive: illegal packet type <actual packet type>**

Explanation The adapter listener received an illegal packet type.

Action Change your RPC client to send valid packet types.

08000228 **WmEntireX: exception during resource domain lookup: <exception detail>**

Explanation An internal error occurred.

Action Contact Software AG support.

08000229 **WmEntireX: unsupported RPC protocol version: <actual protocol version>**

Explanation The RPC client is sending an old protocol version that is not supported by the adapter listener.

Action Update your RPC client.

08000231 WmEntireX: Asynchronous Listener Notification can only be used with a Reliable RPC Listener Connection

Explanation An asynchronous adapter listener notification cannot be used with an RPC Listener connection which is not reliable. This error can only occur if an adapter notification is created manually.

Action Use a Reliable RPC Listener connection for the adapter notification.

08000234 WmEntireX: connection.receive: illegal call for Reliable RPC rejected

Explanation A reliable RPC listener received a non-reliable call from an RPC client.

Action Configure the RPC client to use Reliable RPC.

08000236 WmEntireX: connection.receive: illegal call for non Reliable RPC rejected

Explanation An RPC listener received a reliable call from an RPC client.

Action Configure the RPC client not to use Reliable RPC.

08000250 WmEntireX: exception in createManagedConnectionObject: <exception detail>

Explanation An error occurred when creating an adapter connection. The error message contains a detailed description of the error.

Action Use exception detail to fix.

08000301 WmEntireX: exception during listener startup: <exception detail>

Explanation An error occurred while starting a listener. The error message contains a detailed description of the error.

Action Use exception detail to fix.

08000310 WmEntireX: listener.processNotificationResults error: <error details>

Explanation The Integration Server runtime reported an error during notification.

Action Use exception details to fix.

08000311 WmEntireX: listener.waitForData (listener for Reliable RPC) error: <exception detail>

Explanation An error occurred during processing of an RPC request in a reliable listener. The error message contains a detailed description of the error.

Action Use exception detail to fix.

08000315 WmEntireX: invalid userid password combination

Explanation A listener is configured to execute the service with client credentials. Either no credentials (user ID and password) were passed in the RPC call or an invalid user ID or password was specified (for example the user does not exist in the Integration Server).

Action Configure the RPC client to send a valid user ID / password combination.

08000333 WmEntireX: exception during syncListener.runNotification: <exception details>

Explanation The adapter listener trapped into an exception while processing a notification event.

Action Use exception details to fix.

08000342 WmEntireX: listener <entry or exit> handler <service name> throws exception <exception detail>

Explanation An error occurred in a listener during the call of an entry or exit handler. The error message contains a detailed description of the error.

Action Use exception detail to fix.

08000343 WmEntireX: listener <entry or exit> handler <service name> is not a service

Explanation Either a service with the given name does not exist or there is an Integration Server object with the same name which is not a service.

Action Specify a valid entry or exit handler service in the listener configuration.

08000362 WmEntireX: exception during listener.runAsyncNotification: <exception detail>

Explanation An error occurred during the processing of a notification in a reliable listener. The error message contains a detailed description of the error.

Action Use exception detail to fix.

08000500 **WmEntireX: exception while executing service: <exception detail>**

Explanation An error occurred during the processing of an adapter service. The error message contains a detailed description of the error.

Action Use exception detail to fix.

08000603 **Error in transaction handling(<connection id>): <exception detail>**

Explanation An error occurred in the transactional logic of an adapter service. The error message contains a detailed description of the error.

Action Use exception detail to fix.