Message Class 2000 - XML/SOAP Runtime

The messages have the format:

2000nnnn

where 2000 is the message class, and

nnnn is the message number in the range 0000 - 9999

Overview of Messages

20000001	20000002	2000003	20000004 2	0000005 20000006
20000007	20000021	20000025	20000026 2	0000027 20000031
20000043	20000060	20000062	20000064 2	0000070 20000072
20000075	20000077	20000078	20000079 2	0000080 20000081
20000082	20000084	20000086	20000087 2	0000088 20000089
20000100	20000101	20000103	20000104 2	0000110 20000120
20000130	20000140	20000141	20000250	

20000001	Broker Exception: {0}
Explanation	Information on the BrokerException is contained in the error message (ErrorClass, ErrorNumber and ErrorText).
Action	Look up the error class/number for the BrokerException and follow the instructions.
20000002	Server Exception: {0}
Explanation	Information on the ServerException is contained in the error message (ErrorClass, ErrorNumber and ErrorText).
Action	Look up the error class/number for the ServerException and follow the instructions.
20000003	External Parser Exception
Explanation	The external parser throws an exception.
Action	• Check if the JAR files of the parser are located in CLASSPATH.
	• Check if the incoming document is well-formed.

20000004	Internal Error: Java IO Exception
Explanation	Either the XML/SOAP Wrapper cannot find a file or the XML RPC server does not connect to the Web server.
Action	XML/SOAP Wrapper: Check your path settings. If they are correct, contact Software AG support.
	XML RPC server: Check the URI of the Web server. If it is correct, contact Software AG support.
20000005	Internal Error: Java Exception
Explanation	Internal error.
Action	Contact Software AG support.
20000006	Incoming SOAP document is invalid
Explanation	The incoming XML document is invalid.
Action	Check the incoming document.
20000007	Incoming XML document is invalid
Explanation	The incoming XML document is invalid.
Action	Check the incoming document.
20000021	XML Parser not found
Explanation	The XML parser could not be found because the JAR files of the parser were not found in CLASSPATH.
Action	Correct CLASSPATH specifications.
20000025	Mapping Error: Path cannot be resolved
Explanation	Internal error.
Action	Contact Software AG support.

20000026	Mapping Error: Mapping of one item fails
Explanation	Internal error.
Action	Contact Software AG support. Required information: the IDL-XML mapping file (XMM).
20000027	Mapping Error: Invalid mapping path
Explanation	Internal error.
Action	Contact Software AG support. Required information: the IDL-XML mapping file (XMM).
20000031	Mapping Error: Value cannot be mapped
Explanation	The document contains a value that cannot be mapped.
Action	Contact Software AG support. Required information: the IDL-XML mapping file (XMM).
20000043	Invalid Configuration File
20000043 Explanation	Invalid Configuration File The configuration file contains an invalid definition. See details of error message for more information.
	The configuration file contains an invalid definition. See details of error message for
Explanation	The configuration file contains an invalid definition. See details of error message for more information.
Explanation Action	The configuration file contains an invalid definition. See details of error message for more information. Correct the configuration file.
Explanation Action 20000060	The configuration file contains an invalid definition. See details of error message for more information. Correct the configuration file. Incoming Document: Invalid base64 format
Explanation Action 20000060	 The configuration file contains an invalid definition. See details of error message for more information. Correct the configuration file. Incoming Document: Invalid base64 format The binary data has an invalid base64 format. The incoming document contains binary data in base64 format. For at least one data
Explanation Action 20000060 Explanation	 The configuration file contains an invalid definition. See details of error message for more information. Correct the configuration file. Incoming Document: Invalid base64 format The binary data has an invalid base64 format. The incoming document contains binary data in base64 format. For at least one data item the base64 format is invalid.
Explanation Action 20000060 Explanation Action	 The configuration file contains an invalid definition. See details of error message for more information. Correct the configuration file. Incoming Document: Invalid base64 format The binary data has an invalid base64 format. The binary data has an invalid base64 format. The incoming document contains binary data in base64 format. For at least one data item the base64 format is invalid. Check the application of the sender.

20000064	Marshalling failed: Unexpected number of array elements
Explanation	An array contains more elements than the maximum definition.
Action	Check your IDL-XML mapping and the documents used.
20000070	Repository Error: Inconsistent data loaded
Explanation	At least one loaded XMM file contains corrupt or conflicting data.
Action	• Check the XMM file(s).
	• Check if you are using the XML/SOAP RPC Server configuration file.
20000052	X 7 • • / X
20000072	Version mismatch
Explanation	An EntireX server does not understand the required protocol version.
Action	Check IDL definition. It must be suitable for client and server applications.
20000055	
20000075	Parameter not set
Explanation	A data stream for reading or writing is null (using Java API).
Action	Check your application.
20000077	Unknown document, XML/SOAP Runtime cannot interpret the incoming document
Explanation	The incoming document was not found in the internal repository.
Action	No suitable mapping was found. Check if
	1. the XMM file is contained in the configuration.
	2. the namespaces in the document and the XMM file match.
20000078	Invalid XMM file
Explanation	The XMM file has an error.
Action	Save the XMM file again. If the problem is permanent, contact Software AG support.

20000079	Transport error
Explanation	The HTTP transport of data failed, for example because the proxy setting is missing or the target service is not available.
Action	1. Check proxy settings.
	• If a firewall is in use, define the required proxy settings.
	• If you are using a proxy setting and connecting to localhost, add the following definition:
	-Dhttp.nonProxyHosts=localhost
	 Check the URL of the target service. To get more information, start the XML/SOAP RPC Server with enabled trace.
20000080	Writing document failed
Explanation	Writing an outgoing XML document failed, caused by unsupported encoding or an internal error.
Action	Verify the encoding used and/or contact Software AG support.
20000081	Unsupported transport medium
Explanation	The configuration file of the XML/SOAP RPC Server contains a transport medium which is not supported by XML/SOAP Runtime.
Action	Check your configuration file.
20000082	Unknown RPC program
Explanation	The XML Runtime did not find a description for the RPC program called.
Action	Check your configuration file for missing or conflicting definitions.
20000084	Unknown data type
Explanation	The required data type cannot be marshalled with the protocol used, or the XMM file used has a corrupt entry.
Action	Check IDL-XML mapping and check application for any server that does not support the data type used.

20000086	Received unexpected document (faulty document)
Explanation	An XML client sent a faulty document.
Action	Check your application.
20000097	
20000087	Internal error
Explanation	The internal processing terminates abnormally with an error.
Action	Check the details of error information. If this information does not help you resolve the problem, contact Software AG support.
20000088	Value does not match type definition
Explanation	The value of the parameter does not match the type definition. For example, a parameter for a numeric field does not contain a numeric value.
Action	The error message contains the name and value of invalid parameter. Correct the inconsistency in your application, i.e. check data type.
20000089	Format exception: Date or time parameter does not match format definition
Explanation	The format definition of a date or time parameter does not match format set by user or default format.
Action	Check IDL-XML mapping and the documents used.
20000100	Syntax error in IDL-XML mapping file
Explanation	The IDL-XML mapping file contains an unexpected tag.
Action	Contact Software AG support.
20000101	Invalid IDL-XML mapping File
Explanation	The IDL-XML mapping file is not well-formed or is unreadable.
Action	If using FTP to move mapping file, check that binary mode is set. Otherwise contact Software AG support.

Overview of Messages

20000103	Configuration error: IDL-XML mapping file conflict in library/program name
Explanation	A name clash of library/program is found.
Action	Check your IDL-XML mapping files.
20000104	IDL-XML Mapping File contains non-supported Natural/COBOL redefine settings in library/program
Explanation	The specified XMM contains Natural/COBOL redefine information, which is not supported.
Action	Remove the program listed in the error message from the mapping file.
20000110	Configuration Error
Explanation	Reading the configuration terminates with an error message probably because of an invalid classpath, an invalid configuration or an inconsistent value assignment within the configuration.
Action	Check configuration file and CLASSPATH.
20000120	Document does not fulfill SOAP 1.1 specification
Explanation	The document contains a description not compliant with the SOAP 1.1 specification.
Action	Check the document for compliance with the SOAP 1.1 specification.
20000130	Document does not fulfill SOAP 1.2 specification
Explanation	The document contains a description not compliant with the SOAP 1.2 specification.
Action	Check document for compliance with the SOAP 1.2 specification.
20000140	HTTP header contains invalid value
Explanation	The HTTP header contains an invalid value for the session ID or the conversation.
Action	Read fault document and check the application.

20000141	HTTP message contains invalid value
Explanation	The HTTP message (header or payload) contains an invalid value.
Action	Read fault document and check the application.
20000250	Program should have INPUT parameters only
20000250 Explanation	Program should have INPUT parameters only An asynchronous call with INOUT or OUT parameter was made.