

Message Class ETBD - Broker Log and Console - Diagnostic Messages

This page explains diagnostic messages from the EntireX Broker Log and Console. These messages have the format:

ETBD*nnnn*

where ETBD is the message class, and

nnnn is the message number in the range 0000-9999

Overview of Messages

ETBD0280	ETBD0281	ETBD0282	ETBD0283	ETBD0284	ETBD0285
ETBD0286	ETBD0287	ETBD0288	ETBD0295	ETBD0296	ETBD0297
ETBD0298	ETBD0303	ETBD0324	ETBD0325	ETBD0436	ETBD0442
ETBD0443	ETBD0444	ETBD0471	ETBD0552	ETBD0553	ETBD0556
ETBD0557	ETBD0560	ETBD0565	ETBD0658	ETBD0672	ETBD0677
ETBD0678	ETBD0735	ETBD0736			

ETBD0280 Function Entered

Explanation This message is written to the log data set when tracing is set to a trace level greater than 1. An EntireX Broker internal function module is entered.

Action This message is for diagnostic purposes only.

ETBD0281 Cleaned Up:

Explanation This message is written to the log data set from the TOM task when tracing is set to a trace level greater than 0. Resources used internally (CCBs, PCBs and SCBs) are made available again for reuse.

Action This message is for diagnostic purposes only.

ETBD0282 SPFX Values:

Explanation This message is written to the log data set from the worker tasks when tracing is set to any trace level greater than 0. It reports the incoming and outgoing calls to EntireX Broker.

Action None.

Action This message is for diagnostic purposes only.

ETBD0295 Signal received!

Explanation An abnormal error has occurred. The process ID and the signal number are written to the Broker error log.

Action Contact Software AG support.

ETBD0296 Additional Information

Explanation This is the first message after error messages that require additional diagnostic data (for example, for any security violations). It is written to the EntireX Broker log file for any trace level including level 0.

Action This message is for diagnostic purposes only.

ETBD0297 ETB_SHUTDOWN semaphore posted

Explanation The shutdown semaphore has been posted. The broker kernel will shutdown.

Action This message is for diagnostic purposes only.

ETBD0298 Exit Message

Explanation A messages with this number is issued by a user exit, and the meaning of the message depends on the context of the exit that issued it.

Action Depends on exit that issued the message.

ETBD0303 Command logging file information

Explanation Information on a z/OS command logging output file is displayed.

Action This message is for diagnostic purposes only.

ETBD0324 CLOG file 1 is now ready to be copied

Explanation The first command logging output file (DD : CLOGR1 on z/OS) has been closed and can be copied for examination. The second command logging output file (DD : CLOGR2 on z/OS) is now the active output file.

Action This message is for diagnostic purposes only.

ETBD0325 CLOG file 2 is now ready to be copied

Explanation The second command logging output file (DD : CLOGR2 on z/OS) has been closed and can be copied for examination. The first command logging output file (DD : CLOGR1 on z/OS) is now the active output file.

Action This message is for diagnostic purposes only.

ETBD0436 Service attributes

Explanation This message informs about service attributes and is written to the log when tracing is set to any trace level greater than 4.

Action None.

ETBD0442 RESTART: Processing starting

Explanation This informs the Administrator about the start of the persistent store restore processing.

Action None.

ETBD0443 RESTART: Processing finished

Explanation This informs the Administrator about the finished restore processing of the persistent store.

Action None.

ETBD0444 Shutdown Statistics:

Explanation This message is written to the log data set when the Broker shuts down after a successful execution. Shutdown statistics and other information are written directly following this message in the log.

Action This message is for diagnostic purposes only.

ETBD0471 Topic attributes

Explanation This message informs about Topic attributes and is written to the log when tracing is set to any trace level greater than 4.

Action None.

ETBD0552 EntireX Broker SSL Attributes

Explanation This message informs about all DEFAULTS=SSL attributes configured for the SSL communicator.

Action None.

ETBD0553 EntireX Broker NET Attributes:

Explanation This message informs about all DEFAULTS=NET attributes configured for the NET communicator.

Action None.

ETBD0556 Thread [re]started

Explanation This message informs the Administrator about the start of a Broker thread. This message is written to the log when tracing is set to any trace level greater than 0.

Action None.

ETBD0557 Thread stopped

Explanation This message informs the Administrator about the stop of a Broker thread. This message is written to the log when tracing is set to any trace level greater than 0.

Action None.

ETBD0560 EntireX Broker TCP/IP Attributes

Explanation This message informs about all DEFAULTS=TCP attributes configured for the TCP/IP communicator.

Action None.

ETBD0565 z/VSE operating system information

Explanation z/VSE operating system information is displayed.

Action This message is for diagnostic purposes only.

ETBD0658 EntireX Broker Memory Pool Settings:

Explanation This message is written to the log data set from the EntireX Broker main task for any trace level including level 0. It provides a summary of pools scheduled for allocation and the number of slots per pool.

Action This message is for diagnostic purposes only.

ETBD0672 Broker Memory Pool Deallocation:

Explanation This message is written to the log data set from the EntireX Broker main task for any trace level including level 0. It provides addresses and lengths for all memory pools deallocated during Broker termination processing.

Action This message is for diagnostic purposes only.

ETBD0677 RESTART: PSTORE rebuild started

Explanation The persistent store was not properly finalized. The restart procedure detected an inconsistency that needs to be repaired. The rebuild procedure was just started to re-create the affected files.

Action No action required.

ETBD0678 RESTART: PSTORE rebuild stopped

Explanation The rebuild procedure was stopped.

Action No action required.

ETBD0735 Unload Object

Explanation This message informs the Administrator about the unload of a persistent store record. This message is written to the log when tracing is set to any trace level greater than 0.

Action None.

ETBD0736 Upload Object

Explanation This message informs the Administrator about the upload of a persistent store record. This message is written to the log when tracing is set to any trace level greater than 0.

Action None.