

webMethods EntireX

Administration of Broker Stubs under OpenVMS

Version 9.7

October 2014

This document applies to webMethods EntireX Version 9.7.

Specifications contained herein are subject to change and these changes will be reported in subsequent release notes or new editions.

Copyright © 1997-2014 Software AG, Darmstadt, Germany and/or Software AG USA, Inc., Reston, VA, USA, and/or its subsidiaries and/or its affiliates and/or their licensors.

The name Software AG and all Software AG product names are either trademarks or registered trademarks of Software AG and/or Software AG USA, Inc. and/or its subsidiaries and/or its affiliates and/or their licensors. Other company and product names mentioned herein may be trademarks of their respective owners.

Detailed information on trademarks and patents owned by Software AG and/or its subsidiaries is located at <http://softwareag.com/licenses>.

Use of this software is subject to adherence to Software AG's licensing conditions and terms. These terms are part of the product documentation, located at <http://softwareag.com/licenses/> and/or in the root installation directory of the licensed product(s).

This software may include portions of third-party products. For third-party copyright notices, license terms, additional rights or restrictions, please refer to "License Texts, Copyright Notices and Disclaimers of Third-Party Products". For certain specific third-party license restrictions, please refer to section E of the Legal Notices available under "License Terms and Conditions for Use of Software AG Products / Copyright and Trademark Notices of Software AG Products". These documents are part of the product documentation, located at <http://softwareag.com/licenses> and/or in the root installation directory of the licensed product(s).

Use, reproduction, transfer, publication or disclosure is prohibited except as specifically provided for in your License Agreement with Software AG.

Document ID: EXX-ADMIN-97-20160805OVMS

Table of Contents

1 Administration of Broker Stubs under OpenVMS 1

 Transport Method 2

 Tracing 2

1 Administration of Broker Stubs under OpenVMS

■ Transport Method	2
■ Tracing	2

See also *Installing Broker Stubs under OpenVMS*.

Transport Method

TCP/IP is the default transport method.

Tracing

The broker stub provides an option for writing trace files. The trace file is created in the current directory. The name is *pid.etb* where *pid* is the process ID. Remember to switch off tracing to prevent trace files from filling your disk.

➤ To switch on tracing

- Set environment variable `ETB_STUBLOG` to one of the values below.

Value	Explanation
0	No tracing. Default.
1	Incoming and outgoing buffers, memory allocation, etc...
2	All of level 1 plus environment and transport initialization.
3	All of level 2 plus transport-specific return codes.

Example

```
DEFINE ETB_STUBLOG 2
```

➤ To switch of tracing

- Set environment variable `ETB_STUBLOG` to "0".

```
DEFINE ETB_STUBLOG 0
```