## **Creating a New Web Application**



Create a new Web application.



Recommended reading in ApplinX documentation:

• Getting Started>Creating an ApplinX Web Application



Accompanying movies:

- Creating a New Web Application (JSP)
- Creating a New Web Application (.NET)

Host screens you didn't generate will be displayed as Instant pages. This methodology lets you take your time developing the web application, since, you don't have to migrate the whole business logic, you can start slowly by generating and customizing the most commonly used screens, working your way down to the least commonly used screens. Processes you didn't get to yet will be displayed as instant pages, looking and functioning as they do in the host.

.NET

New Web Site	9		? 🛽		
Templates:					
Visual Stud	lio installed templates	3			
ASP.NET Web Site		👷 ASP.NET Web Service 🍖 Empty Web Site	💏 Personal Web Site Starter Kit ASP.NET Crystal Reports Web Site		
My Templa	ites				
ApplinX C	# Composite Demo Appl	22 ApplinX C# Html Emulation 23 Search Online Templates	🔁 ApplinX C# Instant Demo Applica		
ApplinX C# We	b Application provides a re	ady to use host application in Visual	Studio.NET 2005		
ApplinX C# We	b Application provides a re	eady to use host application in Visual	Studio.NET 2005		
ApplinX C# We Location: Language:	b Application provides a re File System Visual C#	eady to use host application in Visual C:\Inetpub\www.root\ApplinX	Studio.NET 2005 WebApplication1		

## **JSP/Eclipse Environment**

1. Create a new "Dynamic web project". Name the project. In the project facets screen, check the ApplinX framework box and continue.

🖨 New Dynamic Web Project				E 🖬 🛛
Project Facets Select the facets that should be enabled for				
Configurations: <a></a>		V Save Delete		
Project Facet	Versio	n		
ApplinX Framework	5.2	÷		
🗌 🔽 💑 Dynamic Web Module	2.4	-		
Java	5.0	-		
🚽 🚽 Java Persistence	1.0			
🚽 📄 📄 JavaServer Faces	1.2			
	1.2.3	*		
				< Show <u>R</u> untimes
Ø	C	< <u>B</u> ack	vext >	Einish Cancel

2. Run the project and make sure it works properly. If you need to change some of the configurations (ApplinX server address, ApplinX application name, Instant page font size etc.) you can do so in the Framework configuration page (just click the "configuration" link (this link is used for development use only, make sure you remove it later on)).