

Software AG Designer 9.9 Readme

October 2015

This file contains important information you must read before using Software AG Designer 9.9. You can find user documentation on the [Documentation website](#) or the [TECHcommunity website](#). At those locations, you can also find the suite-related information listed below. The Designer documentation is available from the workbench after you start Designer.

webMethods Product Suite Release Notes

webMethods and Intelligent Business Operations System Requirements

webMethods System Cache Specifications

Using the Software AG Installer

Installing webMethods and Intelligent Business Operations Products

Using the Software AG Update Manager (fixes)

Upgrading webMethods and Intelligent Business Operations Products

Security and globalization information

1.0	Critical Information	2
2.0	Known Issues	2
3.0	Usage Notes	3
4.0	Fixes Included in Each Release	3
5.0	Other Resolved Issues	4
6.0	Documentation Changes	7
7.0	Terminology Changes	8
8.0	Added, Removed, Deprecated, or Changed Items	8
9.0	Added, Removed, Deprecated, or Changed Built-In Services	9
10.0	Added, Removed, Deprecated, or Changed Parameters	9
11.0	Added, Removed, Deprecated, or Changed APIs	9
12.0	Copyright Information	10
13.0	Support	10

1.0 Critical Information

This section lists any critical issues for the current release that were known when this readme was published. For critical information found later, go to the Knowledge Center on the [Empower website](#).

2.0 Known Issues

This section lists any issues for the current release that were known when this readme was published. For known issues found later, go to the Knowledge Center on the [Empower website](#).

- SDEF-1526
When running on RHEL 7 operating system, Designer faces the following issues:
 1. Upon clicking Help > About Software AG Designer, Designer displays the following error message instead of the About Software AG Designer dialog box:
MOZILLA_FIVE_HOME not set
To work around this issue, download the rpm version of GTK+ web content engine library for RHEL 7(webkitgtk-2.2.4 or latest) and use the "rpm -i webkitgtk.x86_64.*.rpm" command.
 2. While Software AG Designer that is running on RHEL 7 operating system is starting up, the following alert message is displayed at times:
Software AG Designer is not responding
This message only indicates that the initialization of Designer is in progress and does not indicate any issue with your Designer. Software AG recommends that you click Wait in the alert message window and wait until Designer starts up completely.
- SDEF-1495
Designer displays the same icons multiple times in the toolbars of various views in Designer upon resetting a perspective to its original layout.
This issue occurs due to an Eclipse known issue Bug 448873.
To work around this issue, close the affected views and reset the perspective again.
- SDEF-1185
The context menu in the Project Explorer view of Designer displays the Import option twice upon deleting a project from the Project Explorer view.
This issue occurs as the result of the Eclipse Bug 448873.
To work around this issue, refresh the Project Explorer view by selecting Refresh from the context menu or by pressing the F5 key in the keyboard.

- SDEF-1704

The Welcome page for Designer which is installed on the SUSE Linux Enterprise Server 12 platform does not display correctly. The links on the page are not ordering correctly and some icons on the Welcome page are not displayed. When you try to open the Help > About Software AG Designer page, the following error is displayed: No more handles [Unknown Mozilla path...]

There is currently no workaround for this issue.

3.0 Usage Notes

This section provides any additional information you need to work with the current release of Software AG Designer.

- To start Software AG Designer on Mac OS X, you must have Java installed. For details, see SDEF-1339 in [Other Resolved Issues](#).
- The Eclipse update sites listed in Window > Preferences > Install/Update > Available Software Sites have been disabled. Software AG does not recommend using these sites to update Designer's Eclipse platform because doing so might have undesired consequences. Use the Software AG Update Manager to apply updates to Designer.
- The Software AG Installer automatically adds the following vmargs Java option in the eclipse.ini file when installing Designer on SUSE Linux Enterprise 12:
 - Dorg.eclipse.swt.internal.gtk.disablePrintingThis entry in the eclipse.ini file will resolve the Eclipse Bug 153936 - Eclipse freezes when opening an editor.

4.0 Fixes Included in Each Release

This section lists the latest fix level that has been included in each release for each product component. A release is listed in this section only if changes occurred in that release. Go to the Knowledge Center on the [Empower website](#) for detailed information about fixes.

Release 9.8

- SDF_9.7_Fix1
- SDF_9.6_Fix2
- SDF_9.5_SP1_Fix2

Release 9.7

- CEP_9.5_SP1_Fix4

- SDF_9.6_Fix1
- SDF_9.5_SP1_Fix1

Release 9.6

- CEP_9.5_SP1_Fix3

5.0 Other Resolved Issues

This section lists the issues that were resolved in each release but were not part of the fixes listed in the previous section. A release is listed in this section only if changes occurred in that release.

Release 9.8

- SDEF-1339
Designer requires an installation of Java SE in order to run on Mac OS X.
If no other Java SE is installed apart from the JVM that was installed with Designer, Designer running on Mac OS X displays a message at startup stating that a Java SE Runtime must be installed.
This issue is resolved. To resolve this issue, a new shell script, `designerc.sh`, is provided to launch Designer from a terminal shell. This shell script is available in the Software AG root installation directory/`Designer/eclipse` directory. Alternatively, installing Java SE also resolves this issue. In both these cases, Designer will use the JVM provided by Software AG.
- SDEF-1575
Designer updated to include JGit version 3.4.2 that resolves a JGit client vulnerability in Eclipse. A vulnerability affecting all versions of Git clients was announced in <https://github.com/blog/1938-vulnerability-announced-update-your-git-clients> (Eclipse Bug 456947).
This problem is resolved in JGit version 3.4.2, which is shipped along with Designer 9.8.
- SDEF-1498
After configuring NTLM authentication for the process audit database in Integration Server, Designer issues the following error when testing the connection:
[SoftwareAG][SQLServer JDBC Driver]NTLM (type-2) Authentication was requested but the required `DDJDBCx64Auth05.dll` was not found on the path specified by the `java.library.path` system property.
This issue is resolved.

- SDEF-1280
Right-clicking in the SVN Repositories view does not display the context menu.
When you right-click in the SVN Repositories view in Software AG Designer, the context menu does not show up. The menu is displayed only after right-clicking several times. The problem occurs due to Eclipse 4.3 compatibility issues with the SVN Repositories right-click context menu. This issue is resolved.
- SDEF-915
When defining a Software AG Runtime instance in the Servers view, two Password Required dialog boxes appear.
When you define a Software AG Runtime instance in the Servers view after starting Designer with a new workspace, two Password Required dialog boxes appear when you select the Platform Manager URL box.
This issue is resolved.

Release 9.7

- SDEF-1243
Creating a Software AG Runtime instance using a secure connection fails.
In the Servers View, when you attempt to create a Software AG Runtime instance using an https Platform Manager URL and then click 'List Servers', Software AG Designer returns an error and no connection is established.
The issue is resolved. A secure connection is now the default when creating a Software AG Runtime instance.
- SDEF-917
Fix names are not clearly displayed in Software AG Designer.
Software AG Eclipse features and plug-ins encode the fix number as the fourth part of their full versions. For example, the version 8.2.3.0001-0235 represents fix #1 of version 8.2, service pack 3, build 235. In addition, a single product might comprise several features, and a fix might update only some features. Thus, identifying the latest fix becomes complex.
The About Software AG Designer dialog box has been enhanced to display clear information about the installed products, organized in tabs according to the provider.
The Software AG tab displays all installed Software AG products by name, including version and the highest fix number, if a fix has been applied. For example:
webMethods Service Development
Version 9.7 (fix #3 applied)
- SDEF-916
The button labels in the About Software AG Designer dialog box do not provide information about the installed products.
The button tool-tips in the About Software AG Designer dialog box display the provider name, for example Software AG, instead of the product name. When checking the version and fix level of a Designer plug-in, you might need to click a number of buttons before identifying the correct button for the product.

Now the About Software AG Designer dialog box displays clear information about the installed products, organized in tabs according to the provider.

The Software AG tab displays all installed Software AG products by name, including version and fix number, if a fix has been applied. For example:

webMethods Service Development

Version 9.7 (fix #3 applied)

In addition, the button tool-tips display the Eclipse feature(s) related to a particular product.

Release 9.6

- SDEF-1291

The New Server wizard in Software AG Designer displays an incorrect error message when validating an IPv6 address.

While creating a new Software AG Runtime server in Designer, if you provide an invalid IPv6 address in the Platform Manager URL field, the New Server wizard displays the following incorrect error message: "Cannot connect to the Platform Manager. Check the URL and the credentials."

This issue is resolved. Now the New Server wizard displays the message: "The URL is invalid."

- SDEF-1010

Software AG Designer does not display the Welcome page properly.

On the Welcome page in Designer, when you click the "Visit Software AG Community Website" link and then go back to the Welcome page using the "Navigate to previous topic" arrow, Designer displays an empty Welcome page.

This issue is resolved. Now Designer opens the "Software AG Community Website" link in an external window.

- SDEF-894

When the Welcome page of Software AG Designer is open as a view, the page does not inform you that you have no products installed.

With only Designer installed, when you open the Welcome page and then double-click the page tab, the minimized Welcome page does not display the message: "You have no installed products."

This issue is resolved.

- SDEF-893

The Welcome page of Software AG Designer is not displayed properly after using the "Customize page" toolbar icon.

When you click the "Customize page" toolbar icon on the Designer Welcome page and select a home page theme other than Software AG, the Welcome page layout becomes unreadable.

This issue is resolved. The "Customize page" icon is no longer available.

6.0 Documentation Changes

This section describes significant changes to the documentation, such as the addition, relocation, or removal of product guides, online help, chapters, or other major content. A release is listed in this section only if changes occurred in that release.

Release 9.9

- The following new topics are included in the online help set *Tips, Training, and Other Resources* and in the PDF publication *Working with Software AG Designer*:
 - Verifying Java Byte Code
 - Java Code Cache

Release 9.8

- Software AG documentation is no longer available on the Software AG installer. You can access all Software AG documentation on the [Documentation website](#).
Note: Software AG Designer online help and other online helps that are installed along with Designer features are still available as part of Designer Eclipse Help under the Software AG Designer Guides node. However, the Designer documentation that is available on the [Documentation website](#) might contain more comprehensive information about the new features.
- Working with Software AG Designer now contains a new topic, Managing the Designer User Configuration, which includes information that was available in the following topics as well additional information related to installing Designer into a subfolder of Program Files:
 - Implementing a Multi-User Eclipse Configuration
 - Configuring Eclipse for Non-Administrator Accounts
 - Considerations when Starting Designer on Windows

Release 9.7

- A new section, “Finding Installed Products, Versions, and Fixes”, has been added to the PDF publication *Working with Software AG Designer* and to the online help set *Tips, Training, and Other Resources*.

Release 9.6

- A new section, “Considerations when Starting Designer on Windows”, has been added to the PDF publication *Working with Software AG Designer* and to the online help set *Tips, Training, and Other Resources*.

Release 9.5

- The topic “Configuring SSL Connections in Designer” is added to the online help set *Tips, Training, and Other Resources* and to the PDF publication *Working with Software AG Designer*.

7.0 Terminology Changes

A release is listed in this section only if changes occurred in that release.

8.0 Added, Removed, Deprecated, or Changed Items

This section lists features, functionality, controls, portlets, properties, or other items that have been added, removed, deprecated, or changed. A release is listed in this section only if changes occurred in that release.

Release 9.9

Changed Item	Description
Eclipse version upgrade	Software AG Designer and all its plug-ins are now supported on the latest service release of Eclipse, 4.4.2.

Release 9.8

Added Item	Description
Installation folder for Designer	It is now possible to install Designer in a subfolder of Program Files.

Changed Item	Description
Eclipse version upgrade	Software AG Designer and all its plug-ins are now supported on Eclipse 4.4.

Release 9.7

Added Item	Description
Ability to select and copy product information from the Software AG Preferences page.	It is now possible to select some or all rows in the Installed Software AG Features table and copy the information to the clipboard.

Changed Item	Description
"About Software AG Designer" dialog box.	The "About Software AG Designer" dialog box was redesigned and enhanced to display installed products categorized by provider. It displays information about version and applied fixes for the products provided by Software AG.

Release 9.6

Removed Item	Replacement, if any
"Customize page" icon on Welcome page.	

Changed Item	Description
Eclipse update sites are disabled by default.	The Eclipse update sites listed in Window > Preferences > Install/Update > Available Software Sites have been disabled. Software AG does not recommend using these sites to update Designer's Eclipse platform because doing so may have undesired consequences.

Release 9.5

Software AG Designer is now based on Eclipse version 4.3. The plugins that Software AG provides are developed and tested for Eclipse version 4.3.

9.0 Added, Removed, Deprecated, or Changed Built-In Services

A release is listed in this section only if changes occurred in that release.

10.0 Added, Removed, Deprecated, or Changed Parameters

A release is listed in this section only if changes occurred in that release.

11.0 Added, Removed, Deprecated, or Changed APIs

A release is listed in this section only if changes occurred in that release.

12.0 Copyright Information

Copyright © 2015 Software AG, Darmstadt, Germany and/or Software AG USA Inc., Reston, VA, USA, and/or its subsidiaries and/or its affiliates and/or their licensors.

The name Software AG and all Software AG product names are either trademarks or registered trademarks of Software AG and/or Software AG USA Inc. and/or its subsidiaries and/or its affiliates and/or their licensors. Other company and product names mentioned herein may be trademarks of their respective owners.

Detailed information on trademarks and patents owned by Software AG and/or its subsidiaries is located at <http://softwareag.com/licenses>.

This software may include portions of third-party products. For third-party copyright notices, license terms, additional rights or restrictions, please refer to "License Texts, Copyright Notices and Disclaimers of Third Party Products". For certain specific third-party license restrictions, please refer to section E of the Legal Notices available under "License Terms and Conditions for Use of Software AG Products / Copyright and Trademark Notices of Software AG Products". These documents are part of the product documentation, located at <http://softwareag.com/licenses> and/or in the root installation directory of the licensed product(s).

13.0 Support

Visit the [Empower website](#) to learn about support policies and critical alerts, read technical articles and papers, download products and fixes, submit feature/enhancement requests, and more.

Visit the [TECHcommunity website](#) to access additional articles, demos, and tutorials, technical information, samples, useful resources, online discussion forums, and more.

DES-RM-99-20151015