

Adabas Caching Facility

Adabas Caching Installation

Version 7.4.3

September 2009

This document applies to Adabas Caching Facility Version 7.4.3 and to all subsequent releases.

Specifications contained herein are subject to change and these changes will be reported in subsequent release notes or new editions.

Copyright © Software AG 2009. All rights reserved.

The name Software AG, webMethods and all Software AG product names are either trademarks or registered trademarks of Software AG and/or Software AG USA, Inc. Other company and product names mentioned herein may be trademarks of their respective owners.

Table of Contents

1 Adabas Caching Installation	1
Supported Environments	2
Prerequisites	2
Installation Datasets	3
Installing and Starting Adabas Caching	4
Index	5

1 Adabas Caching Installation

▪ Supported Environments	2
▪ Prerequisites	2
▪ Installation Datasets	3
▪ Installing and Starting Adabas Caching	4

This document provides information for installing Adabas Caching.

Supported Environments

Adabas Caching is supported by the Adabas release tape options described in the following table. For each option, information is provided about the types of cache space supported.

Operating System	Cache Type: Extended Memory	Cache Type: Data Spaces	Cache Type: Hiperspace	Cache Type: V64
OS/390	Yes	Yes	Yes	No
z/OS ¹	Yes	Yes	Yes	Yes
VSE/ESA	Yes	Yes	No ²	No
VM/ESA	No	Yes	No ²	No
BS2000 ³	Yes	Yes ⁴	No ²	No



Notes:

1. For information relevant to z/OS, refer to OS/390 descriptions in this documentation.
2. This operating system does not support hiperspace.
3. File-level caching is not available under BS2000.
4. Data spaces are not available on BS2000 RISC machines.

For information about setting up data spaces (or hiperspace if supported in your environment), refer to the documentation for the operating system. Specifically for 64-bit address space, refer to the IBM documentation SA22-7614-00, *MVS Programming: Extended Addressability Guide, second edition October 2001*, which applies to z/OS 1.2 and above.

Prerequisites

Adabas Online System (AOS), either the demo version delivered with Adabas or full version available as a selectable unit, is a prerequisite for using Adabas Caching Online Services (Natural application SYSACF). SYSACF is the online, menu-driven application used to monitor the Adabas Caching environment. It is included as part of Adabas version 7.4. Natural version 3.1 or above is a prerequisite for AOS.

Adabas Caching requires storage for the RABN indexes to be acquired above the 16MB line (AMODE=31). This may require an adjustment to the REGION size (machine size for VM/ESA users).

Determine the maximum available storage from your systems programming staff:

- for extended memory usage (BS2000 and all ESA environments)
- for data space (BS2000 - except RISC machines - and all ESA environments)
- for hiperspace (OS/390 or z/OS environments only)
- for virtual 64 storage (z/OS environments only)

The cache type and sizes specified for Adabas Caching may have an effect on overall computer performance.

Installation Datasets

- OS/390 or z/OS
- VSE/ESA
- VM/ESA
- BS2000

OS/390 or z/OS

The installation tape for Adabas Caching contains the following dataset for OS/390 or z/OS:

Dataset	Description of Contents
ACFvrs.LOAD	A load library containing the load modules ADACSH, ADACS1, ADACS6.

VSE/ESA

The installation tape for Adabas Caching contains the following dataset for VSE/ESA:

Dataset	Description of Contents
ACFvrs.LIBR	A load library that includes the phases ADACSH and ADACS1.

VM/ESA

The Adabas Caching download for VM/ESA users contains one member: ACFVvvv TXTLIB. This txtlib needs to be added to the file SETTXTLB EXEC used to set the GLOBAL TXTLIB statement for nucleus startup. In addition, Caching ADARUN parameter cards need to be added to the control file used for nucleus startup.

BS2000

The installation tape for Adabas Caching contains the following dataset for BS2000:

Dataset	Description of Contents
ACF <i>vrs</i> .MOD	A load library containing the modules ADACSH and ADACS1.

Installing and Starting Adabas Caching

- [Add ACF Load Library to STEPLIB](#)
- [Start Adabas Caching Online Services](#)

Add ACF Load Library to STEPLIB

The ACF*vrs*.LOAD library must be added to the STEPLIB concatenation chain of the database start-up JCL.

- The Adabas Caching load library must appear as the first STEPLIB DD statement if there are any concatenated load libraries.
- The ADARUN parameter `CACHE=YES` must be included in the Adabas nucleus start-up job to activate Adabas Caching. Other Adabas Caching parameter settings are described in the section [Adabas Caching Parameters](#).

Start Adabas Caching Online Services

▶ **After Adabas version 7.4 has been installed, start Adabas Caching Online Services as follows:**

- 1 Log on to the application SYSAOS.
- 2 Select Caching Facility from the main menu.

For more information on the usage of Online Services, see section [Adabas Caching Online Services](#).

Index
