

Natural System Error Messages 3251-3300

NAT3251: Invalid utility call - versions conflict. DB/FNR :1/:2:.

Text	Invalid utility call - versions conflict. DB/FNR .../....
Expl.	Invalid utility call - versions conflict.
Actn.	Check whether utilities and database nuclei are of the same version. Contact your nearest support centre.

NAT3252: Invalid subroutine call - coding error. DB/FNR :1/:2:.

Text	Invalid subroutine call - coding error. DB/FNR .../....
Expl.	Invalid subroutine call - coding error.
Actn.	Contact your nearest support centre.

NAT3253: System file not loaded or inconsistent. DB/FNR :1/:2:.

Text	System file not loaded or inconsistent. DB/FNR .../....
Expl.	System file not loaded or inconsistent.
Actn.	Check the system files.

NAT3254: Command time-out or overflow of attached buffer. DB/FNR :1/:2:.

Text	Command time-out or overflow of attached buffer. DB/FNR .../....
Expl.	One of the following has occurred: - The time limit set by the Adabas parameter CT was exceeded. - A buffer overflow occurred while an attached buffer was being processed.
Actn.	Contact your database administrator.

NAT3255: Attached buffers exhausted. DB/FNR :1/:2:.

Text	Attached buffers exhausted. DB/FNR .../....
Expl.	All attached buffers were allocated at the time the command was processed.
Actn.	Contact your database administrator.

NAT3288: Invalid column name list of correlation clause.

Text	Invalid column name list of correlation clause.
Expl.	The column name list of the correlation clause has to be enclosed in round brackets and the column names have to be separated by comma. Each column name is a long identifier and has to be unique within the column name list.
Actn.	Correct the column name list.

NAT3289: Invalid table locator reference in FROM clause.

Text	Invalid table locator reference in FROM clause.
Expl.	A table locator reference has to conform to the following syntax: TABLE (table̲locator̲variable LIKE table̲name) The table̲locator̲variable has to be of format I4. The table̲name has to be the name of a valid DB2 DDM.
Actn.	Correct the table locator reference in the FROM clause.

NAT3290: Invalid table function reference in FROM clause.

Text	Invalid table function reference in FROM clause.
Expl.	A table function reference has to conform to the following syntax: TABLE (function̲name (expr , ...) correlation̲clause Check for matching opening and closing parentheses. Table function references must have a correlation clause. The function̲name is a long identifier; it can be qualified by a schema̲name, which is a short identifier.
Actn.	Correct the table function reference in the FROM clause

NAT3291: Invalid CAST expression.

Text	Invalid CAST expression.
Expl.	A CAST expression has to conform to the following syntax: CAST (expression AS data̲type) Check the correct setting of parentheses and keywords. The data̲type can be either a built-in data type or a distinct̲type, which is a long identifier that can be qualified by a schema name (short identifier).
Actn.	Correct the CAST expression.

NAT3292: Invalid value specified as QUERYNO.

Text	Invalid value specified as QUERYNO.
Expl.	The QUERYNO has to be specified as a non-negative integer number.
Actn.	Specify a non-negative integer number as QUERYNO.

NAT3293: Content of scroll variable is invalid at offset :1:.

Text	Content of scroll variable is invalid at offset
Expl.	<p>The content of a scroll variable has to conform to the following rule: <sensitivity> <direction> <integer></p> <ul style="list-style-type: none"> - <sensitivity> is optional and can be either INSENSITIVE or SENSITIVE. - <direction> can be one of the following: NEXT, PRIOR, FIRST, LAST, CURRENT, BEFORE, AFTER, RELATIVE, ABSOLUTE. The default is NEXT. - <integer> has to be specified if <direction> is RELATIVE or ABSOLUTE. It has to be a integer number, like -5 or 0 or 6. It cannot be specified with any <direction> other than RELATIVE or ABSOLUTE. <p>The specifications of <sensitivity> <direction> <integer> have to be separated from one another by one or more spaces.</p>
Actn.	Correct the content of the scroll variable.

NAT3294: SENSITIVE STATIC not allowed for READ-ONLY cursors.

Text	SENSITIVE STATIC not allowed for READ-ONLY cursors.
Expl.	<p>SENSITIVE STATIC SCROLLABLE cursors are only allowed if the associated query is not READ-ONLY.</p> <p>Queries are READ-ONLY if they contain UNION, GROUP BY, HAVING, or nested TABLE expressions, and if they are used in a READ RESULT SET statement.</p>
Actn.	Either change the query, or change to INSENSITIVE STATIC SCROLL cursors.

NAT3295: Conversion of DATE/TIME string :1: failed with error :2:.

Text	Conversion of DATE/TIME string ... failed with error
Expl.	<p>The conversion of a DB2 DATE/TIME string failed with the Natural error indicated in this message, because the DATE/TIME string received from DB2 could not be converted to a Natural date/time variable.</p> <p>This could happen if, for example, a date prior to 01.01.1582 stored in DB2 is to be placed into a Natural date variable.</p> <p>This also occurs if a DB2 TIME string is retrieved which is either "00:00 AM" or "24.00.00".</p> <p>See the Natural error code for further information.</p>
Actn.	Do not use DATE/TIME strings which cannot be handled by Natural.

NAT3296: Limit of successive "not found" conditions exceeded.

Text	Limit of successive "not found" conditions exceeded.
Expl.	The limit of successive "not found" (sqlcode +100) conditions has been exceeded. This occurs if, within a processing loop involving scrollable cursors, the number of "not found" conditions exceeds its limit. The limit is 5. The processing loop is closed. The counter of successive "not found" conditions is reset when a condition other than "not found" occurs, or when a terminal I/O occurs. The limit check is performed to avoid undesired database loops.
Actn.	Change program logic to avoid this condition.

NAT3297: NDB :1: conversion failed with FC :2: / RC :3: :4: :5:

Text	NDB :1: conversion failed with FC :2: / RC :3: :4: :5:
Expl.	NDB Stored Procedures encoded with UNICODE using Natural alphanumeric fields (A) receive UTF8 encoded data which have to be converted to EBCDIC. This conversion failed with the specified function and reason code. :4: is the destination length, and :5: is the destination length necessary to fully convert the UTF8 data to EBCDIC.
Actn.	Contact technical support.

NAT3298: Error during Multifetch: :1:.

Text	Error during Multifetch:
Expl.	During creation of the NDB Multifetch buffer (DB2SIZE6) an error has occurred; the error message indicates which kind of error. Usually, this is a getmain error or an internal error.
Actn.	In the case of a getmain error, either increase the thread size or decrease the multifetch factor specified in the program. In the case of an internal error, contact Natural support.

NAT3299: Rowset positioning requires integer value or variable.

Text	Rowset positioning requires integer value or variable.
Expl.	The Rowset positioning clause requires the specification of an integer value or variable which determines the size (number of rows) of the multi-fetch buffer. The Rowset positioning clause has the following syntax: WITH ROWSET POSITIONING FOR int ROWS where "int" can be an integer numeric constant or a variable of format/length I4.
Actn.	Correct the Rowset positioning clause accordingly.

NAT3300: Internal Adabas error :1: occurred.

Text	Internal Adabas error :1: occurred.
Expl.	Adabas has encountered an internal error.
Actn.	For more information see: Internal Adabas Error Messages.